



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:25 AM GMT

PDB ID : 2QKI
Title : Human C3c in complex with the inhibitor compstatin
Authors : Janssen, B.J.C.; Halff, E.F.; Lambris, J.D.; Gros, P.
Deposited on : 2007-07-11
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	643	<div> <div>6%</div> <div> <div></div> <div>74%</div> <div>20%</div> <div>• •</div> </div> </div>
1	D	643	<div> <div>%</div> <div> <div></div> <div>73%</div> <div>21%</div> <div>• • •</div> </div> </div>
2	B	188	<div> <div>2%</div> <div> <div></div> <div>78%</div> <div>18%</div> <div>• •</div> </div> </div>
2	E	188	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>15%</div> <div>• •</div> </div> </div>
3	C	343	<div> <div>9%</div> <div> <div></div> <div>68%</div> <div>15%</div> <div>• 15%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	343	
4	G	15	
4	H	15	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NAG	D	3000	X	-	-	-
6	K	D	3003	-	-	-	X
8	GOL	A	802	-	-	-	X
8	GOL	A	809	-	-	X	-
8	GOL	A	816	-	-	-	X
8	GOL	A	821	-	-	-	X
8	GOL	D	822	-	-	-	X
8	GOL	D	823	-	-	-	X
8	GOL	E	916	-	-	X	-
8	GOL	F	840	-	-	X	-
8	GOL	H	820	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 18480 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement C3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	631	Total	C	N	O	S	0	0	0
			4912	3131	831	935	15			
1	D	632	Total	C	N	O	S	0	0	0
			4919	3137	829	938	15			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	292	LEU	PRO	SEE REMARK 999	UNP P01024
D	292	LEU	PRO	SEE REMARK 999	UNP P01024

- Molecule 2 is a protein called Complement C3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	184	Total	C	N	O	S	0	0	0
			1484	954	250	275	5			
2	E	186	Total	C	N	O	S	0	0	0
			1500	964	252	279	5			

- Molecule 3 is a protein called Complement C3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	292	Total	C	N	O	S	0	0	0
			2372	1497	388	467	20			
3	F	295	Total	C	N	O	S	0	0	0
			2395	1510	392	473	20			

- Molecule 4 is a protein called compstatin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	15	Total	C	N	O	S	0	0	1
			113	71	22	18	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	15	Total	C	N	O	S	0	0	1
			113	71	22	18	2			

- Molecule 5 is a polymer of unknown type called SUGAR (2-mer).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	2	Total	C	N	O	0	0
			28	16	2	10		
5	D	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	K	0	0
			1	1		
6	D	2	Total	K	0	0
			2	2		
6	C	1	Total	K	0	0
			1	1		
6	F	1	Total	K	0	0
			1	1		

- Molecule 7 is BROMIDE ION (three-letter code: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	15	Total	Br	0	0
			15	15		
7	E	3	Total	Br	0	0
			3	3		
7	B	3	Total	Br	0	0
			3	3		
7	C	1	Total	Br	0	0
			1	1		
7	A	8	Total	Br	0	0
			8	8		
7	F	2	Total	Br	0	0
			2	2		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	E	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		
8	E	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	C	1	Total	C	O	0	0
			6	3	3		
8	H	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	D	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	F	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	111	Total	O	0	0
			111	111		
9	B	47	Total	O	0	0
			47	47		
9	C	23	Total	O	0	0
			23	23		
9	D	188	Total	O	0	0
			188	188		
9	E	62	Total	O	0	0
			62	62		
9	F	35	Total	O	0	0
			35	35		
9	H	5	Total	O	0	0
			5	5		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Complement C3





• Molecule 1: Complement C3








• Molecule 2: Complement C3



• Molecule 2: Complement C3




• Molecule 3: Complement C3



• Molecule 3: Complement C3






● Molecule 4: compstatin



● Molecule 4: compstatin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.81Å 124.75Å 127.37Å 90.00° 95.08° 90.00°	Depositor
Resolution (Å)	33.00 – 2.40 32.77 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.3 (33.00-2.40) 96.2 (32.77-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.3.0008	Depositor
R, R_{free}	0.213 , 0.281 0.279 , 0.333	Depositor DCC
R_{free} test set	5005 reflections (5.25%)	DCC
Wilson B-factor (Å ²)	43.0	Xtriage
Anisotropy	0.515	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 22.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 100445 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	18480	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, ACE, K, BR, NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.48	1/5009 (0.0%)	0.71	3/6804 (0.0%)
1	D	0.52	0/5017	0.70	3/6817 (0.0%)
2	B	0.47	0/1516	0.63	0/2060
2	E	0.52	0/1532	0.67	0/2082
3	C	0.85	10/2418 (0.4%)	0.63	3/3261 (0.1%)
3	F	0.45	0/2441	0.57	0/3291
4	G	0.39	0/114	0.56	0/156
4	H	0.56	0/114	0.82	0/156
All	All	0.55	11/18161 (0.1%)	0.67	9/24627 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	4
3	C	0	1
5	D	1	0
All	All	1	5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1495	ASN	CG-OD1	23.53	1.75	1.24
3	C	1520	ASP	CG-OD2	11.48	1.51	1.25
3	C	1495	ASN	CB-CG	10.92	1.76	1.51
3	C	1602	LYS	CE-NZ	8.22	1.69	1.49
3	C	1518	GLY	C-O	7.93	1.36	1.23
3	C	1632	GLU	CD-OE2	7.20	1.33	1.25
3	C	1603	ASP	CG-OD1	6.37	1.40	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1519	VAL	CB-CG1	6.01	1.65	1.52
3	C	1495	ASN	CG-ND2	-5.96	1.18	1.32
1	A	89	THR	C-O	5.52	1.33	1.23
3	C	1519	VAL	CB-CG2	5.17	1.63	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	504	ILE	C-N-CD	-21.38	73.56	120.60
1	A	504	ILE	C-N-CA	13.21	177.47	122.00
3	C	1495	ASN	CB-CG-ND2	7.48	134.66	116.70
3	C	1520	ASP	CB-CG-OD2	-7.36	111.68	118.30
1	A	574	VAL	CB-CA-C	-6.86	98.38	111.40
1	D	504	ILE	C-N-CD	-6.68	105.91	120.60
3	C	1495	ASN	OD1-CG-ND2	-6.38	107.23	121.90
1	D	509	LEU	CA-CB-CG	6.19	129.53	115.30
1	D	574	VAL	CB-CA-C	-5.59	100.79	111.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	D	3000	NAG	C1

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	1635	VAL	Mainchain
1	D	290	GLN	Peptide
1	D	40	PHE	Peptide
1	D	504	ILE	Peptide
1	D	505	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4912	0	4976	88	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	4919	0	4986	112	0
2	B	1484	0	1511	22	0
2	E	1500	0	1526	22	0
3	C	2372	0	2280	30	0
3	F	2395	0	2302	23	0
4	G	113	0	98	0	0
4	H	113	0	98	6	0
5	A	28	0	25	1	0
5	D	28	0	25	1	0
6	A	1	0	0	0	0
6	C	1	0	0	0	0
6	D	2	0	0	0	0
6	F	1	0	0	0	0
7	A	8	0	0	3	0
7	B	3	0	0	0	0
7	C	1	0	0	0	0
7	D	15	0	0	5	0
7	E	3	0	0	0	0
7	F	2	0	0	0	0
8	A	30	0	40	7	0
8	B	6	0	8	1	0
8	C	6	0	8	1	0
8	D	42	0	56	16	0
8	E	12	0	16	5	0
8	F	6	0	8	5	0
8	H	6	0	8	0	0
9	A	111	0	0	1	0
9	B	47	0	0	1	0
9	C	23	0	0	0	0
9	D	188	0	0	4	0
9	E	62	0	0	1	0
9	F	35	0	0	1	0
9	H	5	0	0	0	0
All	All	18480	0	17971	285	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (285) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:1602:LYS:NZ	3:C:1602:LYS:CE	1.69	1.53
3:C:1495:ASN:CG	3:C:1495:ASN:CB	1.76	1.49
3:C:1495:ASN:CG	3:C:1495:ASN:OD1	1.75	1.24
1:D:139:ARG:HD2	8:D:807:GOL:H31	1.47	0.95
1:D:574:VAL:HG13	2:E:751:TRP:HE3	1.33	0.93
1:D:139:ARG:HB3	8:D:807:GOL:H2	1.48	0.93
2:E:795:VAL:HG22	8:E:916:GOL:H31	1.50	0.91
2:E:795:VAL:CG2	8:E:916:GOL:H31	2.01	0.89
3:F:1338:LYS:H	8:F:840:GOL:H12	1.38	0.88
1:D:3:MET:HE3	1:D:522:ARG:HG2	1.60	0.82
1:D:111:GLN:OE1	1:D:126:ARG:HD3	1.81	0.81
1:D:574:VAL:HG13	2:E:751:TRP:CE3	2.16	0.81
1:D:604:GLY:O	8:D:824:GOL:H32	1.83	0.79
1:D:539:GLY:O	8:D:811:GOL:H2	1.82	0.79
1:A:80:ARG:HG3	1:A:81:ASN:H	1.48	0.78
1:A:158:LEU:HD11	1:A:169:LEU:HD21	1.66	0.77
1:D:510:VAL:HG11	1:D:622:LEU:CD1	2.15	0.77
1:D:77:GLU:O	1:D:78:LYS:HB2	1.85	0.76
1:D:350:LEU:HD21	1:D:400:ILE:HG12	1.67	0.76
3:F:1465:GLU:HB3	8:F:840:GOL:H32	1.66	0.76
1:D:242:LYS:H	8:D:818:GOL:H11	1.52	0.76
1:A:577:ASP:OD1	2:B:778:THR:HG21	1.87	0.75
3:C:1369:ARG:HG3	3:C:1369:ARG:HH11	1.52	0.73
4:H:5:GLN:O	4:H:11:ARG:HG3	1.89	0.73
9:D:3040:HOH:O	2:E:788:SER:HB2	1.91	0.71
1:A:505:PRO:HD2	1:A:506:SER:H	1.53	0.71
1:D:168:PRO:O	1:D:169:LEU:HD23	1.91	0.71
1:D:510:VAL:HG11	1:D:622:LEU:HD12	1.72	0.71
1:A:574:VAL:HG13	2:B:751:TRP:HE3	1.56	0.70
1:A:427:VAL:HG23	8:A:809:GOL:H2	1.74	0.70
1:A:158:LEU:CD1	1:A:169:LEU:HD21	2.23	0.69
1:A:40:PHE:HB3	1:A:41:PRO:HD3	1.74	0.69
7:D:720:BR:BR	9:D:3183:HOH:O	2.66	0.68
1:D:190:ASN:OD1	8:D:807:GOL:H32	1.94	0.68
3:C:1544:GLU:HG2	8:C:819:GOL:H32	1.77	0.67
1:A:111:GLN:OE1	1:A:126:ARG:HD3	1.94	0.66
1:D:46:VAL:HG11	1:D:68:ILE:HG12	1.76	0.66
1:D:256:GLY:O	1:D:257:GLU:HB2	1.96	0.65
3:C:1530:VAL:HG12	3:C:1532:LEU:HD13	1.79	0.65
3:C:1602:LYS:CD	3:C:1602:LYS:NZ	2.57	0.64
1:A:249:VAL:HG11	1:A:278:VAL:HG11	1.80	0.64
1:D:3:MET:CE	1:D:522:ARG:HG2	2.27	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:1336:CYS:HA	8:F:840:GOL:H11	1.80	0.63
1:A:369:VAL:O	1:A:373:ASP:HA	1.98	0.63
1:D:322:SER:H	8:D:825:GOL:H2	1.63	0.63
1:D:404:THR:HG22	1:D:414:GLN:OE1	1.99	0.63
2:B:736:GLU:HG2	2:B:891:LYS:HD2	1.82	0.62
1:D:508:ARG:NH1	1:D:602:ASP:OD2	2.25	0.61
1:A:393:PRO:HB3	1:A:456:ARG:NH2	2.15	0.61
1:D:437:SER:HB3	1:D:452:ASN:HB2	1.82	0.61
3:C:1589:PHE:HD1	3:C:1596:LEU:HD11	1.64	0.61
3:F:1525:THR:HB	3:F:1541:MET:HE3	1.82	0.61
1:D:373:ASP:O	1:D:375:VAL:N	2.35	0.60
1:D:123:VAL:HG23	1:D:173:ILE:HD11	1.84	0.60
1:A:50:GLU:HB3	1:A:64:VAL:HG22	1.83	0.60
1:D:375:VAL:HG23	1:D:376:GLN:N	2.15	0.60
1:A:302:LEU:HD13	1:A:326:ILE:HD11	1.84	0.60
2:B:862:GLN:HG3	9:B:204:HOH:O	2.03	0.59
3:C:1593:LYS:HA	3:C:1596:LEU:HB2	1.84	0.59
1:A:10:ASN:OD1	1:A:635:ARG:HD2	2.02	0.59
3:C:1495:ASN:CA	3:C:1495:ASN:CG	2.66	0.58
1:D:78:LYS:HE2	1:D:79:GLY:H	1.67	0.58
1:A:547:GLN:HA	1:D:408:GLU:HB3	1.85	0.58
2:E:736:GLU:HG2	2:E:891:LYS:HD2	1.85	0.58
1:D:6:ILE:HG21	1:D:20:MET:HE2	1.85	0.58
1:A:50:GLU:HB3	1:A:64:VAL:CG2	2.33	0.58
1:D:126:ARG:CZ	1:D:572:VAL:HB	2.33	0.58
1:D:1:SER:N	1:D:2:PRO:HD3	2.18	0.57
1:A:535:ASP:HB3	7:A:708:BR:BR	2.58	0.57
1:A:293:ARG:HH21	1:A:295:GLU:HB2	1.68	0.57
1:D:162:ASN:HA	7:D:725:BR:BR	2.60	0.57
1:D:290:GLN:NE2	1:D:290:GLN:HA	2.19	0.57
1:A:393:PRO:HB3	1:A:456:ARG:HH22	1.70	0.57
2:E:795:VAL:HG22	8:E:916:GOL:C3	2.29	0.57
1:A:596:ASP:O	1:A:600:LYS:HG2	2.04	0.57
1:D:132:HIS:HB2	8:D:823:GOL:H2	1.86	0.57
3:F:1386:MET:HB3	3:F:1450:ILE:HD12	1.86	0.57
1:D:6:ILE:CG2	1:D:20:MET:HE2	2.36	0.56
1:D:242:LYS:HD2	8:D:818:GOL:H12	1.86	0.56
1:D:505:PRO:HD2	1:D:506:SER:N	2.20	0.56
1:D:471:LEU:HB2	1:D:510:VAL:HG13	1.87	0.56
1:A:546:GLY:O	1:A:547:GLN:HG2	2.06	0.56
1:D:564:GLU:HG2	2:E:766:THR:HG23	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:1530:VAL:HG23	3:C:1576:GLU:HG3	1.87	0.55
1:A:444:ARG:HH12	1:A:534:LYS:HE2	1.71	0.55
1:D:305:SER:OG	1:D:318:GLN:NE2	2.39	0.55
2:E:783:LEU:HD11	8:E:916:GOL:H12	1.89	0.55
1:A:19:THR:HG21	5:A:3000:NAG:H82	1.88	0.55
1:A:20:MET:HB3	1:A:64:VAL:HG12	1.90	0.55
3:C:1525:THR:HB	3:C:1541:MET:HE3	1.89	0.54
1:D:440:ARG:HD2	1:D:440:ARG:N	2.23	0.54
3:F:1525:THR:HB	3:F:1541:MET:CE	2.38	0.54
1:D:642:GLN:HG3	1:D:643:PRO:HD2	1.90	0.53
1:D:19:THR:HG21	5:D:3000:NAG:H82	1.90	0.53
1:D:233:ILE:HD13	1:D:269:ILE:HD11	1.90	0.53
1:D:147:ASN:HB2	1:D:148:PRO:CD	2.39	0.53
2:B:855:THR:OG1	2:B:858:ARG:HB3	2.09	0.53
1:A:338:THR:O	1:A:340:LYS:NZ	2.40	0.53
3:F:1500:LYS:O	3:F:1501:SER:HB2	2.09	0.52
1:A:574:VAL:HG13	2:B:751:TRP:CE3	2.40	0.52
1:A:426:THR:HA	8:A:809:GOL:H31	1.91	0.52
1:A:61:MET:SD	1:A:483:ARG:HG2	2.49	0.52
1:D:111:GLN:OE1	1:D:126:ARG:CD	2.56	0.52
1:A:80:ARG:CG	1:A:81:ASN:H	2.19	0.52
1:D:505:PRO:CD	1:D:506:SER:N	2.73	0.52
3:F:1576:GLU:O	3:F:1577:LYS:HB2	2.08	0.52
1:A:554:VAL:HG22	1:A:555:PRO:HD2	1.92	0.52
1:D:259:ARG:NH1	1:D:320:GLU:OE2	2.29	0.52
1:D:577:ASP:OD1	2:E:778:THR:HG21	2.09	0.52
3:F:1621:GLN:O	3:F:1623:GLN:N	2.40	0.52
1:A:144:ASN:OD1	1:A:155:GLN:HG3	2.10	0.52
1:D:375:VAL:CG2	1:D:376:GLN:N	2.72	0.51
1:A:309:ILE:HG12	1:A:316:MET:HG3	1.91	0.51
1:D:473:MET:CE	1:D:603:ILE:HD11	2.39	0.51
3:C:1592:GLU:O	3:C:1593:LYS:HB2	2.10	0.51
3:F:1365:GLU:HG3	3:F:1438:ALA:HB2	1.93	0.51
1:A:505:PRO:CD	1:A:506:SER:H	2.22	0.51
3:C:1525:THR:OG1	3:C:1541:MET:HE2	2.11	0.50
1:D:351:MET:HG3	1:D:440:ARG:CG	2.41	0.50
1:D:1:SER:N	1:D:2:PRO:CD	2.74	0.50
1:A:626:SER:OG	1:A:630:GLN:HG2	2.11	0.50
1:D:506:SER:OG	1:D:530:TRP:NE1	2.44	0.50
3:C:1416:PHE:HZ	3:C:1442:HIS:HB2	1.77	0.49
1:D:252:GLY:HA3	1:D:303:TYR:CZ	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:404:THR:HG22	1:A:406:LYS:H	1.74	0.49
1:D:375:VAL:CG2	1:D:376:GLN:H	2.26	0.49
1:D:78:LYS:HE2	1:D:79:GLY:N	2.27	0.49
1:D:510:VAL:HG11	1:D:622:LEU:HD11	1.94	0.49
3:F:1386:MET:HB3	3:F:1450:ILE:CD1	2.43	0.49
3:C:1590:TRP:HB3	3:C:1597:SER:HB2	1.94	0.49
1:D:474:ASN:HD21	1:D:505:PRO:HD3	1.77	0.49
1:D:452:ASN:HB3	1:D:492:LEU:HD21	1.95	0.48
1:A:97:LYS:HD3	1:A:625:THR:OG1	2.13	0.48
1:D:558:GLN:HB2	2:E:772:PHE:CE2	2.48	0.48
3:F:1475:LYS:NZ	9:F:570:HOH:O	2.47	0.48
1:D:406:LYS:HB3	1:D:409:LEU:HD22	1.96	0.48
3:C:1509:GLU:HB3	3:C:1513:LYS:NZ	2.28	0.48
1:D:476:GLY:HA2	7:D:703:BR:BR	2.67	0.48
3:C:1380:ILE:O	3:C:1457:VAL:HA	2.13	0.48
1:A:613:TYR:HB3	8:A:809:GOL:O2	2.14	0.48
1:A:425:SER:O	8:A:809:GOL:H11	2.13	0.48
1:D:330:PRO:O	1:D:357:PRO:HD3	2.12	0.48
3:C:1380:ILE:HG23	3:C:1423:ILE:HG23	1.96	0.48
2:E:853:LEU:HD22	3:F:1449:LEU:HD12	1.96	0.48
1:A:472:ILE:HD13	1:A:509:LEU:HD22	1.95	0.48
1:A:153:VAL:HG11	1:A:171:TRP:CZ2	2.49	0.47
1:D:505:PRO:HD2	1:D:506:SER:H	1.79	0.47
1:D:390:ASN:ND2	4:H:2:CYS:H	2.12	0.47
2:E:785:VAL:HG22	2:E:795:VAL:HB	1.97	0.47
1:A:97:LYS:NZ	1:A:632:THR:O	2.47	0.47
4:H:12:CYS:O	4:H:14:NH2:N	2.48	0.47
1:D:77:GLU:O	1:D:78:LYS:CB	2.60	0.47
1:A:581:PHE:HA	1:A:584:ASN:O	2.15	0.47
1:D:40:PHE:CD2	1:D:41:PRO:HD2	2.50	0.47
1:D:314:SER:HB3	2:E:812:ARG:HG3	1.95	0.47
2:B:843:GLU:HG3	2:B:861:GLN:HB3	1.95	0.47
3:C:1336:CYS:HB3	3:C:1339:PHE:O	2.15	0.47
1:D:126:ARG:NH2	1:D:572:VAL:HB	2.30	0.47
1:A:407:GLN:O	1:A:408:GLU:HB3	2.15	0.47
1:D:409:LEU:HG	1:D:413:GLU:HB3	1.96	0.46
3:F:1527:LEU:CD2	3:F:1574:LEU:HB3	2.46	0.46
3:C:1495:ASN:ND2	3:C:1495:ASN:OD1	2.38	0.46
2:E:783:LEU:CD1	8:E:916:GOL:H12	2.45	0.46
1:A:147:ASN:HB2	1:A:148:PRO:HD2	1.97	0.46
1:A:196:PHE:HB3	8:A:802:GOL:H2	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:369:VAL:HG13	1:D:400:ILE:HD12	1.98	0.46
1:A:569:ALA:HB3	2:B:756:LEU:HD12	1.97	0.46
1:A:116:ILE:HD11	1:A:203:LYS:HD2	1.98	0.46
1:A:444:ARG:NH1	1:A:534:LYS:HG2	2.31	0.46
2:B:894:VAL:HG22	2:B:897:HIS:HB2	1.98	0.46
4:H:0:ACE:H1	4:H:2:CYS:HB3	1.97	0.45
1:A:386:LYS:HB3	1:A:440:ARG:HD2	1.97	0.45
1:D:599:GLU:O	1:D:602:ASP:HB2	2.16	0.45
1:A:153:VAL:CG1	1:A:171:TRP:CZ2	2.99	0.45
1:A:426:THR:HA	8:A:809:GOL:H11	1.98	0.45
3:F:1393:THR:HG22	3:F:1419:ARG:HH12	1.82	0.45
2:B:751:TRP:C	2:B:752:ASN:HD22	2.20	0.45
1:A:558:GLN:NE2	2:B:770:ASN:OD1	2.46	0.45
1:A:147:ASN:HB2	1:A:148:PRO:CD	2.46	0.45
9:A:3061:HOH:O	2:B:770:ASN:ND2	2.50	0.45
1:D:537:CYS:H	8:D:811:GOL:H11	1.81	0.45
1:A:472:ILE:CD1	1:A:509:LEU:HD22	2.46	0.45
2:E:762:ASN:HB3	2:E:763:GLY:H	1.42	0.45
1:D:1:SER:H2	1:D:2:PRO:HD3	1.81	0.45
1:D:351:MET:HG3	1:D:440:ARG:HG2	1.98	0.45
1:A:297:LEU:HA	1:A:300:LYS:HD3	1.98	0.44
1:A:298:VAL:HG21	1:A:328:THR:HG23	1.98	0.44
2:B:785:VAL:HG22	2:B:795:VAL:HB	1.97	0.44
2:B:805:GLN:HE21	2:B:808:PHE:HB3	1.82	0.44
1:A:554:VAL:HG12	1:A:557:GLN:HB2	1.99	0.44
3:C:1538:GLU:HG2	3:C:1563:ILE:HG12	1.99	0.44
1:A:126:ARG:NH2	1:A:572:VAL:HB	2.33	0.44
1:D:123:VAL:CG2	1:D:173:ILE:HD11	2.47	0.44
3:F:1381:LEU:HG	3:F:1426:LEU:HD11	1.98	0.44
1:D:233:ILE:HD11	1:D:249:VAL:HG21	1.98	0.44
1:A:575:ALA:O	2:B:748:SER:HA	2.18	0.44
1:D:45:LEU:HD11	1:D:48:SER:HA	2.00	0.44
1:A:217:THR:HG23	1:A:230:GLU:O	2.18	0.44
1:A:407:GLN:O	1:A:408:GLU:CB	2.66	0.43
1:D:222:TYR:HB2	8:D:822:GOL:H11	1.99	0.43
3:C:1385:MET:HE2	3:C:1385:MET:HB3	1.88	0.43
3:F:1386:MET:SD	3:F:1473:PRO:HD3	2.58	0.43
1:A:24:ALA:HB3	1:A:60:HIS:HB3	1.99	0.43
1:D:79:GLY:C	1:D:81:ASN:N	2.71	0.43
1:A:473:MET:HE3	1:A:622:LEU:HD21	1.99	0.43
3:F:1463:LEU:HG	3:F:1463:LEU:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:807:PHE:HA	2:E:830:TYR:O	2.18	0.43
1:A:233:ILE:HD11	1:A:249:VAL:HG21	2.01	0.43
1:D:517:GLY:O	1:D:519:SER:N	2.49	0.43
1:A:164:LEU:O	2:B:787:MET:HG2	2.18	0.43
1:A:31:VAL:HG13	1:A:54:LEU:HB2	2.00	0.43
2:E:887:GLU:HG3	9:E:269:HOH:O	2.19	0.43
1:D:178:ASN:HB2	7:D:704:BR:BR	2.74	0.43
1:D:47:LEU:HD23	1:D:49:SER:H	1.82	0.43
3:C:1530:VAL:CG1	3:C:1532:LEU:HD13	2.48	0.43
1:D:442:GLU:HB3	1:D:444:ARG:NH1	2.34	0.43
3:C:1495:ASN:H	3:C:1495:ASN:CG	2.22	0.42
3:C:1495:ASN:CG	3:C:1495:ASN:N	2.72	0.42
1:A:126:ARG:CZ	1:A:572:VAL:HB	2.49	0.42
1:D:330:PRO:HG3	8:D:822:GOL:H12	2.00	0.42
2:B:849:ALA:HA	2:B:882:LYS:HD2	2.01	0.42
2:E:813:LEU:HD13	2:E:907:LEU:HG	2.01	0.42
1:D:146:GLU:OE1	1:D:185:ARG:HD2	2.19	0.42
2:B:756:LEU:HD23	2:B:767:LYS:HB2	2.00	0.42
1:A:505:PRO:HD2	1:A:506:SER:N	2.30	0.42
2:B:742:ARG:HG2	8:B:915:GOL:H2	2.01	0.42
3:C:1370:TYR:CD1	3:C:1376:ALA:HB2	2.54	0.42
1:D:190:ASN:O	1:D:192:PRO:HD3	2.18	0.42
1:D:210:PHE:HB2	1:D:236:ARG:O	2.20	0.42
3:C:1456:LYS:HA	3:C:1467:CYS:O	2.19	0.42
1:D:535:ASP:HB3	7:D:710:BR:BR	2.74	0.42
1:A:201:GLU:OE2	1:A:203:LYS:HE2	2.20	0.42
1:D:23:GLU:CG	1:D:61:MET:HG3	2.50	0.42
3:C:1576:GLU:O	3:C:1577:LYS:HB2	2.20	0.42
1:D:13:ARG:HD3	8:D:823:GOL:H11	2.02	0.42
1:A:297:LEU:O	1:A:300:LYS:HB2	2.20	0.42
1:D:470:TYR:O	1:D:481:ALA:HA	2.20	0.42
1:A:505:PRO:HB2	1:A:599:GLU:OE2	2.19	0.41
3:C:1521:TYR:HA	3:C:1548:LYS:O	2.20	0.41
2:E:754:GLU:HB3	2:E:767:LYS:HD3	2.01	0.41
1:D:562:LYS:HE3	2:E:766:THR:HG21	2.02	0.41
1:D:47:LEU:HD13	1:D:66:PHE:HB2	2.02	0.41
1:A:458:ASP:HA	7:A:724:BR:BR	2.75	0.41
2:E:761:LYS:O	2:E:762:ASN:CB	2.68	0.41
1:A:473:MET:HE1	1:A:478:LEU:HG	2.02	0.41
1:A:143:VAL:HG13	1:A:156:ASP:HB2	2.02	0.41
1:D:216:PRO:HB2	1:D:218:GLU:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:1336:CYS:CA	8:F:840:GOL:H11	2.49	0.41
1:A:510:VAL:HB	1:A:528:SER:HB3	2.03	0.41
1:A:48:SER:OG	1:A:49:SER:N	2.52	0.41
3:F:1531:GLN:HB2	3:F:1538:GLU:HB2	2.02	0.41
1:A:577:ASP:CG	2:B:778:THR:HG21	2.40	0.41
1:A:525:VAL:HA	8:A:809:GOL:O2	2.20	0.41
1:D:440:ARG:NH2	1:D:530:TRP:O	2.46	0.41
1:D:473:MET:HE1	1:D:603:ILE:HD11	2.02	0.41
1:D:390:ASN:OD1	4:H:1:ILE:N	2.54	0.41
1:D:23:GLU:HG2	1:D:61:MET:HG3	2.02	0.41
1:A:47:LEU:HB2	1:A:69:PRO:HD3	2.02	0.41
3:F:1582:MET:HA	3:F:1605:TRP:O	2.21	0.41
1:A:479:LEU:HD11	1:A:502:ASP:HB3	2.03	0.41
1:A:352:VAL:HG21	1:A:387:LEU:HD12	2.03	0.41
1:D:536:SER:HB2	8:D:811:GOL:H12	2.03	0.41
4:H:11:ARG:HB2	4:H:11:ARG:HE	1.68	0.41
1:A:142:MET:HG3	1:A:187:TYR:CE1	2.56	0.41
1:A:500:THR:HA	7:A:717:BR:BR	2.76	0.41
3:F:1543:ILE:HG22	3:F:1556:VAL:HA	2.03	0.41
1:D:217:THR:HG22	9:D:3107:HOH:O	2.20	0.41
1:D:602:ASP:HB3	8:D:824:GOL:H32	2.02	0.40
1:D:440:ARG:O	1:D:441:THR:HG23	2.21	0.40
1:A:31:VAL:HA	1:A:32:PRO:HD2	1.96	0.40
2:B:898:PHE:O	2:B:899:ILE:HD13	2.20	0.40
1:D:505:PRO:CD	1:D:506:SER:H	2.33	0.40
1:D:234:THR:HG23	9:D:3106:HOH:O	2.19	0.40
1:A:216:PRO:HB2	1:A:218:GLU:O	2.21	0.40
1:A:138:GLY:HA3	1:A:161:GLN:HA	2.02	0.40
1:D:322:SER:OG	8:D:825:GOL:H2	2.20	0.40
2:B:754:GLU:HB3	2:B:767:LYS:HD3	2.03	0.40
1:D:104:GLN:HB2	1:D:194:GLN:HE21	1.86	0.40
1:D:187:TYR:CD1	1:D:192:PRO:HA	2.56	0.40
3:F:1465:GLU:C	8:F:840:GOL:O2	2.60	0.40
1:D:155:GLN:HB2	1:D:155:GLN:HE21	1.74	0.40
1:A:108:LEU:HD12	1:A:196:PHE:CD1	2.57	0.40
1:D:398:LEU:O	1:D:420:GLN:HA	2.22	0.40
1:D:343:LYS:NZ	1:D:435:HIS:ND1	2.66	0.40
1:D:596:ASP:O	1:D:600:LYS:HG2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	623/643 (97%)	583 (94%)	32 (5%)	8 (1%)	15	21
1	D	626/643 (97%)	587 (94%)	24 (4%)	15 (2%)	7	7
2	B	182/188 (97%)	172 (94%)	10 (6%)	0	100	100
2	E	184/188 (98%)	175 (95%)	7 (4%)	2 (1%)	17	25
3	C	286/343 (83%)	262 (92%)	16 (6%)	8 (3%)	6	5
3	F	289/343 (84%)	266 (92%)	17 (6%)	6 (2%)	9	10
4	G	13/15 (87%)	10 (77%)	2 (15%)	1 (8%)	1	0
4	H	13/15 (87%)	10 (77%)	2 (15%)	1 (8%)	1	0
All	All	2216/2378 (93%)	2065 (93%)	110 (5%)	41 (2%)	10	12

All (41) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	505	PRO
3	C	1593	LYS
1	D	41	PRO
1	D	78	LYS
1	D	290	GLN
1	D	291	ASN
1	D	373	ASP
1	D	374	THR
1	D	441	THR
1	D	505	PRO
2	E	762	ASN
3	F	1501	SER
1	A	47	LEU
1	A	256	GLY
3	C	1416	PHE
1	D	45	LEU
1	D	49	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	1499	GLN
4	H	13	THR
1	A	15	GLU
1	A	408	GLU
3	C	1377	THR
3	C	1449	LEU
1	D	257	GLU
1	D	376	GLN
1	D	518	ALA
3	F	1500	LYS
3	F	1622	LYS
1	A	374	THR
3	C	1494	GLU
1	D	442	GLU
2	E	731	GLU
3	F	1556	VAL
4	G	13	THR
1	A	45	LEU
3	C	1486	ASP
3	C	1594	PRO
1	D	506	SER
1	A	50	GLU
3	F	1498	ILE
3	C	1636	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	555/567 (98%)	504 (91%)	51 (9%)	11	16
1	D	557/567 (98%)	512 (92%)	45 (8%)	15	22
2	B	171/175 (98%)	155 (91%)	16 (9%)	11	16
2	E	173/175 (99%)	159 (92%)	14 (8%)	15	22
3	C	266/309 (86%)	252 (95%)	14 (5%)	28	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	F	269/309 (87%)	256 (95%)	13 (5%)	31	49
4	G	11/11 (100%)	11 (100%)	0	100	100
4	H	11/11 (100%)	9 (82%)	2 (18%)	2	2
All	All	2013/2124 (95%)	1858 (92%)	155 (8%)	16	24

All (155) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ILE
1	A	10	ASN
1	A	31	VAL
1	A	44	LYS
1	A	50	GLU
1	A	64	VAL
1	A	80	ARG
1	A	82	LYS
1	A	86	VAL
1	A	87	GLN
1	A	103	LEU
1	A	125	TYR
1	A	126	ARG
1	A	137	VAL
1	A	140	THR
1	A	164	LEU
1	A	167	LEU
1	A	177	VAL
1	A	185	ARG
1	A	191	SER
1	A	219	LYS
1	A	232	THR
1	A	260	ILE
1	A	277	GLU
1	A	289	VAL
1	A	302	LEU
1	A	305	SER
1	A	364	ARG
1	A	376	GLN
1	A	395	GLN
1	A	407	GLN
1	A	408	GLU
1	A	413	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	440	ARG
1	A	443	LEU
1	A	456	ARG
1	A	459	ARG
1	A	473	MET
1	A	477	ARG
1	A	483	ARG
1	A	487	GLU
1	A	498	SER
1	A	509	LEU
1	A	510	VAL
1	A	516	ILE
1	A	547	GLN
1	A	574	VAL
1	A	602	ASP
1	A	618	SER
1	A	625	THR
1	A	630	GLN
2	B	752	ASN
2	B	755	ASP
2	B	769	MET
2	B	770	ASN
2	B	776	SER
2	B	778	THR
2	B	789	ASP
2	B	795	VAL
2	B	840	VAL
2	B	842	VAL
2	B	872	LEU
2	B	894	VAL
2	B	904	ARG
2	B	905	LYS
2	B	907	LEU
2	B	912	GLU
3	C	1346	LYS
3	C	1360	ASN
3	C	1369	ARG
3	C	1420	ASN
3	C	1422	LEU
3	C	1433	GLU
3	C	1445	PHE
3	C	1487	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	1488	LEU
3	C	1507	LEU
3	C	1528	VAL
3	C	1532	LEU
3	C	1555	GLN
3	C	1573	LYS
1	D	31	VAL
1	D	48	SER
1	D	78	LYS
1	D	103	LEU
1	D	126	ARG
1	D	140	THR
1	D	153	VAL
1	D	155	GLN
1	D	158	LEU
1	D	164	LEU
1	D	167	LEU
1	D	170	SER
1	D	177	VAL
1	D	185	ARG
1	D	191	SER
1	D	232	THR
1	D	275	SER
1	D	297	LEU
1	D	302	LEU
1	D	343	LYS
1	D	352	VAL
1	D	364	ARG
1	D	370	GLN
1	D	377	SER
1	D	396	LYS
1	D	400	ILE
1	D	410	SER
1	D	440	ARG
1	D	443	LEU
1	D	444	ARG
1	D	471	LEU
1	D	477	ARG
1	D	483	ARG
1	D	491	ASP
1	D	492	LEU
1	D	509	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	544	LYS
1	D	554	VAL
1	D	574	VAL
1	D	578	LYS
1	D	592	SER
1	D	602	ASP
1	D	611	LYS
1	D	618	SER
1	D	634	GLN
2	E	729	LEU
2	E	737	GLU
2	E	767	LYS
2	E	778	THR
2	E	787	MET
2	E	795	VAL
2	E	835	ASN
2	E	840	VAL
2	E	842	VAL
2	E	865	THR
2	E	870	SER
2	E	877	VAL
2	E	894	VAL
2	E	907	LEU
3	F	1335	THR
3	F	1337	ASN
3	F	1359	LYS
3	F	1401	ASN
3	F	1422	LEU
3	F	1446	ASN
3	F	1450	ILE
3	F	1460	TYR
3	F	1487	GLU
3	F	1488	LEU
3	F	1505	VAL
3	F	1573	LYS
3	F	1586	SER
4	H	1	ILE
4	H	13	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	181	GLN
1	A	376	GLN
1	A	407	GLN
1	A	587	ASN
2	B	752	ASN
2	B	805	GLN
3	C	1401	ASN
3	C	1431	HIS
3	C	1531	GLN
3	C	1555	GLN
1	D	155	GLN
1	D	318	GLN
1	D	332	GLN
1	D	370	GLN
1	D	431	ASN
1	D	630	GLN
1	D	642	GLN
3	F	1495	ASN
3	F	1545	GLN
3	F	1608	HIS
3	F	1620	ASN
4	H	10	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

4 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	A	3000	1,5	14,14,15	0.53	0	15,19,21	0.89	0
5	NAG	A	3001	5	14,14,15	0.60	0	15,19,21	1.49	1 (6%)
5	NAG	D	3000	1,5	14,14,15	0.57	0	15,19,21	0.83	0
5	NAG	D	3001	5	14,14,15	0.66	0	15,19,21	1.50	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	3000	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	3001	5	-	0/6/23/26	0/1/1/1
5	NAG	D	3000	1,5	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	D	3001	5	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	3001	NAG	C3-C4-C5	3.39	116.11	110.20
5	D	3001	NAG	C4-C3-C2	3.94	117.36	111.23
5	A	3001	NAG	C1-O5-C5	5.05	118.66	112.25

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	D	3000	NAG	C1

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	3000	NAG	1	0
5	D	3000	NAG	1	0

5.6 Ligand geometry

Of 55 ligands modelled in this entry, 37 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	GOL	A	802	-	5,5,5	0.48	0	5,5,5	0.71	0
8	GOL	A	809	-	5,5,5	0.54	0	5,5,5	0.36	0
8	GOL	A	816	-	5,5,5	0.42	0	5,5,5	0.57	0
8	GOL	A	821	-	5,5,5	0.34	0	5,5,5	0.28	0
8	GOL	A	845	-	5,5,5	0.43	0	5,5,5	0.27	0
8	GOL	B	915	-	5,5,5	0.35	0	5,5,5	0.55	0
8	GOL	C	819	-	5,5,5	0.34	0	5,5,5	0.16	0
8	GOL	D	807	-	5,5,5	0.45	0	5,5,5	0.36	0
8	GOL	D	811	-	5,5,5	0.28	0	5,5,5	0.35	0
8	GOL	D	818	-	5,5,5	0.37	0	5,5,5	0.29	0
8	GOL	D	822	-	5,5,5	0.29	0	5,5,5	0.69	0
8	GOL	D	823	-	5,5,5	0.40	0	5,5,5	0.29	0
8	GOL	D	824	-	5,5,5	0.35	0	5,5,5	0.37	0
8	GOL	D	825	-	5,5,5	0.39	0	5,5,5	0.32	0
8	GOL	E	915	-	5,5,5	0.29	0	5,5,5	0.18	0
8	GOL	E	916	-	5,5,5	0.29	0	5,5,5	0.56	0
8	GOL	F	840	-	5,5,5	0.42	0	5,5,5	0.42	0
8	GOL	H	820	-	5,5,5	0.26	0	5,5,5	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	A	802	-	-	0/4/4/4	0/0/0/0
8	GOL	A	809	-	-	0/4/4/4	0/0/0/0
8	GOL	A	816	-	-	0/4/4/4	0/0/0/0
8	GOL	A	821	-	-	0/4/4/4	0/0/0/0
8	GOL	A	845	-	-	0/4/4/4	0/0/0/0
8	GOL	B	915	-	-	0/4/4/4	0/0/0/0
8	GOL	C	819	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	D	807	-	-	0/4/4/4	0/0/0/0
8	GOL	D	811	-	-	0/4/4/4	0/0/0/0
8	GOL	D	818	-	-	0/4/4/4	0/0/0/0
8	GOL	D	822	-	-	0/4/4/4	0/0/0/0
8	GOL	D	823	-	-	0/4/4/4	0/0/0/0
8	GOL	D	824	-	-	0/4/4/4	0/0/0/0
8	GOL	D	825	-	-	0/4/4/4	0/0/0/0
8	GOL	E	915	-	-	0/4/4/4	0/0/0/0
8	GOL	E	916	-	-	0/4/4/4	0/0/0/0
8	GOL	F	840	-	-	0/4/4/4	0/0/0/0
8	GOL	H	820	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 35 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	802	GOL	1	0
8	A	809	GOL	6	0
8	B	915	GOL	1	0
8	C	819	GOL	1	0
8	D	807	GOL	3	0
8	D	811	GOL	3	0
8	D	818	GOL	2	0
8	D	822	GOL	2	0
8	D	823	GOL	2	0
8	D	824	GOL	2	0
8	D	825	GOL	2	0
8	E	916	GOL	5	0
8	F	840	GOL	5	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	631/643 (98%)	0.38	41 (6%) 22 22	31, 44, 58, 64	0
1	D	632/643 (98%)	0.33	4 (0%) 90 90	34, 44, 57, 67	0
2	B	184/188 (97%)	0.43	3 (1%) 74 74	38, 45, 56, 69	0
2	E	186/188 (98%)	0.38	3 (1%) 74 74	38, 45, 51, 63	0
3	C	292/343 (85%)	0.68	31 (10%) 8 8	38, 48, 59, 62	0
3	F	295/343 (86%)	0.50	25 (8%) 13 13	33, 46, 54, 59	0
4	G	13/15 (86%)	0.48	0 100 100	46, 50, 54, 55	0
4	H	13/15 (86%)	-0.33	0 100 100	35, 43, 50, 54	0
All	All	2246/2378 (94%)	0.42	107 (4%) 34 35	31, 45, 58, 69	0

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	914	ILE	7.0
2	B	914	ILE	6.7
2	B	913	GLY	5.6
3	C	1640	PRO	5.5
1	A	47	LEU	5.5
1	A	427	VAL	4.3
1	A	520	GLY	4.1
3	C	1616	GLN	4.0
3	F	1613	ASP	4.0
3	F	1557	GLY	4.0
3	C	1594	PRO	3.9
3	C	1511	LEU	3.9
1	A	61	MET	3.6
3	F	1532	LEU	3.6
1	A	60	HIS	3.4
1	A	35	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	88	ALA	3.2
2	E	763	GLY	3.2
3	F	1594	PRO	3.2
3	F	1507	LEU	3.1
3	F	1349	PRO	3.1
3	C	1515	CYS	3.1
3	F	1463	LEU	3.1
3	C	1639	CYS	3.1
3	C	1445	PHE	3.0
3	F	1620	ASN	3.0
3	F	1444	TYR	3.0
1	A	29	GLY	2.9
3	C	1637	PHE	2.9
3	C	1429	VAL	2.8
3	C	1610	PRO	2.8
3	F	1611	GLU	2.8
3	C	1512	ASP	2.8
3	F	1621	GLN	2.7
3	C	1554	VAL	2.7
1	A	62	GLY	2.7
1	A	4	TYR	2.7
1	D	518	ALA	2.7
1	A	42	GLY	2.7
3	C	1505	VAL	2.7
1	A	91	GLY	2.7
1	A	51	LYS	2.6
3	F	1558	GLN	2.6
3	F	1618	GLU	2.6
3	F	1593	LYS	2.6
3	C	1359	LYS	2.5
3	C	1599	ILE	2.5
1	A	485	VAL	2.5
3	F	1499	GLN	2.5
1	A	3	MET	2.5
1	A	636	ALA	2.5
1	A	72	ARG	2.5
3	F	1501	SER	2.5
1	A	66	PHE	2.4
3	F	1448	GLU	2.4
1	A	467	TYR	2.4
3	C	1617	ASP	2.4
1	A	46	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	20	MET	2.4
3	F	1502	ASP	2.4
3	C	1618	GLU	2.4
1	D	260	ILE	2.4
3	C	1349	PRO	2.4
3	F	1530	VAL	2.4
1	A	90	PHE	2.3
3	C	1373	ASP	2.3
1	A	440	ARG	2.3
1	A	258	GLN	2.3
1	D	292	LEU	2.3
3	F	1529	LYS	2.3
1	A	293	ARG	2.3
1	A	95	VAL	2.3
1	A	54	LEU	2.3
1	A	52	THR	2.3
3	C	1415	ALA	2.3
3	C	1536	PHE	2.3
3	C	1484	CYS	2.2
1	A	34	THR	2.2
3	C	1593	LYS	2.2
3	C	1634	MET	2.2
1	A	48	SER	2.2
3	C	1619	GLU	2.2
1	D	1	SER	2.2
1	A	40	PHE	2.2
1	A	409	LEU	2.2
3	F	1610	PRO	2.2
3	C	1348	ALA	2.2
3	C	1622	LYS	2.2
3	F	1608	HIS	2.1
1	A	519	SER	2.1
1	A	93	GLN	2.1
1	A	455	LEU	2.1
3	F	1473	PRO	2.1
2	B	839	LYS	2.1
1	A	22	LEU	2.1
3	C	1335	THR	2.1
3	C	1483	LEU	2.1
3	C	1630	PHE	2.1
3	F	1371	ARG	2.0
1	A	81	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	512	TYR	2.0
3	F	1615	CYS	2.0
3	C	1360	ASN	2.0
1	A	41	PRO	2.0
1	A	490	GLN	2.0
1	A	643	PRO	2.0
2	E	782	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	NAG	A	3000	14/15	0.82	0.14	-0.65	63,64,66,67	0
5	NAG	D	3000	14/15	0.90	0.15	-1.40	52,56,59,62	0
5	NAG	A	3001	14/15	0.83	0.35	-	68,69,69,69	0
5	NAG	D	3001	14/15	0.79	0.25	-	65,67,67,68	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	GOL	H	820	6/6	0.71	0.41	10.14	67,68,68,69	0
8	GOL	D	823	6/6	0.68	0.44	7.40	70,72,73,73	0
8	GOL	D	822	6/6	0.82	0.27	5.48	59,59,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
6	K	D	3003	1/1	0.83	0.26	4.74	80,80,80,80	0
8	GOL	A	821	6/6	0.69	0.21	2.68	86,86,87,87	0
8	GOL	A	802	6/6	0.59	0.24	2.37	52,53,53,54	0
8	GOL	A	816	6/6	0.84	0.27	2.24	46,50,50,52	0
8	GOL	A	809	6/6	0.79	0.29	1.50	67,67,67,67	0
8	GOL	B	915	6/6	0.91	0.22	1.27	52,52,52,53	0
8	GOL	E	916	6/6	0.84	0.23	1.06	43,44,45,45	0
7	BR	D	719	1/1	0.99	0.16	0.83	40,40,40,40	1
8	GOL	C	819	6/6	0.83	0.23	0.74	68,68,68,69	0
8	GOL	D	824	6/6	0.77	0.20	0.46	62,62,63,63	0
8	GOL	D	811	6/6	0.86	0.17	0.38	35,43,44,46	0
8	GOL	D	807	6/6	0.94	0.17	0.08	41,43,46,46	0
8	GOL	A	845	6/6	0.85	0.14	0.05	58,60,60,60	0
7	BR	D	720	1/1	0.97	0.18	-0.05	45,45,45,45	1
8	GOL	F	840	6/6	0.82	0.16	-0.19	53,54,54,55	0
8	GOL	D	825	6/6	0.79	0.18	-0.56	50,53,56,56	0
6	K	A	3002	1/1	0.99	0.11	-0.97	57,57,57,57	0
7	BR	A	730	1/1	0.84	0.15	-1.19	50,50,50,50	1
8	GOL	E	915	6/6	0.85	0.14	-1.61	57,58,58,58	0
7	BR	D	710	1/1	0.97	0.12	-2.22	52,52,52,52	1
6	K	F	605	1/1	0.96	0.08	-2.27	51,51,51,51	0
7	BR	A	724	1/1	0.93	0.12	-2.30	61,61,61,61	1
6	K	C	602	1/1	0.97	0.10	-2.33	64,64,64,64	0
7	BR	A	715	1/1	0.89	0.09	-2.56	52,52,52,52	1
7	BR	F	701	1/1	0.97	0.09	-2.73	59,59,59,59	1
7	BR	E	702	1/1	0.99	0.07	-2.79	60,60,60,60	0
7	BR	D	705	1/1	0.97	0.10	-3.24	54,54,54,54	1
7	BR	D	703	1/1	0.98	0.08	-4.52	54,54,54,54	1
6	K	D	3002	1/1	0.96	0.08	-5.61	41,41,41,41	0
7	BR	B	706	1/1	0.98	0.06	-5.82	42,42,42,42	1
7	BR	D	727	1/1	0.69	0.15	-	45,45,45,45	1
7	BR	D	713	1/1	0.94	0.12	-	53,53,53,53	1
7	BR	A	712	1/1	0.98	0.16	-	39,39,39,39	1
7	BR	E	707	1/1	0.95	0.09	-	62,62,62,62	1
7	BR	A	711	1/1	0.95	0.05	-	96,96,96,96	0
7	BR	D	718	1/1	0.98	0.19	-	53,53,53,53	1
7	BR	D	729	1/1	0.94	0.08	-	63,63,63,63	1
7	BR	E	709	1/1	0.94	0.11	-	59,59,59,59	1
7	BR	D	716	1/1	0.97	0.14	-	45,45,45,45	1
7	BR	B	722	1/1	0.93	0.12	-	54,54,54,54	1
7	BR	D	732	1/1	0.96	0.14	-	33,33,33,33	1
7	BR	A	723	1/1	0.93	0.10	-	40,40,40,40	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	BR	C	731	1/1	0.90	0.28	-	50,50,50,50	1
7	BR	D	725	1/1	0.95	0.10	-	52,52,52,52	1
7	BR	D	728	1/1	0.89	0.10	-	49,49,49,49	1
8	GOL	D	818	6/6	0.75	0.25	-	48,52,55,56	0
7	BR	F	726	1/1	0.96	0.09	-	58,58,58,58	1
7	BR	D	714	1/1	0.95	0.10	-	62,62,62,62	1
7	BR	A	708	1/1	0.97	0.13	-	44,44,44,44	1
7	BR	A	717	1/1	0.96	0.12	-	57,57,57,57	1
7	BR	D	704	1/1	0.97	0.11	-	43,43,43,43	1
7	BR	B	721	1/1	0.95	0.12	-	59,59,59,59	1

6.5 Other polymers [i](#)

There are no such residues in this entry.