



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:59 AM GMT

PDB ID : 3QLB
Title : Enantiopyochelin outer membrane TonB-dependent transporter from *Pseudomonas fluorescens* bound to the ferri-enantiopyochelin
Authors : Brillet, K.; Noel, S.; Mislin, G.L.A.; Reimann, C.; Schalk, I.J.; Cobessi, D.
Deposited on : 2011-02-02
Resolution : 3.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1624 (3.32-3.20)
Clashscore	102246	1806 (3.32-3.20)
Ramachandran outliers	100387	1773 (3.32-3.20)
Sidechain outliers	100360	1771 (3.32-3.20)
RSRZ outliers	91569	1632 (3.32-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	748	<div> <div></div> <div>58% 26% 6% 10%</div> </div>
1	B	748	<div> <div></div> <div>56% 26% 7% 10%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CIT	B	700	-	-	X	-
4	EFE	A	701	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10529 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enantio-pyochelin receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	673	Total	C	N	O	S	0	0	0
			5235	3273	920	1034	8			
1	B	670	Total	C	N	O	S	0	0	0
			5214	3260	915	1031	8			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	388	HIS	-	SEE REMARK 999	UNP C5I2D9
A	389	HIS	-	SEE REMARK 999	UNP C5I2D9
A	390	HIS	-	SEE REMARK 999	UNP C5I2D9
A	391	HIS	-	SEE REMARK 999	UNP C5I2D9
A	392	HIS	-	SEE REMARK 999	UNP C5I2D9
B	388	HIS	-	SEE REMARK 999	UNP C5I2D9
B	389	HIS	-	SEE REMARK 999	UNP C5I2D9
B	390	HIS	-	SEE REMARK 999	UNP C5I2D9
B	391	HIS	-	SEE REMARK 999	UNP C5I2D9
B	392	HIS	-	SEE REMARK 999	UNP C5I2D9

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	6	7		
3	B	1	Total	C	O	0	0
			13	6	7		

- Molecule 4 is ENANTIO-PYOCHELIN FE(III) (three-letter code: EFE) (formula: C₁₄H₁₄FeN₂O₃S₂).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	S	0	0
			22	14	1	2	3	2		
4	B	1	Total	C	Fe	N	O	S	0	0
			22	14	1	2	3	2		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Enantio-pyochelin receptor



• Molecule 1: Enantio-pyochelin receptor





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	155.07Å 170.83Å 232.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.57 – 3.26 48.57 – 3.26	Depositor EDS
% Data completeness (in resolution range)	99.0 (48.57-3.26) 99.1 (48.57-3.26)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.42 (at 3.25Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.214 , 0.259 0.214 , 0.256	Depositor DCC
R_{free} test set	2429 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	62.8	Xtriage
Anisotropy	1.028	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 26.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 48332 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10529	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CIT, EFE, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/5350	0.92	6/7273 (0.1%)
1	B	0.80	0/5328	0.92	8/7243 (0.1%)
All	All	0.80	0/10678	0.92	14/14516 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	266	VAL	CB-CA-C	-7.62	96.93	111.40
1	A	599	LEU	CB-CG-CD2	-6.92	99.23	111.00
1	A	340	LEU	CA-CB-CG	6.26	129.70	115.30
1	B	169	GLY	N-CA-C	-5.83	98.52	113.10
1	B	296	LEU	CA-CB-CG	5.68	128.37	115.30
1	B	668	LEU	CA-CB-CG	5.39	127.70	115.30
1	B	60	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	566	LEU	CB-CG-CD2	-5.34	101.91	111.00
1	A	350	LEU	CB-CG-CD2	5.32	120.05	111.00
1	B	185	LEU	CA-CB-CG	5.32	127.54	115.30
1	B	541	ILE	CB-CA-C	-5.32	100.96	111.60
1	B	296	LEU	CB-CG-CD1	5.16	119.78	111.00
1	A	538	LEU	CA-CB-CG	5.06	126.93	115.30
1	B	111	LEU	CA-CB-CG	5.03	126.87	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	680	THR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5235	0	5045	154	0
1	B	5214	0	5026	159	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	13	0	5	5	0
3	B	13	0	5	6	0
4	A	22	0	11	4	0
4	B	22	0	11	0	0
All	All	10529	0	10103	320	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (320) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:TYR:HA	1:A:59:THR:HG21	1.29	1.09
1:B:317:LEU:HD11	1:B:382:ILE:HD11	1.32	1.09
1:A:680:THR:HG22	1:A:681:ASN:HD22	1.28	0.94
1:B:33:TYR:HA	1:B:59:THR:HG21	1.50	0.93
1:B:91:ARG:NH2	1:B:309:THR:HG21	1.84	0.93
1:B:91:ARG:HH22	1:B:309:THR:CG2	1.82	0.93
1:A:248:LEU:O	1:A:681:ASN:HB2	1.71	0.91
1:B:91:ARG:HH22	1:B:309:THR:HG21	1.35	0.90
1:A:584:GLU:HG2	1:A:585:LYS:H	1.35	0.89
1:A:561:ARG:H	1:A:561:ARG:HD2	1.37	0.88
1:B:98:ARG:HG2	1:B:522:PHE:CZ	2.09	0.87
1:A:370:TYR:HB3	1:A:405:THR:HG22	1.55	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:GLN:HE22	1:A:35:ALA:HA	1.40	0.85
1:A:168:GLN:HB2	1:A:692:ALA:O	1.77	0.85
1:B:534:PRO:HD2	1:B:541:ILE:HD11	1.62	0.82
1:A:248:LEU:HD21	1:A:253:THR:HG21	1.62	0.81
3:A:700:CIT:H22	3:A:700:CIT:O4	1.80	0.80
1:B:424:GLU:O	1:B:425:HIS:HD2	1.63	0.80
1:A:614:GLY:HA3	1:A:646:HIS:CE1	2.15	0.80
1:A:545:GLU:OE2	1:A:580:ASN:HB2	1.82	0.78
1:B:71:VAL:HG13	1:B:130:ILE:HD13	1.64	0.77
3:A:700:CIT:H41	4:A:701:EFE:C18	2.16	0.76
1:A:680:THR:CG2	1:A:681:ASN:HD22	1.98	0.75
1:B:424:GLU:O	1:B:425:HIS:CD2	2.40	0.75
1:A:584:GLU:HG2	1:A:585:LYS:N	2.01	0.74
1:A:33:TYR:CA	1:A:59:THR:HG21	2.11	0.74
1:A:443:ASN:OD1	1:A:445:MET:HB2	1.88	0.73
1:A:421:THR:HG23	1:A:427:VAL:HG22	1.69	0.73
1:B:91:ARG:O	1:B:277:ARG:NH2	2.21	0.72
1:A:248:LEU:O	1:A:681:ASN:CB	2.38	0.72
1:A:310:ASN:HD21	1:A:330:ARG:HG3	1.55	0.72
1:A:560:ALA:HB3	1:A:561:ARG:HH11	1.56	0.71
1:B:237:THR:HB	1:B:279:GLN:HG3	1.71	0.71
1:A:561:ARG:H	1:A:561:ARG:CD	2.02	0.70
1:B:531:THR:HG21	1:B:580:ASN:H	1.56	0.70
1:A:81:VAL:HG22	1:A:97:ILE:HG12	1.73	0.70
1:B:560:ALA:HB3	1:B:561:ARG:NH1	2.06	0.70
1:A:531:THR:HG22	1:A:543:THR:HG22	1.71	0.70
1:A:375:GLY:HA3	1:A:397:ASP:O	1.94	0.68
1:B:68:VAL:HG12	1:B:73:GLU:HG2	1.75	0.68
1:B:123:GLU:OE1	1:B:213:LYS:HE2	1.94	0.68
1:B:138:SER:HB2	1:B:480:SER:HA	1.75	0.67
1:B:652:LEU:HD23	1:B:653:ILE:HG13	1.77	0.67
1:B:460:ARG:HB2	1:B:478:SER:HB3	1.77	0.66
1:B:168:GLN:HG3	1:B:176:GLN:HB3	1.76	0.66
1:B:471:LEU:HD23	1:B:508:TYR:HD1	1.61	0.66
1:A:97:ILE:HD12	1:A:102:VAL:HG11	1.78	0.66
1:B:471:LEU:HD23	1:B:508:TYR:CD1	2.32	0.65
1:B:91:ARG:NH2	1:B:309:THR:CG2	2.50	0.65
1:B:680:THR:HG22	1:B:681:ASN:HD22	1.62	0.65
1:A:122:VAL:HG21	1:A:152:GLN:OE1	1.96	0.65
1:B:168:GLN:HB3	1:B:693:SER:HB3	1.76	0.64
1:B:33:TYR:CA	1:B:59:THR:HG21	2.25	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:584:GLU:CG	1:A:585:LYS:N	2.61	0.64
1:A:263:ARG:O	1:A:266:VAL:CG2	2.46	0.63
1:B:111:LEU:HD11	1:B:299:SER:HB2	1.81	0.63
1:B:317:LEU:HD23	1:B:321:LEU:HA	1.79	0.63
1:B:631:ASN:N	1:B:631:ASN:HD22	1.97	0.63
1:A:680:THR:HG22	1:A:681:ASN:ND2	2.09	0.62
1:A:184:PRO:HA	1:A:192:LEU:HD23	1.82	0.62
1:A:275:ASN:OD1	1:A:309:THR:HG23	2.00	0.62
1:A:531:THR:CG2	1:A:543:THR:HG22	2.30	0.62
1:B:350:LEU:O	1:B:351:GLY:O	2.18	0.61
1:B:306:ASN:HD22	1:B:334:VAL:HG22	1.66	0.61
1:B:245:ARG:HG2	3:B:700:CIT:H21	1.82	0.61
1:B:317:LEU:HD11	1:B:382:ILE:CD1	2.21	0.60
1:B:317:LEU:CD1	1:B:382:ILE:HD11	2.22	0.60
1:B:62:GLN:OE1	1:B:556:LYS:HE2	2.00	0.60
1:B:174:ARG:HA	1:B:202:SER:HB3	1.83	0.60
1:A:533:ASP:HB2	1:A:541:ILE:HG13	1.83	0.60
1:B:81:VAL:HG22	1:B:97:ILE:HG12	1.84	0.60
1:A:62:GLN:NE2	1:A:566:LEU:HD21	2.18	0.59
1:B:620:ARG:NH1	1:B:642:ASP:OD2	2.34	0.59
1:B:58:ILE:HD11	1:B:78:THR:OG1	2.03	0.58
1:B:117:GLN:HB3	1:B:333:ILE:HD13	1.85	0.58
1:A:68:VAL:HG21	1:A:74:ALA:HB2	1.83	0.58
1:B:104:THR:O	1:B:112:LYS:HE2	2.03	0.58
1:A:72:ASN:HB3	1:A:93:ASP:OD1	2.02	0.58
1:B:85:THR:HG22	1:B:94:THR:H	1.69	0.58
1:A:289:ARG:HD2	1:A:291:ASN:O	2.04	0.58
1:B:298:SER:HB2	1:B:342:ASN:ND2	2.19	0.58
1:A:168:GLN:OE1	1:A:174:ARG:NH1	2.36	0.58
1:A:193:TYR:C	1:A:193:TYR:CD1	2.75	0.57
1:A:182:SER:C	1:A:193:TYR:HE1	2.07	0.57
1:A:536:GLN:NE2	1:A:538:LEU:HB2	2.19	0.57
1:A:208:HIS:CD2	1:A:271:PRO:HB3	2.39	0.57
1:B:343:ASN:HD22	1:B:343:ASN:C	2.08	0.57
1:A:310:ASN:ND2	1:A:330:ARG:HG3	2.20	0.57
1:A:98:ARG:O	1:A:100:PHE:HD1	1.87	0.56
1:B:71:VAL:HG13	1:B:130:ILE:CD1	2.35	0.56
1:B:289:ARG:HG2	1:B:295:SER:HB3	1.87	0.56
1:B:560:ALA:HB3	1:B:561:ARG:HH12	1.69	0.56
1:B:168:GLN:OE1	1:B:174:ARG:NH1	2.38	0.56
1:B:270:GLU:OE2	1:B:387:HIS:HB3	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:GLN:HB3	1:A:333:ILE:HD13	1.88	0.56
1:B:68:VAL:HG11	1:B:74:ALA:HA	1.87	0.56
1:B:158:LEU:HD12	1:B:182:SER:HB3	1.88	0.56
1:A:280:TYR:CE1	1:A:304:HIS:HB3	2.41	0.56
1:B:174:ARG:HA	1:B:202:SER:CB	2.36	0.55
1:A:428:LEU:HD12	1:A:429:THR:N	2.21	0.55
1:B:647:TYR:OH	1:B:652:LEU:HB2	2.07	0.55
1:B:456:LYS:HG3	1:B:457:PHE:N	2.22	0.54
1:B:245:ARG:CG	3:B:700:CIT:H21	2.37	0.54
1:A:138:SER:HB2	1:A:458:THR:HG21	1.90	0.54
1:B:102:VAL:HG23	1:B:106:MET:HE2	1.90	0.54
1:B:340:LEU:HD12	1:B:341:ASP:H	1.73	0.54
1:A:213:LYS:HG3	1:A:239:ASP:HB3	1.89	0.54
1:A:263:ARG:O	1:A:266:VAL:HG22	2.08	0.54
1:B:207:ASP:O	1:B:267:PHE:CD2	2.61	0.54
1:B:79:ALA:HB2	1:B:568:ALA:HB1	1.90	0.54
1:B:503:GLU:HG3	1:B:522:PHE:HB3	1.90	0.54
1:A:489:PHE:C	1:A:491:GLY:H	2.11	0.53
1:A:193:TYR:HD1	1:A:193:TYR:O	1.92	0.53
1:B:287:GLU:HG2	1:B:297:ASN:ND2	2.23	0.53
1:B:291:ASN:HD21	1:B:294:TRP:HD1	1.56	0.53
1:B:144:ASN:ND2	1:B:145:SER:O	2.42	0.53
1:A:129:ARG:HG3	1:A:153:ILE:HG13	1.91	0.53
1:A:222:TRP:CZ2	1:A:224:PRO:HG3	2.44	0.53
1:A:263:ARG:O	1:A:266:VAL:HG23	2.08	0.52
1:A:55:ILE:HG12	1:A:56:SER:N	2.24	0.52
1:A:168:GLN:HB3	1:A:693:SER:HB3	1.90	0.52
1:A:101:ASP:OD2	1:A:103:THR:HG23	2.09	0.52
1:A:80:GLY:HA2	1:A:570:THR:HG21	1.91	0.52
1:B:281:SER:HB3	1:B:303:GLY:HA2	1.90	0.52
1:B:309:THR:HG23	1:B:331:PHE:CE1	2.45	0.52
1:B:222:TRP:CE2	1:B:224:PRO:HG3	2.46	0.51
1:A:122:VAL:HG21	1:A:152:GLN:CD	2.30	0.51
1:B:88:ALA:HA	1:B:206:PHE:CE2	2.45	0.51
1:A:42:THR:HG21	1:A:46:ALA:CB	2.40	0.51
1:B:460:ARG:HG3	1:B:478:SER:HB3	1.93	0.51
1:A:253:THR:HB	1:A:674:TYR:CE1	2.45	0.51
1:B:530:LEU:HD12	1:B:530:LEU:H	1.76	0.51
1:B:245:ARG:HH11	3:B:700:CIT:H22	1.75	0.51
1:B:343:ASN:ND2	1:B:343:ASN:C	2.65	0.51
1:A:488:ASN:CG	1:A:489:PHE:N	2.65	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:SER:OG	1:A:342:ASN:ND2	2.44	0.50
1:A:104:THR:O	1:A:112:LYS:NZ	2.44	0.50
1:B:533:ASP:OD1	1:B:534:PRO:HD2	2.12	0.50
1:A:139:VAL:HG21	1:A:460:ARG:HB2	1.94	0.50
1:B:601:ALA:O	1:B:616:GLY:HA2	2.10	0.50
1:A:277:ARG:HB2	1:A:307:LEU:HA	1.93	0.50
1:A:225:ASN:OD1	1:A:227:ASP:HB2	2.11	0.50
1:B:198:LEU:C	1:B:198:LEU:HD23	2.32	0.50
1:B:680:THR:CG2	1:B:681:ASN:HD22	2.23	0.50
3:B:700:CIT:O4	3:B:700:CIT:H22	2.11	0.50
1:A:105:GLY:HA2	1:A:144:ASN:OD1	2.12	0.50
1:A:223:LYS:HG3	1:A:223:LYS:O	2.11	0.50
1:A:310:ASN:HD21	1:A:330:ARG:CG	2.23	0.49
1:B:245:ARG:CG	3:B:700:CIT:C2	2.90	0.49
1:A:37:ARG:HB3	1:A:47:SER:HA	1.94	0.49
1:A:332:ARG:HB3	1:A:371:TYR:CE2	2.46	0.49
1:B:285:LEU:HD23	1:B:299:SER:HB3	1.95	0.49
1:A:218:PRO:HG2	1:A:234:ALA:HB3	1.93	0.49
1:B:139:VAL:HG11	1:B:460:ARG:HB3	1.93	0.49
1:B:182:SER:CB	1:B:194:ARG:HG3	2.43	0.49
1:A:318:ALA:HB1	1:A:319:PRO:HD2	1.93	0.49
1:A:302:TYR:HA	1:A:337:THR:O	2.12	0.49
1:A:193:TYR:CD1	1:A:193:TYR:O	2.66	0.49
1:B:182:SER:HB2	1:B:194:ARG:HG3	1.95	0.49
1:A:559:LEU:HD12	1:A:563:LEU:HD23	1.95	0.49
1:B:487:THR:HA	1:B:493:PRO:HA	1.93	0.49
1:A:54:SER:HB2	1:A:503:GLU:OE2	2.12	0.49
1:A:298:SER:HA	1:A:342:ASN:HD22	1.78	0.49
1:B:348:TRP:CD1	1:B:348:TRP:N	2.80	0.49
1:A:297:ASN:ND2	1:A:345:GLN:NE2	2.60	0.49
1:B:77:TYR:HA	1:B:598:SER:OG	2.13	0.49
1:A:421:THR:HG23	1:A:427:VAL:CG2	2.38	0.48
1:A:536:GLN:HG3	1:A:539:ASN:HB2	1.94	0.48
1:A:528:ASN:HA	1:A:542:GLN:O	2.13	0.48
1:A:547:ASN:HD22	1:A:548:VAL:H	1.61	0.48
1:A:584:GLU:O	1:A:585:LYS:HB3	2.14	0.48
1:A:649:PHE:O	1:A:651:LYS:N	2.46	0.48
1:A:561:ARG:N	1:A:561:ARG:CD	2.76	0.48
1:B:434:GLN:NE2	1:B:457:PHE:HB2	2.28	0.48
1:A:59:THR:HG23	1:A:62:GLN:HB3	1.95	0.48
1:B:308:LEU:HG	1:B:309:THR:N	2.29	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:615:PHE:CD1	1:A:645:VAL:HG12	2.49	0.47
1:A:73:GLU:O	1:A:76:ARG:HG3	2.14	0.47
1:B:335:GLY:HA2	1:B:367:ARG:O	2.14	0.47
1:A:245:ARG:HG2	3:A:700:CIT:H21	1.95	0.47
1:A:67:GLN:HG3	1:A:664:ASN:OD1	2.14	0.47
1:B:85:THR:HG22	1:B:94:THR:N	2.29	0.47
1:B:545:GLU:HG3	1:B:577:SER:OG	2.14	0.47
1:B:322:ARG:HG2	1:B:381:ASP:OD1	2.14	0.47
1:B:420:PHE:CD2	1:B:428:LEU:HD23	2.50	0.47
1:B:300:ALA:HB2	1:B:340:LEU:HD13	1.97	0.47
1:B:128:GLU:HB2	1:B:155:LYS:HA	1.97	0.47
1:B:322:ARG:NH1	1:B:381:ASP:OD2	2.48	0.47
1:A:660:ARG:HD2	1:A:695:ARG:NH2	2.30	0.47
1:B:284:TYR:CE2	1:B:300:ALA:HB3	2.50	0.46
1:A:100:PHE:CD1	1:A:100:PHE:N	2.83	0.46
1:B:270:GLU:HB3	1:B:273:LEU:HD11	1.97	0.46
1:B:70:SER:HB2	1:B:72:ASN:ND2	2.31	0.46
1:B:245:ARG:HG2	3:B:700:CIT:C2	2.44	0.46
1:B:326:ARG:NH1	1:B:380:ILE:HG21	2.30	0.46
1:B:353:THR:HA	1:B:421:THR:O	2.15	0.46
1:B:318:ALA:HB1	1:B:319:PRO:CD	2.45	0.46
1:B:37:ARG:HD3	1:B:45:ASP:OD1	2.16	0.46
1:B:63:MET:CE	1:B:74:ALA:HB2	2.45	0.46
1:A:64:ASP:OD1	1:A:64:ASP:N	2.49	0.46
1:A:247:PHE:CE2	1:A:249:PRO:HG3	2.50	0.46
1:A:182:SER:HA	1:A:193:TYR:CE1	2.50	0.46
1:B:312:ALA:O	1:B:326:ARG:HD2	2.16	0.46
1:A:499:ALA:HA	1:A:525:THR:O	2.16	0.46
1:A:423:ASP:O	1:A:423:ASP:CG	2.54	0.46
1:A:246:VAL:HG13	1:A:246:VAL:O	2.16	0.45
1:B:298:SER:CB	1:B:342:ASN:ND2	2.80	0.45
1:A:526:GLN:HG2	1:A:529:VAL:HG22	1.98	0.45
1:A:30:GLN:NE2	1:A:35:ALA:HA	2.19	0.45
1:B:57:VAL:HG22	1:B:131:ASP:OD1	2.15	0.45
1:B:225:ASN:C	1:B:227:ASP:H	2.20	0.45
1:A:528:ASN:O	1:A:542:GLN:NE2	2.50	0.45
1:B:420:PHE:HB2	1:B:428:LEU:HB3	1.99	0.45
1:B:591:ASP:HA	1:B:625:THR:OG1	2.16	0.45
1:A:642:ASP:OD1	1:A:666:THR:HA	2.16	0.45
1:A:136:PRO:HB3	1:A:480:SER:HB3	1.97	0.45
1:B:501:GLN:HG3	1:B:524:LEU:HD13	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:547:ASN:HD22	1:A:548:VAL:N	2.14	0.45
1:A:197:GLY:HA2	1:A:215:TYR:O	2.16	0.45
1:B:201:ASP:HA	1:B:212:ASP:OD1	2.15	0.45
1:B:55:ILE:HG23	1:B:55:ILE:O	2.16	0.45
1:B:168:GLN:CB	1:B:692:ALA:O	2.65	0.45
1:B:60:ARG:HA	1:B:60:ARG:HD2	1.84	0.45
1:B:63:MET:CE	1:B:74:ALA:CB	2.96	0.44
1:A:205:GLN:HG3	1:A:265:ASN:ND2	2.32	0.44
1:B:605:LEU:HA	1:B:606:PRO:HD3	1.84	0.44
3:A:700:CIT:C4	4:A:701:EFE:C18	2.90	0.44
1:A:503:GLU:HG3	1:A:522:PHE:HB3	1.99	0.44
1:A:459:TYR:CD1	1:A:459:TYR:N	2.85	0.44
1:A:374:GLY:HA3	1:A:402:PHE:CE1	2.52	0.44
1:A:348:TRP:N	1:A:348:TRP:CD1	2.84	0.44
1:B:477:TYR:HA	1:B:501:GLN:O	2.17	0.44
1:B:317:LEU:HD23	1:B:321:LEU:HD22	2.00	0.44
1:A:666:THR:O	1:A:667:ASN:C	2.56	0.44
1:A:230:LEU:HB2	1:A:286:LEU:HD12	1.98	0.44
1:A:222:TRP:CE2	1:A:224:PRO:HG3	2.53	0.44
1:B:306:ASN:ND2	1:B:334:VAL:HG22	2.33	0.44
1:A:188:GLU:HB3	1:A:190:GLN:HG3	2.00	0.44
1:B:200:ARG:NH1	1:B:211:ASP:CG	2.71	0.44
1:B:668:LEU:HA	1:B:688:ARG:HG3	1.99	0.44
1:B:631:ASN:N	1:B:631:ASN:ND2	2.65	0.44
1:B:265:ASN:HD22	1:B:265:ASN:N	2.15	0.44
1:A:270:GLU:OE1	1:A:387:HIS:HB3	2.18	0.43
1:A:31:ALA:HA	1:A:61:ASP:OD2	2.18	0.43
1:B:51:ILE:HA	1:B:52:PRO:HD3	1.81	0.43
1:B:198:LEU:HD23	1:B:199:GLU:N	2.32	0.43
1:B:159:ASP:N	1:B:159:ASP:OD1	2.51	0.43
1:A:254:LEU:HD22	1:A:635:VAL:HG22	2.00	0.43
1:A:536:GLN:C	1:A:538:LEU:H	2.22	0.43
1:B:532:THR:CG2	1:B:581:ASN:HB2	2.48	0.43
1:A:233:LEU:HD23	1:A:233:LEU:HA	1.78	0.43
1:A:119:TRP:HA	1:A:120:PRO:HD3	1.79	0.43
1:A:360:GLY:HA3	1:A:415:TYR:CZ	2.53	0.43
4:A:701:EFE:H14	4:A:701:EFE:C19	2.49	0.43
1:B:91:ARG:H	1:B:91:ARG:HG3	1.59	0.43
1:B:465:TYR:C	1:B:465:TYR:CD1	2.90	0.43
1:B:213:LYS:HG3	1:B:239:ASP:HB3	2.01	0.43
1:A:335:GLY:HA2	1:A:367:ARG:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:312:ALA:O	1:A:326:ARG:HD2	2.18	0.43
1:B:140:LEU:O	1:B:433:ARG:NH1	2.51	0.43
1:A:84:ASN:ND2	1:A:96:SER:HB2	2.34	0.43
1:B:464:VAL:HG12	1:B:465:TYR:N	2.33	0.42
1:B:62:GLN:O	1:B:66:GLN:HG3	2.18	0.42
1:A:388:HIS:CD2	1:A:388:HIS:N	2.87	0.42
1:A:136:PRO:HD3	1:A:524:LEU:HD13	2.01	0.42
1:A:42:THR:HG21	1:A:46:ALA:HB2	2.01	0.42
1:A:317:LEU:HA	1:A:317:LEU:HD12	1.84	0.42
1:B:226:ASP:OD1	1:B:226:ASP:N	2.49	0.42
1:A:168:GLN:HE21	1:A:693:SER:HB3	1.84	0.42
1:B:155:LYS:HD3	1:B:194:ARG:NH1	2.34	0.42
1:A:297:ASN:HD22	1:A:345:GLN:NE2	2.17	0.42
1:A:145:SER:HA	1:A:146:PRO:HD2	1.68	0.42
1:B:619:VAL:HG22	1:B:641:LEU:CD2	2.49	0.42
1:B:340:LEU:HD12	1:B:341:ASP:N	2.34	0.42
1:B:160:LYS:HA	1:B:161:PRO:HD3	1.90	0.42
1:B:553:LEU:HD12	1:B:554:GLU:N	2.35	0.42
1:A:628:ASP:O	1:A:629:ALA:C	2.59	0.42
1:A:559:LEU:HD23	1:A:559:LEU:HA	1.80	0.42
1:B:263:ARG:HH21	1:B:265:ASN:HB2	1.84	0.42
1:A:27:THR:HG21	1:A:156:ARG:NH1	2.34	0.42
1:A:348:TRP:HZ3	1:A:350:LEU:HB2	1.85	0.41
1:A:27:THR:HG22	1:A:28:GLY:N	2.34	0.41
1:B:24:ASP:OD2	1:B:36:LYS:HE2	2.20	0.41
1:A:322:ARG:NH1	1:A:381:ASP:OD2	2.53	0.41
1:B:288:HIS:C	1:B:288:HIS:CD2	2.94	0.41
1:B:63:MET:HE2	1:B:74:ALA:CB	2.51	0.41
1:B:136:PRO:HG2	1:B:501:GLN:HB2	2.02	0.41
1:A:672:HIS:ND1	1:A:687:ASP:OD1	2.53	0.41
1:B:659:LEU:HD12	1:B:695:ARG:O	2.20	0.41
1:B:275:ASN:OD1	1:B:309:THR:HB	2.20	0.41
1:A:105:GLY:O	1:A:149:VAL:HA	2.21	0.41
4:A:701:EFE:C14	4:A:701:EFE:C19	2.99	0.41
1:B:626:GLU:OE1	1:B:631:ASN:HA	2.21	0.41
1:B:299:SER:O	1:B:340:LEU:HD12	2.21	0.41
1:A:329:TYR:HA	1:A:373:ARG:O	2.21	0.41
1:B:510:PRO:HA	1:B:511:PRO:HD2	1.72	0.41
1:B:460:ARG:CB	1:B:478:SER:HB3	2.46	0.41
1:A:122:VAL:CG2	1:A:152:GLN:OE1	2.65	0.41
1:A:284:TYR:C	1:A:284:TYR:CD1	2.94	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:LEU:HB3	1:B:351:GLY:H	1.66	0.41
1:A:42:THR:HG23	1:A:44:THR:O	2.21	0.41
1:A:547:ASN:ND2	1:A:548:VAL:N	2.69	0.41
1:B:350:LEU:HA	1:B:350:LEU:HD12	1.82	0.40
1:A:522:PHE:CD1	1:A:522:PHE:C	2.94	0.40
1:B:108:ARG:HA	1:B:152:GLN:O	2.21	0.40
1:A:646:HIS:HA	1:A:661:LEU:O	2.21	0.40
1:A:193:TYR:HD1	1:A:193:TYR:C	2.25	0.40
1:A:635:VAL:HA	1:A:636:PRO:HD2	1.74	0.40
1:B:462:GLY:HA2	1:B:475:ILE:O	2.21	0.40
1:A:440:ARG:HG2	1:A:451:LYS:HG3	2.02	0.40
1:B:527:GLU:O	1:B:528:ASN:HB2	2.21	0.40
3:A:700:CIT:C2	3:A:700:CIT:O4	2.62	0.40
1:A:72:ASN:CG	1:A:85:THR:HG23	2.41	0.40
1:A:280:TYR:CE1	1:A:304:HIS:CB	3.05	0.40
1:B:364:ARG:HB2	1:B:411:GLN:HB2	2.02	0.40
1:B:136:PRO:HB3	1:B:480:SER:HB3	2.02	0.40
1:B:460:ARG:CG	1:B:478:SER:HB3	2.51	0.40
1:A:98:ARG:O	1:A:100:PHE:CD1	2.71	0.40
1:B:182:SER:OG	1:B:194:ARG:HG3	2.22	0.40
1:B:426:TRP:HE3	1:B:463:LEU:HD11	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	669/748 (89%)	598 (89%)	62 (9%)	9 (1%)	15	56
1	B	666/748 (89%)	603 (90%)	47 (7%)	16 (2%)	7	41
All	All	1335/1496 (89%)	1201 (90%)	109 (8%)	25 (2%)	10	48

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	560	ALA
1	A	650	ASP
1	B	351	GLY
1	B	511	PRO
1	B	560	ALA
1	B	591	ASP
1	B	650	ASP
1	A	42	THR
1	A	291	ASN
1	A	488	ASN
1	B	139	VAL
1	B	532	THR
1	B	537	ARG
1	B	629	ALA
1	A	636	PRO
1	B	425	HIS
1	A	235	ASP
1	B	161	PRO
1	B	113	GLY
1	B	398	PRO
1	B	606	PRO
1	A	580	ASN
1	B	561	ARG
1	B	609	PRO
1	A	511	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	561/618 (91%)	494 (88%)	67 (12%)	6	28
1	B	559/618 (90%)	477 (85%)	82 (15%)	4	18
All	All	1120/1236 (91%)	971 (87%)	149 (13%)	5	23

All (149) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ASP
1	A	27	THR
1	A	39	LEU
1	A	51	ILE
1	A	56	SER
1	A	59	THR
1	A	60	ARG
1	A	64	ASP
1	A	85	THR
1	A	95	LEU
1	A	96	SER
1	A	122	VAL
1	A	129	ARG
1	A	166	GLN
1	A	167	ILE
1	A	182	SER
1	A	193	TYR
1	A	213	LYS
1	A	225	ASN
1	A	230	LEU
1	A	237	THR
1	A	238	GLN
1	A	248	LEU
1	A	277	ARG
1	A	286	LEU
1	A	287	GLU
1	A	289	ARG
1	A	295	SER
1	A	340	LEU
1	A	343	ASN
1	A	349	ASN
1	A	366	THR
1	A	367	ARG
1	A	369	ASP
1	A	387	HIS
1	A	388	HIS
1	A	395	VAL
1	A	405	THR
1	A	410	ASP
1	A	421	THR
1	A	423	ASP
1	A	428	LEU
1	A	447	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	453	ASP
1	A	458	THR
1	A	459	TYR
1	A	475	ILE
1	A	480	SER
1	A	504	VAL
1	A	532	THR
1	A	542	GLN
1	A	543	THR
1	A	545	GLU
1	A	561	ARG
1	A	569	LEU
1	A	577	SER
1	A	584	GLU
1	A	588	ARG
1	A	599	LEU
1	A	605	LEU
1	A	610	LEU
1	A	634	ARG
1	A	639	THR
1	A	669	THR
1	A	678	SER
1	A	689	SER
1	A	693	SER
1	B	24	ASP
1	B	27	THR
1	B	47	SER
1	B	54	SER
1	B	55	ILE
1	B	59	THR
1	B	72	ASN
1	B	85	THR
1	B	94	THR
1	B	95	LEU
1	B	103	THR
1	B	104	THR
1	B	108	ARG
1	B	136	PRO
1	B	158	LEU
1	B	159	ASP
1	B	160	LYS
1	B	174	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	182	SER
1	B	187	ASP
1	B	200	ARG
1	B	201	ASP
1	B	223	LYS
1	B	225	ASN
1	B	226	ASP
1	B	238	GLN
1	B	241	PHE
1	B	263	ARG
1	B	264	HIS
1	B	278	THR
1	B	288	HIS
1	B	295	SER
1	B	296	LEU
1	B	309	THR
1	B	343	ASN
1	B	348	TRP
1	B	349	ASN
1	B	350	LEU
1	B	352	SER
1	B	354	GLN
1	B	356	VAL
1	B	359	LEU
1	B	376	SER
1	B	384	ASN
1	B	386	VAL
1	B	387	HIS
1	B	397	ASP
1	B	400	THR
1	B	404	ASN
1	B	405	THR
1	B	408	ARG
1	B	414	VAL
1	B	442	ASP
1	B	453	ASP
1	B	458	THR
1	B	461	THR
1	B	475	ILE
1	B	480	SER
1	B	498	SER
1	B	501	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	518	THR
1	B	526	GLN
1	B	530	LEU
1	B	531	THR
1	B	541	ILE
1	B	561	ARG
1	B	566	LEU
1	B	570	THR
1	B	578	LYS
1	B	583	LEU
1	B	625	THR
1	B	631	ASN
1	B	636	PRO
1	B	637	SER
1	B	645	VAL
1	B	652	LEU
1	B	666	THR
1	B	668	LEU
1	B	681	ASN
1	B	689	SER
1	B	691	ILE
1	B	695	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	69	GLN
1	A	84	ASN
1	A	117	GLN
1	A	163	HIS
1	A	208	HIS
1	A	238	GLN
1	A	297	ASN
1	A	310	ASN
1	A	342	ASN
1	A	345	GLN
1	A	388	HIS
1	A	418	GLN
1	A	434	GLN
1	A	469	ASN
1	A	547	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	572	ASN
1	A	681	ASN
1	B	66	GLN
1	B	72	ASN
1	B	82	GLN
1	B	190	GLN
1	B	288	HIS
1	B	297	ASN
1	B	306	ASN
1	B	342	ASN
1	B	343	ASN
1	B	345	GLN
1	B	404	ASN
1	B	411	GLN
1	B	418	GLN
1	B	425	HIS
1	B	434	GLN
1	B	509	GLN
1	B	572	ASN
1	B	681	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	699	-	4,4,4	0.16	0	6,6,6	0.23	0
3	CIT	A	700	4	3,12,12	0.44	0	3,17,17	2.38	2 (66%)
4	EFE	A	701	3	15,27,27	2.56	3 (20%)	16,46,46	1.49	5 (31%)
2	SO4	B	699	-	4,4,4	0.17	0	6,6,6	0.33	0
3	CIT	B	700	4	3,12,12	0.38	0	3,17,17	0.76	0
4	EFE	B	701	3	15,27,27	2.36	3 (20%)	16,46,46	1.50	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	699	-	-	0/0/0/0	0/0/0/0
3	CIT	A	700	4	-	0/6/16/16	0/0/0/0
4	EFE	A	701	3	1/1/8/8	0/0/67/67	0/3/6/6
2	SO4	B	699	-	-	0/0/0/0	0/0/0/0
3	CIT	B	700	4	-	0/6/16/16	0/0/0/0
4	EFE	B	701	3	-	0/0/67/67	0/3/6/6

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	EFE	C14-N1	-5.84	1.42	1.49
4	B	701	EFE	C14-N1	-4.24	1.44	1.49
4	B	701	EFE	O20-C19	4.82	1.33	1.21
4	A	701	EFE	O20-C19	4.97	1.33	1.21
4	A	701	EFE	O21-C19	5.92	1.43	1.28
4	B	701	EFE	O21-C19	5.96	1.43	1.28

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	701	EFE	C16-C17-C19	-3.20	104.25	112.31
3	A	700	CIT	C3-C2-C1	-2.96	110.23	114.96
3	A	700	CIT	C3-C4-C5	-2.84	110.42	114.96
4	A	701	EFE	C16-C17-C19	-2.60	105.75	112.31
4	A	701	EFE	C5-C6-C12	-2.39	115.40	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	EFE	O21-C19-C17	-2.17	112.28	116.20
4	B	701	EFE	O21-C19-C17	-2.06	112.48	116.20
4	B	701	EFE	C13-S1-C12	2.28	92.12	89.84
4	B	701	EFE	C1-C6-C12	2.32	125.11	120.75
4	A	701	EFE	C13-S1-C12	2.36	92.20	89.84
4	A	701	EFE	C1-C6-C12	2.85	126.10	120.75

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	701	EFE	N1

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	700	CIT	5	0
4	A	701	EFE	4	0
3	B	700	CIT	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	673/748 (89%)	0.00	7 (1%) 84 78	48, 68, 98, 118	0
1	B	670/748 (89%)	-0.04	8 (1%) 81 72	46, 67, 93, 116	0
All	All	1343/1496 (89%)	-0.02	15 (1%) 82 75	46, 68, 95, 118	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	395	VAL	3.7
1	A	350	LEU	3.7
1	B	396	PHE	3.6
1	A	396	PHE	3.2
1	A	440	ARG	2.9
1	B	388	HIS	2.7
1	A	183	GLY	2.6
1	A	436	ARG	2.2
1	A	451	LYS	2.2
1	A	192	LEU	2.2
1	B	513	ILE	2.1
1	B	580	ASN	2.1
1	B	537	ARG	2.0
1	B	185	LEU	2.0
1	B	400	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	EFE	A	701	22/22	0.99	0.17	-1.27	59,62,64,65	0
4	EFE	B	701	22/22	0.98	0.17	-1.53	67,68,70,71	0
2	SO4	A	699	5/5	0.94	0.14	-	97,97,98,98	0
3	CIT	A	700	13/13	0.88	0.30	-	66,76,87,87	0
3	CIT	B	700	13/13	0.93	0.23	-	73,81,90,90	0
2	SO4	B	699	5/5	0.91	0.15	-	96,97,98,98	0

6.5 Other polymers [i](#)

There are no such residues in this entry.