



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:47 PM GMT

PDB ID : 1QNE
Title : CRYSTAL STRUCTURE OF THE ADENOVIRUS MAJOR LATE PROMOTER TATA BOX BOUND TO WILD-TYPE TBP (ARABIDOPSIS THALIANA TBP ISOFORM 2).
Authors : Kim, J.L.; Burley, S.K.
Deposited on : 1999-10-14
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	200	
1	B	200	
2	C	14	
2	E	14	
3	D	14	
3	F	14	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRANSCRIPTION INITIATION FACTOR TFIID-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	187	Total	C	N	O	S	0	0	0
			1473	960	250	255	8			
1	B	188	Total	C	N	O	S	0	1	0
			1489	970	255	256	8			

- Molecule 2 is a DNA chain called DNA (5'-D(*GP*CP*TP*AP*TP*AP*AP*AP*GP*GP*GP*CP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	14	Total	C	N	O	P	0	0	0
			287	137	60	77	13			
2	E	14	Total	C	N	O	P	0	0	0
			289	138	60	78	13			

- Molecule 3 is a DNA chain called DNA (5'-D(*TP*GP*CP*CP*CP*TP*TP*TP*TP*AP*TP*AP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	14	Total	C	N	O	P	0	0	0
			279	136	44	86	13			
3	F	14	Total	C	N	O	P	0	0	0
			279	136	44	86	13			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	174	Total	O	0	0
			174	174		
4	B	180	Total	O	0	0
			180	180		
4	C	42	Total	O	0	0
			42	42		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	39	Total	O	0	0
			39	39		
4	E	38	Total	O	0	0
			38	38		
4	F	47	Total	O	0	0
			47	47		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: TRANSCRIPTION INITIATION FACTOR TFIIID-1




- Molecule 1: TRANSCRIPTION INITIATION FACTOR TFIIID-1



- Molecule 2: DNA (5'-D(*GP*CP*TP*AP*TP*AP*AP*AP*AP*GP*GP*GP*CP*A)-3')



- Molecule 2: DNA (5'-D(*GP*CP*TP*AP*TP*AP*AP*AP*AP*GP*GP*GP*CP*A)-3')



- Molecule 3: DNA (5'-D(*TP*GP*CP*CP*CP*TP*TP*TP*TP*AP*TP*AP*GP*C)-3')





● Molecule 3: DNA (5'-D(*TP*GP*CP*CP*CP*TP*TP*TP*TP*AP*TP*AP*GP*C)-3')



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.00 Å 147.00 Å 57.00 Å 90.00° 90.50° 90.00°	Depositor
Resolution (Å)	6.00 – 1.90	Depositor
% Data completeness (in resolution range)	94.4 (6.00-1.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.197 , 0.265	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4616	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.68	1/1503 (0.1%)	0.78	0/2024
1	B	0.69	1/1525 (0.1%)	0.81	0/2052
2	C	1.37	1/324 (0.3%)	1.71	7/499 (1.4%)
2	E	1.39	0/326	1.84	15/502 (3.0%)
3	D	1.39	2/310 (0.6%)	2.04	15/476 (3.2%)
3	F	1.50	6/310 (1.9%)	2.50	22/476 (4.6%)
All	All	0.96	11/4298 (0.3%)	1.33	59/6029 (1.0%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	122	CYS	CB-SG	-8.12	1.68	1.82
3	D	215	DT	C5-C7	6.27	1.53	1.50
2	C	202	DC	P-O5'	6.24	1.66	1.59
3	F	218	DC	P-O5'	5.67	1.65	1.59
3	F	222	DT	C5-C7	5.62	1.53	1.50
3	D	221	DT	C5-C7	5.62	1.53	1.50
3	F	215	DT	C5-C7	5.44	1.53	1.50
1	A	122	CYS	CB-SG	-5.42	1.73	1.81
3	F	228	DC	C4'-O4'	-5.13	1.40	1.45
3	F	225	DT	C5-C7	5.08	1.53	1.50
3	F	216	DG	P-O5'	5.01	1.64	1.59

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	217	DC	O4'-C4'-C3'	-15.43	96.74	106.00
3	D	227	DG	O4'-C1'-N9	13.61	117.53	108.00
3	F	217	DC	O4'-C1'-N1	12.10	116.47	108.00
3	F	219	DC	O4'-C4'-C3'	-10.19	99.88	106.00
3	F	220	DT	C6-C5-C7	-10.15	116.81	122.90
3	F	228	DC	C1'-O4'-C4'	-8.88	101.22	110.10
3	F	216	DG	O4'-C1'-N9	8.77	114.14	108.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	221	DT	O4'-C4'-C3'	-8.34	101.00	106.00
3	F	223	DT	C6-C5-C7	-8.21	117.98	122.90
3	F	217	DC	C1'-O4'-C4'	-8.12	101.97	110.10
2	C	202	DC	O4'-C1'-N1	8.09	113.66	108.00
3	F	218	DC	O4'-C4'-C3'	-8.03	101.18	106.00
2	E	213	DC	O4'-C1'-C2'	-8.02	99.49	105.90
3	F	228	DC	O4'-C4'-C3'	-7.99	101.21	106.00
3	F	222	DT	C6-C5-C7	-7.91	118.15	122.90
3	F	221	DT	C6-C5-C7	-7.79	118.23	122.90
3	F	215	DT	P-O3'-C3'	7.41	128.59	119.70
3	D	219	DC	C1'-O4'-C4'	-7.40	102.70	110.10
2	E	213	DC	C1'-O4'-C4'	-7.36	102.74	110.10
3	D	223	DT	O4'-C4'-C3'	-7.29	101.58	104.50
3	F	219	DC	C1'-O4'-C4'	-7.08	103.02	110.10
3	F	225	DT	C6-C5-C7	-6.98	118.71	122.90
3	D	216	DG	O4'-C1'-C2'	-6.73	100.51	105.90
3	F	215	DT	O4'-C1'-C2'	-6.66	100.57	105.90
2	E	213	DC	O4'-C1'-N1	6.56	112.59	108.00
3	D	225	DT	C6-C5-C7	-6.52	118.99	122.90
2	E	210	DG	O4'-C1'-N9	6.46	112.53	108.00
3	D	222	DT	C6-C5-C7	-6.33	119.10	122.90
3	F	215	DT	C6-C5-C7	-6.26	119.14	122.90
3	D	221	DT	C6-C5-C7	-6.21	119.17	122.90
2	C	201	DG	O4'-C1'-N9	6.21	112.34	108.00
2	C	205	DT	C6-C5-C7	-6.19	119.19	122.90
2	E	210	DG	N9-C4-C5	6.18	107.87	105.40
3	D	227	DG	C4'-C3'-C2'	-6.16	97.56	103.10
2	E	209	DA	O4'-C1'-N9	6.13	112.29	108.00
3	D	223	DT	C6-C5-C7	-6.09	119.25	122.90
2	C	207	DA	O4'-C1'-N9	6.01	112.21	108.00
2	E	203	DT	C6-C5-C7	-6.00	119.30	122.90
3	D	220	DT	C6-C5-C7	-5.96	119.32	122.90
2	E	214	DA	O4'-C1'-N9	5.93	112.15	108.00
2	C	213	DC	O4'-C1'-C2'	-5.93	101.16	105.90
2	E	207	DA	O4'-C4'-C3'	-5.93	102.13	104.50
2	E	210	DG	N3-C4-N9	-5.80	122.52	126.00
2	C	203	DT	C4-C5-C6	5.75	121.45	118.00
2	C	203	DT	C6-C5-C7	-5.73	119.46	122.90
2	E	205	DT	C6-C5-C7	-5.72	119.47	122.90
2	E	202	DC	O4'-C1'-N1	5.56	111.89	108.00
3	D	220	DT	C4-C5-C6	5.41	121.25	118.00
3	D	222	DT	C4-C5-C6	5.41	121.24	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	210	DG	C8-N9-C1'	5.36	133.97	127.00
3	F	225	DT	O4'-C4'-C3'	-5.25	102.40	104.50
3	D	225	DT	C4-C5-C6	5.21	121.13	118.00
3	F	220	DT	C4-C5-C7	5.17	122.10	119.00
3	F	220	DT	C4-C5-C6	5.12	121.07	118.00
3	D	223	DT	C4-C5-C6	5.10	121.06	118.00
3	F	223	DT	O4'-C4'-C3'	-5.09	102.46	104.50
2	E	213	DC	C6-N1-C2	5.09	122.33	120.30
3	D	227	DG	P-O5'-C5'	-5.06	112.81	120.90
2	E	207	DA	C4'-C3'-C2'	-5.05	98.56	103.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1473	0	1549	36	2
1	B	1489	0	1575	27	0
2	C	287	0	154	6	0
2	E	289	0	158	4	2
3	D	279	0	162	7	0
3	F	279	0	162	11	0
4	A	174	0	0	12	1
4	B	180	0	0	10	1
4	C	42	0	0	1	0
4	D	39	0	0	1	0
4	E	38	0	0	2	0
4	F	47	0	0	0	0
All	All	4616	0	3760	84	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:LYS:HA	1:A:156:LYS:HE2	1.39	1.04
1:B:41:LYS:HD3	1:B:52:TYR:HE2	1.26	1.00
1:A:66:GLU:HG2	4:A:2071:HOH:O	1.72	0.90
3:F:217:DC:H2'	3:F:218:DC:C6	2.11	0.85
1:B:41:LYS:HD3	1:B:52:TYR:CE2	2.13	0.83
1:A:198:ILE:HD11	1:B:190:PRO:HG2	1.60	0.83
1:A:58:ALA:HB3	4:C:2028:HOH:O	1.77	0.83
1:B:41:LYS:HG2	4:B:2033:HOH:O	1.86	0.75
3:D:217:DC:H5''	4:D:2013:HOH:O	1.87	0.74
1:B:96:LYS:HG3	4:B:2062:HOH:O	1.88	0.73
3:D:219:DC:H2'	3:D:220:DT:H71	1.72	0.72
1:A:131:GLU:HB2	4:A:2121:HOH:O	1.91	0.70
1:A:41:LYS:O	1:A:41:LYS:HE3	1.93	0.68
1:B:121:SER:HB2	4:B:2157:HOH:O	1.95	0.67
1:A:51:GLU:HG3	1:A:61:ILE:HB	1.77	0.65
3:D:218:DC:H2''	3:D:219:DC:OP2	1.98	0.63
3:F:215:DT:H1'	3:F:216:DG:H5'	1.81	0.62
1:A:46:GLN:NE2	4:A:2042:HOH:O	2.10	0.62
1:A:152:ILE:HD12	1:A:163:LEU:HD22	1.81	0.61
1:A:156:LYS:CE	1:A:156:LYS:HA	2.24	0.61
1:A:102:GLN:HG3	1:A:108:ALA:HB3	1.82	0.61
1:A:92:MET:HG3	4:A:2016:HOH:O	2.00	0.60
1:A:16:LYS:O	1:A:16:LYS:HD3	2.02	0.60
3:F:217:DC:H2'	3:F:218:DC:H6	1.64	0.59
1:B:41:LYS:CD	1:B:52:TYR:HE2	2.08	0.58
1:A:68:LYS:HG3	4:A:2024:HOH:O	2.05	0.57
1:B:56:ARG:HD3	4:B:2044:HOH:O	2.03	0.57
4:B:2157:HOH:O	3:F:225:DT:H5'	2.05	0.56
2:E:209:DA:OP2	4:E:2024:HOH:O	2.18	0.56
3:F:215:DT:H2''	3:F:216:DG:C8	2.41	0.56
3:F:218:DC:H2'	3:F:219:DC:O4'	2.07	0.55
1:A:144:GLU:O	1:A:147:LEU:HB2	2.07	0.54
1:B:116:GLN:O	1:B:176:LYS:HE2	2.07	0.54
3:D:227:DG:H2''	3:D:228:DC:C5	2.43	0.54
3:F:215:DT:H4'	3:F:216:DG:OP1	2.09	0.53
1:A:16:LYS:HD3	4:A:2001:HOH:O	2.08	0.53
1:A:198:ILE:HD11	1:B:190:PRO:CG	2.35	0.52
1:A:63:ARG:HD2	4:A:2062:HOH:O	2.09	0.52
1:A:59:ALA:HB2	1:A:74:PHE:CE2	2.45	0.51
1:A:197:LYS:NZ	4:A:2173:HOH:O	2.43	0.51
2:C:202:DC:H2''	2:C:203:DT:H71	1.92	0.50
1:B:56:ARG:HH21	3:F:221:DT:P	2.34	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ARG:HG3	1:A:103:LYS:HE3	1.94	0.50
2:C:201:DG:N3	2:C:201:DG:H2'	2.26	0.49
2:C:201:DG:H3'	2:C:202:DC:H6	1.78	0.49
1:B:53:ASN:HB2	1:B:56:ARG:HB3	1.95	0.49
1:A:152:ILE:CD1	1:A:163:LEU:HD22	2.44	0.48
1:B:147:LEU:O	2:E:203:DT:H2''	2.13	0.48
1:A:37:LYS:HB3	4:A:2031:HOH:O	2.13	0.48
1:A:85:LYS:HE2	4:A:2083:HOH:O	2.13	0.48
1:B:183:LYS:HE2	4:B:2171:HOH:O	2.12	0.48
3:F:219:DC:OP2	3:F:219:DC:H6	1.97	0.48
1:A:127:PRO:HA	1:A:166:VAL:O	2.14	0.48
3:F:215:DT:H2''	3:F:216:DG:H2'	1.96	0.47
2:E:213:DC:H2''	2:E:214:DA:C8	2.49	0.47
3:D:218:DC:H2''	3:D:219:DC:C6	2.50	0.47
1:B:51:GLU:HB2	1:B:61:ILE:HB	1.97	0.47
1:B:131:GLU:HG2	4:B:2117:HOH:O	2.15	0.46
1:A:154:ARG:HG2	1:A:161:VAL:HG22	1.97	0.46
1:A:37:LYS:HA	1:A:37:LYS:HD3	1.73	0.46
1:A:99:ARG:HD3	1:A:102:GLN:OE1	2.16	0.46
1:B:53:ASN:O	1:B:56:ARG:HB3	2.16	0.46
1:A:52:TYR:HB2	1:A:60:VAL:HG22	1.96	0.46
1:A:49:ASN:ND2	4:A:2047:HOH:O	2.49	0.46
1:A:32:VAL:HG22	1:A:33:ASN:N	2.31	0.45
1:B:12:VAL:HG22	4:B:2006:HOH:O	2.17	0.44
1:A:104:LEU:HD12	1:A:104:LEU:HA	1.91	0.43
2:C:202:DC:H2''	2:C:203:DT:C7	2.49	0.43
1:B:107:PRO:HD3	4:B:2097:HOH:O	2.19	0.42
1:B:23:PRO:HA	1:B:122:CYS:HB3	2.02	0.42
1:A:14:LEU:HD11	1:B:13:ASP:OD1	2.19	0.42
2:C:202:DC:N3	3:D:227:DG:O6	2.52	0.42
1:B:152:ILE:HD12	1:B:163:LEU:HD22	2.02	0.42
2:E:210:DG:H2''	4:E:2036:HOH:O	2.20	0.41
1:B:59:ALA:HB2	1:B:74:PHE:CE2	2.55	0.41
1:A:63:ARG:CD	4:A:2062:HOH:O	2.66	0.41
1:A:152:ILE:HD12	1:A:163:LEU:CD2	2.48	0.41
1:B:114:LYS:HG2	1:B:116:GLN:NE2	2.35	0.41
1:B:129:ARG:HD3	4:B:2180:HOH:O	2.20	0.41
1:A:41:LYS:O	1:A:45:LEU:HG	2.20	0.41
1:B:38:LEU:HD22	1:B:77:GLY:HA2	2.02	0.41
2:C:201:DG:H3'	2:C:202:DC:C6	2.55	0.41
3:D:228:DC:H6	3:D:228:DC:O5'	2.04	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:61:ILE:HD13	3:F:221:DT:H5'	2.03	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2040:HOH:O	4:B:2151:HOH:O[2_647]	1.97	0.23
1:A:49:ASN:ND2	2:E:208:DA:OP1[2_647]	2.05	0.15
1:A:65:ARG:NH2	2:E:211:DG:N7[2_647]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	185/200 (92%)	176 (95%)	9 (5%)	0	100	100
1	B	187/200 (94%)	179 (96%)	7 (4%)	1 (0%)	34	21
All	All	372/400 (93%)	355 (95%)	16 (4%)	1 (0%)	46	35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	48	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/171 (93%)	154 (97%)	5 (3%)	47	37
1	B	162/171 (95%)	159 (98%)	3 (2%)	65	59
All	All	321/342 (94%)	313 (98%)	8 (2%)	55	47

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	41	LYS
1	A	104	LEU
1	A	147	LEU
1	A	179	ASP
1	B	38	LEU
1	B	102	GLN
1	B	104	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	ASN
1	B	53	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.