



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2016 – 01:54 PM EST

PDB ID : 4QO5
Title : Hypothetical multiheme protein
Authors : Rajendran, C.
Deposited on : 2014-06-19
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028320
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028320


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	<div> <div style="width: 3%; height: 10px; background-color: red;"></div> <div style="width: 89%; height: 10px; background-color: green;"></div> <div style="width: 11%; height: 10px; background-color: yellow;"></div> </div> <div> <div style="width: 3%;"></div> <div style="width: 89%;"></div> <div style="width: 11%;"></div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEC	A	602	-	-	-	X
4	NAG	A	610	-	-	-	X

2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 4820 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypothetical multiheme protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	521	Total	C	N	O	S	0	0	0
			4054	2579	700	743	32			

- Molecule 2 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca		
			1	1	0	0

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O		
			14	8	1	5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	407	Total	O		
			407	407	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hypothetical multiheme protein



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	136.44Å 136.44Å 214.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.73 – 1.70 43.73 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.4 (43.73-1.70) 99.4 (43.73-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 1.70Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.165 , 0.201 0.169 , 0.196	Depositor DCC
R_{free} test set	4220 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	21.3	Xtriage
Anisotropy	0.625	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4820	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	3/4165 (0.1%)	0.58	1/5678 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	301	TRP	CZ3-CH2	-7.46	1.28	1.40
1	A	301	TRP	CE3-CZ3	-6.96	1.26	1.38
1	A	301	TRP	CE2-CZ2	-6.82	1.28	1.39

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	258	ARG	NE-CZ-NH1	-5.43	117.58	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4054	0	3978	62	0
2	A	344	0	256	44	0
3	A	1	0	0	0	0
4	A	14	0	13	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	407	0	0	3	0
All	All	4820	0	4247	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:CYS:SG	2:A:605:HEC:CAC	2.55	0.95
1:A:435:CYS:SG	2:A:608:HEC:CAB	2.60	0.90
1:A:266:CYS:SG	2:A:606:HEC:CAC	2.61	0.89
1:A:107:CYS:SG	2:A:602:HEC:CAB	2.61	0.89
1:A:243:CYS:SG	2:A:605:HEC:CAB	2.61	0.88
1:A:312:CYS:SG	2:A:607:HEC:CAB	2.61	0.88
1:A:263:CYS:SG	2:A:606:HEC:CAB	2.62	0.87
1:A:138:CYS:SG	2:A:603:HEC:CAB	2.65	0.85
1:A:198:CYS:SG	2:A:604:HEC:CAC	2.67	0.82
1:A:301:TRP:HA	1:A:301:TRP:CE3	2.16	0.81
1:A:195:CYS:SG	2:A:604:HEC:CAB	2.70	0.79
1:A:438:CYS:SG	2:A:608:HEC:CAC	2.71	0.79
1:A:295:ASN:O	1:A:301:TRP:CH2	2.36	0.79
1:A:51:CYS:SG	2:A:601:HEC:CAB	2.73	0.76
1:A:141:CYS:SG	2:A:603:HEC:CAC	2.76	0.73
1:A:110:CYS:SG	2:A:602:HEC:CAC	2.76	0.73
1:A:296:MET:HA	1:A:301:TRP:CZ2	2.27	0.70
1:A:54:CYS:SG	2:A:601:HEC:HAC	2.33	0.69
1:A:296:MET:HA	1:A:301:TRP:HZ2	1.59	0.66
1:A:54:CYS:SG	2:A:601:HEC:CAC	2.88	0.62
1:A:370:SER:OG	1:A:400:ASP:OD1	2.18	0.61
1:A:133:VAL:HB	2:A:602:HEC:HMD3	1.83	0.60
1:A:315:CYS:SG	2:A:607:HEC:CAC	2.91	0.59
1:A:274:ALA:HB3	2:A:607:HEC:HMB2	1.85	0.58
1:A:125:PHE:CD1	2:A:601:HEC:HBC2	2.39	0.57
1:A:301:TRP:HA	1:A:301:TRP:HE3	1.64	0.57
1:A:290:HIS:O	1:A:293:LYS:HG2	2.04	0.56
1:A:298:ALA:N	1:A:301:TRP:HZ3	2.04	0.56
2:A:606:HEC:CGA	2:A:606:HEC:HHA	2.36	0.55
1:A:295:ASN:O	1:A:301:TRP:CZ2	2.58	0.55
1:A:296:MET:C	1:A:301:TRP:CH2	2.80	0.55
1:A:380:LEU:HD21	1:A:471:LYS:HG2	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:MET:C	1:A:301:TRP:HH2	2.12	0.53
2:A:607:HEC:HAC	2:A:608:HEC:HBB2	1.92	0.52
1:A:109:GLU:O	1:A:113:LEU:HG	2.10	0.51
2:A:601:HEC:HBB3	2:A:601:HEC:HMB1	1.93	0.51
1:A:298:ALA:HB3	1:A:301:TRP:CZ3	2.46	0.50
1:A:456:GLU:OE1	5:A:1043:HOH:O	2.19	0.50
1:A:107:CYS:SG	2:A:602:HEC:HAB	2.49	0.50
1:A:339:ARG:HD3	5:A:797:HOH:O	2.12	0.50
1:A:312:CYS:SG	2:A:607:HEC:HAB	2.47	0.50
2:A:602:HEC:HAC	2:A:603:HEC:HBB2	1.94	0.50
1:A:55:HIS:HA	1:A:58:VAL:HG22	1.95	0.49
1:A:336:VAL:HG23	2:A:606:HEC:HBA2	1.93	0.48
1:A:153:SER:HB2	2:A:606:HEC:O1A	2.13	0.48
2:A:604:HEC:HMB1	2:A:604:HEC:HBB3	1.96	0.48
1:A:276:ASN:HB3	1:A:519:TRP:CH2	2.49	0.47
1:A:246:CYS:SG	2:A:605:HEC:HAC	2.49	0.47
2:A:606:HEC:HMB1	2:A:606:HEC:HBB3	1.97	0.47
1:A:149:TYR:CE1	2:A:605:HEC:HMC2	2.50	0.46
1:A:100:LEU:HD11	1:A:113:LEU:HD21	1.97	0.46
1:A:275:PHE:HA	2:A:607:HEC:CBB	2.45	0.46
2:A:608:HEC:HMB1	2:A:608:HEC:HBB3	1.97	0.46
1:A:298:ALA:HB3	1:A:301:TRP:HZ3	1.80	0.45
2:A:601:HEC:HMC1	2:A:601:HEC:HBC3	1.98	0.45
1:A:71:MET:HB3	1:A:105:VAL:HB	2.00	0.44
1:A:143:ARG:HD3	5:A:1082:HOH:O	2.17	0.44
2:A:602:HEC:HBB3	2:A:602:HEC:HMB1	1.99	0.43
1:A:231:VAL:O	1:A:241:GLY:HA2	2.18	0.43
1:A:195:CYS:SG	2:A:604:HEC:HAB	2.58	0.43
2:A:603:HEC:HBB3	2:A:603:HEC:HMB1	2.00	0.43
2:A:607:HEC:HAC	2:A:608:HEC:CBB	2.49	0.43
1:A:373:GLU:OE1	1:A:384:LYS:NZ	2.46	0.42
1:A:280:GLU:CD	1:A:517:GLN:H	2.23	0.42
1:A:138:CYS:SG	2:A:603:HEC:CBB	3.08	0.42
1:A:298:ALA:N	1:A:301:TRP:CZ3	2.85	0.42
1:A:172:ASN:ND2	4:A:610:NAG:C1	2.82	0.42
2:A:605:HEC:HAB	2:A:605:HEC:HHC	1.77	0.41
1:A:48:THR:HA	1:A:51:CYS:SG	2.61	0.41
1:A:301:TRP:HB3	1:A:320:LEU:HD23	2.03	0.41
1:A:198:CYS:SG	2:A:604:HEC:HAC	2.57	0.41
1:A:267:HIS:CE1	2:A:604:HEC:HMD1	2.56	0.40
1:A:40:LYS:HA	1:A:40:LYS:HD2	1.95	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:CYS:SG	2:A:605:HEC:CBB	3.09	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/521 (100%)	503 (97%)	16 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	438/445 (98%)	436 (100%)	2 (0%)	92	88

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	301	TRP
1	A	519	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 1 is monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEC	A	601	1	24,50,50	2.24	4 (16%)	19,82,82	2.81	8 (42%)
2	HEC	A	602	1	24,50,50	2.44	7 (29%)	19,82,82	3.40	11 (57%)
2	HEC	A	603	1	24,50,50	2.12	6 (25%)	19,82,82	3.04	8 (42%)
2	HEC	A	604	1,5	24,50,50	2.35	4 (16%)	19,82,82	3.06	9 (47%)
2	HEC	A	605	1	24,50,50	2.34	6 (25%)	19,82,82	3.20	8 (42%)
2	HEC	A	606	1	24,50,50	2.21	4 (16%)	19,82,82	2.59	6 (31%)
2	HEC	A	607	1	24,50,50	2.31	6 (25%)	19,82,82	3.48	9 (47%)
2	HEC	A	608	1	24,50,50	2.33	5 (20%)	19,82,82	3.05	8 (42%)
4	NAG	A	610	-	14,14,15	0.65	1 (7%)	15,19,21	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	601	1	-	0/6/54/54	0/0/8/8
2	HEC	A	602	1	-	0/6/54/54	0/0/8/8
2	HEC	A	603	1	-	0/6/54/54	0/0/8/8
2	HEC	A	604	1,5	-	0/6/54/54	0/0/8/8
2	HEC	A	605	1	-	0/6/54/54	0/0/8/8
2	HEC	A	606	1	-	0/6/54/54	0/0/8/8
2	HEC	A	607	1	-	0/6/54/54	0/0/8/8
2	HEC	A	608	1	-	0/6/54/54	0/0/8/8
4	NAG	A	610	-	-	0/6/23/26	0/1/1/1

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	604	HEC	C3B-C2B	-6.14	1.34	1.40
2	A	607	HEC	C3B-C2B	-6.07	1.34	1.40
2	A	604	HEC	C3C-C2C	-5.98	1.34	1.40
2	A	602	HEC	C3B-C2B	-5.98	1.34	1.40
2	A	608	HEC	C3C-C2C	-5.93	1.34	1.40
2	A	605	HEC	C3C-C2C	-5.88	1.34	1.40
2	A	602	HEC	C3C-C2C	-5.68	1.34	1.40
2	A	608	HEC	C3B-C2B	-5.54	1.35	1.40
2	A	601	HEC	C3B-C2B	-5.50	1.35	1.40
2	A	606	HEC	C3C-C2C	-5.47	1.35	1.40
2	A	607	HEC	C3C-C2C	-5.33	1.35	1.40
2	A	601	HEC	C3C-C2C	-5.20	1.35	1.40
2	A	606	HEC	C3B-C2B	-5.12	1.35	1.40
2	A	605	HEC	C3B-C2B	-5.06	1.35	1.40
2	A	603	HEC	C3B-C2B	-4.64	1.35	1.40
2	A	603	HEC	C3C-C2C	-4.54	1.36	1.40
4	A	610	NAG	C1-C2	-2.26	1.49	1.52
2	A	605	HEC	CBB-CAB	2.02	1.57	1.49
2	A	603	HEC	CBB-CAB	2.06	1.57	1.49
2	A	607	HEC	CAA-C2A	2.08	1.55	1.52
2	A	605	HEC	C4C-NC	2.09	1.39	1.36
2	A	606	HEC	CAA-C2A	2.10	1.55	1.52
2	A	602	HEC	CMD-C2D	2.11	1.56	1.51
2	A	607	HEC	CMB-C2B	2.11	1.56	1.51
2	A	601	HEC	CAA-C2A	2.14	1.55	1.52
2	A	603	HEC	C4B-NB	2.14	1.39	1.36
2	A	604	HEC	CAA-C2A	2.19	1.55	1.52
2	A	608	HEC	C1A-NA	2.29	1.39	1.36
2	A	602	HEC	CAD-C3D	2.31	1.55	1.52
2	A	602	HEC	CAA-C2A	2.40	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	602	HEC	C1A-NA	2.44	1.40	1.36
2	A	607	HEC	C4A-NA	2.74	1.40	1.36
2	A	603	HEC	CAA-C2A	3.22	1.56	1.52
2	A	605	HEC	C4A-NA	3.26	1.41	1.36
2	A	608	HEC	CAA-C2A	3.34	1.56	1.52
2	A	608	HEC	C3D-C2D	4.56	1.51	1.37
2	A	607	HEC	C3D-C2D	4.80	1.51	1.37
2	A	603	HEC	C3D-C2D	4.82	1.52	1.37
2	A	605	HEC	C3D-C2D	4.93	1.52	1.37
2	A	602	HEC	C3D-C2D	5.03	1.52	1.37
2	A	604	HEC	C3D-C2D	5.05	1.52	1.37
2	A	606	HEC	C3D-C2D	5.07	1.52	1.37
2	A	601	HEC	C3D-C2D	5.23	1.53	1.37

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	604	HEC	CBC-CAC-C3C	-7.95	109.97	127.34
2	A	605	HEC	CBB-CAB-C3B	-7.64	110.64	127.34
2	A	606	HEC	CMC-C2C-C1C	-7.36	115.80	128.31
2	A	602	HEC	CBB-CAB-C3B	-7.19	111.62	127.34
2	A	603	HEC	CBB-CAB-C3B	-7.18	111.64	127.34
2	A	607	HEC	CBB-CAB-C3B	-6.48	113.17	127.34
2	A	603	HEC	CMC-C2C-C1C	-5.99	118.12	128.31
2	A	607	HEC	CMC-C2C-C1C	-5.91	118.27	128.31
2	A	601	HEC	CBB-CAB-C3B	-5.81	114.63	127.34
2	A	605	HEC	CBD-CAD-C3D	-5.74	102.40	112.49
2	A	601	HEC	CMC-C2C-C1C	-5.67	118.66	128.31
2	A	602	HEC	CBC-CAC-C3C	-5.58	115.15	127.34
2	A	605	HEC	CBC-CAC-C3C	-5.55	115.20	127.34
2	A	607	HEC	CBD-CAD-C3D	-5.22	103.31	112.49
2	A	608	HEC	CMC-C2C-C1C	-5.13	119.58	128.31
2	A	602	HEC	CMC-C2C-C1C	-5.00	119.81	128.31
2	A	608	HEC	CBC-CAC-C3C	-4.96	116.51	127.34
2	A	608	HEC	CMB-C2B-C1B	-4.78	120.19	128.31
2	A	605	HEC	CMC-C2C-C1C	-4.77	120.20	128.31
2	A	608	HEC	CBB-CAB-C3B	-4.74	116.99	127.34
2	A	604	HEC	CBA-CAA-C2A	-4.46	104.64	112.47
2	A	607	HEC	CBC-CAC-C3C	-4.35	117.83	127.34
2	A	603	HEC	CBC-CAC-C3C	-4.22	118.11	127.34
2	A	606	HEC	CBB-CAB-C3B	-4.22	118.11	127.34
2	A	607	HEC	CAA-CBA-CGA	-3.97	105.05	112.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	607	HEC	CMB-C2B-C1B	-3.96	121.58	128.31
2	A	601	HEC	CBA-CAA-C2A	-3.92	105.59	112.47
2	A	606	HEC	CBC-CAC-C3C	-3.86	118.91	127.34
2	A	604	HEC	CMC-C2C-C1C	-3.78	121.88	128.31
2	A	603	HEC	CMB-C2B-C1B	-3.70	122.02	128.31
2	A	603	HEC	CBD-CAD-C3D	-3.64	106.09	112.49
2	A	601	HEC	CMB-C2B-C1B	-3.59	122.21	128.31
2	A	604	HEC	CBB-CAB-C3B	-3.35	120.02	127.34
2	A	604	HEC	CBD-CAD-C3D	-3.30	106.69	112.49
2	A	608	HEC	CBD-CAD-C3D	-3.16	106.94	112.49
2	A	601	HEC	CBC-CAC-C3C	-3.10	120.56	127.34
2	A	602	HEC	CMD-C2D-C1D	-3.03	123.16	128.31
2	A	602	HEC	CMB-C2B-C1B	-3.00	123.21	128.31
2	A	605	HEC	CMB-C2B-C1B	-3.00	123.22	128.31
2	A	604	HEC	CMB-C2B-C1B	-2.99	123.23	128.31
2	A	602	HEC	CAA-CBA-CGA	-2.84	107.25	112.78
2	A	606	HEC	CMB-C2B-C1B	-2.81	123.54	128.31
2	A	603	HEC	CBA-CAA-C2A	-2.77	107.61	112.47
2	A	606	HEC	CAD-CBD-CGD	-2.42	108.07	112.78
2	A	607	HEC	C3B-C4B-NB	-2.39	106.42	110.94
2	A	601	HEC	CBD-CAD-C3D	-2.14	108.72	112.49
2	A	603	HEC	C4B-C3B-C2B	2.15	108.72	106.19
2	A	605	HEC	C4B-C3B-C2B	2.18	108.76	106.19
2	A	608	HEC	C4C-C3C-C2C	2.18	108.77	106.19
2	A	602	HEC	CBD-CAD-C3D	2.26	116.46	112.49
2	A	601	HEC	C4B-C3B-C2B	2.35	108.97	106.19
2	A	606	HEC	CMB-C2B-C3B	2.83	128.95	125.67
2	A	604	HEC	CMB-C2B-C3B	2.83	128.95	125.67
2	A	605	HEC	C4C-C3C-C2C	3.11	109.86	106.19
2	A	602	HEC	CMC-C2C-C3C	3.32	129.52	125.67
2	A	608	HEC	CMC-C2C-C3C	3.36	129.56	125.67
2	A	602	HEC	CMD-C2D-C3D	3.50	132.54	125.24
2	A	605	HEC	CMB-C2B-C3B	3.56	129.79	125.67
2	A	604	HEC	CMC-C2C-C3C	3.62	129.86	125.67
2	A	604	HEC	C4C-C3C-C2C	3.65	110.50	106.19
2	A	607	HEC	C4B-C3B-C2B	3.78	110.65	106.19
2	A	602	HEC	C4B-C3B-C2B	3.90	110.80	106.19
2	A	603	HEC	CMB-C2B-C3B	4.95	131.41	125.67
2	A	601	HEC	CMB-C2B-C3B	5.02	131.48	125.67
2	A	602	HEC	CMB-C2B-C3B	5.43	131.97	125.67
2	A	608	HEC	CMB-C2B-C3B	6.14	132.79	125.67
2	A	607	HEC	CMB-C2B-C3B	6.42	133.11	125.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 45 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEC	6	0
2	A	602	HEC	6	0
2	A	603	HEC	5	0
2	A	604	HEC	6	0
2	A	605	HEC	6	0
2	A	606	HEC	6	0
2	A	607	HEC	7	0
2	A	608	HEC	5	0
4	A	610	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	521/521 (100%)	-0.13	15 (2%) 55 59	17, 26, 55, 91	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	549	ALA	10.9
1	A	301	TRP	6.6
1	A	548	ALA	5.4
1	A	180	MET	5.4
1	A	401	ILE	4.5
1	A	182	LYS	4.3
1	A	482	LEU	4.1
1	A	519	TRP	2.9
1	A	369	GLU	2.6
1	A	179	CYS	2.4
1	A	388	GLY	2.4
1	A	214	HIS	2.4
1	A	181	GLY	2.3
1	A	376	ALA	2.2
1	A	400	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	HEC	A	602	43/43	0.96	0.09	2.58	14,18,26,37	0
4	NAG	A	610	14/15	0.85	0.11	2.01	30,34,43,44	0
2	HEC	A	606	43/43	0.97	0.11	1.75	15,21,30,40	0
2	HEC	A	608	43/43	0.97	0.11	1.60	14,20,30,34	0
2	HEC	A	607	43/43	0.96	0.13	1.43	15,19,28,39	0
2	HEC	A	604	43/43	0.97	0.12	1.13	19,22,33,38	0
2	HEC	A	603	43/43	0.97	0.09	0.61	12,19,28,39	0
2	HEC	A	605	43/43	0.97	0.10	0.34	13,18,25,27	0
2	HEC	A	601	43/43	0.96	0.10	0.30	16,25,37,45	0
3	CA	A	609	1/1	0.98	0.06	-0.87	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.