



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:10 PM GMT

PDB ID : 4QVL
Title : yCP in complex with bortezomib
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.
Deposited on : 2014-07-15
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div>2%</div> <div>98%</div> <div>.</div> </div>
1	O	250	<div> <div>3%</div> <div>98%</div> <div>.</div> </div>
2	B	258	<div> <div>3%</div> <div>86%</div> <div>7% • 5%</div> </div>
2	P	258	<div> <div>2%</div> <div>87%</div> <div>7% 5%</div> </div>
3	C	254	<div> <div>4%</div> <div>87%</div> <div>6% • 6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	MG	I	301	-	-	-	X
15	MG	J	201	-	-	-	X
15	MG	Z	301	-	-	-	X
17	BO2	N	201	-	-	-	X
17	BO2	V	301	-	-	-	X
17	BO2	b	201	-	-	-	X

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 49903 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	J	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	K	1	Total 1	Mg 1	0	0
15	I	1	Total 1	Mg 1	0	0
15	V	1	Total 1	Mg 1	0	0
15	Z	1	Total 1	Mg 1	0	0
15	N	1	Total 1	Mg 1	0	0
15	Y	1	Total 1	Mg 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total 1	Cl 1	0	0
16	b	1	Total 1	Cl 1	0	0
16	N	1	Total 1	Cl 1	0	0
16	U	1	Total 1	Cl 1	0	0

- Molecule 17 is N-[(1R)-1-(DIHYDROXYBORYL)-3-METHYLBUTYL]-N-(PYRAZIN-2-YLCARBONYL)-L-PHENYLALANINAMIDE (three-letter code: BO2) (formula: C₁₉H₂₅BN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	H	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	K	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	N	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	V	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	Y	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	b	1	Total	B	C	N	O	0	0
			28	1	19	4	4		

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	13	Total	O	0	0
			13	13		
18	B	14	Total	O	0	0
			14	14		
18	C	15	Total	O	0	0
			15	15		
18	D	12	Total	O	0	0
			12	12		
18	E	5	Total	O	0	0
			5	5		
18	F	13	Total	O	0	0
			13	13		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	G	13	Total O 13 13	0	0
18	H	13	Total O 13 13	0	0
18	I	10	Total O 10 10	0	0
18	J	13	Total O 13 13	0	0
18	K	9	Total O 9 9	0	0
18	L	25	Total O 25 25	0	0
18	M	17	Total O 17 17	0	0
18	N	16	Total O 16 16	0	0
18	O	4	Total O 4 4	0	0
18	P	11	Total O 11 11	0	0
18	Q	9	Total O 9 9	0	0
18	R	7	Total O 7 7	0	0
18	S	6	Total O 6 6	0	0
18	T	13	Total O 13 13	0	0
18	U	8	Total O 8 8	0	0
18	V	18	Total O 18 18	0	0
18	W	11	Total O 11 11	0	0
18	X	21	Total O 21 21	0	0
18	Y	15	Total O 15 15	0	0
18	Z	13	Total O 13 13	0	0
18	a	23	Total O 23 23	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	b	10	Total	O	0	0
			10	10		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3








- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6





- Molecule 13: Proteasome subunit beta type-7







● Molecule 13: Proteasome subunit beta type-7



● Molecule 14: Proteasome subunit beta type-1



● Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	134.91Å 300.21Å 144.76Å 90.00° 112.85° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	92.9 (15.00-2.80) 93.0 (15.00-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.187 , 0.215 0.193 , 0.219	Depositor DCC
R_{free} test set	11992 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	60.3	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 43.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 239855 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49903	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BO2, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.26	0/1837	0.47	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.47	0/2433
6	F	0.27	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.47	0/2634
7	U	0.27	0/1945	0.47	0/2634
8	H	0.25	0/1750	0.46	0/2373
8	V	0.25	0/1750	0.46	0/2373
9	I	0.27	0/1611	0.48	0/2174
9	W	0.27	0/1611	0.48	0/2174
10	J	0.40	1/1589 (0.1%)	0.52	1/2142 (0.0%)
10	X	0.41	1/1589 (0.1%)	0.53	1/2142 (0.0%)
11	K	0.26	0/1681	0.50	0/2274
11	Y	0.27	0/1681	0.51	0/2274
12	L	0.27	0/1795	0.47	0/2420
12	Z	0.27	0/1795	0.47	0/2420
13	M	0.30	0/1855	0.50	0/2514
13	a	0.29	0/1855	0.50	0/2514
14	N	0.25	0/1541	0.47	0/2087
14	b	0.25	0/1541	0.47	0/2087
All	All	0.28	2/50264 (0.0%)	0.48	2/67962 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	X	150	PRO	N-CD	5.13	1.55	1.47
10	J	150	PRO	N-CD	5.03	1.54	1.47

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	149	ARG	C-N-CD	5.81	140.60	128.40
10	X	149	ARG	C-N-CD	5.72	140.40	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	9	0
2	P	1904	0	1904	9	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	4	0
4	R	1813	0	1797	3	0
5	E	1773	0	1775	3	0
5	S	1773	0	1775	3	0
6	F	1892	0	1883	2	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	5	0
8	H	1719	0	1718	9	0
8	V	1719	0	1718	6	0
9	I	1581	0	1574	8	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	12	0
10	X	1561	0	1569	20	0
11	K	1644	0	1594	14	0
11	Y	1644	0	1594	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	L	1757	0	1711	1	0
12	Z	1757	0	1711	1	0
13	M	1824	0	1832	4	0
13	a	1824	0	1832	0	0
14	N	1512	0	1480	2	0
14	b	1512	0	1480	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	28	0	25	0	0
17	K	28	0	25	1	0
17	N	28	0	25	2	0
17	V	28	0	25	0	0
17	Y	28	0	25	1	0
17	b	28	0	25	0	0
18	A	13	0	0	0	0
18	B	14	0	0	2	0
18	C	15	0	0	0	0
18	D	12	0	0	0	0
18	E	5	0	0	0	0
18	F	13	0	0	0	0
18	G	13	0	0	0	0
18	H	13	0	0	0	0
18	I	10	0	0	0	0
18	J	13	0	0	0	0
18	K	9	0	0	0	0
18	L	25	0	0	0	0
18	M	17	0	0	0	0
18	N	16	0	0	0	0
18	O	4	0	0	0	0
18	P	11	0	0	0	0
18	Q	9	0	0	0	0
18	R	7	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	S	6	0	0	0	0
18	T	13	0	0	0	0
18	U	8	0	0	0	0
18	V	18	0	0	0	0
18	W	11	0	0	0	0
18	X	21	0	0	2	0
18	Y	15	0	0	1	0
18	Z	13	0	0	0	0
18	a	23	0	0	0	0
18	b	10	0	0	0	0
All	All	49903	0	49274	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:22:THR:O	10:X:23:ARG:NH2	2.16	0.78
11:Y:209:ASN:ND2	18:Y:402:HOH:O	2.21	0.73
11:K:73:ARG:NH2	11:K:104:TYR:O	2.21	0.72
11:K:209:ASN:O	9:W:38:LYS:NZ	2.23	0.71
13:M:32:SER:HA	13:M:190:ARG:HH21	1.53	0.71
11:Y:73:ARG:NH2	11:Y:104:TYR:O	2.22	0.67
10:X:23:ARG:CG	10:X:23:ARG:HH21	2.07	0.67
10:J:22:THR:O	10:J:23:ARG:HD3	1.96	0.65
9:W:125:LEU:HG	9:W:126:ILE:HG22	1.81	0.62
8:V:113:ILE:HG12	8:V:119:THR:HG22	1.81	0.61
8:H:114:HIS:CD2	17:N:201:BO2:H5	2.35	0.61
8:H:113:ILE:HG12	8:H:119:THR:HG22	1.81	0.61
9:I:125:LEU:HG	9:I:126:ILE:HG22	1.82	0.61
10:J:149:ARG:O	10:J:152:MET:HG3	2.00	0.61
9:I:38:LYS:NZ	11:Y:209:ASN:O	2.33	0.60
10:X:149:ARG:O	10:X:152:MET:HG3	2.01	0.60
10:X:23:ARG:HG3	10:X:23:ARG:HH21	1.68	0.58
8:H:80:LEU:HD12	8:H:113:ILE:HD11	1.87	0.56
8:V:80:LEU:HD12	8:V:113:ILE:HD11	1.87	0.56
10:X:23:ARG:HH21	10:X:23:ARG:CB	2.19	0.56
2:B:113:ARG:NE	18:B:301:HOH:O	2.34	0.55
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.89	0.54
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:23:ARG:HH21	10:X:23:ARG:CA	2.22	0.53
10:X:23:ARG:HG3	10:X:23:ARG:NH2	2.23	0.52
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.57	0.51
11:Y:45:MET:HG2	11:Y:52:CYS:HB3	1.93	0.51
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.50
2:B:93:HIS:HB3	18:B:301:HOH:O	2.11	0.50
7:U:23:PHE:O	7:U:26:THR:HB	2.11	0.50
11:Y:49:ALA:HB3	17:Y:301:BO2:H3	1.94	0.49
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.11	0.49
10:J:25:ILE:HD11	10:X:135:TYR:HB3	1.94	0.49
11:K:45:MET:HG2	11:K:52:CYS:HB3	1.95	0.49
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.94	0.49
11:K:49:ALA:HB3	17:K:301:BO2:H3	1.95	0.49
3:C:51:LYS:O	3:C:52:LEU:HB2	2.12	0.48
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.78	0.48
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.78	0.48
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.96	0.47
10:J:135:TYR:HB3	10:X:25:ILE:HD11	1.96	0.47
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.95	0.47
10:J:50:ALA:O	11:K:91:LYS:NZ	2.48	0.47
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.49	0.47
3:C:35:LYS:HG2	3:C:158:SER:O	2.14	0.47
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.96	0.47
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.82	0.47
2:B:217:LYS:C	2:B:219:ALA:H	2.18	0.47
11:Y:179:HIS:CE1	11:Y:181:THR:HG23	2.50	0.46
11:K:179:HIS:CE1	11:K:181:THR:HG23	2.51	0.46
10:J:139:TYR:OH	10:X:25:ILE:O	2.33	0.46
2:P:217:LYS:C	2:P:219:ALA:H	2.18	0.46
10:X:23:ARG:NH1	18:X:209:HOH:O	2.45	0.46
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.97	0.46
9:I:98:ARG:HD2	9:I:126:ILE:HD12	1.98	0.46
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.97	0.46
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.46	0.45
9:W:98:ARG:HD2	9:W:126:ILE:HD12	1.98	0.45
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	1.98	0.45
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.16	0.45
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.46	0.45
2:B:221:ASP:O	2:B:223:GLU:N	2.50	0.45
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:114:HIS:HD2	17:N:201:BO2:H5	1.82	0.45
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.99	0.45
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.99	0.45
11:K:145:LYS:HB2	11:K:148:LEU:HD13	1.99	0.45
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.99	0.45
13:M:31:GLY:C	13:M:190:ARG:NH2	2.71	0.45
2:P:221:ASP:O	2:P:223:GLU:N	2.50	0.45
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.52	0.45
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.51	0.45
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.99	0.44
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.53	0.44
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.99	0.44
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.50	0.44
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.99	0.44
8:H:196:ARG:NH2	9:I:150:GLU:O	2.50	0.43
2:P:50:LYS:O	2:P:51:VAL:C	2.56	0.43
7:G:78:ILE:N	7:G:79:PRO:CD	2.81	0.43
10:X:174:MET:HB2	18:X:204:HOH:O	2.18	0.43
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.53	0.43
8:V:104:ASP:HB2	8:V:105:PRO:HD2	2.00	0.43
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.19	0.43
8:H:104:ASP:HB2	8:H:105:PRO:HD2	2.00	0.43
2:B:145:TYR:OH	2:B:217:LYS:N	2.52	0.43
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.49	0.43
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.43
9:W:9:GLY:HA3	9:W:41:LYS:HE2	2.00	0.43
2:B:50:LYS:O	2:B:51:VAL:C	2.56	0.43
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.49	0.43
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.43
2:P:145:TYR:OH	2:P:217:LYS:N	2.51	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.49	0.42
7:U:73:VAL:HG12	7:U:133:THR:HB	2.00	0.42
7:G:73:VAL:HG12	7:G:133:THR:HB	2.00	0.42
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.02	0.42
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.49	0.42
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.02	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.42
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.02	0.42
10:X:23:ARG:CG	10:X:23:ARG:NH2	2.73	0.42
8:V:84:LYS:HE2	8:V:119:THR:HG23	2.02	0.42
3:C:201:VAL:O	3:C:202:GLN:HB3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.50	0.42
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.02	0.41
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.55	0.41
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.02	0.41
11:K:6:PHE:HA	11:K:125:ASP:O	2.20	0.41
10:J:23:ARG:HA	10:J:23:ARG:HD3	1.81	0.41
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.50	0.41
11:K:5:ALA:HA	11:K:13:ILE:O	2.20	0.41
11:Y:5:ALA:HA	11:Y:13:ILE:O	2.20	0.41
10:X:22:THR:C	10:X:23:ARG:NH2	2.74	0.41
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.50	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
6:F:202:ASP:OD1	6:F:202:ASP:N	2.53	0.41
11:Y:211:ILE:H	11:Y:211:ILE:HG13	1.72	0.41
11:K:104:TYR:CD1	11:K:104:TYR:C	2.94	0.41
8:H:35:HIS:CB	8:H:56:THR:HG21	2.51	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.55	0.41
11:Y:6:PHE:HA	11:Y:125:ASP:O	2.20	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.03	0.41
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.56	0.41
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.03	0.41
10:J:21:VAL:HG11	11:K:122:LEU:HD11	2.02	0.41
10:X:23:ARG:HA	10:X:23:ARG:HH21	1.86	0.41
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.03	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.03	0.40
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.03	0.40
11:Y:104:TYR:C	11:Y:104:TYR:CD1	2.95	0.40
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.03	0.40
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.03	0.40
11:K:13:ILE:HG13	11:K:153:ALA:HB1	2.04	0.40
11:Y:180:VAL:HA	11:Y:185:TRP:HA	2.04	0.40
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.04	0.40
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.03	0.40
6:T:202:ASP:N	6:T:202:ASP:OD1	2.54	0.40
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	39	74
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	39	74
2	B	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	11	36
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	11	36
3	C	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	15	44
3	Q	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	15	44
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
5	S	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
6	F	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
6	T	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
7	G	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
7	U	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	223 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	224 (97%)	7 (3%)	0	100	100
14	N	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6284/6614 (95%)	6124 (98%)	144 (2%)	16 (0%)	46	79

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	222	GLY
3	C	202	GLN
2	P	51	VAL
2	P	222	GLY
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
1	O	2	THR
2	P	218	GLY
2	B	220	ASN
3	C	205	ALA
2	P	220	ASN
3	Q	205	ALA
3	C	183	PRO
3	Q	183	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	74	94
1	O	209/209 (100%)	206 (99%)	3 (1%)	74	94
2	B	203/216 (94%)	197 (97%)	6 (3%)	48	82
2	P	203/216 (94%)	198 (98%)	5 (2%)	55	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	212/226 (94%)	202 (95%)	10 (5%)	32	67
3	Q	212/226 (94%)	202 (95%)	10 (5%)	32	67
4	D	194/215 (90%)	185 (95%)	9 (5%)	33	67
4	R	194/215 (90%)	185 (95%)	9 (5%)	33	67
5	E	190/193 (98%)	183 (96%)	7 (4%)	41	76
5	S	190/193 (98%)	183 (96%)	7 (4%)	41	76
6	F	201/239 (84%)	192 (96%)	9 (4%)	34	68
6	T	201/239 (84%)	192 (96%)	9 (4%)	34	68
7	G	206/210 (98%)	199 (97%)	7 (3%)	44	78
7	U	206/210 (98%)	199 (97%)	7 (3%)	44	78
8	H	185/190 (97%)	182 (98%)	3 (2%)	70	93
8	V	185/190 (97%)	182 (98%)	3 (2%)	70	93
9	I	172/173 (99%)	168 (98%)	4 (2%)	58	88
9	W	172/173 (99%)	168 (98%)	4 (2%)	58	88
10	J	173/175 (99%)	168 (97%)	5 (3%)	50	83
10	X	173/175 (99%)	167 (96%)	6 (4%)	43	77
11	K	169/169 (100%)	162 (96%)	7 (4%)	37	72
11	Y	169/169 (100%)	162 (96%)	7 (4%)	37	72
12	L	185/185 (100%)	182 (98%)	3 (2%)	70	93
12	Z	185/185 (100%)	182 (98%)	3 (2%)	70	93
13	M	199/208 (96%)	192 (96%)	7 (4%)	43	77
13	a	199/208 (96%)	192 (96%)	7 (4%)	43	77
14	N	162/162 (100%)	156 (96%)	6 (4%)	41	76
14	b	162/162 (100%)	156 (96%)	6 (4%)	41	76
All	All	5320/5540 (96%)	5148 (97%)	172 (3%)	46	80

All (172) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	102	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	113	ARG
2	B	186	ASP
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	75	ASN
7	G	115	LEU
7	G	122	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
9	I	182	TRP
10	J	3	ILE
10	J	25	ILE
10	J	35	THR
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	100	MET
11	K	140	LEU
11	K	148	LEU
11	K	209	ASN
11	K	211	ILE
12	L	23	LEU
12	L	136	CYS
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
13	M	190	ARG
14	N	9	LYS
14	N	36	ARG
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	55	LEU
2	P	113	ARG
2	P	186	ASP
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	75	ASN
7	U	115	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
9	W	182	TRP
10	X	3	ILE
10	X	23	ARG
10	X	25	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	100	MET
11	Y	140	LEU
11	Y	148	LEU
11	Y	209	ASN
11	Y	211	ILE
12	Z	23	LEU
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
13	a	190	ARG
14	b	9	LYS
14	b	36	ARG
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (97) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	22	GLN
8	H	114	HIS
9	I	37	ASN
10	J	55	GLN
10	J	146	HIS
11	K	9	GLN
11	K	85	ASN
11	K	176	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	208	ASN
12	L	3	ASN
12	L	70	ASN
12	L	79	HIS
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	22	GLN
8	V	114	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	W	37	ASN
10	X	55	GLN
10	X	146	HIS
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	70	ASN
13	a	48	ASN
13	a	102	GLN
13	a	194	ASN
13	a	213	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
17	BO2	H	301	8	28,29,29	1.54	5 (17%)	31,38,38	1.17	4 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BO2	K	301	11	28,29,29	1.54	5 (17%)	31,38,38	1.17	2 (6%)
17	BO2	N	201	14	28,29,29	1.50	4 (14%)	31,38,38	1.09	3 (9%)
17	BO2	V	301	8	28,29,29	1.52	5 (17%)	31,38,38	1.18	4 (12%)
17	BO2	Y	301	11	28,29,29	1.55	5 (17%)	31,38,38	1.18	4 (12%)
17	BO2	b	201	14	28,29,29	1.50	4 (14%)	31,38,38	1.10	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BO2	H	301	8	-	0/22/28/28	0/2/2/2
17	BO2	K	301	11	-	0/22/28/28	0/2/2/2
17	BO2	N	201	14	-	0/22/28/28	0/2/2/2
17	BO2	V	301	8	-	0/22/28/28	0/2/2/2
17	BO2	Y	301	11	-	0/22/28/28	0/2/2/2
17	BO2	b	201	14	-	0/22/28/28	0/2/2/2

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	N	201	BO2	C2-C7	-5.08	1.38	1.50
17	b	201	BO2	C2-C7	-5.05	1.38	1.50
17	Y	301	BO2	C2-C7	-4.87	1.39	1.50
17	K	301	BO2	C2-C7	-4.83	1.39	1.50
17	H	301	BO2	C2-C7	-4.79	1.39	1.50
17	V	301	BO2	C2-C7	-4.71	1.39	1.50
17	N	201	BO2	C11-C12	-4.28	1.40	1.51
17	b	201	BO2	C11-C12	-4.25	1.40	1.51
17	K	301	BO2	C11-C12	-4.22	1.40	1.51
17	Y	301	BO2	C11-C12	-4.19	1.41	1.51
17	H	301	BO2	C11-C12	-4.18	1.41	1.51
17	V	301	BO2	C11-C12	-4.11	1.41	1.51
17	H	301	BO2	C5-N4	2.15	1.40	1.33
17	N	201	BO2	C3-N4	2.17	1.39	1.34
17	V	301	BO2	C5-N4	2.19	1.40	1.33
17	Y	301	BO2	C5-N4	2.20	1.40	1.33
17	K	301	BO2	C5-N4	2.22	1.40	1.33
17	b	201	BO2	C6-N1	2.26	1.39	1.34
17	b	201	BO2	C3-N4	2.27	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	N	201	BO2	C6-N1	2.28	1.39	1.34
17	K	301	BO2	C6-N1	2.70	1.40	1.34
17	V	301	BO2	C3-N4	2.74	1.40	1.34
17	K	301	BO2	C3-N4	2.77	1.40	1.34
17	H	301	BO2	C6-N1	2.77	1.40	1.34
17	V	301	BO2	C6-N1	2.79	1.40	1.34
17	H	301	BO2	C3-N4	2.79	1.40	1.34
17	Y	301	BO2	C6-N1	2.80	1.40	1.34
17	Y	301	BO2	C3-N4	2.88	1.40	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	b	201	BO2	C11-C10-N9	-2.65	105.24	110.80
17	N	201	BO2	C11-C10-N9	-2.53	105.51	110.80
17	H	301	BO2	C12-C11-C10	-2.29	106.74	113.41
17	V	301	BO2	C12-C11-C10	-2.28	106.77	113.41
17	K	301	BO2	C2-C3-N4	-2.24	119.74	122.11
17	V	301	BO2	C5-C6-N1	-2.15	119.58	122.25
17	Y	301	BO2	C2-C3-N4	-2.11	119.87	122.11
17	H	301	BO2	C5-C6-N1	-2.11	119.64	122.25
17	Y	301	BO2	C5-C6-N1	-2.06	119.70	122.25
17	H	301	BO2	C2-C3-N4	-2.05	119.94	122.11
17	V	301	BO2	C2-C3-N4	-2.04	119.95	122.11
17	b	201	BO2	C5-C6-N1	-2.03	119.73	122.25
17	Y	301	BO2	C18-C10-N9	-2.03	105.53	111.26
17	N	201	BO2	C5-C6-N1	-2.02	119.74	122.25
17	N	201	BO2	C6-N1-C2	2.25	119.94	116.92
17	b	201	BO2	C6-N1-C2	2.33	120.04	116.92
17	K	301	BO2	C6-N1-C2	3.00	120.94	116.92
17	H	301	BO2	C6-N1-C2	3.03	120.98	116.92
17	V	301	BO2	C6-N1-C2	3.06	121.03	116.92
17	Y	301	BO2	C6-N1-C2	3.09	121.06	116.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	K	301	BO2	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	N	201	BO2	2	0
17	Y	301	BO2	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.45	5 (2%) 68 58	43, 57, 95, 135	0
1	O	250/250 (100%)	-0.40	7 (2%) 56 44	44, 64, 109, 142	0
2	B	244/258 (94%)	-0.38	7 (2%) 55 43	42, 63, 108, 162	0
2	P	244/258 (94%)	-0.37	6 (2%) 61 48	48, 66, 108, 152	0
3	C	240/254 (94%)	-0.29	9 (3%) 44 32	41, 65, 125, 156	0
3	Q	240/254 (94%)	-0.06	17 (7%) 19 10	49, 81, 162, 186	0
4	D	235/260 (90%)	-0.47	2 (0%) 85 79	46, 66, 96, 141	0
4	R	235/260 (90%)	-0.32	7 (2%) 54 41	54, 74, 112, 152	0
5	E	231/234 (98%)	-0.33	5 (2%) 65 54	47, 70, 107, 152	0
5	S	231/234 (98%)	-0.24	8 (3%) 48 35	52, 78, 123, 158	0
6	F	243/288 (84%)	-0.50	4 (1%) 74 66	42, 65, 112, 141	0
6	T	243/288 (84%)	-0.36	6 (2%) 61 48	44, 72, 130, 161	0
7	G	241/252 (95%)	-0.53	3 (1%) 81 73	42, 60, 98, 147	0
7	U	241/252 (95%)	-0.45	3 (1%) 81 73	45, 61, 96, 144	0
8	H	226/232 (97%)	-0.44	7 (3%) 52 40	40, 56, 95, 153	0
8	V	226/232 (97%)	-0.45	7 (3%) 52 40	41, 57, 93, 169	0
9	I	204/205 (99%)	-0.65	2 (0%) 84 77	38, 54, 86, 108	0
9	W	204/205 (99%)	-0.59	1 (0%) 91 88	40, 56, 86, 106	0
10	J	195/198 (98%)	-0.56	2 (1%) 84 77	40, 56, 86, 126	0
10	X	195/198 (98%)	-0.50	2 (1%) 84 77	42, 59, 87, 140	0
11	K	212/212 (100%)	-0.38	4 (1%) 70 59	38, 57, 94, 110	0
11	Y	212/212 (100%)	-0.38	2 (0%) 85 79	40, 57, 98, 116	0
12	L	222/222 (100%)	-0.47	5 (2%) 64 52	40, 57, 106, 139	0
12	Z	222/222 (100%)	-0.45	7 (3%) 51 39	34, 58, 108, 141	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.66	1 (0%) 93 90	38, 55, 77, 96	0
13	a	233/246 (94%)	-0.62	1 (0%) 93 90	39, 55, 77, 97	0
14	N	196/196 (100%)	-0.67	2 (1%) 84 77	39, 51, 78, 106	0
14	b	196/196 (100%)	-0.65	1 (0%) 91 88	39, 52, 80, 112	0
All	All	6344/6614 (95%)	-0.45	133 (2%) 67 56	34, 61, 108, 186	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	50	LEU	7.8
2	B	221	ASP	6.5
3	Q	49	THR	6.1
8	V	224	GLN	5.4
12	L	163	GLY	5.1
2	P	51	VAL	5.1
11	Y	212	GLY	4.9
2	P	59	ASP	4.8
8	V	222	ASP	4.8
12	L	174	TYR	4.7
2	P	219	ALA	4.6
9	W	1	SER	4.6
5	E	202	ASP	4.6
12	Z	174	TYR	4.6
5	S	202	ASP	4.4
8	V	226	GLU	4.3
6	F	244	ASN	4.3
8	H	222	ASP	4.2
3	C	206	LYS	4.2
8	H	224	GLN	4.2
3	Q	206	LYS	4.2
12	Z	165	ASN	4.1
7	U	242	GLN	4.1
1	O	1	MET	3.9
8	V	223	ILE	3.9
2	B	51	VAL	3.9
1	A	1	MET	3.9
10	X	1	MET	3.8
2	B	219	ALA	3.8
8	H	221	CYS	3.8
3	Q	240	GLU	3.7
2	P	220	ASN	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	U	2	GLY	3.7
2	P	221	ASP	3.6
12	Z	163	GLY	3.6
10	X	194	ASP	3.5
2	B	220	ASN	3.5
1	O	249	ALA	3.4
1	O	52	SER	3.4
12	L	162	PRO	3.4
1	A	2	THR	3.4
13	M	47	ASP	3.4
3	C	49	THR	3.4
3	Q	205	ALA	3.3
10	J	1	MET	3.3
8	V	221	CYS	3.3
12	L	165	ASN	3.2
6	T	181	GLU	3.2
2	B	218	GLY	3.2
7	G	241	GLU	3.1
14	b	195	GLN	3.1
3	Q	238	LYS	3.1
8	H	223	ILE	3.1
3	C	202	GLN	3.1
3	Q	202	GLN	3.1
14	N	195	GLN	3.1
5	E	122	TYR	3.1
3	Q	236	GLN	3.1
6	F	205	GLU	3.0
8	H	226	GLU	3.0
3	C	239	GLN	3.0
3	Q	239	GLN	3.0
8	V	225	GLU	3.0
6	F	202	ASP	3.0
9	I	1	SER	3.0
12	Z	162	PRO	2.9
6	F	181	GLU	2.9
1	O	2	THR	2.9
5	S	173	ARG	2.9
12	Z	173	LYS	2.9
1	O	201	GLU	2.9
4	D	242	GLU	2.8
3	C	50	LEU	2.8
8	H	225	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	T	244	ASN	2.8
11	Y	147	ASP	2.8
6	T	2	THR	2.8
7	G	240	ALA	2.8
3	Q	203	THR	2.7
4	R	242	GLU	2.7
11	K	147	ASP	2.7
3	C	238	LYS	2.7
2	P	222	GLY	2.7
3	Q	223	SER	2.6
10	J	194	ASP	2.6
3	Q	187	GLU	2.6
9	I	131	GLU	2.6
13	a	1	THR	2.6
3	Q	48	SER	2.6
5	E	123	GLY	2.6
12	Z	168	VAL	2.6
4	R	241	ALA	2.5
3	C	240	GLU	2.5
7	G	2	GLY	2.5
6	T	180	PRO	2.4
3	Q	232	THR	2.4
12	Z	1	GLN	2.4
14	N	105	LYS	2.4
8	V	9	ASN	2.4
3	Q	181	GLU	2.3
5	S	204	SER	2.3
12	L	171	PRO	2.3
11	K	212	GLY	2.3
3	C	1	GLY	2.3
4	R	226	GLU	2.3
3	Q	229	GLN	2.3
4	D	1	ASP	2.2
5	S	165	GLN	2.3
1	A	249	ALA	2.2
4	R	1	ASP	2.2
7	U	222	ASP	2.2
5	S	180	LYS	2.2
4	R	217	GLN	2.2
4	R	230	GLU	2.1
3	Q	225	GLU	2.1
5	S	3	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	E	201	ARG	2.1
8	H	198	GLU	2.1
2	B	182	ASP	2.1
3	C	216	ASP	2.1
5	E	3	ASN	2.1
1	A	248	GLU	2.1
1	O	53	SER	2.1
1	A	59	GLU	2.1
11	K	151	GLU	2.1
4	R	54	ASP	2.0
6	T	243	ILE	2.0
11	K	208	ASN	2.0
2	B	60	THR	2.0
1	O	231	LYS	2.0
5	S	123	GLY	2.0
5	S	54	GLU	2.0
6	T	178	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
15	MG	J	201	1/1	0.96	0.31	8.37	39,39,39,39	0
15	MG	Z	301	1/1	0.97	0.32	8.32	74,74,74,74	0
17	BO2	b	201	28/28	0.90	0.20	3.22	43,49,59,60	0
17	BO2	N	201	28/28	0.89	0.22	3.12	37,49,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
15	MG	I	301	1/1	0.99	0.25	2.83	72,72,72,72	0
17	BO2	V	301	28/28	0.90	0.27	2.68	54,57,79,82	0
17	BO2	H	301	28/28	0.93	0.23	1.71	50,55,79,80	0
17	BO2	K	301	28/28	0.94	0.17	1.11	40,54,61,61	0
17	BO2	Y	301	28/28	0.94	0.15	0.48	45,57,65,67	0
15	MG	K	302	1/1	0.98	0.12	-0.57	57,57,57,57	0
15	MG	N	202	1/1	0.96	0.10	-0.77	55,55,55,55	0
15	MG	G	301	1/1	0.97	0.05	-1.58	58,58,58,58	0
16	CL	b	202	1/1	0.95	0.10	-1.81	45,45,45,45	0
16	CL	N	203	1/1	0.97	0.07	-2.27	45,45,45,45	0
15	MG	Y	302	1/1	0.97	0.07	-2.99	46,46,46,46	0
15	MG	V	302	1/1	0.99	0.04	-3.75	70,70,70,70	0
16	CL	G	302	1/1	0.99	0.17	-	44,44,44,44	0
16	CL	U	301	1/1	0.97	0.19	-	48,48,48,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.