



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 21, 2016 – 09:01 PM EDT

PDB ID : 3R5C
Title : Pseudomonas aeruginosa DapD (PA3666) in complex with CoA and succinate
Authors : Sandalova, T.; Schnell, R.; Schneider, G.
Deposited on : 2011-03-18
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0122
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	 2% 79% 14% . .
1	B	347	 3% 77% 17% . .
1	C	347	 7% 73% 19% . .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7770 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tetrahydrodipicolinate N-succinyletransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	338	Total	C	N	O	S	0	0	0
			2499	1587	432	472	8			
1	B	337	Total	C	N	O	S	0	0	0
			2487	1579	428	472	8			
1	C	335	Total	C	N	O	S	0	0	0
			2473	1571	426	469	7			

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP Q9Z9H2
A	-1	SER	-	EXPRESSION TAG	UNP Q9Z9H2
A	0	HIS	-	EXPRESSION TAG	UNP Q9Z9H2
B	-2	GLY	-	EXPRESSION TAG	UNP Q9Z9H2
B	-1	SER	-	EXPRESSION TAG	UNP Q9Z9H2
B	0	HIS	-	EXPRESSION TAG	UNP Q9Z9H2
C	-2	GLY	-	EXPRESSION TAG	UNP Q9Z9H2
C	-1	SER	-	EXPRESSION TAG	UNP Q9Z9H2
C	0	HIS	-	EXPRESSION TAG	UNP Q9Z9H2

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 3 is SUCCINIC ACID (three-letter code: SIN) (formula: C₄H₆O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	4	4		
3	C	1	Total	C	O	0	0
			8	4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	42	Total	O	0	0
			42	42		
4	B	67	Total	O	0	0
			67	67		
4	C	34	Total	O	0	0
			34	34		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tetrahydrodipicolinate N-succinyletransferase




• Molecule 1: Tetrahydrodipicolinate N-succinyletransferase



• Molecule 1: Tetrahydrodipicolinate N-succinyletransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	123.28 Å 123.28 Å 198.76 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	53.13 – 2.40 53.13 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (53.13-2.40) 100.0 (53.13-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.39 Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.225 , 0.267 0.219 , 0.256	Depositor DCC
R_{free} test set	3101 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	33.8	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 8.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 60532 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7770	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, SIN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/2539	0.73	3/3446 (0.1%)
1	B	0.58	0/2525	0.71	4/3427 (0.1%)
1	C	0.58	0/2511	0.71	4/3409 (0.1%)
All	All	0.58	0/7575	0.71	11/10282 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	177	VAL	CB-CA-C	-6.39	99.26	111.40
1	B	189	ARG	NE-CZ-NH2	-6.19	117.20	120.30
1	B	177	VAL	CB-CA-C	-5.89	100.22	111.40
1	B	116	ARG	NE-CZ-NH2	-5.85	117.37	120.30
1	C	189	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	A	177	VAL	CB-CA-C	-5.83	100.31	111.40
1	C	189	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	B	189	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	A	116	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	C	183	ARG	NE-CZ-NH2	-5.57	117.51	120.30
1	A	189	ARG	NE-CZ-NH1	5.54	123.07	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2499	0	2548	52	0
1	B	2487	0	2540	60	0
1	C	2473	0	2523	69	0
2	A	48	0	32	1	0
2	B	48	0	32	1	0
2	C	48	0	32	1	0
3	A	16	0	8	1	0
3	C	8	0	4	0	0
4	A	42	0	0	5	0
4	B	67	0	0	4	0
4	C	34	0	0	1	0
All	All	7770	0	7719	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3:GLN:NE2	1:B:95:ALA:HB2	1.62	1.13
1:C:41:VAL:HG22	1:C:64:LEU:HD22	1.34	1.05
1:B:14:THR:HG22	1:B:87:LYS:NZ	1.74	1.03
1:B:3:GLN:NE2	1:B:95:ALA:CB	2.23	1.01
1:A:173:MET:HE1	1:A:194:ALA:O	1.62	0.97
1:B:14:THR:HG22	1:B:87:LYS:HZ3	1.26	0.90
1:C:173:MET:HE1	1:C:194:ALA:O	1.71	0.90
1:B:209:ASN:HD22	1:B:210:PHE:H	1.18	0.89
1:A:209:ASN:HD22	1:A:210:PHE:H	1.20	0.88
1:B:3:GLN:HE21	1:B:95:ALA:CB	1.83	0.86
1:B:3:GLN:HE21	1:B:95:ALA:HB2	1.40	0.86
1:A:173:MET:CE	1:A:194:ALA:HB3	2.07	0.84
1:C:282:LEU:HD22	1:C:284:ILE:HD12	1.63	0.81
1:A:201:THR:HG22	4:A:356:HOH:O	1.82	0.79
1:C:209:ASN:HD22	1:C:210:PHE:H	1.29	0.78
1:C:41:VAL:HG22	1:C:64:LEU:CD2	2.13	0.78
1:A:14:THR:HG23	1:A:23:GLU:OE1	1.87	0.75
1:C:173:MET:CE	1:C:194:ALA:HB3	2.15	0.75
1:C:14:THR:HG22	1:C:87:LYS:NZ	2.02	0.74
1:C:252:ILE:HD12	1:C:252:ILE:O	1.86	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:MET:CE	1:B:194:ALA:O	2.35	0.74
1:B:191:ARG:HH11	1:B:209:ASN:HD21	1.36	0.73
1:A:173:MET:HE3	1:A:194:ALA:HB3	1.70	0.73
1:C:191:ARG:HH11	1:C:209:ASN:HD21	1.34	0.72
1:B:57:THR:HG22	1:B:59:GLN:H	1.53	0.72
1:A:41:VAL:HG12	1:A:45:LEU:HD12	1.70	0.71
1:B:319:ASN:HD22	1:B:321:GLN:H	1.37	0.71
1:C:272:LEU:HD22	1:C:276:ASN:HD22	1.56	0.71
1:A:295:GLU:O	1:A:296:GLN:HB2	1.91	0.71
1:C:319:ASN:HD22	1:C:321:GLN:H	1.36	0.70
1:A:191:ARG:HH11	1:A:209:ASN:HD21	1.39	0.70
1:C:41:VAL:HG13	1:C:45:LEU:HD12	1.74	0.70
1:C:282:LEU:HD13	1:C:284:ILE:CD1	2.23	0.68
4:B:380:HOH:O	1:C:285:THR:HG21	1.95	0.67
1:B:14:THR:HG23	1:B:23:GLU:OE1	1.94	0.67
1:C:14:THR:HG23	1:C:23:GLU:OE1	1.95	0.66
1:B:173:MET:HE2	1:B:194:ALA:O	1.96	0.65
1:C:8:LEU:HB2	1:C:93:LEU:HD22	1.78	0.65
1:A:41:VAL:HG13	1:A:64:LEU:HD22	1.79	0.64
1:B:201:THR:HG22	4:B:410:HOH:O	1.97	0.64
1:C:14:THR:HG22	1:C:87:LYS:HZ3	1.62	0.64
1:A:8:LEU:HB2	1:A:93:LEU:HD22	1.80	0.64
1:A:14:THR:HG22	1:A:87:LYS:HZ3	1.63	0.64
1:C:173:MET:HE3	1:C:194:ALA:HB3	1.78	0.63
1:A:15:GLN:HE21	1:A:88:PRO:HG3	1.63	0.62
1:B:14:THR:HG22	1:B:87:LYS:HZ1	1.61	0.62
1:C:41:VAL:HG13	1:C:45:LEU:CD1	2.30	0.62
1:B:3:GLN:NE2	1:B:95:ALA:HB1	2.14	0.62
1:B:209:ASN:HD22	1:B:210:PHE:N	1.92	0.61
1:A:209:ASN:HD22	1:A:210:PHE:N	1.96	0.61
1:C:109:LYS:HE2	1:C:123:VAL:HG13	1.83	0.60
1:A:8:LEU:C	1:A:8:LEU:HD12	2.21	0.60
1:A:205:GLU:OE2	1:B:189:ARG:NH2	2.29	0.59
1:B:3:GLN:HE22	1:B:95:ALA:HB2	1.65	0.59
1:C:319:ASN:ND2	1:C:321:GLN:H	2.01	0.59
1:C:57:THR:HG22	1:C:59:GLN:H	1.66	0.58
1:A:299:LEU:HG	1:A:300:VAL:O	2.02	0.58
1:A:319:ASN:HD22	1:A:321:GLN:H	1.51	0.58
1:B:292:LEU:HD22	1:B:308:LEU:HD21	1.87	0.57
1:A:8:LEU:HD12	1:A:9:ALA:N	2.20	0.57
1:B:41:VAL:HG22	1:B:64:LEU:HD22	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:189:ARG:HD3	1:C:206:GLY:O	2.04	0.57
1:C:3:GLN:HE22	1:C:95:ALA:HB1	1.70	0.57
1:A:319:ASN:ND2	1:A:321:GLN:H	2.03	0.56
1:B:252:ILE:O	1:B:252:ILE:HD12	2.05	0.56
1:A:173:MET:HE2	1:A:194:ALA:HB3	1.86	0.56
1:B:8:LEU:C	1:B:8:LEU:HD12	2.27	0.56
1:B:57:THR:HG22	1:B:58:SER:N	2.21	0.55
1:C:266:ALA:HB1	1:C:282:LEU:O	2.06	0.55
1:B:272:LEU:HD22	1:B:276:ASN:HD22	1.71	0.55
1:A:57:THR:HG22	1:A:58:SER:N	2.22	0.55
1:B:8:LEU:HB2	1:B:93:LEU:HD22	1.88	0.54
1:C:41:VAL:CG1	1:C:45:LEU:HD12	2.38	0.54
1:B:223:ARG:O	1:B:242:THR:HB	2.08	0.54
1:C:58:SER:O	1:C:61:ALA:HB3	2.08	0.54
1:C:14:THR:HG22	1:C:87:LYS:HZ1	1.73	0.54
1:A:318:ARG:NH2	4:A:386:HOH:O	2.41	0.54
1:A:317:ARG:HG2	1:A:318:ARG:N	2.23	0.54
1:C:132:LEU:O	1:C:169:LYS:NZ	2.34	0.54
1:C:14:THR:HG21	4:C:366:HOH:O	2.07	0.53
1:A:41:VAL:HG12	1:A:45:LEU:CD1	2.38	0.53
2:A:351:COA:H32	1:C:261:LEU:HD21	1.91	0.53
1:C:282:LEU:CD1	1:C:284:ILE:HD11	2.39	0.52
1:B:225:SER:H	1:B:242:THR:HG22	1.74	0.52
1:B:297:ASN:HD21	1:B:328:LYS:NZ	2.08	0.52
1:C:225:SER:H	1:C:242:THR:CG2	2.23	0.51
1:B:57:THR:HG22	1:B:59:GLN:N	2.22	0.51
1:C:297:ASN:HD21	1:C:328:LYS:NZ	2.09	0.51
1:C:92:THR:C	1:C:93:LEU:HD23	2.30	0.51
1:B:311:GLN:HB2	1:B:314:LEU:HD11	1.92	0.51
1:C:173:MET:HE2	1:C:194:ALA:HB3	1.92	0.51
1:A:272:LEU:HD22	1:A:276:ASN:HD22	1.76	0.50
1:C:8:LEU:HD12	1:C:8:LEU:C	2.32	0.50
1:B:57:THR:CG2	1:B:58:SER:N	2.74	0.50
1:A:261:LEU:HD21	2:B:351:COA:H32	1.94	0.50
1:A:3:GLN:HB3	4:A:387:HOH:O	2.12	0.50
1:A:14:THR:HG22	1:A:87:LYS:NZ	2.25	0.50
1:B:318:ARG:NH2	4:B:385:HOH:O	2.45	0.49
1:C:27:ALA:O	1:C:28:LEU:HD12	2.11	0.49
1:C:282:LEU:HD13	1:C:284:ILE:HD11	1.93	0.49
1:A:21:TRP:CZ2	1:A:90:VAL:HG13	2.47	0.49
1:C:315:LEU:HD12	1:C:316:PHE:N	2.28	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:GLN:HG3	1:A:4:SER:N	2.27	0.49
1:B:21:TRP:CH2	1:B:90:VAL:HG13	2.47	0.49
1:A:14:THR:HG21	4:A:363:HOH:O	2.12	0.49
3:A:345:SIN:H22	1:B:242:THR:O	2.13	0.48
1:B:261:LEU:HD21	2:C:351:COA:H32	1.96	0.48
1:A:189:ARG:NH2	1:C:205:GLU:OE2	2.25	0.48
1:C:87:LYS:HB3	1:C:88:PRO:HD2	1.96	0.48
1:A:295:GLU:O	1:A:296:GLN:CB	2.60	0.47
1:B:228:VAL:HG21	1:B:242:THR:HG23	1.95	0.47
1:B:297:ASN:HD21	1:B:328:LYS:HZ1	1.60	0.47
1:A:92:THR:HG21	1:A:104:ALA:HB1	1.95	0.47
1:A:173:MET:HE1	1:A:194:ALA:C	2.34	0.47
1:A:189:ARG:HD3	1:A:206:GLY:O	2.15	0.47
1:B:319:ASN:ND2	1:B:321:GLN:H	2.07	0.47
1:A:41:VAL:CG1	1:A:45:LEU:CD1	2.93	0.47
1:B:82:LEU:HG	1:B:89:LEU:HD22	1.97	0.47
1:A:311:GLN:HB2	1:A:314:LEU:HD11	1.97	0.47
1:A:209:ASN:ND2	1:A:210:PHE:H	2.01	0.47
1:A:282:LEU:HD13	1:A:284:ILE:HD11	1.97	0.47
1:C:115:HIS:CE1	1:C:177:VAL:HG13	2.51	0.46
1:B:114:SER:CB	1:B:173:MET:HE2	2.46	0.46
1:A:78:LEU:HG	1:A:82:LEU:HD22	1.98	0.46
1:C:133:PRO:O	1:C:135:VAL:HG23	2.16	0.46
1:C:57:THR:HG22	1:C:58:SER:N	2.30	0.46
1:C:209:ASN:HD22	1:C:210:PHE:N	2.05	0.46
1:C:42:ALA:HB3	1:C:43:PRO:HD3	1.97	0.45
1:C:282:LEU:CD1	1:C:284:ILE:CD1	2.92	0.45
1:C:56:PHE:CE2	1:C:91:ALA:HB2	2.50	0.45
1:B:3:GLN:N	1:B:3:GLN:OE1	2.46	0.45
1:C:182:VAL:HG22	1:C:196:ILE:HG22	1.98	0.45
1:C:224:VAL:HA	1:C:242:THR:HG21	1.98	0.45
1:A:300:VAL:HG12	1:A:301:LYS:H	1.82	0.44
1:B:21:TRP:CZ2	1:B:90:VAL:HG13	2.51	0.44
1:C:297:ASN:HD21	1:C:328:LYS:HZ2	1.65	0.44
1:C:332:THR:O	1:C:336:LEU:HD22	2.17	0.44
1:B:57:THR:HG21	1:B:59:GLN:HG3	1.98	0.44
1:C:317:ARG:HG2	1:C:318:ARG:N	2.32	0.44
1:B:23:GLU:OE2	1:C:156:ARG:NH1	2.50	0.44
1:C:115:HIS:O	1:C:116:ARG:HB2	2.17	0.44
1:B:92:THR:HG21	1:B:104:ALA:HB1	1.99	0.44
1:B:92:THR:OG1	1:B:108:LEU:HD22	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:LEU:HB3	1:B:79:LEU:HD13	2.00	0.44
1:C:272:LEU:HD22	1:C:276:ASN:ND2	2.28	0.44
1:B:182:VAL:HG22	1:B:196:ILE:HG22	2.00	0.44
1:A:15:GLN:HE21	1:A:88:PRO:CG	2.30	0.43
1:B:185:ALA:HB1	1:B:204:HIS:CE1	2.53	0.43
1:C:282:LEU:HD13	1:C:284:ILE:HD13	1.96	0.43
1:C:5:LEU:HD22	1:C:95:ALA:HA	2.00	0.43
1:A:321:GLN:HG2	4:A:375:HOH:O	2.17	0.43
1:B:183:ARG:HB2	1:B:201:THR:HB	2.00	0.43
1:B:225:SER:H	1:B:242:THR:CG2	2.31	0.43
1:A:315:LEU:HD12	1:A:316:PHE:N	2.33	0.43
1:A:252:ILE:HG22	1:A:253:VAL:N	2.34	0.43
1:C:315:LEU:C	1:C:315:LEU:HD12	2.40	0.43
1:B:57:THR:H	1:B:60:GLN:HE21	1.66	0.42
1:C:209:ASN:ND2	1:C:210:PHE:H	2.08	0.42
1:C:195:TYR:O	1:C:213:GLY:HA3	2.19	0.42
1:A:21:TRP:CH2	1:A:90:VAL:HG13	2.54	0.42
1:B:132:LEU:O	1:B:169:LYS:NZ	2.42	0.42
1:B:3:GLN:HE21	1:B:95:ALA:CA	2.31	0.42
1:B:201:THR:CG2	4:B:410:HOH:O	2.63	0.42
1:B:8:LEU:HD12	1:B:9:ALA:N	2.35	0.42
1:B:57:THR:H	1:B:60:GLN:NE2	2.18	0.41
1:C:284:ILE:O	1:C:284:ILE:HG22	2.20	0.41
1:A:301:LYS:HG3	1:A:303:VAL:HG13	2.03	0.41
1:C:282:LEU:HD22	1:C:284:ILE:CD1	2.43	0.41
1:A:294:ASP:OD1	1:A:295:GLU:O	2.39	0.41
1:A:92:THR:C	1:A:93:LEU:HD23	2.42	0.41
1:C:228:VAL:HG21	1:C:242:THR:HG23	2.03	0.41
1:B:47:TYR:CG	1:B:93:LEU:HD12	2.56	0.41
1:C:79:LEU:HA	1:C:82:LEU:HB2	2.03	0.40
1:B:121:HIS:CE1	1:B:227:GLY:O	2.74	0.40
1:A:166:SER:HA	1:C:187:THR:HG23	2.02	0.40
1:C:223:ARG:O	1:C:242:THR:HB	2.20	0.40
1:C:57:THR:CG2	1:C:59:GLN:HG3	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/347 (96%)	325 (97%)	8 (2%)	1 (0%)	46	63
1	B	333/347 (96%)	327 (98%)	6 (2%)	0	100	100
1	C	331/347 (95%)	325 (98%)	6 (2%)	0	100	100
All	All	998/1041 (96%)	977 (98%)	20 (2%)	1 (0%)	56	74

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	300	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/263 (98%)	236 (92%)	22 (8%)	13	20
1	B	257/263 (98%)	237 (92%)	20 (8%)	16	24
1	C	255/263 (97%)	233 (91%)	22 (9%)	13	19
All	All	770/789 (98%)	706 (92%)	64 (8%)	14	21

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	8	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	12	VAL
1	A	14	THR
1	A	28	LEU
1	A	69	LYS
1	A	82	LEU
1	A	90	VAL
1	A	153	LEU
1	A	177	VAL
1	A	182	VAL
1	A	192	LEU
1	A	201	THR
1	A	209	ASN
1	A	245	THR
1	A	261	LEU
1	A	282	LEU
1	A	285	THR
1	A	315	LEU
1	A	317	ARG
1	A	319	ASN
1	A	336	LEU
1	B	1	MET
1	B	4	SER
1	B	8	LEU
1	B	28	LEU
1	B	59	GLN
1	B	69	LYS
1	B	82	LEU
1	B	123	VAL
1	B	153	LEU
1	B	177	VAL
1	B	192	LEU
1	B	201	THR
1	B	209	ASN
1	B	242	THR
1	B	245	THR
1	B	261	LEU
1	B	282	LEU
1	B	317	ARG
1	B	319	ASN
1	B	336	LEU
1	C	3	GLN
1	C	8	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	14	THR
1	C	18	GLN
1	C	41	VAL
1	C	69	LYS
1	C	90	VAL
1	C	134	ASN
1	C	153	LEU
1	C	177	VAL
1	C	192	LEU
1	C	201	THR
1	C	209	ASN
1	C	242	THR
1	C	245	THR
1	C	261	LEU
1	C	282	LEU
1	C	285	THR
1	C	315	LEU
1	C	317	ARG
1	C	319	ASN
1	C	336	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	60	GLN
1	A	115	HIS
1	A	121	HIS
1	A	134	ASN
1	A	209	ASN
1	A	276	ASN
1	A	297	ASN
1	A	319	ASN
1	B	15	GLN
1	B	18	GLN
1	B	60	GLN
1	B	75	GLN
1	B	115	HIS
1	B	121	HIS
1	B	134	ASN
1	B	209	ASN
1	B	251	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	276	ASN
1	B	297	ASN
1	B	319	ASN
1	C	3	GLN
1	C	15	GLN
1	C	18	GLN
1	C	115	HIS
1	C	121	HIS
1	C	134	ASN
1	C	209	ASN
1	C	276	ASN
1	C	297	ASN
1	C	319	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SIN	A	345	-	1,7,7	0.10	0	2,8,8	0.23	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	COA	A	351	-	41,50,50	1.17	4 (9%)	49,75,75	1.83	4 (8%)
3	SIN	A	352	-	1,7,7	0.13	0	2,8,8	0.89	0
2	COA	B	351	-	41,50,50	1.44	3 (7%)	49,75,75	1.82	2 (4%)
2	COA	C	351	-	41,50,50	1.22	3 (7%)	49,75,75	1.79	6 (12%)
3	SIN	C	352	-	1,7,7	0.12	0	2,8,8	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SIN	A	345	-	-	0/1/5/5	0/0/0/0
2	COA	A	351	-	-	0/44/64/64	0/3/3/3
3	SIN	A	352	-	-	0/1/5/5	0/0/0/0
2	COA	B	351	-	-	0/44/64/64	0/3/3/3
2	COA	C	351	-	-	0/44/64/64	0/3/3/3
3	SIN	C	352	-	-	0/1/5/5	0/0/0/0

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	351	COA	C6P-C5P	2.06	1.55	1.51
2	C	351	COA	P3B-O8A	2.28	1.62	1.54
2	A	351	COA	P1A-O2A	2.32	1.64	1.55
2	B	351	COA	C5B-C4B	2.34	1.59	1.51
2	A	351	COA	P3B-O9A	2.36	1.62	1.54
2	C	351	COA	C6P-C5P	2.48	1.56	1.51
2	B	351	COA	P3B-O8A	2.55	1.63	1.54
2	A	351	COA	O4B-C1B	3.43	1.46	1.41
2	C	351	COA	O4B-C1B	4.21	1.47	1.41
2	B	351	COA	O4B-C1B	5.65	1.49	1.41

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	351	COA	N3A-C2A-N1A	-9.85	121.13	128.87
2	A	351	COA	N3A-C2A-N1A	-9.76	121.21	128.87
2	C	351	COA	N3A-C2A-N1A	-9.66	121.28	128.87
2	C	351	COA	O4B-C1B-N9A	-2.65	103.10	108.11
2	A	351	COA	C2P-C3P-N4P	-2.42	107.65	112.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	351	COA	C4B-O4B-C1B	-2.35	107.15	109.64
2	A	351	COA	C4B-O4B-C1B	-2.34	107.17	109.64
2	A	351	COA	O4B-C1B-N9A	-2.33	103.70	108.11
2	C	351	COA	O9A-P3B-O3B	-2.09	100.36	106.62
2	B	351	COA	C6P-C5P-N4P	2.44	120.70	116.46
2	C	351	COA	C2B-C1B-N9A	2.75	120.83	113.47
2	C	351	COA	O3B-P3B-O7A	3.03	114.71	107.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	345	SIN	1	0
2	A	351	COA	1	0
2	B	351	COA	1	0
2	C	351	COA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	338/347 (97%)	-0.11	7 (2%) 67 66	14, 26, 44, 62	0
1	B	337/347 (97%)	-0.14	9 (2%) 58 57	14, 25, 45, 52	0
1	C	335/347 (96%)	0.12	24 (7%) 18 18	15, 27, 45, 52	0
All	All	1010/1041 (97%)	-0.04	40 (3%) 42 43	14, 26, 45, 62	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	3	GLN	4.9
1	C	3	GLN	4.4
1	C	251	ASN	4.1
1	C	342	ALA	3.8
1	C	39	ALA	3.7
1	C	341	HIS	3.7
1	A	0	HIS	3.6
1	B	342	ALA	3.6
1	C	66	ASP	3.4
1	A	245	THR	3.4
1	B	245	THR	3.2
1	A	3	GLN	3.2
1	C	48	ALA	3.1
1	C	330	ASN	3.0
1	C	339	ALA	3.0
1	C	4	SER	3.0
1	C	334	ILE	3.0
1	C	43	PRO	3.0
1	C	41	VAL	2.9
1	C	40	ALA	2.7
1	B	251	ASN	2.7
1	A	84	GLU	2.6
1	C	69	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	59	GLN	2.5
1	C	49	ALA	2.4
1	C	61	ALA	2.2
1	C	98	ALA	2.2
1	A	2	SER	2.2
1	B	252	ILE	2.2
1	B	334	ILE	2.2
1	C	252	ILE	2.2
1	C	70	GLY	2.2
1	A	59	GLN	2.1
1	C	96	GLU	2.1
1	C	68	LEU	2.1
1	C	245	THR	2.1
1	B	86	GLN	2.0
1	B	330	ASN	2.0
1	A	252	ILE	2.0
1	C	35	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	COA	B	351	48/48	0.91	0.20	1.35	35,50,59,64	0
2	COA	A	351	48/48	0.92	0.17	0.99	35,49,59,64	0
3	SIN	A	345	8/8	0.90	0.17	0.49	36,38,38,39	0
3	SIN	C	352	8/8	0.94	0.15	0.26	33,36,38,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	COA	C	351	48/48	0.89	0.16	0.17	34,49,58,64	0
3	SIN	A	352	8/8	0.93	0.15	0.06	32,37,39,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.