



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:32 AM GMT

PDB ID : 2R7B
Title : Crystal Structure of the Phosphoinositide-dependent Kinase-1 (PKC-1)Catalytic Domain bound to a dibenzonaphthyridine inhibitor
Authors : Olland, A.M.
Deposited on : 2007-09-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	312	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	360	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 2304 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoinositide-dependent protein kinase 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2245	1463	371	404	7			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is O-PHOSPHOETHANOLAMINE (three-letter code: PSE) (formula: C₃H₁₀NO₅P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			10	3	1	5	1		

- Molecule 4 is 10,11-DIMETHOXY-4-METHYLDIBENZO[C,F]-2,7-NAPHTHYRIDINE-3,6-DIAMINE (three-letter code: 253) (formula: $C_{19}H_{18}N_4O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			25	19	4	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	19	Total	O	0	0
			19	19		

Note EDS was not executed.

- Chain A:  61% 24% 12%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	124.28Å 124.28Å 47.18Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.70	Depositor
% Data completeness (in resolution range)	97.7 (50.00-2.70)	Depositor
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.225 , 0.250	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2304	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 253, SO4, PSE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/2299	0.77	2/3097 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	94	SER	N-CA-CB	-7.19	99.72	110.50
1	A	160	SER	N-CA-CB	-6.17	101.25	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2245	0	2271	76	0
2	A	5	0	0	2	0
3	A	10	0	5	0	0
4	A	25	0	18	2	0
5	A	19	0	0	1	0
All	All	2304	0	2294	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:ARG:HB2	1:A:183:ARG:HH11	1.26	0.99
1:A:143:VAL:HG23	1:A:160:SER:HB3	1.44	0.98
1:A:183:ARG:CB	1:A:183:ARG:HH11	1.91	0.83
1:A:183:ARG:HE	1:A:344:SER:HB3	1.47	0.80
1:A:279:LEU:HD13	1:A:283:ARG:NH1	1.97	0.79
1:A:118:ILE:HD13	1:A:127:VAL:HG21	1.63	0.78
1:A:242:PHE:CG	1:A:243:VAL:N	2.51	0.75
1:A:242:PHE:O	1:A:243:VAL:HG23	1.88	0.73
1:A:139:HIS:HD2	1:A:141:PHE:H	1.35	0.73
1:A:94:SER:OG	1:A:111:LYS:HE3	1.89	0.72
1:A:243:VAL:HA	1:A:253:LEU:HD21	1.74	0.68
1:A:94:SER:HB3	2:A:360:SO4:O2	1.96	0.65
4:A:701:253:H22	4:A:701:253:H13	1.79	0.64
1:A:139:HIS:CD2	1:A:141:PHE:H	2.14	0.64
1:A:243:VAL:HG22	1:A:253:LEU:HD21	1.80	0.63
1:A:144:LYS:H	1:A:160:SER:HB2	1.66	0.61
1:A:152:ASP:HB2	1:A:153:GLU:OE2	2.02	0.60
1:A:144:LYS:HD3	1:A:146:TYR:CZ	2.36	0.60
1:A:78:ARG:HH11	1:A:80:GLU:HB2	1.66	0.60
1:A:183:ARG:HB2	1:A:183:ARG:NH1	2.10	0.57
1:A:197:HIS:CD2	1:A:333:TYR:OH	2.57	0.57
1:A:104:THR:O	1:A:105:SER:HB3	2.05	0.56
1:A:78:ARG:HH11	1:A:80:GLU:CB	2.18	0.56
1:A:143:VAL:CG2	1:A:160:SER:HB3	2.26	0.56
1:A:183:ARG:CG	1:A:183:ARG:HH11	2.20	0.55
1:A:243:VAL:HG22	1:A:253:LEU:CD2	2.37	0.55
1:A:304:LYS:HG3	1:A:305:PHE:N	2.23	0.53
1:A:260:CYS:O	1:A:263:SER:HB3	2.09	0.53
1:A:262:SER:HA	1:A:265:LEU:HD12	1.91	0.52
1:A:262:SER:OG	1:A:324:ARG:HD2	2.10	0.52
1:A:91:GLY:HA3	2:A:360:SO4:O2	2.10	0.51
1:A:179:GLU:HG2	1:A:183:ARG:HH12	1.75	0.51
1:A:197:HIS:HE1	1:A:264:ASP:OD2	1.93	0.51
1:A:197:HIS:HD2	1:A:333:TYR:OH	1.93	0.51
1:A:280:PRO:HB2	5:A:704:HOH:O	2.10	0.50
1:A:205:ASP:O	1:A:210:ASN:ND2	2.44	0.50
1:A:204:ARG:NH2	1:A:242:PHE:HB3	2.26	0.49
1:A:188:GLU:OE1	1:A:218:HIS:HD2	1.95	0.48
1:A:257:LYS:O	1:A:257:LYS:HG2	2.14	0.48
1:A:249:VAL:HG13	1:A:253:LEU:HD23	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:ARG:NH1	1:A:80:GLU:HG2	2.29	0.47
1:A:216:ASP:O	1:A:217:MET:HB2	2.15	0.47
1:A:195:TYR:OH	1:A:199:LYS:HE3	2.15	0.47
1:A:202:ILE:HD11	1:A:230:LEU:HD11	1.97	0.47
1:A:93:PHE:CZ	1:A:123:LYS:HE3	2.51	0.46
1:A:78:ARG:NH1	1:A:80:GLU:HB2	2.29	0.46
1:A:118:ILE:CD1	1:A:127:VAL:HG21	2.41	0.46
1:A:98:LEU:HD13	1:A:161:TYR:CE1	2.51	0.46
1:A:349:ASN:ND2	1:A:349:ASN:N	2.64	0.45
1:A:160:SER:O	4:A:701:253:H7	2.17	0.45
1:A:139:HIS:CG	1:A:140:PRO:HD2	2.50	0.45
1:A:349:ASN:HD22	1:A:349:ASN:N	2.13	0.45
1:A:183:ARG:HD3	1:A:345:VAL:HG23	1.98	0.45
1:A:136:ARG:HG2	1:A:136:ARG:O	2.16	0.45
1:A:203:HIS:HD2	1:A:205:ASP:H	1.65	0.45
1:A:197:HIS:HB3	1:A:261:LYS:HD3	1.99	0.44
1:A:209:GLU:N	1:A:209:GLU:OE1	2.50	0.44
1:A:250:SER:OG	1:A:252:GLU:CD	2.56	0.44
1:A:316:LEU:O	1:A:324:ARG:HG2	2.17	0.44
1:A:320:ASP:OD1	1:A:322:THR:HB	2.18	0.43
1:A:78:ARG:NH1	1:A:80:GLU:CB	2.81	0.43
1:A:80:GLU:CD	1:A:80:GLU:H	2.21	0.43
1:A:349:ASN:H	1:A:349:ASN:HD22	1.66	0.43
1:A:242:PHE:O	1:A:243:VAL:CG2	2.63	0.43
1:A:134:MET:HA	1:A:137:LEU:HD22	2.01	0.43
1:A:226:THR:HG21	1:A:242:PHE:CZ	2.54	0.43
1:A:348:GLU:H	1:A:348:GLU:CD	2.23	0.43
1:A:328:GLU:H	1:A:328:GLU:HG2	1.71	0.42
1:A:124:VAL:N	1:A:125:PRO:CD	2.82	0.42
1:A:273:TYR:CE2	1:A:281:PRO:HA	2.55	0.42
1:A:168:LEU:HD22	1:A:209:GLU:CD	2.41	0.41
1:A:212:LEU:HD11	1:A:222:THR:HG21	2.02	0.41
1:A:93:PHE:CE2	1:A:123:LYS:HG3	2.55	0.41
1:A:170:TYR:O	1:A:174:ILE:HG12	2.21	0.41
1:A:354:THR:HA	1:A:355:PRO:HD3	1.88	0.40
1:A:78:ARG:HB2	1:A:80:GLU:OE1	2.22	0.40
1:A:114:GLU:HG2	1:A:117:HIS:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	270/312 (86%)	254 (94%)	14 (5%)	2 (1%)	26	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	243	VAL
1	A	205	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/270 (90%)	235 (97%)	8 (3%)	45	76

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	ARG
1	A	137	LEU
1	A	145	LEU
1	A	183	ARG
1	A	260	CYS
1	A	328	GLU
1	A	349	ASN
1	A	352	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	HIS
1	A	197	HIS
1	A	203	HIS
1	A	210	ASN
1	A	218	HIS
1	A	274	GLN
1	A	292	GLN
1	A	349	ASN
1	A	351	HIS
1	A	352	GLN
1	A	353	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	360	-	4,4,4	0.20	0	6,6,6	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PSE	A	361	1	9,9,9	1.84	2 (22%)	7,12,12	1.57	1 (14%)
4	253	A	701	-	26,28,28	1.86	8 (30%)	36,42,42	2.41	12 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	360	-	-	0/0/0/0	0/0/0/0
3	PSE	A	361	1	-	0/8/8/8	0/0/0/0
4	253	A	701	-	-	0/4/4/4	0/4/4/4

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	253	C9-C8	-4.40	1.42	1.45
3	A	361	PSE	O1-C1	-4.35	1.23	1.42
3	A	361	PSE	P-O2P	2.11	1.58	1.51
4	A	701	253	C8-C11	2.13	1.47	1.42
4	A	701	253	O24-C23	2.46	1.41	1.37
4	A	701	253	O2-C3	2.59	1.41	1.37
4	A	701	253	C21-C5	2.64	1.47	1.41
4	A	701	253	C22-C23	2.81	1.41	1.36
4	A	701	253	C4-C3	2.94	1.41	1.36
4	A	701	253	C7-N6	3.45	1.35	1.30

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	253	C8-C7-N6	-7.10	119.31	124.59
4	A	701	253	C11-C12-C19	-5.40	115.20	119.26
4	A	701	253	C4-C5-N6	-2.77	114.89	117.95
4	A	701	253	C22-C21-C5	-2.72	115.07	118.34
4	A	701	253	C13-C12-C19	-2.70	115.22	118.17
4	A	701	253	C8-C9-N20	-2.12	119.75	121.83
4	A	701	253	C7-N6-C5	2.83	122.17	117.92
3	A	361	PSE	O1-C1-C2	3.28	120.43	111.84
4	A	701	253	C9-C8-C11	3.45	121.71	117.63
4	A	701	253	C8-C9-N1	3.50	125.14	121.11
4	A	701	253	C13-C12-C11	3.76	129.58	123.33
4	A	701	253	C22-C21-C11	3.77	129.01	123.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	253	C9-N20-C19	4.45	123.16	117.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	360	SO4	2	0
4	A	701	253	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.