



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 05:36 AM GMT

PDB ID : 2R9G  
Title : Crystal structure of the C-terminal fragment of AAA ATPase from *Enterococcus faecium*  
Authors : Ramagopal, U.A.; Patskovsky, Y.; Bonanno, J.B.; Shi, W.; Toro, R.; Meyer, A.J.; Rutter, M.; Wu, B.; Groshong, C.; Gheyi, T.; Sauder, J.M.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2007-09-12  
Resolution : 2.09 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	204	<div> <div>6%</div> <div>81% 6% • 12%</div> </div>
1	B	204	<div> <div>6%</div> <div>83% 5% 12%</div> </div>
1	C	204	<div> <div>8%</div> <div>84% 5% 10%</div> </div>
1	D	204	<div> <div>8%</div> <div>81% 7% 12%</div> </div>
1	E	204	<div> <div>6%</div> <div>83% • 12%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	204	
1	G	204	
1	H	204	
1	I	204	
1	J	204	
1	K	204	
1	L	204	
1	M	204	
1	N	204	
1	O	204	
1	P	204	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	C	707	-	-	-	X
2	ACT	E	705	-	-	-	X
2	ACT	F	703	-	-	X	-
3	GOL	H	1	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 24661 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AAA ATPase, central region.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	180	Total	C	N	O	S	0	3	0
			1433	908	253	267	5			
1	B	180	Total	C	N	O	S	0	9	0
			1472	930	263	274	5			
1	C	183	Total	C	N	O	S	0	6	0
			1469	930	260	274	5			
1	D	180	Total	C	N	O	S	0	8	0
			1466	925	263	274	4			
1	E	179	Total	C	N	O	S	0	9	0
			1463	926	262	270	5			
1	F	180	Total	C	N	O	S	0	5	0
			1441	913	255	269	4			
1	G	179	Total	C	N	O	S	0	9	0
			1465	930	259	271	5			
1	H	179	Total	C	N	O	S	0	4	0
			1433	905	255	269	4			
1	I	178	Total	C	N	O	S	0	4	0
			1430	908	252	266	4			
1	J	181	Total	C	N	O	S	0	3	0
			1438	909	255	270	4			
1	K	180	Total	C	N	O	S	0	4	0
			1440	911	255	269	5			
1	L	188	Total	C	N	O	S	0	5	0
			1503	951	268	280	4			
1	M	179	Total	C	N	O	S	0	6	0
			1443	915	254	270	4			
1	N	180	Total	C	N	O	S	0	2	0
			1429	904	254	267	4			
1	O	180	Total	C	N	O	S	0	4	0
			1437	910	256	267	4			
1	P	187	Total	C	N	O	S	0	3	0
			1489	940	266	279	4			

There are 176 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	227	MET	-	EXPRESSION TAG	UNP Q3XY27
A	228	SER	-	EXPRESSION TAG	UNP Q3XY27
A	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
A	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
A	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
A	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
A	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
A	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
A	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
A	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
A	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
B	227	MET	-	EXPRESSION TAG	UNP Q3XY27
B	228	SER	-	EXPRESSION TAG	UNP Q3XY27
B	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
B	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
B	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
B	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
B	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
B	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
B	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
B	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
B	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
C	227	MET	-	EXPRESSION TAG	UNP Q3XY27
C	228	SER	-	EXPRESSION TAG	UNP Q3XY27
C	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
C	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
C	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
C	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
C	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
C	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
C	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
C	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
C	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
D	227	MET	-	EXPRESSION TAG	UNP Q3XY27
D	228	SER	-	EXPRESSION TAG	UNP Q3XY27
D	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
D	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
D	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
D	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
D	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
D	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
D	428	HIS	-	EXPRESSION TAG	UNP Q3XY27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
D	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
E	227	MET	-	EXPRESSION TAG	UNP Q3XY27
E	228	SER	-	EXPRESSION TAG	UNP Q3XY27
E	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
E	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
E	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
E	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
E	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
E	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
E	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
E	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
E	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
F	227	MET	-	EXPRESSION TAG	UNP Q3XY27
F	228	SER	-	EXPRESSION TAG	UNP Q3XY27
F	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
F	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
F	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
F	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
F	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
F	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
F	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
F	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
F	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
G	227	MET	-	EXPRESSION TAG	UNP Q3XY27
G	228	SER	-	EXPRESSION TAG	UNP Q3XY27
G	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
G	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
G	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
G	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
G	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
G	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
G	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
G	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
G	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
H	227	MET	-	EXPRESSION TAG	UNP Q3XY27
H	228	SER	-	EXPRESSION TAG	UNP Q3XY27
H	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
H	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
H	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
H	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
H	426	HIS	-	EXPRESSION TAG	UNP Q3XY27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
H	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
H	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
H	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
I	227	MET	-	EXPRESSION TAG	UNP Q3XY27
I	228	SER	-	EXPRESSION TAG	UNP Q3XY27
I	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
I	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
I	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
I	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
I	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
I	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
I	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
I	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
I	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
J	227	MET	-	EXPRESSION TAG	UNP Q3XY27
J	228	SER	-	EXPRESSION TAG	UNP Q3XY27
J	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
J	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
J	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
J	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
J	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
J	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
J	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
J	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
J	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
K	227	MET	-	EXPRESSION TAG	UNP Q3XY27
K	228	SER	-	EXPRESSION TAG	UNP Q3XY27
K	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
K	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
K	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
K	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
K	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
K	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
K	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
K	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
K	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
L	227	MET	-	EXPRESSION TAG	UNP Q3XY27
L	228	SER	-	EXPRESSION TAG	UNP Q3XY27
L	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
L	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
L	424	GLY	-	EXPRESSION TAG	UNP Q3XY27

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
L	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
L	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
L	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
L	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
L	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
M	227	MET	-	EXPRESSION TAG	UNP Q3XY27
M	228	SER	-	EXPRESSION TAG	UNP Q3XY27
M	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
M	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
M	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
M	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
M	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
M	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
M	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
M	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
M	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
N	227	MET	-	EXPRESSION TAG	UNP Q3XY27
N	228	SER	-	EXPRESSION TAG	UNP Q3XY27
N	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
N	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
N	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
N	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
N	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
N	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
N	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
N	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
N	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
O	227	MET	-	EXPRESSION TAG	UNP Q3XY27
O	228	SER	-	EXPRESSION TAG	UNP Q3XY27
O	229	LEU	-	EXPRESSION TAG	UNP Q3XY27
O	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
O	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
O	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
O	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
O	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
O	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
O	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
O	430	HIS	-	EXPRESSION TAG	UNP Q3XY27
P	227	MET	-	EXPRESSION TAG	UNP Q3XY27
P	228	SER	-	EXPRESSION TAG	UNP Q3XY27
P	229	LEU	-	EXPRESSION TAG	UNP Q3XY27


*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
P	423	GLU	-	EXPRESSION TAG	UNP Q3XY27
P	424	GLY	-	EXPRESSION TAG	UNP Q3XY27
P	425	HIS	-	EXPRESSION TAG	UNP Q3XY27
P	426	HIS	-	EXPRESSION TAG	UNP Q3XY27
P	427	HIS	-	EXPRESSION TAG	UNP Q3XY27
P	428	HIS	-	EXPRESSION TAG	UNP Q3XY27
P	429	HIS	-	EXPRESSION TAG	UNP Q3XY27
P	430	HIS	-	EXPRESSION TAG	UNP Q3XY27

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	L	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	K	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0
2	O	1	Total C O 4 2 2	0	0
2	P	1	Total C O 4 2 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	F	1	Total	C	O	0	0
			4	2	2		
2	O	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		
2	L	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	P	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		
3	J	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	90	Total O 90 90	0	0
4	B	99	Total O 99 99	0	0
4	C	82	Total O 82 82	0	0
4	D	83	Total O 83 83	0	0
4	E	103	Total O 103 103	0	0
4	F	89	Total O 89 89	0	0
4	G	85	Total O 85 85	0	0
4	H	79	Total O 79 79	0	0
4	I	76	Total O 76 76	0	0
4	J	78	Total O 78 78	0	0
4	K	94	Total O 94 94	0	0
4	L	80	Total O 80 80	0	0
4	M	66	Total O 66 66	0	0
4	N	69	Total O 69 69	0	0
4	O	85	Total O 85 85	0	0
4	P	80	Total O 80 80	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region




- Molecule 1: AAA ATPase, central region





- Molecule 1: AAA ATPase, central region





- Molecule 1: AAA ATPase, central region



- Molecule 1: AAA ATPase, central region



● Molecule 1: AAA ATPase, central region



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.78Å 103.39Å 103.37Å 90.01° 88.69° 86.05°	Depositor
Resolution (Å)	20.00 – 2.09 26.93 – 2.09	Depositor EDS
% Data completeness (in resolution range)	87.1 (20.00-2.09) 87.1 (26.93-2.09)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.04 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.3.0034	Depositor
R, $R_{free}$	0.197 , 0.248 0.198 , 0.244	Depositor DCC
$R_{free}$ test set	5299 reflections (3.10%)	DCC
Wilson B-factor (Å <sup>2</sup> )	32.6	Xtriage
Anisotropy	0.345	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 53.5	EDS
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 176461 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	24661	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.70 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.1029e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/1473	0.57	0/1996
1	B	0.40	0/1515	0.58	0/2051
1	C	0.38	0/1518	0.57	0/2053
1	D	0.46	0/1506	0.62	0/2039
1	E	0.39	0/1509	0.58	0/2041
1	F	0.39	0/1488	0.57	0/2018
1	G	0.44	0/1512	0.59	0/2047
1	H	0.45	0/1464	0.59	0/1984
1	I	0.37	0/1471	0.57	0/1993
1	J	0.38	0/1478	0.57	0/2002
1	K	0.40	0/1480	0.60	0/2004
1	L	0.39	0/1551	0.56	0/2101
1	M	0.37	0/1493	0.56	0/2023
1	N	0.38	0/1466	0.57	0/1986
1	O	0.49	0/1480	0.61	0/2004
1	P	0.38	0/1533	0.58	0/2077
All	All	0.41	0/23937	0.58	0/32419

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1433	0	1409	7	0
1	B	1472	0	1450	5	0
1	C	1469	0	1449	6	0
1	D	1466	0	1439	9	0
1	E	1463	0	1449	5	0
1	F	1441	0	1417	7	0
1	G	1465	0	1447	13	0
1	H	1433	0	1396	8	0
1	I	1430	0	1404	6	0
1	J	1438	0	1409	5	0
1	K	1440	0	1415	8	0
1	L	1503	0	1481	21	0
1	M	1443	0	1419	13	0
1	N	1429	0	1402	4	0
1	O	1437	0	1419	10	0
1	P	1489	0	1464	10	0
2	B	4	0	3	1	0
2	C	8	0	6	0	0
2	E	8	0	6	0	0
2	F	4	0	3	2	0
2	K	4	0	3	0	0
2	L	8	0	6	1	0
2	O	8	0	6	0	0
2	P	4	0	3	1	0
3	E	6	0	8	0	0
3	H	6	0	8	0	0
3	J	6	0	8	1	0
3	P	6	0	8	0	0
4	A	90	0	0	0	0
4	B	99	0	0	0	0
4	C	82	0	0	1	0
4	D	83	0	0	0	0
4	E	103	0	0	0	0
4	F	89	0	0	0	0
4	G	85	0	0	0	0
4	H	79	0	0	0	0
4	I	76	0	0	0	0
4	J	78	0	0	0	0
4	K	94	0	0	0	0
4	L	80	0	0	0	0
4	M	66	0	0	0	0
4	N	69	0	0	0	0
4	O	85	0	0	1	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	P	80	0	0	0	0
All	All	24661	0	22937	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 125 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:369[B]:ARG:HG3	1:G:369[B]:ARG:HH11	1.05	1.15
1:G:369[B]:ARG:NH1	1:G:369[B]:ARG:HG3	1.75	0.93
1:L:240[B]:HIS:NE2	1:L:244[B]:ILE:HD11	1.85	0.92
1:G:369[B]:ARG:CG	1:G:369[B]:ARG:HH11	1.90	0.85
1:G:371[A]:VAL:HG22	1:G:371[A]:VAL:O	1.79	0.82

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	179/204 (88%)	179 (100%)	0	0	100	100
1	B	184/204 (90%)	182 (99%)	2 (1%)	0	100	100
1	C	184/204 (90%)	183 (100%)	1 (0%)	0	100	100
1	D	183/204 (90%)	182 (100%)	1 (0%)	0	100	100
1	E	183/204 (90%)	183 (100%)	0	0	100	100
1	F	181/204 (89%)	181 (100%)	0	0	100	100
1	G	183/204 (90%)	182 (100%)	1 (0%)	0	100	100
1	H	178/204 (87%)	178 (100%)	0	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	178/204 (87%)	177 (99%)	1 (1%)	0	100	100
1	J	180/204 (88%)	180 (100%)	0	0	100	100
1	K	180/204 (88%)	178 (99%)	2 (1%)	0	100	100
1	L	189/204 (93%)	189 (100%)	0	0	100	100
1	M	181/204 (89%)	179 (99%)	2 (1%)	0	100	100
1	N	178/204 (87%)	178 (100%)	0	0	100	100
1	O	180/204 (88%)	179 (99%)	1 (1%)	0	100	100
1	P	187/204 (92%)	187 (100%)	0	0	100	100
All	All	2908/3264 (89%)	2897 (100%)	11 (0%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/162 (90%)	141 (97%)	5 (3%)	44	45
1	B	150/162 (93%)	148 (99%)	2 (1%)	76	82
1	C	151/162 (93%)	146 (97%)	5 (3%)	45	47
1	D	149/162 (92%)	146 (98%)	3 (2%)	63	68
1	E	149/162 (92%)	143 (96%)	6 (4%)	38	38
1	F	148/162 (91%)	146 (99%)	2 (1%)	74	80
1	G	149/162 (92%)	144 (97%)	5 (3%)	44	45
1	H	144/162 (89%)	141 (98%)	3 (2%)	61	66
1	I	145/162 (90%)	139 (96%)	6 (4%)	37	36
1	J	146/162 (90%)	144 (99%)	2 (1%)	74	80
1	K	147/162 (91%)	146 (99%)	1 (1%)	88	92
1	L	154/162 (95%)	149 (97%)	5 (3%)	46	48
1	M	148/162 (91%)	141 (95%)	7 (5%)	32	30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	N	145/162 (90%)	140 (97%)	5 (3%)	44	45
1	O	146/162 (90%)	142 (97%)	4 (3%)	52	56
1	P	152/162 (94%)	148 (97%)	4 (3%)	54	58
All	All	2369/2592 (91%)	2304 (97%)	65 (3%)	58	56

5 of 65 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	394	LYS
1	I	400	GLN
1	O	400	GLN
1	H	400	GLN
1	I	278[B]	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 17 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	395	ASN
1	G	397	GLN
1	J	400	GLN
1	F	387	GLN
1	M	240	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	ACT	B	1	-	1,3,3	1.31	0	0,3,3	0.00	-
2	ACT	C	1	-	1,3,3	1.28	0	0,3,3	0.00	-
2	ACT	C	707	-	1,3,3	0.72	0	0,3,3	0.00	-
2	ACT	E	1	-	1,3,3	0.88	0	0,3,3	0.00	-
2	ACT	E	705	-	1,3,3	0.85	0	0,3,3	0.00	-
3	GOL	E	706	-	5,5,5	0.31	0	5,5,5	0.67	0
2	ACT	F	703	-	1,3,3	1.21	0	0,3,3	0.00	-
3	GOL	H	1	-	5,5,5	0.37	0	5,5,5	0.40	0
3	GOL	J	1	-	5,5,5	0.33	0	5,5,5	0.24	0
2	ACT	K	1	-	1,3,3	1.32	0	0,3,3	0.00	-
2	ACT	L	1	-	1,3,3	1.35	0	0,3,3	0.00	-
2	ACT	L	706	-	1,3,3	0.26	0	0,3,3	0.00	-
2	ACT	O	701	-	1,3,3	1.25	0	0,3,3	0.00	-
2	ACT	O	704	-	1,3,3	0.63	0	0,3,3	0.00	-
3	GOL	P	1	-	5,5,5	0.33	0	5,5,5	0.36	0
2	ACT	P	702	-	1,3,3	1.39	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACT	B	1	-	-	0/0/0/0	0/0/0/0
2	ACT	C	1	-	-	0/0/0/0	0/0/0/0
2	ACT	C	707	-	-	0/0/0/0	0/0/0/0
2	ACT	E	1	-	-	0/0/0/0	0/0/0/0
2	ACT	E	705	-	-	0/0/0/0	0/0/0/0
3	GOL	E	706	-	-	0/4/4/4	0/0/0/0
2	ACT	F	703	-	-	0/0/0/0	0/0/0/0
3	GOL	H	1	-	-	0/4/4/4	0/0/0/0
3	GOL	J	1	-	-	0/4/4/4	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACT	K	1	-	-	0/0/0/0	0/0/0/0
2	ACT	L	1	-	-	0/0/0/0	0/0/0/0
2	ACT	L	706	-	-	0/0/0/0	0/0/0/0
2	ACT	O	701	-	-	0/0/0/0	0/0/0/0
2	ACT	O	704	-	-	0/0/0/0	0/0/0/0
3	GOL	P	1	-	-	0/4/4/4	0/0/0/0
2	ACT	P	702	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	ACT	1	0
2	F	703	ACT	2	0
3	J	1	GOL	1	0
2	L	1	ACT	1	0
2	P	702	ACT	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	180/204 (88%)	0.14	13 (7%)	18 25	22, 31, 60, 84	0
1	B	180/204 (88%)	0.07	12 (6%)	21 28	16, 30, 61, 86	0
1	C	183/204 (89%)	0.37	16 (8%)	13 17	21, 32, 70, 100	0
1	D	180/204 (88%)	0.20	16 (8%)	12 16	20, 34, 64, 97	0
1	E	179/204 (87%)	0.10	12 (6%)	21 28	17, 30, 60, 93	0
1	F	180/204 (88%)	0.19	15 (8%)	14 19	20, 32, 67, 97	0
1	G	179/204 (87%)	0.19	10 (5%)	28 36	21, 33, 65, 96	0
1	H	179/204 (87%)	0.06	9 (5%)	32 41	20, 31, 57, 86	0
1	I	178/204 (87%)	0.28	12 (6%)	21 28	23, 34, 64, 97	0
1	J	181/204 (88%)	0.22	21 (11%)	6 9	18, 32, 60, 87	0
1	K	180/204 (88%)	0.19	16 (8%)	12 16	18, 31, 63, 90	0
1	L	188/204 (92%)	0.38	14 (7%)	17 24	21, 33, 69, 105	0
1	M	179/204 (87%)	0.33	17 (9%)	10 14	19, 35, 68, 99	0
1	N	180/204 (88%)	0.28	15 (8%)	14 19	21, 33, 63, 88	0
1	O	180/204 (88%)	0.21	15 (8%)	14 19	16, 30, 65, 87	0
1	P	187/204 (91%)	0.28	17 (9%)	11 16	17, 32, 64, 99	0
All	All	2893/3264 (88%)	0.22	230 (7%)	15 21	16, 32, 65, 105	0

The worst 5 of 230 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	361	TYR	11.6
1	M	361	TYR	10.9
1	I	361	TYR	10.8
1	K	371	VAL	9.0
1	D	361	TYR	8.9



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ACT	C	707	4/4	0.92	0.20	8.31	28,31,37,43	0
2	ACT	E	705	4/4	0.95	0.18	6.76	40,42,43,48	0
3	GOL	H	1	6/6	0.83	0.19	2.48	59,65,67,69	0
3	GOL	J	1	6/6	0.71	0.21	1.89	63,76,79,79	0
3	GOL	E	706	6/6	0.82	0.17	1.68	49,57,62,65	0
2	ACT	L	706	4/4	0.95	0.10	1.39	25,31,32,35	0
2	ACT	L	1	4/4	0.92	0.18	1.22	47,47,49,53	0
2	ACT	E	1	4/4	0.93	0.13	0.90	44,48,48,49	0
2	ACT	C	1	4/4	0.94	0.19	0.86	44,48,50,50	0
2	ACT	B	1	4/4	0.95	0.14	0.69	47,47,47,51	0
2	ACT	P	702	4/4	0.88	0.19	0.60	44,50,51,54	0
2	ACT	O	701	4/4	0.95	0.14	0.52	47,48,50,51	0
2	ACT	O	704	4/4	0.97	0.09	0.01	33,34,36,40	0
3	GOL	P	1	6/6	0.90	0.10	-0.36	46,56,58,62	0
2	ACT	K	1	4/4	0.98	0.10	-0.39	36,40,42,42	0
2	ACT	F	703	4/4	0.96	0.12	-0.42	40,43,45,48	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.