



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:08 PM GMT

PDB ID : 1S7V
Title : Crystal structures of the murine class I major histocompatibility complex H-2Db in complex with LCMV-derived gp33 index peptide and three of its escape variants
Authors : Velloso, L.M.; Michaelsson, J.; Ljunggren, H.G.; Schneider, G.; Achour, A.
Deposited on : 2004-01-30
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	338	<div><div>12%</div><div>54%</div><div>23%</div><div>•</div><div>18%</div></div>
1	D	338	<div><div>13%</div><div>55%</div><div>22%</div><div>•</div><div>18%</div></div>
2	B	99	<div><div>4%</div><div>72%</div><div>21%</div><div>7%</div></div>
2	E	99	<div><div>2%</div><div>75%</div><div>18%</div><div>7%</div></div>
3	C	9	<div><div>56%</div><div>44%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	9	 67% 33%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H-2 class I histocompatibility antigen, D-B alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2215	1398	393	415	9			
1	D	276	Total	C	N	O	S	0	0	0
			2210	1395	393	413	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			821	524	138	152	7			
2	E	99	Total	C	N	O	S	0	0	0
			821	524	138	152	7			

- Molecule 3 is a protein called Glycoprotein 9-residue peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			70	45	11	13	1			
3	F	9	Total	C	N	O	S	0	0	0
			70	45	11	13	1			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	6	LEU	PHE	ENGINEERED	UNP P07399
C	9	MET	CYS	SEE REMARK 999	UNP P07399
F	6	LEU	PHE	ENGINEERED	UNP P07399
F	9	MET	CYS	SEE REMARK 999	UNP P07399


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	144	Total 144	O 144	0	0
4	B	75	Total 75	O 75	0	0
4	C	6	Total 6	O 6	0	0
4	D	154	Total 154	O 154	0	0
4	E	61	Total 61	O 61	0	0
4	F	4	Total 4	O 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain




- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain





- Molecule 2: Beta-2-microglobulin






- Molecule 2: Beta-2-microglobulin



- Molecule 3: Glycoprotein 9-residue peptide



- Molecule 3: Glycoprotein 9-residue peptide



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	160.47Å 91.18Å 92.15Å 90.00° 125.00° 90.00°	Depositor
Resolution (Å)	32.44 – 2.20 32.41 – 2.20	Depositor EDS
% Data completeness (in resolution range)	94.4 (32.44-2.20) 94.2 (32.41-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.226 , 0.267 0.277 , 0.290	Depositor DCC
R_{free} test set	2639 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	47.4	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 15.8	EDS
Estimated twinning fraction	0.001 for 1/2*h+1/2*k+2*l,1/2*h+1/2*k,-1/2*h+1/2*k-l 0.001 for -1/2*h-3/2*k-l,-1/2*h+1/2*k-l,1/2*h+1/2*k 0.009 for -1/2*h+3/2*k-l,1/2*h+1/2*k+l,1/2*h-1/2*k 0.009 for 1/2*h-1/2*k+2*l,-1/2*h+1/2*k,-1/2*h-1/2*k-l 0.016 for -h+k-l,-l,-k 0.016 for -h-k-l,l,k 0.013 for -1/2*h-1/2*k+l,-1/2*h-1/2*k-l,1/2*h-1/2*k 0.003 for -1/2*h+1/2*k+l,1/2*h-1/2*k+l,1/2*h+1/2*k 0.014 for 1/2*h+3/2*k,1/2*h-1/2*k,-1/2*h-1/2*k-l 0.004 for 1/2*h-3/2*k,-1/2*h-1/2*k,-1/2*h+1/2*k-l 0.467 for -h-2*l,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 52162 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6651	wwPDB-VP

Continued on next page...

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

Continued from previous page...

Property	Value	Source
Average B, all atoms (\AA^2)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.49% of the height of the origin peak. No significant pseudotranslation is detected.*

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	2/2281 (0.1%)	0.87	12/3098 (0.4%)
1	D	0.88	3/2277 (0.1%)	0.88	7/3092 (0.2%)
2	B	0.70	0/847	0.84	5/1148 (0.4%)
2	E	0.69	0/847	0.84	3/1148 (0.3%)
3	C	0.83	0/70	0.78	0/92
3	F	0.89	0/70	0.81	0/92
All	All	0.78	5/6392 (0.1%)	0.86	27/8670 (0.3%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	255	GLN	C-O	22.19	1.65	1.23
1	D	200	THR	C-O	9.07	1.40	1.23
1	A	255	GLN	C-O	7.10	1.36	1.23
1	A	250	PRO	C-O	5.92	1.35	1.23
1	D	255	GLN	C-N	5.49	1.46	1.34

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	202	ARG	NE-CZ-NH1	7.50	124.05	120.30
2	E	96	ASP	CB-CG-OD2	6.51	124.16	118.30
1	D	255	GLN	CA-C-N	-6.07	103.84	117.20
2	B	96	ASP	CB-CG-OD2	6.04	123.74	118.30
1	A	238	ASP	CB-CG-OD2	5.84	123.56	118.30
1	A	137	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	102	ASP	CB-CG-OD2	5.81	123.53	118.30
2	E	53	ASP	CB-CG-OD2	5.76	123.48	118.30
1	A	183	ASP	CB-CG-OD2	5.69	123.42	118.30
1	D	39	ASP	CB-CG-OD2	5.69	123.42	118.30
1	A	227	ASP	CB-CG-OD2	5.59	123.33	118.30
1	A	122	ASP	CB-CG-OD1	5.54	123.28	118.30
2	B	53	ASP	CB-CG-OD2	5.43	123.19	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	212	ASP	CB-CG-OD2	5.41	123.17	118.30
1	D	144	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	144	ARG	NE-CZ-NH1	5.34	122.97	120.30
2	B	98	ASP	CB-CG-OD2	5.34	123.11	118.30
1	A	39	ASP	CB-CG-OD2	5.34	123.10	118.30
1	A	194	ARG	NE-CZ-NH1	5.29	122.95	120.30
2	B	59	ASP	CB-CG-OD2	5.24	123.02	118.30
1	D	137	ASP	CB-CG-OD2	5.23	123.01	118.30
1	D	79	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	A	212	ASP	CB-CG-OD2	5.17	122.95	118.30
2	B	76	ASP	CB-CG-OD2	5.17	122.95	118.30
1	A	234	ARG	NE-CZ-NH1	5.15	122.88	120.30
2	E	98	ASP	CB-CG-OD2	5.14	122.93	118.30
1	A	121	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2215	0	2058	70	0
1	D	2210	0	2055	83	0
2	B	821	0	796	31	0
2	E	821	0	796	33	0
3	C	70	0	76	6	0
3	F	70	0	76	6	0
4	A	144	0	0	14	3
4	B	75	0	0	8	3
4	C	6	0	0	0	0
4	D	154	0	0	25	1
4	E	61	0	0	9	1
4	F	4	0	0	0	0
All	All	6651	0	5857	192	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 16.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:255:GLN:C	1:D:255:GLN:O	1.65	1.34
1:D:52:MET:HB3	4:D:489:HOH:O	1.41	1.19
2:B:69:GLU:HG3	4:B:148:HOH:O	1.53	1.05
2:E:61:SER:HB3	4:E:118:HOH:O	1.66	0.96
1:A:98:MET:CE	1:A:115:GLN:HE21	1.87	0.88
1:D:98:MET:CE	1:D:115:GLN:HE21	1.88	0.86
2:E:59:ASP:OD2	2:E:61:SER:OG	1.94	0.84
1:D:98:MET:HB3	4:D:341:HOH:O	1.76	0.84
1:D:234:ARG:HD2	1:D:242:GLN:HE21	1.43	0.83
1:D:17:LEU:HD11	4:D:444:HOH:O	1.82	0.80
1:D:32:GLU:OE2	2:E:53:ASP:OD2	2.00	0.78
1:D:97:GLN:HE22	3:F:5:ASN:HD21	1.27	0.78
1:D:35:ARG:HD3	2:E:53:ASP:CG	2.05	0.77
1:A:32:GLU:OE2	2:B:53:ASP:OD2	2.04	0.76
1:D:47:PRO:HB3	4:D:489:HOH:O	1.85	0.76
1:A:202:ARG:HD2	1:A:244:TRP:CD2	2.22	0.75
1:A:98:MET:HE3	1:A:115:GLN:HE21	1.51	0.74
2:B:59:ASP:OD2	2:B:61:SER:OG	2.05	0.73
1:A:35:ARG:HD3	2:B:53:ASP:CG	2.08	0.73
1:A:97:GLN:HE22	3:C:5:ASN:HD21	1.36	0.73
2:B:3:LYS:HD3	4:B:168:HOH:O	1.88	0.72
1:A:141:GLN:OE1	1:A:144:ARG:NH2	2.22	0.72
1:D:202:ARG:HD2	1:D:244:TRP:CD2	2.25	0.72
1:A:138:MET:HE1	4:A:439:HOH:O	1.90	0.71
1:D:191:HIS:CE1	1:D:199:VAL:HG21	2.26	0.70
2:E:33:PRO:HG3	2:E:62:PHE:CZ	2.28	0.69
1:D:141:GLN:OE1	1:D:144:ARG:NH2	2.26	0.69
1:D:98:MET:HE3	1:D:115:GLN:HE21	1.58	0.69
1:A:234:ARG:HD2	1:A:242:GLN:HE21	1.57	0.68
1:D:234:ARG:HD2	1:D:242:GLN:NE2	2.07	0.68
1:A:178:THR:HG21	4:A:373:HOH:O	1.94	0.67
1:D:98:MET:HE1	1:D:115:GLN:HE21	1.59	0.66
1:A:30:ASN:O	4:A:475:HOH:O	2.12	0.66
2:B:33:PRO:HG3	2:B:62:PHE:CZ	2.31	0.66
1:A:35:ARG:HG2	4:B:103:HOH:O	1.96	0.65
1:D:254:GLU:CA	4:D:463:HOH:O	2.43	0.65
1:D:35:ARG:NE	2:E:53:ASP:OD1	2.31	0.64
1:D:98:MET:SD	2:E:58:LYS:HA	2.39	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:ARG:HE	1:A:23:ILE:HD11	1.62	0.63
1:D:178:THR:HG21	4:D:371:HOH:O	1.97	0.63
1:D:21:ARG:HE	1:D:23:ILE:HD11	1.63	0.63
1:A:98:MET:HE1	1:A:115:GLN:HE21	1.61	0.63
1:A:253:LYS:CG	1:A:253:LYS:CA	2.76	0.63
1:A:98:MET:SD	2:B:58:LYS:HA	2.39	0.62
1:D:19:GLU:HG2	4:D:389:HOH:O	1.99	0.62
2:B:58:LYS:HD3	2:B:58:LYS:H	1.65	0.62
1:D:185:PRO:HD3	1:D:263:HIS:HD2	1.66	0.61
1:A:180:LEU:N	1:A:180:LEU:HD12	2.17	0.59
1:A:144:ARG:HH11	1:A:144:ARG:HG2	1.68	0.59
2:E:58:LYS:HD3	2:E:58:LYS:H	1.69	0.58
1:A:167:TRP:CZ2	3:C:1:LYS:NZ	2.63	0.58
1:A:234:ARG:HH21	2:B:8:GLN:NE2	2.02	0.57
1:A:254:GLU:CA	4:A:456:HOH:O	2.52	0.57
1:A:260:ARG:HA	1:A:270:LEU:O	2.04	0.57
2:E:16:GLU:HB3	2:E:19:LYS:HD3	1.87	0.57
1:A:191:HIS:HE1	1:A:199:VAL:HG21	1.70	0.56
1:A:44:ARG:HB3	4:A:469:HOH:O	2.05	0.56
1:D:234:ARG:HH21	2:E:8:GLN:NE2	2.02	0.56
1:D:180:LEU:HD12	1:D:180:LEU:N	2.19	0.56
2:B:3:LYS:CD	4:B:168:HOH:O	2.51	0.56
1:A:234:ARG:HD2	1:A:242:GLN:NE2	2.18	0.56
1:D:191:HIS:HE1	1:D:199:VAL:HG21	1.68	0.56
1:D:187:ALA:HB1	1:D:272:LEU:HD21	1.87	0.56
1:A:35:ARG:NE	2:B:53:ASP:OD1	2.39	0.56
1:D:144:ARG:HH11	1:D:144:ARG:HG2	1.70	0.55
1:D:260:ARG:HA	1:D:270:LEU:O	2.05	0.55
1:D:35:ARG:CD	2:E:53:ASP:CG	2.74	0.55
1:D:234:ARG:HD3	2:E:10:TYR:CE2	2.41	0.55
1:A:95:LEU:HD11	3:C:9:MET:HE3	1.89	0.54
2:E:58:LYS:CE	4:E:137:HOH:O	2.56	0.54
1:A:35:ARG:CD	2:B:53:ASP:CG	2.77	0.53
1:D:68:LYS:HE3	4:D:485:HOH:O	2.08	0.53
1:D:185:PRO:HD3	1:D:263:HIS:CD2	2.44	0.53
1:A:234:ARG:HD3	2:B:10:TYR:CE2	2.44	0.53
1:D:208:PHE:HB2	1:D:263:HIS:CD2	2.44	0.53
1:A:14:ARG:CA	4:A:370:HOH:O	2.56	0.53
2:E:58:LYS:CD	2:E:58:LYS:H	2.21	0.52
2:B:58:LYS:CD	2:B:58:LYS:H	2.21	0.52
1:D:77:SER:HB3	3:F:9:MET:HG3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:58:LYS:HE3	4:E:137:HOH:O	2.08	0.52
1:A:187:ALA:HB1	1:A:272:LEU:HD21	1.90	0.52
1:D:3:HIS:HD2	1:D:29:ASP:OD2	1.93	0.52
1:A:145:ARG:NH2	4:A:439:HOH:O	2.42	0.52
1:D:44:ARG:HG2	1:D:45:TYR:O	2.10	0.52
1:D:94:THR:HG23	4:D:406:HOH:O	2.11	0.51
1:D:65:GLN:NE2	4:D:439:HOH:O	2.43	0.51
1:D:194:ARG:HH11	1:D:194:ARG:HG2	1.76	0.51
1:A:194:ARG:HG2	1:A:194:ARG:HH11	1.77	0.50
2:B:61:SER:HA	4:B:113:HOH:O	2.11	0.50
1:D:30:ASN:HB2	4:D:339:HOH:O	2.12	0.50
2:B:74:GLU:HG2	2:B:74:GLU:O	2.12	0.50
1:A:155:HIS:CD2	3:C:6:LEU:HD11	2.48	0.49
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.47	0.49
1:A:137:ASP:O	1:A:141:GLN:HG2	2.12	0.49
1:A:44:ARG:CB	4:A:469:HOH:O	2.59	0.49
2:E:3:LYS:NZ	4:E:118:HOH:O	2.35	0.49
1:A:50:PRO:O	1:A:53:GLU:HB2	2.13	0.49
1:A:77:SER:HB3	3:C:9:MET:HG3	1.93	0.49
2:E:61:SER:HA	4:E:150:HOH:O	2.12	0.48
1:D:95:LEU:HD11	3:F:9:MET:HE2	1.96	0.48
1:D:35:ARG:HD3	2:E:53:ASP:CB	2.43	0.48
1:D:50:PRO:O	1:D:53:GLU:HB2	2.13	0.48
2:E:74:GLU:HG2	2:E:74:GLU:O	2.13	0.48
1:D:167:TRP:CZ2	3:F:1:LYS:NZ	2.63	0.48
1:D:249:VAL:HG22	1:D:257:TYR:CE1	2.48	0.48
1:A:44:ARG:HG2	1:A:45:TYR:O	2.14	0.48
2:B:16:GLU:HB3	2:B:19:LYS:HD3	1.94	0.48
2:E:22:ILE:HD13	2:E:69:GLU:HA	1.95	0.48
1:D:44:ARG:HB2	4:D:490:HOH:O	2.14	0.48
1:D:137:ASP:O	1:D:141:GLN:HG2	2.14	0.48
1:D:19:GLU:HA	4:D:389:HOH:O	2.14	0.48
1:A:31:LYS:HD2	4:A:432:HOH:O	2.14	0.48
1:D:17:LEU:H	1:D:17:LEU:HD23	1.79	0.47
1:A:249:VAL:HG22	1:A:257:TYR:CE1	2.49	0.47
2:B:58:LYS:CG	4:B:124:HOH:O	2.62	0.47
2:E:16:GLU:CB	2:E:19:LYS:HD3	2.43	0.47
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.49	0.47
1:A:35:ARG:HD3	2:B:53:ASP:CB	2.43	0.47
1:A:42:ASN:ND2	4:A:469:HOH:O	2.48	0.47
2:B:74:GLU:HB3	4:B:120:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:SER:HB2	1:A:93:HIS:H	1.80	0.47
1:D:43:PRO:HD2	4:D:377:HOH:O	2.14	0.47
1:A:181:ARG:HH11	1:A:181:ARG:HB3	1.79	0.46
1:A:98:MET:HE3	1:A:115:GLN:NE2	2.23	0.46
1:A:179:LEU:HB2	1:A:180:LEU:HD12	1.97	0.46
2:E:74:GLU:HB2	4:E:140:HOH:O	2.13	0.46
1:D:90:GLY:HA3	4:D:435:HOH:O	2.16	0.46
1:A:68:LYS:HE3	4:A:402:HOH:O	2.14	0.45
1:A:234:ARG:HD3	2:B:10:TYR:CD2	2.51	0.45
1:D:13:SER:HB2	1:D:93:HIS:H	1.80	0.45
2:E:74:GLU:CB	4:E:140:HOH:O	2.65	0.45
2:B:58:LYS:CD	2:B:58:LYS:N	2.80	0.45
2:B:16:GLU:CB	2:B:19:LYS:HD3	2.47	0.45
1:D:98:MET:HE3	1:D:115:GLN:NE2	2.30	0.45
2:E:58:LYS:CD	2:E:58:LYS:N	2.80	0.45
1:D:179:LEU:HB2	1:D:180:LEU:HD12	1.99	0.45
1:D:77:SER:HB3	3:F:9:MET:CG	2.47	0.45
1:D:181:ARG:HH11	1:D:181:ARG:HB3	1.81	0.45
1:D:91:GLY:N	4:D:435:HOH:O	2.49	0.44
1:A:180:LEU:N	1:A:180:LEU:CD1	2.79	0.44
2:B:1:ILE:HG23	4:B:105:HOH:O	2.17	0.44
1:D:35:ARG:HG2	4:D:355:HOH:O	2.18	0.44
1:D:60:TRP:HH2	4:D:489:HOH:O	1.97	0.44
2:B:89:GLU:HB2	2:B:90:PRO:CD	2.47	0.44
1:D:63:GLU:OE2	1:D:66:LYS:NZ	2.43	0.44
1:D:234:ARG:HD3	2:E:10:TYR:CD2	2.53	0.44
1:D:50:PRO:HB2	4:D:394:HOH:O	2.18	0.43
2:E:58:LYS:HE3	4:E:136:HOH:O	2.18	0.43
1:A:202:ARG:HD2	1:A:244:TRP:CG	2.53	0.43
1:A:31:LYS:HE3	4:A:373:HOH:O	2.17	0.43
1:D:44:ARG:HE	1:D:60:TRP:HB3	1.83	0.43
1:D:35:ARG:NE	2:E:53:ASP:CG	2.71	0.43
2:B:33:PRO:HG3	2:B:62:PHE:CE1	2.53	0.43
1:A:90:GLY:HA3	4:A:459:HOH:O	2.19	0.43
2:E:33:PRO:HG3	2:E:62:PHE:CE1	2.53	0.43
1:A:117:ALA:HB2	2:B:60:TRP:CD2	2.53	0.43
1:A:77:SER:HB3	3:C:9:MET:CG	2.48	0.43
1:A:17:LEU:H	1:A:17:LEU:HD23	1.83	0.43
1:D:117:ALA:HB2	2:E:60:TRP:CD2	2.53	0.43
1:A:198:GLU:HG2	1:A:248:VAL:HG13	2.00	0.43
1:D:203:CYS:HB2	1:D:217:TRP:CZ2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:89:GLU:HB2	2:E:90:PRO:CD	2.48	0.43
1:D:75:ARG:HD2	4:D:347:HOH:O	2.18	0.43
1:D:173:LYS:HA	1:D:176:ASN:HD22	1.84	0.43
1:D:60:TRP:CZ2	4:D:489:HOH:O	2.70	0.42
2:B:7:ILE:HB	2:B:93:VAL:HG21	2.01	0.42
1:D:180:LEU:N	1:D:180:LEU:CD1	2.82	0.42
1:D:202:ARG:NH2	4:D:446:HOH:O	2.44	0.42
1:A:234:ARG:HD2	1:A:242:GLN:HB2	2.02	0.42
1:D:72:GLN:NE2	1:D:75:ARG:NH1	2.67	0.42
1:A:5:MET:O	1:A:100:GLY:HA3	2.20	0.42
1:A:63:GLU:OE2	1:A:66:LYS:NZ	2.50	0.42
1:D:44:ARG:CB	4:D:490:HOH:O	2.68	0.41
1:D:138:MET:CE	1:D:141:GLN:HG3	2.50	0.41
1:A:44:ARG:HE	1:A:60:TRP:HB3	1.84	0.41
1:D:187:ALA:CB	1:D:272:LEU:HD21	2.48	0.41
2:E:1:ILE:HG23	4:E:106:HOH:O	2.19	0.41
1:A:51:TRP:CZ3	1:A:52:MET:SD	3.13	0.41
1:A:187:ALA:CB	1:A:272:LEU:HD21	2.50	0.41
2:B:22:ILE:HD13	2:B:69:GLU:HA	2.03	0.41
1:D:20:PRO:HA	4:D:444:HOH:O	2.19	0.41
1:A:30:ASN:HB2	4:A:339:HOH:O	2.19	0.41
1:A:35:ARG:NE	2:B:53:ASP:CG	2.74	0.41
1:A:259:CYS:O	1:A:272:LEU:HD12	2.21	0.41
1:D:234:ARG:HD2	1:D:242:GLN:HB2	2.03	0.41
1:D:263:HIS:ND1	1:D:264:GLU:N	2.68	0.41
1:D:210:PRO:HB2	4:D:418:HOH:O	2.20	0.41
1:D:35:ARG:HD3	2:E:53:ASP:HB3	2.03	0.40
1:A:266:LEU:HA	1:A:267:PRO:HD2	1.94	0.40
1:A:202:ARG:HG2	1:A:204:TRP:NE1	2.37	0.40
1:D:95:LEU:HD11	3:F:9:MET:CE	2.52	0.40
1:A:173:LYS:HA	1:A:176:ASN:HD22	1.87	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:466:HOH:O	4:E:155:HOH:O[4_556]	2.08	0.12
4:A:443:HOH:O	4:B:158:HOH:O[4_545]	2.10	0.10
4:A:411:HOH:O	4:B:151:HOH:O[4_545]	2.10	0.10
4:A:381:HOH:O	4:B:170:HOH:O[4_545]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/338 (81%)	261 (95%)	11 (4%)	2 (1%)	26	25
1	D	274/338 (81%)	258 (94%)	14 (5%)	2 (1%)	26	25
2	B	97/99 (98%)	92 (95%)	4 (4%)	1 (1%)	19	16
2	E	97/99 (98%)	92 (95%)	4 (4%)	1 (1%)	19	16
3	C	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	F	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
All	All	756/892 (85%)	715 (95%)	35 (5%)	6 (1%)	24	22

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	195	SER
1	D	195	SER
1	A	88	SER
1	D	88	SER
2	B	47	PRO
2	E	47	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/280 (80%)	194 (87%)	30 (13%)	5	4
1	D	223/280 (80%)	196 (88%)	27 (12%)	6	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	94/94 (100%)	85 (90%)	9 (10%)	10	9
2	E	94/94 (100%)	84 (89%)	10 (11%)	8	7
3	C	7/7 (100%)	7 (100%)	0	100	100
3	F	7/7 (100%)	7 (100%)	0	100	100
All	All	649/762 (85%)	573 (88%)	76 (12%)	7	5

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	GLU
1	A	21	ARG
1	A	30	ASN
1	A	35	ARG
1	A	53	GLU
1	A	62	ARG
1	A	78	LEU
1	A	92	SER
1	A	94	THR
1	A	110	LEU
1	A	114	LEU
1	A	130	LEU
1	A	146	LYS
1	A	170	ARG
1	A	179	LEU
1	A	184	SER
1	A	186	LYS
1	A	194	ARG
1	A	198	GLU
1	A	200	THR
1	A	222	GLU
1	A	225	THR
1	A	227	ASP
1	A	228	MET
1	A	249	VAL
1	A	256	ASN
1	A	266	LEU
1	A	270	LEU
1	A	272	LEU
1	A	273	ARG
2	B	1	ILE
2	B	44	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	48	LYS
2	B	55	SER
2	B	58	LYS
2	B	61	SER
2	B	69	GLU
2	B	70	PHE
2	B	89	GLU
1	D	19	GLU
1	D	21	ARG
1	D	30	ASN
1	D	35	ARG
1	D	53	GLU
1	D	62	ARG
1	D	78	LEU
1	D	92	SER
1	D	94	THR
1	D	110	LEU
1	D	114	LEU
1	D	130	LEU
1	D	170	ARG
1	D	179	LEU
1	D	184	SER
1	D	186	LYS
1	D	194	ARG
1	D	198	GLU
1	D	202	ARG
1	D	222	GLU
1	D	225	THR
1	D	228	MET
1	D	249	VAL
1	D	266	LEU
1	D	270	LEU
1	D	272	LEU
1	D	273	ARG
2	E	1	ILE
2	E	19	LYS
2	E	44	LYS
2	E	48	LYS
2	E	55	SER
2	E	58	LYS
2	E	61	SER
2	E	69	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	70	PHE
2	E	89	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	HIS
1	A	72	GLN
1	A	87	GLN
1	A	115	GLN
1	A	127	ASN
1	A	155	HIS
1	A	176	ASN
1	A	191	HIS
1	A	192	HIS
1	A	242	GLN
1	A	256	ASN
2	B	2	GLN
2	B	8	GLN
3	C	5	ASN
1	D	3	HIS
1	D	72	GLN
1	D	87	GLN
1	D	115	GLN
1	D	127	ASN
1	D	176	ASN
1	D	242	GLN
1	D	256	ASN
2	E	2	GLN
2	E	8	GLN
3	F	5	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/338 (81%)	1.03	39 (14%) 4 3	11, 20, 34, 64	0
1	D	276/338 (81%)	0.96	43 (15%) 3 2	11, 20, 34, 64	0
2	B	99/99 (100%)	0.56	4 (4%) 42 41	12, 20, 33, 35	0
2	E	99/99 (100%)	0.51	2 (2%) 68 67	12, 20, 33, 35	0
3	C	9/9 (100%)	0.08	0 100 100	6, 7, 11, 13	0
3	F	9/9 (100%)	0.20	0 100 100	6, 8, 11, 13	0
All	All	768/892 (86%)	0.86	88 (11%) 6 6	6, 20, 34, 64	0

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	248	VAL	9.6
1	D	248	VAL	9.1
1	A	250	PRO	6.9
1	D	201	LEU	6.5
1	D	220	ASN	6.5
1	A	251	LEU	6.3
1	A	252	GLY	6.2
1	D	197	GLY	6.1
1	D	249	VAL	6.1
1	A	179	LEU	5.9
1	A	195	SER	5.9
1	A	224	LEU	5.7
1	A	249	VAL	5.6
1	A	200	THR	5.5
1	A	253	LYS	5.5
1	D	195	SER	4.8
1	D	193	PRO	4.7
1	A	222	GLU	4.7
1	D	200	THR	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	276	PRO	4.5
1	A	189	VAL	4.4
1	A	199	VAL	4.4
1	A	177	ALA	4.3
1	A	194	ARG	4.2
1	A	193	PRO	4.1
1	A	257	TYR	3.9
1	D	179	LEU	3.9
1	D	227	ASP	3.9
1	A	274	TRP	3.8
1	D	176	ASN	3.7
1	A	197	GLY	3.6
1	D	250	PRO	3.5
1	D	219	LEU	3.5
1	D	196	LYS	3.5
1	D	222	GLU	3.5
1	A	230	LEU	3.4
1	D	199	VAL	3.4
1	A	201	LEU	3.3
1	D	273	ARG	3.3
1	D	180	LEU	3.3
1	D	30	ASN	3.3
1	D	177	ALA	3.3
1	D	221	GLY	3.2
1	D	251	LEU	3.2
1	D	223	GLU	3.1
1	D	257	TYR	3.1
1	A	44	ARG	3.0
1	A	191	HIS	3.0
1	A	192	HIS	2.9
1	D	255	GLN	2.9
1	A	75	ARG	2.8
1	D	225	THR	2.8
1	A	226	GLN	2.7
1	D	274	TRP	2.7
1	A	178	THR	2.7
1	D	276	PRO	2.6
1	A	221	GLY	2.6
1	A	225	THR	2.6
2	E	53	ASP	2.6
2	E	18	GLY	2.5
1	A	219	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	88	SER	2.5
1	D	198	GLU	2.5
1	D	194	ARG	2.5
1	D	181	ARG	2.5
1	A	198	GLU	2.5
1	A	181	ARG	2.4
1	D	217	TRP	2.4
2	B	74	GLU	2.4
1	D	254	GLU	2.3
1	D	42	ASN	2.3
1	A	255	GLN	2.3
1	D	75	ARG	2.3
1	A	247	VAL	2.2
1	A	42	ASN	2.2
1	D	136	ALA	2.2
1	D	253	LYS	2.1
1	D	224	LEU	2.1
1	D	44	ARG	2.1
1	D	232	GLU	2.1
1	A	176	ASN	2.1
2	B	53	ASP	2.1
1	D	186	LYS	2.1
2	B	48	LYS	2.1
1	D	51	TRP	2.1
2	B	36	GLU	2.0
1	A	227	ASP	2.0
1	A	98	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.