W O R L D W I D E
wwPDB
P R O T E I N   D A T A   B A N K

Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:57 PM GMT

PDB ID	:	3SAF
Title	:	Crystal structure of the human RRP6 catalytic domain with D313N mutation in the active site
Authors	:	Januszyk, K.; Liu, Q.; Lima, C.D.
Deposited on	:	2011-06-02
Resolution	:	2.50 Å(reported)

The following versions of software and data (see references ⓘ) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	428	5% / 67% / 21% / • / 11%
1	B	428	5% / 66% / 22% / • / 11%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 6561 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exosome component 10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total 3168	C 2029	N 548	O 573	S 18	0	0	0
1	B	380	Total 3137	C 2010	N 537	O 572	S 18	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	179	SER	-	EXPRESSION TAG	UNP Q01780
A	313	ASN	ASP	ENGINEERED MUTATION	UNP Q01780
B	179	SER	-	EXPRESSION TAG	UNP Q01780
B	313	ASN	ASP	ENGINEERED MUTATION	UNP Q01780

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 1	Mg 1	0	0
2	A	1	Total 1	Mg 1	0	0

- Molecule 3 is YTTRIUM (III) ION (three-letter code: YT3) (formula: Y).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Y 1	0	0
3	A	1	Total 1	Y 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	118	Total O 118 118	0	0
4	B	134	Total O 134 134	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Exosome component 10

• Molecule 1: Exosome component 10

4   Data and refinement statistics (i)

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α, β, γ	138.90Å 138.90Å 58.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.74 – 2.50 32.74 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (32.74-2.50) 99.5 (32.74-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.11 (at 2.51Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, R_{free}	0.205 , 0.240 0.206 , 0.239	Depositor DCC
R_{free} test set	1926 reflections (5.23%)	DCC
Wilson B-factor (Å^2)	50.9	Xtriage
Anisotropy	0.435	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.31 , 39.9	EDS
Estimated twinning fraction	0.033 for h,-k,-l	Xtriage
L-test for twinning[2]	$< |L| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Outliers	0 of 38852 reflections	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	6561	wwPDB-VP
Average B, all atoms (Å^2)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5   Model quality   (i)

5.1   Standard geometry   (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, YT3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
1	A	0.36	0/3245	0.56	0/4394
1	B	0.37	0/3213	0.58	0/4355
All	All	0.37	0/6458	0.57	0/8749

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2   Too-close contacts   (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3168	0	3162	78	0
1	B	3137	0	3110	68	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	118	0	0	5	0
4	B	134	0	0	2	0
All	All	6561	0	6272	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:552:ILE:HD13	1:A:563:ARG:HH21	1.41	0.85
1:B:183:PRO:O	1:B:186:LYS:HG2	1.76	0.84
1:A:472:ARG:HH21	1:B:418:GLN:HA	1.44	0.79
1:B:259:GLN:HE21	1:B:263:ASN:HD21	1.29	0.79
1:A:395:LEU:HD12	1:A:469:VAL:HG22	1.63	0.79
1:A:258:TYR:HD1	1:A:261:GLU:HG3	1.48	0.78
1:B:417:LYS:O	1:B:420:GLN:HG3	1.87	0.74
1:A:496:ARG:HG2	1:A:500:LYS:HD3	1.70	0.73
1:B:212:LEU:HD12	1:B:213:PRO:HD2	1.72	0.72
1:A:377:LYS:HG3	1:A:481:PHE:CE2	2.25	0.71
1:A:258:TYR:CD1	1:A:261:GLU:HG3	2.26	0.71
1:A:184:GLN:HA	1:A:187:PHE:CD2	2.26	0.70
1:A:552:ILE:HD13	1:A:563:ARG:NH2	2.06	0.70
1:A:259:GLN:HE21	1:A:263:ASN:HD21	1.40	0.70
1:A:184:GLN:HE21	1:A:184:GLN:H	1.39	0.69
1:A:297:LEU:HG	1:A:351:ILE:HD11	1.77	0.65
1:A:205:LYS:HG2	1:A:208:ALA:HB2	1.78	0.65
1:A:182:ARG:NH2	1:A:525:ASP:O	2.30	0.65
1:B:205:LYS:HG2	1:B:208:ALA:HB2	1.80	0.63
1:A:184:GLN:NE2	1:A:184:GLN:H	1.95	0.63
1:A:196:THR:HG22	1:A:197:PRO:HD2	1.80	0.63
1:B:272:LEU:HA	1:B:466:LEU:HD23	1.82	0.62
1:B:559:PRO:HG2	1:B:562:VAL:CG2	2.28	0.62
1:A:448:TYR:CE1	1:A:452:ARG:HD2	2.34	0.62
1:A:394:ARG:HH12	1:A:472:ARG:HH12	1.47	0.61
1:A:536:MET:HE3	1:A:555:CYS:HB3	1.82	0.61
1:B:573:ILE:O	1:B:577:ARG:HG3	2.01	0.61
1:A:214:GLN:O	1:A:220:ARG:HD3	2.01	0.60
1:A:492:LEU:HD13	1:A:500:LYS:NZ	2.18	0.59
1:B:258:TYR:HD1	1:B:261:GLU:HG3	1.66	0.59
1:B:538:LEU:O	1:B:542:GLU:HG3	2.02	0.58
1:B:395:LEU:HD12	1:B:469:VAL:HG22	1.85	0.58
1:B:494:LEU:O	1:B:494:LEU:HD23	2.03	0.58
1:A:552:ILE:HG23	1:A:558:VAL:HG21	1.85	0.58
1:A:573:ILE:O	1:A:577:ARG:HG3	2.02	0.58
1:B:416:ASN:HB3	1:B:418:GLN:HG2	1.86	0.57
1:B:356:LEU:HD12	1:B:381:LEU:HD22	1.87	0.56
1:B:485:ILE:O	1:B:485:ILE:HG23	2.05	0.56
1:A:279:LEU:HD23	1:A:280:TYR:N	2.21	0.56
1:A:474:ARG:HH11	1:A:474:ARG:HG2	1.70	0.56

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:448:TYR:CE1	1:B:452:ARG:HD2	2.41	0.56
1:B:536:MET:O	1:B:540:ILE:HG13	2.06	0.56
1:A:552:ILE:HD11	1:A:566:ILE:HD12	1.89	0.54
1:A:559:PRO:HG2	1:A:562:VAL:CG2	2.39	0.53
1:B:313:ASN:C	1:B:314:LEU:HD12	2.29	0.53
1:A:196:THR:CG2	1:A:197:PRO:HD2	2.38	0.53
1:B:182:ARG:HH21	1:B:184:GLN:NE2	2.06	0.53
1:A:540:ILE:HD13	1:A:551:ILE:HG23	1.92	0.52
1:B:283:ILE:HG23	1:B:284:GLU:N	2.25	0.52
1:A:498:GLN:HG3	1:A:499:LYS:N	2.23	0.52
1:B:259:GLN:HE21	1:B:263:ASN:ND2	2.04	0.52
1:B:532:LEU:HD23	1:B:536:MET:HE2	1.92	0.52
1:B:532:LEU:CD2	1:B:536:MET:HB2	2.40	0.52
1:A:314:LEU:HB2	1:A:371:ASP:OD1	2.10	0.52
1:B:551:ILE:HB	1:B:566:ILE:HD11	1.91	0.51
1:A:507:LEU:O	1:A:511:GLN:HG2	2.10	0.51
1:A:356:LEU:HD12	1:A:381:LEU:HD22	1.93	0.51
1:B:552:ILE:HG23	1:B:558:VAL:HG21	1.93	0.51
1:A:559:PRO:HG2	1:A:562:VAL:HB	1.92	0.51
1:B:559:PRO:HG2	1:B:562:VAL:HB	1.93	0.51
1:B:418:GLN:O	1:B:419:TYR:HB2	2.11	0.50
1:A:485:ILE:O	1:A:485:ILE:HG13	2.09	0.50
1:A:474:ARG:NH1	1:A:474:ARG:HG2	2.27	0.50
1:B:464:VAL:O	1:B:468:VAL:HG23	2.11	0.49
1:B:279:LEU:HD23	1:B:280:TYR:H	1.77	0.49
1:A:377:LYS:HG3	1:A:481:PHE:CZ	2.47	0.49
1:A:445:LEU:HG	4:A:33:HOH:O	2.13	0.48
1:B:533:PRO:HG2	1:B:536:MET:HG3	1.95	0.48
1:A:490:SER:C	1:A:492:LEU:H	2.17	0.48
1:A:388:ASP:OD1	1:A:390:HIS:HB3	2.14	0.48
1:A:349:MET:HB2	1:A:379:PHE:HB3	1.96	0.48
1:B:188:ARG:HB2	1:B:189:GLU:OE2	2.14	0.48
1:B:467:GLN:NE2	4:B:639:HOH:O	2.47	0.47
1:A:259:GLN:HE21	1:A:263:ASN:ND2	2.10	0.47
1:A:451:MET:O	1:A:455:MET:HG3	2.13	0.47
1:A:348:ASP:O	1:A:351:ILE:HG23	2.15	0.47
1:A:457:GLU:OE2	1:B:534:ASN:HB2	2.15	0.47
1:B:533:PRO:HD2	1:B:536:MET:CE	2.44	0.47
1:B:261:GLU:CD	1:B:261:GLU:H	2.18	0.47
1:A:447:ILE:O	1:A:451:MET:HG3	2.14	0.47
1:A:203:PHE:HB3	1:A:221:ARG:NH1	2.30	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:575:GLN:HE21	1:A:575:GLN:CA	2.26	0.47
1:A:193:ASN:HB2	1:A:322:PHE:CD2	2.50	0.47
1:B:213:PRO:HG2	1:B:216:LEU:HD12	1.97	0.46
1:A:500:LYS:HZ1	1:A:502:LEU:HD12	1.79	0.46
1:B:584:SER:O	1:B:588:ALA:HB3	2.15	0.46
1:B:349:MET:HB2	1:B:379:PHE:HB3	1.98	0.46
1:A:211:PRO:HA	4:A:121:HOH:O	2.14	0.46
1:B:567:ASN:O	1:B:571:LEU:HG	2.16	0.46
1:B:532:LEU:HD21	1:B:536:MET:HB2	1.97	0.46
1:B:279:LEU:HD23	1:B:280:TYR:N	2.31	0.46
1:A:345:LEU:O	1:A:349:MET:HG2	2.15	0.45
1:B:486:PHE:HB3	1:B:491:TYR:HE1	1.81	0.45
1:A:492:LEU:HD12	1:A:496:ARG:HH21	1.82	0.45
1:A:536:MET:HE3	1:A:555:CYS:CB	2.47	0.45
1:A:472:ARG:NH2	1:B:418:GLN:HA	2.22	0.45
1:A:252:ASP:O	1:A:253:MET:HB2	2.17	0.45
1:A:492:LEU:HB3	1:A:496:ARG:HG3	1.99	0.45
1:A:575:GLN:CA	1:A:575:GLN:NE2	2.80	0.45
1:B:363:LYS:HE2	1:B:385:ASN:O	2.17	0.45
1:B:417:LYS:HB3	1:B:420:GLN:NE2	2.32	0.44
1:B:411:CYS:O	1:B:412:ASN:HB2	2.18	0.44
1:B:199:LEU:HD13	1:B:253:MET:HE2	1.98	0.44
1:A:448:TYR:O	1:A:452:ARG:HD3	2.18	0.44
1:A:438:ARG:HD3	4:A:628:HOH:O	2.16	0.44
1:A:300:LEU:O	1:A:304:LEU:HG	2.18	0.44
1:A:184:GLN:HA	1:A:187:PHE:CE2	2.53	0.43
1:B:301:ASN:HD21	1:B:354:GLU:HB2	1.83	0.43
1:B:448:TYR:O	1:B:452:ARG:HD3	2.19	0.43
1:B:377:LYS:HG3	1:B:481:PHE:CZ	2.54	0.43
1:A:279:LEU:HD23	1:A:280:TYR:H	1.82	0.43
1:A:536:MET:O	1:A:540:ILE:HG13	2.19	0.43
1:B:559:PRO:HA	1:B:560:PRO:HD2	1.87	0.43
1:A:505:GLN:HG3	1:A:581:LEU:CD2	2.49	0.43
1:A:500:LYS:HE3	1:A:502:LEU:HB2	2.01	0.42
1:B:533:PRO:HD2	1:B:536:MET:HE1	2.01	0.42
1:B:448:TYR:CD1	1:B:452:ARG:HD2	2.54	0.42
1:A:559:PRO:HA	1:A:560:PRO:HD2	1.82	0.42
1:A:555:CYS:HB2	1:A:558:VAL:HG22	2.02	0.42
1:A:296:GLU:HG3	4:A:61:HOH:O	2.18	0.42
1:A:394:ARG:HD2	4:A:159:HOH:O	2.19	0.42
1:B:494:LEU:O	1:B:498:GLN:HG3	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:445:LEU:O	1:A:448:TYR:HB3	2.19	0.42
1:B:311:ALA:O	1:B:331:ILE:HA	2.20	0.42
1:B:180:ILE:HD13	1:B:426:ILE:HA	2.00	0.42
1:B:559:PRO:HG2	1:B:562:VAL:CB	2.48	0.42
1:A:503:ASN:OD1	1:A:506:GLN:HG3	2.19	0.42
1:A:538:LEU:HD23	1:A:538:LEU:C	2.40	0.42
1:B:536:MET:HE1	1:B:559:PRO:HG3	2.02	0.41
1:B:268:ALA:O	1:B:271:VAL:HG22	2.21	0.41
1:A:372:ILE:O	1:A:376:GLN:HG2	2.20	0.41
1:B:461:GLY:O	1:B:463:PRO:HD3	2.20	0.41
1:B:300:LEU:HD13	1:B:338:PHE:CD2	2.56	0.41
1:B:283:ILE:CG2	1:B:284:GLU:N	2.84	0.41
1:B:296:GLU:HA	1:B:296:GLU:OE1	2.21	0.41
1:A:391:GLN:OE1	1:A:472:ARG:NH1	2.54	0.41
1:A:394:ARG:NH1	1:A:472:ARG:HH12	2.17	0.41
1:B:551:ILE:HD11	1:B:573:ILE:HD12	2.02	0.41
1:B:581:LEU:HD12	1:B:581:LEU:N	2.36	0.41
1:B:400:ARG:HD3	4:B:134:HOH:O	2.21	0.40
1:A:453:LEU:O	1:A:457:GLU:HG3	2.21	0.40
1:A:268:ALA:O	1:A:271:VAL:HG22	2.22	0.40
1:B:276:GLN:HA	1:B:277:PRO:HD2	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/428 (88%)	351 (93%)	21 (6%)	5 (1%)	15	26
1	B	376/428 (88%)	351 (93%)	21 (6%)	4 (1%)	17	31
All	All	753/856 (88%)	702 (93%)	42 (6%)	9 (1%)	16	29

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	253	MET
1	A	498	GLN
1	B	186	LYS
1	B	485	ILE
1	A	499	LYS
1	A	491	TYR
1	A	385	ASN
1	B	385	ASN
1	B	415	SER

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/395 (89%)	342 (97%)	11 (3%)	47	75
1	B	348/395 (88%)	338 (97%)	10 (3%)	50	77
All	All	701/790 (89%)	680 (97%)	21 (3%)	48	76

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	GLN
1	A	261	GLU
1	A	439	ASP
1	A	444	LEU
1	A	453	LEU
1	A	470	TRP
1	A	474	ARG
1	A	494	LEU
1	A	532	LEU
1	A	574	GLN
1	A	575	GLN
1	B	279	LEU
1	B	309	GLU
1	B	325	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	330	GLN
1	B	371	ASP
1	B	376	GLN
1	B	453	LEU
1	B	470	TRP
1	B	474	ARG
1	B	532	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	184	GLN
1	A	195	ASN
1	A	259	GLN
1	A	330	GLN
1	A	401	HIS
1	A	574	GLN
1	A	575	GLN
1	B	184	GLN
1	B	259	GLN
1	B	276	GLN
1	B	278	GLN
1	B	405	HIS
1	B	418	GLN
1	B	462	GLN
1	B	565	GLN
1	B	574	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	381/428 (89%)	0.17	23 (6%)	25	28	40, 59, 98, 119	0
1	B	380/428 (88%)	0.20	22 (5%)	26	30	34, 56, 98, 113	0
All	All	761/856 (88%)	0.19	45 (5%)	26	29	34, 58, 98, 119	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	587	ALA	7.7
1	B	588	ALA	5.4
1	B	179	SER	5.0
1	A	587	ALA	4.9
1	B	185	LEU	4.9
1	B	181	ILE	4.4
1	A	494	LEU	3.9
1	A	496	ARG	3.8
1	B	415	SER	3.6
1	A	588	ALA	3.6
1	A	497	LYS	3.5
1	A	501	HIS	3.3
1	A	185	LEU	3.3
1	B	494	LEU	3.3
1	B	180	ILE	3.3
1	A	214	GLN	3.3
1	B	549	GLN	3.2
1	A	253	MET	3.2
1	B	496	ARG	3.2
1	B	215	ALA	3.1
1	A	216	LEU	3.0
1	A	189	GLU	3.0
1	B	219	GLU	2.9
1	B	546	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	552	ILE	2.6
1	B	497	LYS	2.6
1	A	254	PHE	2.5
1	A	586	VAL	2.5
1	A	252	ASP	2.5
1	A	179	SER	2.5
1	A	221	ARG	2.5
1	A	331	ILE	2.5
1	B	253	MET	2.3
1	A	583	LYS	2.2
1	A	219	GLU	2.2
1	A	217	SER	2.1
1	B	499	LYS	2.1
1	A	485	ILE	2.1
1	B	182	ARG	2.1
1	B	493	GLU	2.1
1	B	586	VAL	2.0
1	A	441	THR	2.0
1	A	500	LYS	2.0
1	B	189	GLU	2.0
1	B	252	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors($Å^2$)	Q<0.9
3	YT3	A	1	1/1	0.96	0.10	-1.53	89,89,89,89	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
3	YT3	B	2	1/1	0.98	0.14	-	65,65,65,65	0
2	MG	B	1	1/1	0.81	0.38	-	73,73,73,73	0
2	MG	A	2	1/1	0.95	0.20	-	59,59,59,59	0

6.5 Other polymers (i)

There are no such residues in this entry.