



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:59 PM GMT

PDB ID : 3SC2  
Title : REFINED ATOMIC MODEL OF WHEAT SERINE CARBOXYPEPTIDASE II AT 2.2-ANGSTROMS RESOLUTION  
Authors : Liao, D.-I.; Remington, S.J.  
Deposited on : 1992-07-01  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	259	
2	B	152	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MAN	A	250	X	-	-	-
3	FUC	A	251(A)	X	-	-	-
3	MAN	A	254	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	B	912	X	-	-	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3533 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERINE CARBOXYPEPTIDASE II (CPDW-II).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C	N	O	S	8	0	0
			1997	1277	334	379	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	74	ALA	ARG	CONFLICT	UNP P08819

- Molecule 2 is a protein called SERINE CARBOXYPEPTIDASE II (CPDW-II).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	152	Total	C	N	O	S	13	0	0
			1213	777	210	220	6			

- Molecule 3 is a polymer of unknown type called SUGAR (4-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	4	Total	C	N	O	0	0
			49	28	2	19		
3	A	4	Total	C	N	O	0	0
			49	28	2	19		

- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	119	Total 119	O 119	0	0
5	B	78	Total 78	O 78	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: SERINE CARBOXYPEPTIDASE II (CPDW-II)



#### • Molecule 2: SERINE CARBOXYPEPTIDASE II (CPDW-II)



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.40 Å 98.40 Å 209.50 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.20	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.20)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.169 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3533	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.12	9/2060 (0.4%)	1.58	35/2810 (1.2%)
2	B	1.08	1/1253 (0.1%)	1.66	25/1717 (1.5%)
All	All	1.10	10/3313 (0.3%)	1.61	60/4527 (1.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	1	1
3	A	4	0
4	B	1	0
All	All	6	1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	GLU	CD-OE2	7.98	1.34	1.25
1	A	208	GLU	CD-OE1	7.95	1.34	1.25
1	A	39	GLU	CD-OE1	7.36	1.33	1.25
1	A	81	GLU	CD-OE1	7.26	1.33	1.25
1	A	128	GLU	CD-OE2	6.52	1.32	1.25
1	A	154	GLU	CD-OE2	6.39	1.32	1.25
2	B	376	GLU	CD-OE2	5.98	1.32	1.25
1	A	36	GLU	CD-OE2	5.55	1.31	1.25
1	A	232	GLU	CD-OE1	5.19	1.31	1.25
1	A	190	GLU	CD-OE1	5.13	1.31	1.25

All (60) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	114	ARG	NE-CZ-NH1	14.93	127.76	120.30
1	A	205	ARG	NE-CZ-NH1	13.58	127.09	120.30
1	A	114	ARG	NE-CZ-NH2	-12.53	114.04	120.30
2	B	283	ASP	N-CA-CB	-10.76	91.23	110.60
2	B	329	ARG	NE-CZ-NH1	10.45	125.52	120.30
2	B	303(B)	ASP	CB-CG-OD1	-9.93	109.36	118.30
2	B	375	ASP	N-CA-CB	9.85	128.32	110.60
1	A	3	ARG	N-CA-CB	9.52	127.73	110.60
2	B	329	ARG	NE-CZ-NH2	-9.13	115.73	120.30
2	B	266	ASP	CB-CG-OD1	8.80	126.22	118.30
1	A	223	ASP	CB-CG-OD2	-8.77	110.41	118.30
2	B	336	ASP	CB-CG-OD1	-8.53	110.63	118.30
2	B	393	ARG	NE-CZ-NH2	-8.51	116.04	120.30
1	A	40	ASP	CB-CG-OD1	-8.48	110.67	118.30
1	A	205	ARG	NE-CZ-NH2	-8.35	116.13	120.30
2	B	393	ARG	NE-CZ-NH1	7.82	124.21	120.30
2	B	311	ARG	NE-CZ-NH1	-7.65	116.47	120.30
1	A	109	ASP	CB-CG-OD2	-7.59	111.47	118.30
1	A	184	ASP	CB-CG-OD2	7.58	125.12	118.30
2	B	375	ASP	CB-CG-OD1	7.49	125.04	118.30
1	A	16	MET	CB-CA-C	7.41	125.22	110.40
2	B	282	ARG	NE-CZ-NH2	7.39	124.00	120.30
2	B	266	ASP	CB-CG-OD2	-7.32	111.72	118.30
1	A	11	ASP	CB-CG-OD1	7.29	124.86	118.30
1	A	180	ASP	CB-CG-OD2	7.13	124.72	118.30
1	A	-1(A)	ASP	CB-CG-OD1	-7.01	111.99	118.30
2	B	336	ASP	CB-CG-OD2	6.84	124.46	118.30
1	A	180	ASP	CB-CG-OD1	-6.68	112.29	118.30
1	A	124	ALA	CB-CA-C	6.66	120.09	110.10
1	A	83	ARG	NE-CZ-NH2	-6.63	116.98	120.30
2	B	273	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	A	23(A)	ASP	CB-CG-OD1	6.41	124.07	118.30
2	B	374	ASP	CB-CG-OD1	-6.37	112.57	118.30
1	A	11	ASP	CB-CG-OD2	-6.33	112.60	118.30
2	B	283	ASP	CB-CG-OD1	-6.30	112.63	118.30
1	A	237	ASP	CB-CG-OD1	-6.25	112.67	118.30
2	B	308(C)	ASP	CB-CG-OD2	-6.24	112.68	118.30
1	A	40	ASP	CB-CG-OD2	6.14	123.83	118.30
1	A	200	ASP	CB-CG-OD1	5.99	123.69	118.30
2	B	318	ARG	NE-CZ-NH2	-5.96	117.32	120.30
1	A	83	ARG	NE-CZ-NH1	5.94	123.27	120.30
2	B	273	ARG	NE-CZ-NH2	-5.80	117.40	120.30
2	B	303(B)	ASP	CA-CB-CG	-5.65	100.97	113.40

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	200	ASP	CB-CG-OD2	-5.64	113.22	118.30
2	B	375	ASP	CB-CG-OD2	-5.62	113.24	118.30
1	A	213	ASP	CB-CG-OD1	5.53	123.28	118.30
1	A	-1(A)	ASP	CB-CG-OD2	5.49	123.24	118.30
1	A	213	ASP	CB-CG-OD2	-5.44	113.41	118.30
1	A	15	ASP	CB-CG-OD2	-5.33	113.50	118.30
1	A	230	THR	CA-CB-CG2	-5.16	105.18	112.40
1	A	138	ARG	NE-CZ-NH2	5.16	122.88	120.30
1	A	22	THR	CA-CB-CG2	-5.13	105.22	112.40
2	B	283	ASP	CB-CG-OD2	5.11	122.90	118.30
1	A	145	GLU	N-CA-CB	-5.10	101.42	110.60
1	A	3	ARG	NE-CZ-NH1	5.05	122.83	120.30
2	B	376	GLU	CG-CD-OE1	5.05	128.41	118.30
1	A	91	LEU	CB-CG-CD2	-5.03	102.44	111.00
1	A	227	ASP	CB-CG-OD1	-5.03	113.77	118.30
2	B	375(A)	GLN	CB-CA-C	5.02	120.45	110.40
1	A	109	ASP	CB-CG-OD1	5.02	122.82	118.30

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	250	MAN	C1
3	A	251(A)	FUC	C1
3	A	254	MAN	C2,C1
2	B	375	ASP	CA
4	B	912	NAG	C2

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	282	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1997	0	1854	45	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1213	0	1157	36	0
3	A	98	0	85	6	0
4	B	28	0	25	4	0
5	A	119	0	0	4	0
5	B	78	0	0	2	0
All	All	3533	0	3121	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:253:NAG:O5	3:A:255:FUC:H5	1.79	0.83
1:A:5:PRO:HG2	2:B:284:VAL:HG22	1.70	0.73
2:B:281:ARG:O	2:B:285:GLN:HG3	1.88	0.73
2:B:282:ARG:O	2:B:286:MET:HB2	1.92	0.70
1:A:106:THR:O	1:A:109:ASP:HB2	1.92	0.68
2:B:296:MET:HB2	4:B:911:NAG:HN2	1.59	0.67
3:A:253:NAG:O7	3:A:255:FUC:H61	1.95	0.67
1:A:129:ARG:HG2	1:A:130:PHE:CE1	2.30	0.66
1:A:5:PRO:HG2	2:B:284:VAL:CG2	2.27	0.65
1:A:212:HIS:HB2	5:A:333:HOH:O	1.97	0.64
1:A:129:ARG:HG2	1:A:130:PHE:CD1	2.33	0.64
1:A:219:SER:HB2	1:A:220:PRO:HD2	1.80	0.63
2:B:329:ARG:HD3	5:B:129:HOH:O	1.99	0.62
2:B:281:ARG:NH2	2:B:283:ASP:OD2	2.28	0.60
2:B:296:MET:HB2	4:B:911:NAG:N2	2.17	0.60
1:A:188:THR:HA	2:B:342:PRO:HG2	1.84	0.59
1:A:207:LYS:O	1:A:211:LEU:HG	2.03	0.58
3:A:253:NAG:H2	3:A:255:FUC:C6	2.34	0.58
2:B:310:PRO:HG2	2:B:313:MET:CE	2.34	0.57
2:B:300:TRP:HB2	4:B:911:NAG:H81	1.86	0.57
1:A:37:ALA:HB1	1:A:38:PRO:HD2	1.87	0.56
2:B:412:GLN:O	2:B:416:GLN:HG3	2.06	0.56
1:A:146:SER:HB2	5:A:367:HOH:O	2.06	0.55
2:B:274:TYR:N	2:B:274:TYR:CD1	2.73	0.55
1:A:4:LEU:H	1:A:7:GLN:NE2	2.04	0.55
2:B:296:MET:O	4:B:911:NAG:H3	2.06	0.54
2:B:268:CYS:O	2:B:273:ARG:HB2	2.08	0.53
1:A:65:GLU:OE1	1:A:145:GLU:OE2	2.26	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:ARG:HD2	5:A:288:HOH:O	2.09	0.52
1:A:28:ARG:HD3	1:A:109:ASP:OD2	2.10	0.51
1:A:127:PHE:CE2	1:A:167:ILE:HG12	2.46	0.51
1:A:141:TYR:CE1	1:A:170:LYS:HB2	2.46	0.51
3:A:253:NAG:C1	3:A:255:FUC:H5	2.40	0.51
3:A:249:NAG:O6	3:A:251(A):FUC:H3	2.10	0.50
1:A:201:ASP:HB3	1:A:204:ARG:NH2	2.25	0.50
1:A:219:SER:HB2	1:A:220:PRO:CD	2.41	0.50
1:A:42:GLN:HB3	1:A:43:PRO:HA	1.94	0.49
1:A:-1(A):ASP:OD2	1:A:129:ARG:NH1	2.39	0.49
2:B:304:THR:O	2:B:308:HIS:HD2	1.95	0.49
2:B:403:ARG:N	2:B:404:PRO:HD3	2.28	0.48
1:A:145:GLU:HA	1:A:175:GLY:O	2.13	0.48
3:A:253:NAG:H2	3:A:255:FUC:H61	1.94	0.48
1:A:72:LYS:HD3	1:A:76(A):GLY:C	2.33	0.48
1:A:112:THR:HA	2:B:308(B):HIS:NE2	2.29	0.47
2:B:283:ASP:HB3	2:B:284:VAL:H	1.32	0.47
1:A:37:ALA:HA	1:A:85:ASN:O	2.14	0.46
1:A:207:LYS:HD3	5:A:328:HOH:O	2.16	0.46
2:B:303(A):SER:OG	2:B:305:ILE:HG13	2.16	0.46
1:A:157:GLN:NE2	2:B:319:GLU:OE1	2.32	0.45
2:B:310:PRO:HG2	2:B:313:MET:HE3	1.98	0.45
2:B:301:ALA:HA	5:B:22:HOH:O	2.16	0.45
1:A:216:ILE:HD11	2:B:308(A):TRP:HB3	1.99	0.45
2:B:279:TYR:O	2:B:285:GLN:NE2	2.46	0.45
2:B:304:THR:O	2:B:308:HIS:CD2	2.70	0.44
1:A:56:CYS:HA	2:B:303:CYS:HA	1.99	0.44
1:A:73:PRO:O	1:A:74:ALA:HB3	2.18	0.44
1:A:164:ASN:OD1	1:A:165:PRO:HD2	2.18	0.43
1:A:123:LEU:O	1:A:127:PHE:HD2	2.02	0.43
1:A:0:ARG:NH1	1:A:15:ASP:OD2	2.52	0.43
1:A:113:ASN:O	1:A:117:HIS:HD2	2.01	0.43
1:A:216:ILE:HD12	1:A:216:ILE:HG21	1.62	0.42
1:A:28:ARG:HD2	1:A:97:ALA:HB3	2.00	0.42
1:A:-4(A):HIS:HB3	1:A:129:ARG:O	2.19	0.42
1:A:99:VAL:O	1:A:102:SER:HB2	2.19	0.42
1:A:60:TYR:OH	2:B:302:THR:HG23	2.19	0.42
2:B:415:LEU:HA	2:B:415:LEU:HD23	1.84	0.42
2:B:403:ARG:N	2:B:404:PRO:CD	2.81	0.42
2:B:314:LEU:N	2:B:315:PRO:HD2	2.34	0.42
1:A:78:VAL:HG22	1:A:79:LEU:N	2.35	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:VAL:HB	1:A:14:PHE:CE2	2.55	0.41
1:A:60:TYR:OH	2:B:302:THR:CG2	2.69	0.41
2:B:333:PHE:HA	2:B:390:VAL:O	2.20	0.41
1:A:173:MET:HA	2:B:331:TRP:O	2.22	0.40
1:A:112:THR:HA	2:B:308(B):HIS:CD2	2.56	0.40
2:B:353:LEU:HD23	2:B:353:LEU:HA	1.87	0.40
1:A:104:THR:OG1	1:A:109:ASP:OD2	2.27	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/259 (97%)	240 (95%)	12 (5%)	0	100	100
2	B	150/152 (99%)	141 (94%)	9 (6%)	0	100	100
All	All	402/411 (98%)	381 (95%)	21 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/210 (98%)	193 (94%)	13 (6%)	22	24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	127/127 (100%)	119 (94%)	8 (6%)	22	24
All	All	333/337 (99%)	312 (94%)	21 (6%)	22	24

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-4(A)	HIS
1	A	0	ARG
1	A	3	ARG
1	A	29	SER
1	A	66	LEU
1	A	102	SER
1	A	107	SER
1	A	185	TYR
1	A	204	ARG
1	A	205	ARG
1	A	214	SER
1	A	215	PHE
1	A	216	ILE
2	B	282	ARG
2	B	286	MET
2	B	292	VAL
2	B	302	THR
2	B	303(B)	ASP
2	B	329	ARG
2	B	368	SER
2	B	375	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	117	HIS
1	A	233	GLN
2	B	308	HIS
2	B	412	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

10 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	NAG	A	248	1,3	14,14,15	0.74	0	15,19,21	2.95	6 (40%)
3	NAG	A	249	3	14,14,15	1.10	2 (14%)	15,19,21	3.45	6 (40%)
3	MAN	A	250	3	11,11,12	1.04	0	14,15,17	2.52	3 (21%)
3	FUC	A	251(A)	3	10,10,11	2.81	2 (20%)	14,14,16	5.60	8 (57%)
3	NAG	A	252	1,3	14,14,15	0.57	0	15,19,21	1.59	3 (20%)
3	NAG	A	253	3	14,14,15	1.07	0	15,19,21	1.94	3 (20%)
3	MAN	A	254	3	11,11,12	0.82	0	14,15,17	2.12	5 (35%)
3	FUC	A	255	3	10,10,11	2.81	1 (10%)	14,14,16	4.42	10 (71%)
4	NAG	B	911	2,4	14,14,15	0.91	0	15,19,21	1.05	1 (6%)
4	NAG	B	912	4	14,14,15	1.21	1 (7%)	15,19,21	2.66	8 (53%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	248	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	249	3	-	0/6/23/26	0/1/1/1
3	MAN	A	250	3	1/1/4/5	0/2/19/22	0/1/1/1
3	FUC	A	251(A)	3	1/1/4/5	0/0/17/20	0/1/1/1
3	NAG	A	252	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	253	3	-	0/6/23/26	0/1/1/1
3	MAN	A	254	3	2/2/4/5	0/2/19/22	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FUC	A	255	3	-	0/0/17/20	0/1/1/1
4	NAG	B	911	2,4	-	0/6/23/26	0/1/1/1
4	NAG	B	912	4	1/1/5/7	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	249	NAG	O5-C1	-2.45	1.39	1.43
3	A	249	NAG	C3-C2	2.20	1.57	1.52
3	A	251(A)	FUC	C4-C3	2.50	1.58	1.52
4	B	912	NAG	C1-C2	3.66	1.57	1.52
3	A	251(A)	FUC	O5-C1	8.14	1.57	1.43
3	A	255	FUC	O5-C1	8.33	1.57	1.43

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	251(A)	FUC	C2-C3-C4	-8.98	95.78	111.04
4	B	912	NAG	C1-O5-C5	-7.02	103.34	112.25
3	A	248	NAG	O6-C6-C5	-6.72	89.12	111.33
3	A	249	NAG	C2-N2-C7	-6.46	114.73	123.04
3	A	251(A)	FUC	C1-O5-C5	-6.27	102.69	112.38
3	A	253	NAG	O6-C6-C5	-6.03	91.42	111.33
3	A	255	FUC	C2-C3-C4	-5.85	101.10	111.04
3	A	250	MAN	C2-C3-C4	-5.54	101.64	111.04
3	A	249	NAG	C1-O5-C5	-5.01	105.89	112.25
3	A	250	MAN	C1-C2-C3	-4.95	103.69	109.54
3	A	255	FUC	C3-C4-C5	-4.87	101.50	109.72
3	A	251(A)	FUC	C3-C4-C5	-4.44	102.22	109.72
3	A	248	NAG	C2-N2-C7	-4.44	117.33	123.04
3	A	248	NAG	O7-C7-C8	-4.02	114.68	122.06
3	A	255	FUC	O3-C3-C4	-3.40	102.68	110.34
3	A	252	NAG	O7-C7-C8	-3.05	116.47	122.06
3	A	252	NAG	O3-C3-C2	-2.89	103.39	109.11
3	A	254	MAN	O2-C2-C1	-2.72	103.75	109.21
3	A	252	NAG	C2-N2-C7	-2.62	119.67	123.04
3	A	255	FUC	O5-C5-C4	-2.59	105.03	109.53
4	B	912	NAG	C3-C4-C5	-2.53	105.78	110.20
4	B	912	NAG	O7-C7-C8	-2.31	117.83	122.06
3	A	254	MAN	O4-C4-C3	-2.31	105.14	110.34
3	A	253	NAG	C2-N2-C7	-2.21	120.20	123.04
3	A	249	NAG	O4-C4-C5	-2.08	103.73	109.24

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	251(A)	FUC	O3-C3-C4	-2.00	105.83	110.34
3	A	253	NAG	C4-C3-C2	2.11	114.52	111.23
3	A	248	NAG	O7-C7-N2	2.26	126.47	121.86
3	A	255	FUC	O5-C5-C6	2.39	110.08	106.13
3	A	249	NAG	C3-C2-N2	2.43	116.38	110.56
4	B	912	NAG	O7-C7-N2	2.45	126.85	121.86
3	A	249	NAG	C6-C5-C4	2.49	119.17	113.02
4	B	911	NAG	C2-N2-C7	2.53	126.29	123.04
4	B	912	NAG	C2-N2-C7	2.54	126.31	123.04
4	B	912	NAG	O6-C6-C5	2.55	119.77	111.33
4	B	912	NAG	O5-C5-C6	2.55	112.88	107.35
3	A	255	FUC	O2-C2-C3	2.86	115.88	110.12
3	A	254	MAN	C2-C3-C4	2.95	116.04	111.04
3	A	254	MAN	O3-C3-C2	3.00	115.41	110.00
3	A	248	NAG	C1-O5-C5	3.31	116.45	112.25
3	A	255	FUC	O5-C1-C2	3.35	116.29	110.86
4	B	912	NAG	C6-C5-C4	4.07	123.05	113.02
3	A	255	FUC	C6-C5-C4	4.31	121.57	113.08
3	A	254	MAN	C1-O5-C5	4.50	117.97	112.25
3	A	248	NAG	C4-C3-C2	5.16	119.25	111.23
3	A	250	MAN	C1-O5-C5	5.17	118.81	112.25
3	A	251(A)	FUC	O2-C2-C3	5.78	121.74	110.12
3	A	251(A)	FUC	O5-C5-C6	6.93	117.59	106.13
3	A	251(A)	FUC	C6-C5-C4	7.06	126.97	113.08
3	A	255	FUC	O3-C3-C2	8.33	125.04	110.00
3	A	255	FUC	C1-C2-C3	8.92	120.09	109.54
3	A	249	NAG	O6-C6-C5	9.07	141.29	111.33
3	A	251(A)	FUC	O3-C3-C2	12.57	132.70	110.00

All (5) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	912	NAG	C2
3	A	250	MAN	C1
3	A	254	MAN	C2
3	A	254	MAN	C1
3	A	251(A)	FUC	C1

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	249	NAG	1	0
3	A	251(A)	FUC	1	0
3	A	253	NAG	5	0
3	A	255	FUC	5	0
4	B	911	NAG	4	0

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.