



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:11 PM GMT

PDB ID : 1SKA
Title : Crystallographic snapshots of *Aspergillus fumigatus* phytase revealing its enzymatic dynamics
Authors : Liu, Q.; Huang, Q.; Lei, X.G.; Hao, Q.
Deposited on : 2004-03-04
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	439	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	505	-	-	-	X

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-phytase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	435	Total	C	N	O	S	0	0	0
			3374	2140	573	646	15			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	493	Total 493	O 493	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 3-phytase A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	39.94Å 95.22Å 98.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.69 29.21 – 1.69	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-1.69) 89.0 (29.21-1.69)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 1.69Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.156 , 0.198 0.163 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	15.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 57.4	EDS
Estimated twinning fraction	0.026 for -h,l,k	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 39374 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3923	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.38	20/3455 (0.6%)	1.27	26/4687 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	425	ASP	CB-CG	9.32	1.71	1.51
1	A	260	GLN	CD-NE2	7.48	1.51	1.32
1	A	372	TYR	CE1-CZ	7.06	1.47	1.38
1	A	363	VAL	CB-CG2	6.82	1.67	1.52
1	A	17	CYS	CB-SG	6.35	1.93	1.82
1	A	132	VAL	CB-CG2	6.17	1.65	1.52
1	A	92	PHE	CD1-CE1	5.99	1.51	1.39
1	A	278	LYS	CD-CE	5.95	1.66	1.51
1	A	425	ASP	CG-OD2	5.74	1.38	1.25
1	A	278	LYS	CE-NZ	5.61	1.63	1.49
1	A	306	ARG	NE-CZ	5.57	1.40	1.33
1	A	25	TRP	CZ3-CH2	5.56	1.49	1.40
1	A	131	VAL	CB-CG1	5.51	1.64	1.52
1	A	433	ALA	CA-CB	5.51	1.64	1.52
1	A	364	GLU	CD-OE1	-5.49	1.19	1.25
1	A	58	ARG	NE-CZ	-5.43	1.25	1.33
1	A	394	GLU	CD-OE1	5.40	1.31	1.25
1	A	150	PHE	CE1-CZ	5.19	1.47	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	395	LYS	N-CA	5.17	1.56	1.46
1	A	352	TYR	CD2-CE2	5.00	1.46	1.39

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	217	ARG	NE-CZ-NH1	12.23	126.41	120.30
1	A	425	ASP	CB-CG-OD2	9.00	126.40	118.30
1	A	217	ARG	NE-CZ-NH2	-8.57	116.01	120.30
1	A	188	ASP	CB-CG-OD2	8.31	125.78	118.30
1	A	9	ASP	CB-CG-OD2	8.03	125.53	118.30
1	A	159	LEU	CA-CB-CG	7.44	132.42	115.30
1	A	58	ARG	NE-CZ-NH2	-7.33	116.63	120.30
1	A	215	ASP	CB-CG-OD2	7.17	124.75	118.30
1	A	339	ASP	CB-CG-OD1	7.03	124.62	118.30
1	A	56	LEU	CB-CG-CD2	-6.86	99.34	111.00
1	A	124	TYR	CB-CG-CD1	-6.73	116.96	121.00
1	A	12	ASP	CB-CG-OD2	6.64	124.28	118.30
1	A	239	ASP	CB-CG-OD1	6.57	124.21	118.30
1	A	36	ASP	CB-CG-OD2	6.41	124.07	118.30
1	A	330	ALA	N-CA-C	6.17	127.66	111.00
1	A	85	ASP	CB-CG-OD2	5.68	123.41	118.30
1	A	395	LYS	N-CA-C	5.64	126.22	111.00
1	A	420	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	406	ARG	NE-CZ-NH1	5.53	123.07	120.30
1	A	388	THR	OG1-CB-CG2	-5.51	97.33	110.00
1	A	74	LYS	CD-CE-NZ	5.50	124.36	111.70
1	A	217	ARG	CD-NE-CZ	5.32	131.05	123.60
1	A	427	VAL	CG1-CB-CG2	5.30	119.38	110.90
1	A	34	LEU	CA-CB-CG	-5.29	103.14	115.30
1	A	370	ASP	CB-CG-OD2	5.17	122.95	118.30
1	A	100	LEU	CB-CG-CD1	-5.01	102.49	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	395	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3374	0	3274	115	4
2	A	56	0	52	3	0
3	A	493	0	0	78	0
All	All	3923	0	3326	117	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ASN:HB3	3:A:950:HOH:O	1.38	1.21
1:A:425:ASP:HB2	3:A:890:HOH:O	1.44	1.17
1:A:85:ASP:HB2	3:A:622:HOH:O	1.41	1.17
1:A:159:LEU:HD21	3:A:696:HOH:O	1.44	1.13
1:A:395:LYS:HE2	3:A:633:HOH:O	1.53	1.08
1:A:242:SER:HB2	3:A:980:HOH:O	1.52	1.07
1:A:428:LYS:HB2	3:A:977:HOH:O	1.51	1.05
1:A:219:ARG:HG2	3:A:989:HOH:O	1.59	1.01
1:A:77:THR:HG22	3:A:626:HOH:O	1.63	0.96
1:A:414:ASP:HB3	3:A:966:HOH:O	1.66	0.95
1:A:199:GLN:HG2	3:A:971:HOH:O	1.67	0.92
1:A:417:LYS:HE3	3:A:759:HOH:O	1.70	0.90
1:A:425:ASP:HB2	3:A:965:HOH:O	1.73	0.89
1:A:322:ASN:HD21	1:A:324:ALA:HB3	1.39	0.88
1:A:322:ASN:ND2	1:A:325:THR:H	1.72	0.86
1:A:159:LEU:HD23	3:A:752:HOH:O	1.77	0.85
1:A:356:GLU:HB2	3:A:988:HOH:O	1.76	0.84
1:A:159:LEU:HD13	3:A:948:HOH:O	1.76	0.84
1:A:159:LEU:CD2	3:A:752:HOH:O	2.25	0.83
1:A:168:ARG:HD2	3:A:558:HOH:O	1.78	0.83
1:A:159:LEU:HD22	3:A:948:HOH:O	1.78	0.83
1:A:310:GLN:CD	3:A:946:HOH:O	2.21	0.79
1:A:438:ASN:HD22	1:A:438:ASN:H	1.31	0.79
1:A:402:LEU:CD1	1:A:407:VAL:HG22	2.14	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:THR:N	3:A:947:HOH:O	2.15	0.77
1:A:356:GLU:CB	3:A:988:HOH:O	2.31	0.77
1:A:441:GLU:HG3	3:A:918:HOH:O	1.84	0.76
1:A:390:GLN:HG3	3:A:976:HOH:O	1.85	0.75
1:A:44:LEU:HD12	1:A:45:PRO:HD2	1.69	0.74
1:A:222:LYS:HE3	1:A:223:HIS:CE1	2.23	0.73
1:A:392:LYS:O	1:A:395:LYS:HD3	1.87	0.73
1:A:194:LYS:HE3	3:A:986:HOH:O	1.88	0.73
1:A:8:CYS:N	3:A:932:HOH:O	2.21	0.73
1:A:46:LYS:NZ	3:A:726:HOH:O	2.22	0.72
1:A:396:GLU:OE2	1:A:424:ASN:ND2	2.22	0.71
1:A:322:ASN:ND2	1:A:325:THR:N	2.40	0.69
1:A:402:LEU:HD11	1:A:407:VAL:HG22	1.75	0.69
1:A:364:GLU:CD	3:A:975:HOH:O	2.32	0.68
1:A:73:LYS:O	1:A:77:THR:HB	1.94	0.67
1:A:393:SER:OG	1:A:394:GLU:N	2.27	0.67
2:A:506:NAG:H62	3:A:623:HOH:O	1.94	0.67
1:A:255:LEU:HD12	1:A:259:CYS:SG	2.35	0.66
1:A:77:THR:CG2	3:A:626:HOH:O	2.31	0.66
1:A:425:ASP:CB	3:A:890:HOH:O	2.21	0.64
1:A:159:LEU:HB2	3:A:948:HOH:O	1.97	0.63
1:A:159:LEU:CB	3:A:948:HOH:O	2.46	0.63
1:A:322:ASN:HD21	1:A:324:ALA:CB	2.09	0.62
1:A:260:GLN:HB2	3:A:931:HOH:O	1.98	0.62
1:A:329:ASN:HD22	1:A:329:ASN:H	1.45	0.62
1:A:159:LEU:CG	3:A:948:HOH:O	2.47	0.61
1:A:194:LYS:CE	3:A:986:HOH:O	2.47	0.61
1:A:58:ARG:NH2	3:A:974:HOH:O	2.31	0.60
1:A:395:LYS:HD2	3:A:968:HOH:O	2.02	0.59
1:A:82:ASN:ND2	3:A:973:HOH:O	2.33	0.59
1:A:322:ASN:ND2	1:A:324:ALA:HB3	2.15	0.59
2:A:506:NAG:C6	3:A:623:HOH:O	2.51	0.58
1:A:46:LYS:O	1:A:47:ASP:HB2	2.03	0.58
1:A:438:ASN:HD22	1:A:438:ASN:N	2.00	0.58
1:A:414:ASP:CB	3:A:966:HOH:O	2.38	0.58
1:A:418:LEU:HD22	3:A:656:HOH:O	2.03	0.58
1:A:260:GLN:CB	3:A:931:HOH:O	2.53	0.57
1:A:310:GLN:NE2	3:A:946:HOH:O	2.36	0.57
1:A:164:ALA:O	1:A:168:ARG:NH1	2.36	0.57
1:A:265:ASN:CB	3:A:950:HOH:O	2.18	0.57
1:A:260:GLN:OE1	3:A:931:HOH:O	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:ASP:CB	3:A:965:HOH:O	2.42	0.56
1:A:44:LEU:HD13	1:A:50:ILE:HD11	1.88	0.55
1:A:94:LYS:HE3	3:A:987:HOH:O	2.07	0.55
1:A:392:LYS:HA	3:A:968:HOH:O	2.06	0.55
1:A:264:HIS:HE1	3:A:768:HOH:O	1.89	0.54
1:A:322:ASN:HD22	1:A:325:THR:H	1.51	0.54
1:A:260:GLN:HG2	3:A:600:HOH:O	2.07	0.54
1:A:356:GLU:HG3	3:A:700:HOH:O	2.07	0.53
1:A:159:LEU:CD1	3:A:948:HOH:O	2.43	0.53
1:A:350:GLY:HA3	2:A:505:NAG:H82	1.92	0.52
1:A:168:ARG:NH2	3:A:533:HOH:O	2.43	0.52
1:A:395:LYS:CD	3:A:968:HOH:O	2.59	0.51
1:A:219:ARG:NE	3:A:989:HOH:O	2.41	0.51
1:A:52:LEU:C	1:A:52:LEU:HD23	2.31	0.51
1:A:87:LYS:CE	3:A:815:HOH:O	2.58	0.51
1:A:414:ASP:OD2	1:A:414:ASP:O	2.30	0.49
1:A:428:LYS:HD2	3:A:977:HOH:O	2.13	0.49
1:A:414:ASP:HB2	3:A:749:HOH:O	2.13	0.48
1:A:87:LYS:NZ	3:A:815:HOH:O	2.29	0.48
1:A:356:GLU:OE1	3:A:821:HOH:O	2.20	0.48
1:A:219:ARG:O	1:A:222:LYS:HD3	2.14	0.47
1:A:390:GLN:CG	3:A:976:HOH:O	2.54	0.47
1:A:46:LYS:O	1:A:47:ASP:CB	2.62	0.47
1:A:394:GLU:HG3	1:A:398:LEU:HD21	1.95	0.47
1:A:217:ARG:HD3	3:A:660:HOH:O	2.14	0.47
1:A:168:ARG:NH1	3:A:832:HOH:O	2.48	0.47
1:A:8:CYS:CA	3:A:932:HOH:O	2.63	0.47
1:A:217:ARG:HD2	3:A:695:HOH:O	2.15	0.47
1:A:52:LEU:HD23	1:A:53:VAL:N	2.30	0.46
1:A:103:ASP:O	1:A:142:ARG:HD3	2.16	0.46
1:A:219:ARG:CG	3:A:989:HOH:O	2.38	0.45
1:A:219:ARG:CD	3:A:989:HOH:O	2.63	0.45
1:A:329:ASN:HD22	1:A:329:ASN:N	2.13	0.45
1:A:383:ARG:H	1:A:404:ASN:ND2	2.15	0.44
1:A:322:ASN:HD21	1:A:324:ALA:CA	2.31	0.44
1:A:46:LYS:HD3	3:A:726:HOH:O	2.17	0.44
1:A:222:LYS:O	1:A:222:LYS:HG2	2.17	0.43
1:A:417:LYS:CE	3:A:759:HOH:O	2.46	0.43
1:A:380:PHE:HE1	3:A:974:HOH:O	2.00	0.43
1:A:428:LYS:CB	3:A:977:HOH:O	2.31	0.43
1:A:417:LYS:HE2	1:A:417:LYS:HB3	1.56	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ASN:CG	3:A:950:HOH:O	2.52	0.43
1:A:322:ASN:HD21	1:A:325:THR:N	2.12	0.43
1:A:27:GLN:OE1	1:A:274:GLN:HB3	2.17	0.42
1:A:159:LEU:HD12	3:A:521:HOH:O	2.18	0.42
1:A:194:LYS:NZ	3:A:986:HOH:O	2.52	0.42
1:A:159:LEU:CD2	3:A:948:HOH:O	2.45	0.42
1:A:255:LEU:HD22	1:A:255:LEU:HA	1.84	0.41
1:A:351:LEU:HD13	1:A:403:ILE:HD11	2.02	0.41
1:A:199:GLN:CG	3:A:971:HOH:O	2.46	0.41
1:A:392:LYS:HE2	1:A:392:LYS:HB2	1.38	0.41
1:A:149:LYS:HE2	3:A:860:HOH:O	2.20	0.41

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:ALA:CB	1:A:222:LYS:CE[4_445]	1.39	0.81
1:A:81:ALA:CA	1:A:222:LYS:CE[4_445]	1.53	0.67
1:A:81:ALA:CB	1:A:222:LYS:NZ[4_445]	1.77	0.43
1:A:12:ASP:OD1	1:A:159:LEU:CG[4_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	433/439 (99%)	422 (98%)	7 (2%)	4 (1%)	21 5

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	331	THR
1	A	393	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	395	LYS
1	A	190	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	366/370 (99%)	342 (93%)	24 (7%)	21 5

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	GLU
1	A	58	ARG
1	A	77	THR
1	A	97	ASN
1	A	99	THR
1	A	127	LEU
1	A	141	ASP
1	A	159	LEU
1	A	181	GLU
1	A	222	LYS
1	A	255	LEU
1	A	260	GLN
1	A	322	ASN
1	A	329	ASN
1	A	356	GLU
1	A	383	ARG
1	A	393	SER
1	A	394	GLU
1	A	395	LYS
1	A	396	GLU
1	A	414	ASP
1	A	415	VAL
1	A	417	LYS
1	A	438	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	GLN
1	A	260	GLN
1	A	264	HIS
1	A	265	ASN
1	A	322	ASN
1	A	329	ASN
1	A	404	ASN
1	A	424	ASN
1	A	438	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	503	1	14,14,15	1.16	1 (7%)	15,19,21	3.36	4 (26%)
2	NAG	A	504	1	14,14,15	0.79	0	15,19,21	1.68	5 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	A	505	1	14,14,15	1.65	1 (7%)	15,19,21	1.58	3 (20%)
2	NAG	A	506	1	14,14,15	0.86	1 (7%)	15,19,21	1.54	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	503	1	-	0/6/23/26	0/1/1/1
2	NAG	A	504	1	-	0/6/23/26	0/1/1/1
2	NAG	A	505	1	-	0/6/23/26	0/1/1/1
2	NAG	A	506	1	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	506	NAG	C3-C2	2.29	1.57	1.52
2	A	503	NAG	C1-C2	3.19	1.56	1.52
2	A	505	NAG	C1-C2	4.67	1.58	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	503	NAG	C6-C5-C4	-10.84	86.28	113.02
2	A	503	NAG	C2-N2-C7	-5.10	116.49	123.04
2	A	505	NAG	C1-O5-C5	-3.11	108.31	112.25
2	A	504	NAG	C1-O5-C5	-2.49	109.09	112.25
2	A	503	NAG	C3-C2-N2	-2.48	104.61	110.56
2	A	504	NAG	C3-C2-N2	-2.48	104.62	110.56
2	A	504	NAG	C4-C3-C2	-2.44	107.43	111.23
2	A	503	NAG	O5-C5-C6	-2.44	102.07	107.35
2	A	504	NAG	O6-C6-C5	-2.26	103.86	111.33
2	A	504	NAG	C3-C4-C5	-2.26	106.26	110.20
2	A	505	NAG	O7-C7-C8	-2.16	118.10	122.06
2	A	505	NAG	C8-C7-N2	2.49	120.86	116.11
2	A	506	NAG	C6-C5-C4	3.06	120.57	113.02
2	A	506	NAG	O3-C3-C2	3.09	115.23	109.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	505	NAG	1	0
2	A	506	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	435/439 (99%)	-0.12	11 (2%) 61 65	9, 15, 28, 42	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	393	SER	10.6
1	A	394	GLU	4.5
1	A	46	LYS	4.3
1	A	159	LEU	3.2
1	A	181	GLU	2.8
1	A	392	LYS	2.8
1	A	47	ASP	2.7
1	A	66	SER	2.7
1	A	222	LYS	2.4
1	A	414	ASP	2.3
1	A	101	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	505	14/15	0.93	0.11	3.15	12,16,24,27	0
2	NAG	A	503	14/15	0.92	0.15	1.38	15,21,28,29	0
2	NAG	A	506	14/15	0.94	0.10	1.25	14,19,25,31	0
2	NAG	A	504	14/15	0.92	0.14	0.93	18,25,30,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.