



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:12 PM GMT

PDB ID : 1SKW
Title : Binary 3' complex of T7 DNA polymerase with a DNA primer/template containing a disordered cis-syn thymine dimer on the template
Authors : Li, Y.; Dutta, S.; Double, S.; Bdour, H.M.; Taylor, J.S.; Ellenberger, T.
Deposited on : 2004-03-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	P	21	 29% 10% 62%
2	T	25	 4% 32% • • 60%
3	A	698	 10% 74% 21% • •
4	B	108	 6% 73% 23% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MG	A	4003	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6578 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*CP*GP*AP*AP*AP*AP*CP*GP*AP*C*GP*GP*CP*CP*AP*GP*TP*GP*CP*CP*(2DT))-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	P	8	Total	C	N	O	P	0	0	0
			161	77	28	48	8			

- Molecule 2 is a DNA chain called 5'-D(*CP*CP*CP*(TTD)P*AP*GP*GP*CP*AP*CP*T P*GP*GP*CP*CP*GP*TP*CP*GP*TP*TP*TP*TP*CP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	T	10	Total	C	N	O	P	0	0	0
			207	97	41	59	10			

- Molecule 3 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	678	Total	C	N	O	S	0	0	0
			5227	3331	904	968	24			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	DELETION	UNP P00581
A	?	-	ARG	DELETION	UNP P00581
A	?	-	PHE	DELETION	UNP P00581
A	?	-	GLY	DELETION	UNP P00581
A	?	-	SER	DELETION	UNP P00581
A	?	-	HIS	DELETION	UNP P00581

- Molecule 4 is a protein called thioredoxin 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	105	Total	C	N	O	S	0	0	0
			781	507	123	148	3			

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 1	Mg 1	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	167	Total 167	O 167	0	0
6	B	15	Total 15	O 15	0	0
6	P	8	Total 8	O 8	0	0
6	T	11	Total 11	O 11	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(*CP*GP*AP*AP*AP*AP*CP*GP*AP*C*GP*GP*CP*CP*AP*GP*TP*GP*CP*CP*(2DT))-3'

Chain P: 





- Molecule 2: 5'-D(*CP*CP*CP*(TTD)P*AP*GP*GP*CP*AP*CP*TP*GP*GP*CP*CP*GP*TP*CP*GP*TP*TP*TP*TP*CP*G)-3'


Chain T: 




- Molecule 3: DNA polymerase

Chain A: 





● Molecule 4: thioredoxin 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	104.72Å 211.49Å 52.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 41.94 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.2 (50.00-2.30) 98.4 (41.94-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 2.32Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.239 , 0.278 0.237 , 0.276	Depositor DCC
R_{free} test set	2539 reflections (4.93%)	DCC
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 51467 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6578	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2DT, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	P	0.56	0/158	0.83	0/241
2	T	0.52	0/232	0.84	0/356
3	A	0.36	0/5358	0.57	0/7280
4	B	0.32	0/796	0.58	0/1084
All	All	0.37	0/6544	0.59	0/8961

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	T	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	T	8	DG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	P	161	0	91	3	0
2	T	207	0	112	2	0
3	A	5227	0	4930	118	0
4	B	781	0	774	15	0
5	A	1	0	0	0	0
6	A	167	0	0	4	0
6	B	15	0	0	0	0
6	P	8	0	0	0	0
6	T	11	0	0	0	0
All	All	6578	0	5907	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:276:HIS:HD2	3:A:278:ARG:H	1.27	0.83
3:A:566:ARG:HB2	3:A:566:ARG:HH11	1.43	0.83
4:B:39:ALA:HB3	4:B:40:PRO:HD3	1.68	0.74
3:A:663:GLU:HG3	3:A:696:MET:SD	2.29	0.72
3:A:145:ARG:O	3:A:149:GLU:HB2	1.90	0.71
1:P:16:DG:H1'	1:P:17:DT:H5''	1.74	0.69
4:B:95:SER:OG	4:B:98:GLN:HG3	1.93	0.69
3:A:49:GLU:HA	3:A:52:ARG:NH1	2.09	0.68
3:A:336:PRO:HB2	3:A:389:TYR:CD1	2.29	0.67
3:A:566:ARG:CB	3:A:566:ARG:HH11	2.07	0.67
3:A:343:GLN:HG3	3:A:362:PRO:CG	2.25	0.65
3:A:173:GLN:O	3:A:176:VAL:HG22	1.95	0.65
3:A:276:HIS:CD2	3:A:278:ARG:H	2.13	0.65
3:A:391:MET:HE2	3:A:391:MET:O	1.97	0.65
3:A:599:ARG:HD3	3:A:620:LEU:HD11	1.78	0.64
3:A:366:ASP:OD1	3:A:387:LYS:HD2	1.99	0.63
3:A:481:LEU:HD21	3:A:525:ILE:HG12	1.80	0.62
3:A:496:TYR:CZ	3:A:505:ILE:HD11	2.35	0.62
3:A:79:ARG:HD3	6:A:5042:HOH:O	1.99	0.61
3:A:147:LEU:C	3:A:149:GLU:H	2.04	0.61
3:A:35:ARG:HB3	3:A:36:PRO:HD2	1.82	0.61
3:A:343:GLN:HG3	3:A:362:PRO:HG3	1.81	0.60
3:A:290:LYS:HD3	3:A:291:THR:N	2.15	0.60
3:A:667:GLN:O	3:A:671:GLU:HG3	2.01	0.60
3:A:499:GLU:OE1	3:A:503:GLY:HA3	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:645:ASP:HB3	3:A:665:ILE:HD13	1.84	0.58
3:A:35:ARG:HB3	3:A:36:PRO:CD	2.34	0.57
3:A:484:LEU:HD22	3:A:529:LEU:HD21	1.87	0.57
3:A:496:TYR:CE1	3:A:505:ILE:HD11	2.40	0.57
3:A:391:MET:HE3	3:A:395:ARG:HG3	1.86	0.57
3:A:421:ASN:HB3	3:A:431:THR:OG1	2.05	0.56
3:A:94:LEU:HB3	3:A:185:LEU:HD13	1.86	0.56
2:T:8:DG:H2''	2:T:9:DC:H5'	1.87	0.56
4:B:32:CYS:SG	4:B:34:PRO:HD2	2.45	0.56
3:A:663:GLU:O	3:A:696:MET:HE1	2.05	0.56
3:A:131:ARG:O	3:A:135:MET:HG2	2.05	0.56
3:A:144:LYS:HB3	3:A:144:LYS:NZ	2.21	0.56
3:A:632:MET:O	3:A:635:GLU:HG2	2.05	0.55
3:A:478:GLY:O	3:A:482:ARG:HG3	2.06	0.55
3:A:597:ASP:OD1	3:A:599:ARG:HD2	2.06	0.55
3:A:538:GLY:HA3	3:A:544:GLY:O	2.06	0.55
3:A:49:GLU:HA	3:A:52:ARG:HH11	1.71	0.55
4:B:53:LEU:HD12	4:B:107:LEU:HD11	1.88	0.55
3:A:130:TYR:CZ	3:A:134:GLU:HG3	2.42	0.54
3:A:566:ARG:HB2	3:A:566:ARG:NH1	2.18	0.54
4:B:5:ILE:HD12	4:B:54:THR:HG21	1.90	0.54
3:A:391:MET:CE	3:A:395:ARG:HG3	2.37	0.54
3:A:666:ALA:HB3	3:A:696:MET:HE2	1.90	0.54
3:A:85:ARG:HG3	3:A:222:TRP:CG	2.43	0.54
3:A:513:ALA:O	3:A:515:LEU:N	2.41	0.54
3:A:336:PRO:HB2	3:A:389:TYR:CE1	2.43	0.53
1:P:16:DG:H2''	1:P:17:DT:H5'	1.91	0.53
3:A:344:LYS:O	3:A:348:GLU:HG3	2.09	0.53
3:A:525:ILE:HG23	3:A:526:TYR:N	2.24	0.53
3:A:698:PRO:CG	3:A:702:ILE:HD12	2.39	0.52
3:A:474:ILE:N	3:A:474:ILE:HD12	2.25	0.52
2:T:9:DC:H4'	3:A:432:HIS:O	2.09	0.52
3:A:326:TYR:HB3	4:B:92:GLY:HA2	1.92	0.52
3:A:356:TYR:HD2	3:A:360:GLY:O	1.93	0.51
3:A:343:GLN:CG	3:A:362:PRO:HG3	2.41	0.51
3:A:368:VAL:HG23	3:A:369:LEU:N	2.26	0.51
3:A:666:ALA:HB3	3:A:696:MET:CE	2.41	0.51
3:A:173:GLN:NE2	3:A:176:VAL:HG21	2.25	0.50
3:A:143:PHE:HE2	3:A:158:MET:HG3	1.75	0.50
1:P:16:DG:H2''	1:P:17:DT:C5'	2.42	0.50
4:B:74:GLY:O	4:B:77:THR:OG1	2.30	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:484:LEU:O	3:A:488:MET:HG2	2.11	0.50
3:A:593:ILE:HG22	3:A:601:VAL:HB	1.93	0.50
3:A:678:ARG:NH2	3:A:689:LEU:HD11	2.26	0.49
3:A:49:GLU:OE2	3:A:54:GLY:HA3	2.13	0.49
3:A:593:ILE:HD13	3:A:594:LYS:H	1.77	0.49
3:A:456:GLY:HA2	3:A:471:GLN:OE1	2.12	0.49
3:A:233:PRO:HB2	3:A:456:GLY:O	2.13	0.49
3:A:234:PHE:CZ	3:A:239:ILE:HG13	2.47	0.49
3:A:323:GLY:O	3:A:325:PRO:HD3	2.13	0.48
3:A:112:SER:OG	3:A:130:TYR:HE1	1.97	0.48
3:A:448:GLY:O	3:A:452:ARG:HB2	2.14	0.48
3:A:144:LYS:HG2	3:A:154:TYR:CD1	2.49	0.48
3:A:264:TRP:CZ3	3:A:345:LYS:HE2	2.49	0.48
3:A:282:PRO:O	3:A:284:PRO:HD3	2.14	0.48
3:A:145:ARG:HH11	3:A:145:ARG:HG3	1.79	0.47
3:A:158:MET:HA	3:A:161:TRP:CE2	2.50	0.47
3:A:698:PRO:HG2	3:A:702:ILE:HD12	1.96	0.47
3:A:196:ILE:HB	3:A:198:PHE:CE1	2.50	0.47
3:A:91:THR:HB	3:A:181:LEU:HD13	1.96	0.47
3:A:480:GLU:HB3	3:A:529:LEU:HD13	1.97	0.47
3:A:391:MET:HE1	3:A:392:ILE:HA	1.96	0.46
3:A:365:ASP:O	3:A:368:VAL:HG22	2.16	0.46
3:A:442:GLY:O	3:A:448:GLY:HA3	2.16	0.45
3:A:143:PHE:CE2	3:A:158:MET:HG3	2.52	0.45
3:A:404:LYS:HA	3:A:409:TYR:HE2	1.81	0.45
3:A:282:PRO:C	3:A:284:PRO:HD3	2.37	0.45
3:A:534:ASP:C	3:A:545:LYS:HA	2.37	0.45
3:A:203:TYR:CE1	3:A:204:THR:HG22	2.51	0.45
3:A:135:MET:HG3	3:A:174:ASP:OD1	2.16	0.45
4:B:41:ILE:N	4:B:41:ILE:HD12	2.32	0.44
3:A:155:VAL:O	3:A:156:ASP:C	2.55	0.44
3:A:622:CYS:SG	3:A:654:ASP:HA	2.57	0.44
3:A:195:GLU:HG3	3:A:195:GLU:H	1.46	0.44
3:A:38:ASP:HA	6:A:5104:HOH:O	2.17	0.44
3:A:563:ALA:O	3:A:567:GLU:HG3	2.18	0.43
3:A:400:ALA:CB	3:A:407:LEU:HD12	2.49	0.43
3:A:666:ALA:CB	3:A:696:MET:HE2	2.48	0.43
3:A:159:GLU:HG2	3:A:160:TRP:CD1	2.53	0.43
3:A:590:ARG:HD3	3:A:592:TRP:CZ2	2.54	0.43
3:A:53:GLY:HA2	6:A:5034:HOH:O	2.18	0.43
3:A:145:ARG:CZ	3:A:145:ARG:HB2	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:391:MET:HE2	3:A:391:MET:C	2.39	0.43
3:A:452:ARG:HG3	3:A:700:TRP:HB3	2.00	0.43
3:A:616:SER:O	3:A:620:LEU:HG	2.19	0.43
4:B:67:ALA:HB3	4:B:68:PRO:HD3	2.00	0.43
3:A:147:LEU:C	3:A:149:GLU:N	2.72	0.42
4:B:103:LEU:O	4:B:107:LEU:HB2	2.19	0.42
3:A:490:ARG:CB	3:A:490:ARG:HH11	2.33	0.42
3:A:261:PHE:HB3	3:A:345:LYS:HE3	2.01	0.42
3:A:176:VAL:HG23	3:A:177:VAL:N	2.35	0.42
3:A:391:MET:CE	3:A:395:ARG:CG	2.97	0.42
3:A:525:ILE:CG2	3:A:526:TYR:N	2.82	0.42
3:A:400:ALA:HB2	3:A:407:LEU:HD12	2.01	0.42
3:A:276:HIS:CD2	3:A:278:ARG:HB3	2.55	0.42
3:A:610:LEU:O	3:A:614:LEU:HG	2.20	0.42
4:B:100:LYS:HB3	4:B:100:LYS:NZ	2.34	0.42
3:A:236:THR:O	3:A:240:GLU:HG3	2.20	0.41
3:A:79:ARG:HG2	3:A:80:GLU:N	2.35	0.41
3:A:621:ILE:HD11	3:A:686:PHE:CZ	2.55	0.41
3:A:452:ARG:NH2	6:A:5040:HOH:O	2.45	0.41
3:A:638:LEU:N	3:A:638:LEU:CD1	2.83	0.41
3:A:47:GLU:HG3	3:A:81:PHE:HE1	1.85	0.41
3:A:591:ARG:HG2	3:A:602:HIS:CE1	2.56	0.41
4:B:97:GLY:O	4:B:101:GLU:HG3	2.21	0.41
3:A:158:MET:HA	3:A:161:TRP:CD2	2.56	0.41
4:B:27:PHE:HE1	4:B:79:LEU:HD22	1.86	0.40
3:A:22:VAL:HB	3:A:175:VAL:HG21	2.03	0.40
4:B:77:THR:HG22	4:B:79:LEU:HD13	2.01	0.40
4:B:17:LEU:HA	4:B:84:GLY:HA2	2.03	0.40
3:A:364:VAL:O	3:A:364:VAL:HG12	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	672/698 (96%)	634 (94%)	28 (4%)	10 (2%)	13	12
4	B	103/108 (95%)	103 (100%)	0	0	100	100
All	All	775/806 (96%)	737 (95%)	28 (4%)	10 (1%)	15	15

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	156	ASP
3	A	516	PRO
3	A	318	ARG
3	A	514	GLU
3	A	531	GLY
3	A	543	ALA
3	A	148	GLU
3	A	546	GLU
3	A	359	LYS
3	A	535	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	513/579 (89%)	498 (97%)	15 (3%)	50	66
4	B	79/87 (91%)	76 (96%)	3 (4%)	40	54
All	All	592/666 (89%)	574 (97%)	18 (3%)	48	65

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	171	ASN
3	A	181	LEU
3	A	195	GLU
3	A	232	PHE
3	A	249	ARG
3	A	343	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	391	MET
3	A	393	GLN
3	A	452	ARG
3	A	490	ARG
3	A	566	ARG
3	A	593	ILE
3	A	599	ARG
3	A	624	LEU
3	A	686	PHE
4	B	80	LEU
4	B	89	THR
4	B	107	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	173	GLN
3	A	276	HIS
3	A	502	ASN
3	A	602	HIS
3	A	667	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	2DT	P	21	1,2	11,20,21	1.33	3 (27%)	12,28,31	4.87	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2DT	P	21	1,2	-	0/3/18/19	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	P	21	2DT	C6-C5	-2.02	1.34	1.40
1	P	21	2DT	C6-N1	2.34	1.38	1.35
1	P	21	2DT	C4-N3	2.90	1.38	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	P	21	2DT	C5-C4-N3	-8.96	115.17	125.14
1	P	21	2DT	C5M-C5-C6	2.09	122.83	118.62
1	P	21	2DT	C4-N3-C2	14.01	127.36	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	P	7/21 (33%)	-0.03	0 100 100	29, 34, 50, 57	0
2	T	10/25 (40%)	0.30	1 (10%) 9 14	28, 40, 55, 59	0
3	A	678/698 (97%)	0.48	69 (10%) 9 13	18, 35, 61, 67	0
4	B	105/108 (97%)	0.20	6 (5%) 27 36	28, 43, 55, 59	0
All	All	800/852 (93%)	0.44	76 (9%) 10 15	18, 36, 61, 67	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	535	GLU	5.4
3	A	294	VAL	5.2
3	A	541	VAL	5.0
3	A	542	GLY	4.8
3	A	358	ASP	4.6
3	A	533	GLY	4.2
3	A	537	ILE	4.2
3	A	529	LEU	4.0
3	A	519	ASP	3.9
3	A	515	LEU	3.8
3	A	543	ALA	3.7
3	A	313	CYS	3.7
3	A	360	GLY	3.7
3	A	528	PHE	3.6
3	A	513	ALA	3.6
3	A	607	HIS	3.5
3	A	532	ALA	3.5
3	A	298	PHE	3.5
3	A	536	LYS	3.4
3	A	548	GLY	3.4
3	A	430	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	A	575	GLU	3.3
3	A	524	PHE	3.3
3	A	551	LEU	3.3
3	A	514	GLU	3.2
3	A	512	ALA	3.1
3	A	530	TYR	3.0
3	A	505	ILE	3.0
3	A	534	ASP	3.0
3	A	148	GLU	2.9
3	A	354	THR	2.9
3	A	544	GLY	2.8
3	A	547	ARG	2.8
3	A	301	PRO	2.8
3	A	539	GLN	2.7
3	A	156	ASP	2.7
3	A	153	GLU	2.7
4	B	47	ASP	2.7
2	T	15	DC	2.6
3	A	422	PRO	2.5
3	A	511	ILE	2.5
3	A	574	VAL	2.5
3	A	361	ALA	2.4
3	A	111	ARG	2.4
3	A	221	ALA	2.4
3	A	620	LEU	2.4
3	A	425	ALA	2.4
3	A	420	VAL	2.4
3	A	300	LYS	2.4
3	A	135	MET	2.3
3	A	147	LEU	2.3
3	A	516	PRO	2.3
3	A	173	GLN	2.3
3	A	224	LEU	2.3
3	A	367	GLU	2.3
3	A	593	ILE	2.2
3	A	302	LYS	2.2
3	A	272	GLU	2.2
3	A	431	THR	2.2
4	B	20	ASP	2.2
3	A	518	ARG	2.2
3	A	295	GLY	2.2
3	A	145	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	B	83	ASN	2.2
4	B	19	ALA	2.2
3	A	278	ARG	2.1
3	A	526	TYR	2.1
3	A	651	TRP	2.1
3	A	546	GLU	2.1
4	B	53	LEU	2.1
3	A	538	GLY	2.1
3	A	608	ALA	2.1
3	A	506	HIS	2.1
4	B	107	LEU	2.1
3	A	299	LYS	2.1
3	A	635	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	2DT	P	21	19/20	0.97	0.14	-	26,29,32,32	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	MG	A	4003	1/1	0.86	0.23	2.89	44,44,44,44	0

6.5 Other polymers

There are no such residues in this entry.