



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:03 PM GMT

PDB ID : 3SLH
Title : 1.70 Angstrom resolution structure of 3-phosphoshikimate 1-carboxyvinyltransferase (AroA) from Coxiella burnetii in complex with shikimate-3-phosphate and glyphosate
Authors : Light, S.H.; Minasov, G.; Filippova, E.V.; Krishna, S.N.; Shuvalova, L.; Papazisi, L.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2011-06-24
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	441	<div> <div>2%</div> <div>90%</div> <div>9%</div> </div>
1	B	441	<div> <div>3%</div> <div>93%</div> <div>6%</div> </div>
1	C	441	<div> <div>3%</div> <div>90%</div> <div>9%</div> </div>
1	D	441	<div> <div>4%</div> <div>92%</div> <div>8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	PG4	C	446	-	-	-	X
3	PO4	A	441[B]	-	-	X	-
3	PO4	B	440[B]	-	-	X	-
4	S3P	D	442[A]	-	-	-	X
5	GPJ	B	444	-	-	-	X
6	SKM	A	445[B]	-	-	-	X
6	SKM	D	443[B]	-	-	-	X
7	EDO	A	446	-	-	-	X
7	EDO	C	449	-	-	-	X
8	PEG	A	452	-	-	-	X
8	PEG	A	453	-	-	-	X
8	PEG	B	448	-	-	-	X
8	PEG	C	445	-	-	-	X
8	PEG	C	447	-	-	-	X
8	PEG	D	444	-	-	-	X
8	PEG	D	446	-	-	-	X
9	PGE	B	447	-	-	-	X

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 15366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 3-phosphoshikimate 1-carboxyvinyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	436	Total	C	N	O	S	0	32	0
			3410	2148	590	650	22			
1	B	439	Total	C	N	O	S	0	19	0
			3345	2108	582	632	23			
1	C	438	Total	C	N	O	S	0	17	0
			3364	2112	592	638	22			
1	D	440	Total	C	N	O	S	0	8	0
			3307	2077	583	625	22			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q83E11
A	-1	ASN	-	EXPRESSION TAG	UNP Q83E11
A	0	ALA	-	EXPRESSION TAG	UNP Q83E11
B	-2	SER	-	EXPRESSION TAG	UNP Q83E11
B	-1	ASN	-	EXPRESSION TAG	UNP Q83E11
B	0	ALA	-	EXPRESSION TAG	UNP Q83E11
C	-2	SER	-	EXPRESSION TAG	UNP Q83E11
C	-1	ASN	-	EXPRESSION TAG	UNP Q83E11
C	0	ALA	-	EXPRESSION TAG	UNP Q83E11
D	-2	SER	-	EXPRESSION TAG	UNP Q83E11
D	-1	ASN	-	EXPRESSION TAG	UNP Q83E11
D	0	ALA	-	EXPRESSION TAG	UNP Q83E11

- Molecule 2 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	B	1	Total	C	O	S	0	1
			7	4	2	1		
2	C	1	Total	C	O	S	0	0
			4	2	1	1		
2	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	1
3	A	1	Total O P 5 4 1	0	1
3	B	1	Total O P 5 4 1	0	1
3	C	1	Total O P 5 4 1	0	1

- Molecule 4 is SHIKIMATE-3-PHOSPHATE (three-letter code: S3P) (formula: $C_7H_{11}O_8P$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O P 16 7 8 1	0	1
4	B	1	Total C O P 16 7 8 1	0	1
4	C	1	Total C O P 16 7 8 1	0	1
4	D	1	Total C O P 16 7 8 1	0	1

- Molecule 5 is GLYPHOSATE (three-letter code: GPJ) (formula: $C_3H_9NO_5P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			10	3	1	5	1		
5	B	1	Total	C	N	O	P	0	0
			10	3	1	5	1		
5	B	1	Total	C	N	O	P	0	0
			10	3	1	5	1		
5	C	1	Total	C	N	O	P	0	0
			10	3	1	5	1		
5	D	1	Total	C	N	O	P	0	0
			10	3	1	5	1		

- Molecule 6 is (3R,4S,5R)-3,4,5-TRIHYDROXYCYCLOHEX-1-ENE-1-CARBOXYLIC ACID (three-letter code: SKM) (formula: C₇H₁₀O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			12	7	5		
6	B	1	Total	C	O	0	1
			12	7	5		
6	C	1	Total	C	O	0	1
			12	7	5		
6	D	1	Total	C	O	0	1
			12	7	5		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	C	1	Total C O 4 2 2	0	0
7	C	1	Total C O 4 2 2	0	0

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 7 4 3	0	0
8	A	1	Total C O 7 4 3	0	0
8	A	1	Total C O 7 4 3	0	0
8	A	1	Total C O 7 4 3	0	0
8	A	1	Total C O 7 4 3	0	0
8	A	1	Total C O 7 4 3	0	0
8	B	1	Total C O 7 4 3	0	0
8	B	1	Total C O 7 4 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			7	4	3		
8	C	1	Total	C	O	0	0
			7	4	3		
8	C	1	Total	C	O	0	0
			7	4	3		
8	D	1	Total	C	O	0	0
			7	4	3		
8	D	1	Total	C	O	0	0
			7	4	3		
8	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 9 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 10 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $C_{10}H_{22}O_6$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	C O	0	0
			16	10 6		

- Molecule 11 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	D	1	Total	Cl	0	0
			1	1		
11	C	1	Total	Cl	0	0
			1	1		

- Molecule 12 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	C	1	Total	C	O	0	0
			13	8	5		
12	C	1	Total	C	O	0	0
			13	8	5		
12	D	1	Total	C	O	0	0
			13	8	5		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	430	Total	O	0	18
			440	440		
13	B	423	Total	O	0	17
			434	434		
13	C	336	Total	O	0	11
			343	343		
13	D	336	Total	O	1	1
			337	337		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase




- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase




- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase



- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	46.25Å 186.64Å 95.79Å 90.00° 91.51° 90.00°	Depositor
Resolution (Å)	29.64 – 1.70 29.64 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.64-1.70) 99.8 (29.64-1.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.82 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.149 , 0.182 0.157 , 0.189	Depositor DCC
R_{free} test set	8858 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	19.1	Xtriage
Anisotropy	0.320	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.1	EDS
Estimated twinning fraction	0.047 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 176839 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15366	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, GPJ, BME, PO4, CL, EDO, 1PE, PG4, SKM, S3P, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/3537	0.76	2/4794 (0.0%)
1	B	0.63	0/3441	0.76	1/4662 (0.0%)
1	C	0.52	0/3445	0.70	1/4666 (0.0%)
1	D	0.51	0/3377	0.69	0/4574
All	All	0.57	0/13800	0.73	4/18696 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	404	ARG	NE-CZ-NH1	8.01	124.30	120.30
1	A	404	ARG	NE-CZ-NH2	-7.53	116.53	120.30
1	C	387	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	B	404	ARG	NE-CZ-NH1	-5.18	117.71	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3410	0	3550	42	0
1	B	3345	0	3483	26	0
1	C	3364	0	3475	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3307	0	3414	25	0
2	A	8	0	10	0	0
2	B	7	0	10	0	0
2	C	4	0	5	0	0
2	D	4	0	5	0	0
3	A	10	0	0	2	0
3	B	5	0	0	3	0
3	C	5	0	0	1	0
4	A	16	0	8	0	0
4	B	16	0	8	0	0
4	C	16	0	8	0	0
4	D	16	0	8	0	0
5	A	10	0	6	0	0
5	B	20	0	12	0	0
5	C	10	0	6	0	0
5	D	10	0	6	0	0
6	A	12	0	9	2	0
6	B	12	0	9	3	0
6	C	12	0	9	1	0
6	D	12	0	9	0	0
7	A	8	0	12	1	0
7	C	8	0	12	0	0
8	A	42	0	60	0	0
8	B	21	0	30	0	0
8	C	14	0	20	1	0
8	D	21	0	30	1	0
9	B	10	0	14	0	0
10	B	16	0	22	1	0
11	C	1	0	0	0	0
11	D	1	0	0	1	0
12	C	26	0	36	0	0
12	D	13	0	18	1	0
13	A	440	0	0	1	0
13	B	434	0	0	4	0
13	C	343	0	0	1	0
13	D	337	0	0	3	0
All	All	15366	0	14304	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228[A]:ILE:HD12	1:A:286[A]:ASN:OD1	1.40	1.17
1:C:435[B]:ARG:HG2	1:C:435[B]:ARG:HH11	1.18	1.09
1:C:435[B]:ARG:CG	1:C:435[B]:ARG:HH11	1.66	1.08
1:A:228[A]:ILE:HD13	1:A:286[A]:ASN:HB3	1.37	1.02
1:A:412[B]:LYS:NZ	1:A:412[B]:LYS:HB3	1.73	1.01
1:A:412[B]:LYS:HB3	1:A:412[B]:LYS:HZ3	1.20	1.00
1:A:228[A]:ILE:CD1	1:A:286[A]:ASN:CB	2.42	0.96
1:A:228[A]:ILE:HD13	1:A:286[A]:ASN:CB	1.96	0.95
1:A:228[A]:ILE:HD12	1:A:286[A]:ASN:CG	1.89	0.93
1:A:15[B]:ILE:HG23	1:A:254:LEU:HD23	1.51	0.91
1:A:15[B]:ILE:CG2	1:A:254:LEU:HD23	2.02	0.90
1:A:231:PRO:HB3	1:A:290[B]:THR:HG22	1.54	0.88
1:C:435[B]:ARG:CB	1:C:435[B]:ARG:HH11	1.87	0.88
1:A:231:PRO:HB3	1:A:290[B]:THR:CG2	2.08	0.82
1:C:435[B]:ARG:CB	1:C:435[B]:ARG:NH1	2.42	0.82
1:A:412[B]:LYS:NZ	1:A:412[B]:LYS:CB	2.41	0.82
1:C:435[B]:ARG:CG	1:C:435[B]:ARG:NH1	2.38	0.81
1:A:228[A]:ILE:CD1	1:A:286[A]:ASN:CG	2.51	0.78
1:A:228[A]:ILE:CD1	1:A:286[A]:ASN:OD1	2.30	0.78
1:C:435[B]:ARG:HG2	1:C:435[B]:ARG:NH1	1.94	0.77
1:C:435[B]:ARG:HB2	1:C:435[B]:ARG:NH1	2.01	0.76
11:D:440:CL:CL	13:D:1418:HOH:O	2.43	0.73
1:B:200[B]:LEU:HD11	13:B:888:HOH:O	1.94	0.68
1:B:208[B]:LEU:CD2	1:B:217:VAL:CG1	2.75	0.65
1:B:208[B]:LEU:CD2	1:B:217:VAL:HG13	2.27	0.64
1:B:208[B]:LEU:HD23	1:B:217:VAL:CG1	2.27	0.64
3:A:441[B]:PO4:P	6:A:445[B]:SKM:H11	2.22	0.63
1:C:204:PHE:CZ	1:C:228:ILE:HD11	2.34	0.63
1:A:115[A]:THR:OG1	1:A:121:GLN:NE2	2.31	0.62
1:C:283:THR:HB	1:C:285:LYS:HD3	1.81	0.62
1:D:16:CYS:SG	1:D:256:ARG:NH1	2.73	0.62
1:B:0:ALA:HB2	1:B:436:GLY:HA3	1.80	0.62
1:C:430:LYS:HB2	8:C:447:PEG:H32	1.81	0.61
1:A:228[A]:ILE:CD1	1:A:286[A]:ASN:HB2	2.29	0.61
1:D:89:LEU:HD12	1:D:114[A]:LEU:CD2	2.33	0.59
1:D:89:LEU:HB2	1:D:114[A]:LEU:HD23	1.85	0.58
1:B:0:ALA:CB	1:B:436:GLY:HA3	2.33	0.58
1:A:157[B]:THR:HG21	1:C:285:LYS:HG3	1.85	0.58
3:B:440[B]:PO4:P	6:B:443[B]:SKM:H11	2.27	0.58
1:A:397:THR:HG22	1:A:427[A]:MET:HB2	1.87	0.57
1:C:89:LEU:HD12	1:C:114[A]:LEU:CD2	2.34	0.57
1:C:330:LYS:HD2	1:C:369[B]:ILE:HD11	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:412[B]:LYS:CB	1:A:412[B]:LYS:HZ2	2.16	0.56
3:C:441[B]:PO4:P	6:C:443[B]:SKM:H11	2.29	0.56
1:D:89:LEU:HD12	1:D:114[A]:LEU:HD21	1.88	0.56
1:B:204:PHE:CZ	1:B:228[A]:ILE:HD11	2.40	0.56
1:C:231:PRO:HB3	1:C:290:THR:HG22	1.88	0.56
1:D:299[B]:ARG:HG2	13:D:787:HOH:O	2.06	0.55
1:B:215[A]:ILE:HD12	10:B:449:1PE:H142	1.88	0.55
1:B:4:GLN:OE1	1:B:404:ARG:HD3	2.06	0.55
1:C:116:GLY:HA3	1:C:120:LEU:HD23	1.88	0.55
1:B:208[B]:LEU:HD23	1:B:217:VAL:HG12	1.89	0.54
1:A:163:LEU:HD12	1:A:189:GLU:HG2	1.89	0.54
1:C:360:ALA:HB3	1:C:371[B]:GLN:HB2	1.90	0.53
1:B:208[B]:LEU:HD21	1:B:217:VAL:CG1	2.38	0.53
1:B:163:LEU:HD12	1:B:189:GLU:HG2	1.90	0.53
1:C:435[B]:ARG:HB2	1:C:435[B]:ARG:CZ	2.38	0.53
1:C:35:GLU:HG3	1:C:222:LYS:HE3	1.91	0.53
1:D:215:ILE:HD12	1:D:215:ILE:N	2.22	0.53
1:A:228[A]:ILE:HD12	1:A:229[A]:SER:H	1.73	0.52
1:C:208:LEU:HD23	1:C:209:GLN:N	2.24	0.52
1:C:35:GLU:HG3	1:C:222:LYS:CE	2.40	0.51
1:B:208[B]:LEU:HD23	1:B:217:VAL:HG13	1.88	0.51
1:C:231:PRO:HB3	1:C:290:THR:CG2	2.41	0.51
1:A:182:ARG:NH2	1:C:284:GLU:O	2.44	0.51
1:A:105:LEU:HD13	1:A:112[A]:THR:HG21	1.92	0.51
1:B:142:THR:O	1:B:145:VAL:HG22	2.12	0.50
1:B:120:LEU:HD12	1:B:123:ARG:HG3	1.93	0.50
1:C:360:ALA:HB3	1:C:371[A]:GLN:HB3	1.92	0.50
1:C:14:GLU:OE1	1:C:253:ARG:NH2	2.41	0.50
1:C:215:ILE:HD12	1:C:215:ILE:N	2.26	0.50
1:A:290[B]:THR:HG23	13:A:1195:HOH:O	2.12	0.49
3:B:440[B]:PO4:O1	6:B:443[B]:SKM:O11	2.25	0.49
1:A:15[A]:ILE:HD13	1:A:425:VAL:HG11	1.95	0.49
1:D:231:PRO:HB3	1:D:290:THR:HG22	1.94	0.49
1:A:157[A]:THR:HG21	1:C:285:LYS:HA	1.94	0.49
1:D:208:LEU:C	1:D:208:LEU:HD23	2.33	0.49
1:A:204:PHE:CZ	1:A:228[B]:ILE:HD11	2.47	0.49
1:A:15[B]:ILE:HG21	1:A:254:LEU:HD23	1.89	0.49
1:C:208:LEU:HD23	1:C:208:LEU:C	2.33	0.48
1:D:4:GLN:HG3	13:D:683:HOH:O	2.13	0.48
1:A:181:ALA:O	1:A:219:GLY:HA3	2.14	0.48
1:A:75:GLU:CD	1:B:406[A]:ARG:HH22	2.16	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:440[B]:PO4:P	6:B:443[B]:SKM:O11	2.72	0.48
1:C:286:ASN:O	1:C:287:GLU:HG3	2.14	0.48
1:B:208[B]:LEU:HD21	1:B:217:VAL:HG13	1.96	0.47
1:D:330:LYS:HB2	1:D:330:LYS:NZ	2.28	0.47
1:A:115[B]:THR:HG22	1:A:147:PRO:HB3	1.96	0.47
1:A:75:GLU:CD	1:B:406[A]:ARG:NH2	2.68	0.47
1:B:181:ALA:O	1:B:219:GLY:HA3	2.15	0.46
1:C:18:PRO:HB2	1:C:44:LEU:HD13	1.96	0.46
1:D:120:LEU:HD12	1:D:123:ARG:HG3	1.95	0.46
1:D:262:THR:HA	1:D:312:LEU:HD22	1.96	0.46
1:C:89:LEU:HB2	1:C:114[A]:LEU:HD23	1.97	0.46
1:D:368[B]:VAL:HG12	1:D:370:ILE:HG13	1.97	0.46
1:C:287:GLU:HB2	13:C:1571:HOH:O	2.17	0.45
1:D:204:PHE:CZ	1:D:228:ILE:HD11	2.51	0.44
1:A:397:THR:CG2	1:A:427[A]:MET:HB2	2.47	0.44
1:C:89:LEU:HD12	1:C:114[A]:LEU:HD21	1.97	0.44
1:B:208[B]:LEU:CD2	1:B:217:VAL:HG12	2.47	0.44
1:D:327:ALA:O	1:D:372:GLY:HA3	2.17	0.44
1:B:283[A]:THR:HG22	13:B:462:HOH:O	2.17	0.44
1:A:333:LEU:O	1:A:367:GLY:HA3	2.17	0.43
1:D:114[B]:LEU:N	1:D:114[B]:LEU:HD12	2.32	0.43
1:D:321:LEU:CD2	1:D:368[A]:VAL:HG11	2.48	0.43
1:D:203:HIS:HD1	1:D:287:GLU:CD	2.22	0.43
1:C:313:THR:O	1:C:313:THR:HG22	2.18	0.43
1:C:262:THR:HA	1:C:312:LEU:HD22	2.00	0.43
1:B:326:VAL:HG11	1:B:398:LEU:HD23	2.00	0.43
1:A:206:TYR:HB2	1:A:223:LEU:HD23	2.01	0.43
1:A:327:ALA:O	1:A:372:GLY:HA3	2.18	0.43
1:D:348:ALA:HB1	8:D:446:PEG:H31	2.00	0.43
1:A:265:GLY:HA3	1:A:313:THR:OG1	2.18	0.42
1:B:412:LYS:NZ	13:B:1346[A]:HOH:O	2.39	0.42
1:C:430:LYS:HE3	1:C:432:VAL:CG1	2.50	0.42
1:D:210:LYS:HB2	12:D:447:PG4:H31	2.01	0.42
1:C:265:GLY:HA3	1:C:313:THR:OG1	2.20	0.41
1:C:327:ALA:O	1:C:372:GLY:HA3	2.20	0.41
1:D:89:LEU:HD12	1:D:114[A]:LEU:HD23	2.02	0.41
1:B:313:THR:O	1:B:313:THR:HG22	2.21	0.41
3:A:441[B]:PO4:P	6:A:445[B]:SKM:O11	2.78	0.41
1:A:360:ALA:HB1	7:A:449:EDO:H22	2.02	0.41
1:C:333:LEU:O	1:C:367:GLY:HA3	2.20	0.41
1:A:99:ARG:HD2	1:A:169:GLN:OE1	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:409[A]:ASP:O	1:A:412[A]:LYS:NZ	2.54	0.40
1:B:0:ALA:N	13:B:1527:HOH:O	2.51	0.40
1:D:105:LEU:HD13	1:D:112:THR:HG21	2.03	0.40
1:D:116:GLY:HA3	1:D:120:LEU:HD23	2.03	0.40
1:B:280[B]:THR:OG1	1:B:281:HIS:N	2.54	0.40
1:D:138:LYS:HD2	1:D:151:TYR:CD2	2.56	0.40
1:D:181:ALA:O	1:D:219:GLY:HA3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	466/441 (106%)	459 (98%)	7 (2%)	0	100	100
1	B	455/441 (103%)	444 (98%)	11 (2%)	0	100	100
1	C	453/441 (103%)	444 (98%)	8 (2%)	1 (0%)	52	32
1	D	446/441 (101%)	435 (98%)	11 (2%)	0	100	100
All	All	1820/1764 (103%)	1782 (98%)	37 (2%)	1 (0%)	56	35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	287	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/352 (108%)	379 (100%)	1 (0%)	94	92
1	B	368/352 (104%)	366 (100%)	2 (0%)	92	88
1	C	367/352 (104%)	366 (100%)	1 (0%)	94	92
1	D	359/352 (102%)	358 (100%)	1 (0%)	94	92
All	All	1474/1408 (105%)	1469 (100%)	5 (0%)	93	92

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	415	PHE
1	B	41	ASP
1	B	415	PHE
1	C	415	PHE
1	D	415	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	GLN
1	B	58	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 48 ligands modelled in this entry, 2 are monoatomic - leaving 46 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BME	A	439	1	3,3,3	0.23	0	2,2,2	0.73	0
2	BME	A	440	1	3,3,3	0.47	0	2,2,2	0.10	0
3	PO4	A	441[B]	-	4,4,4	0.40	0	6,6,6	0.28	0
3	PO4	A	442[A]	-	4,4,4	0.54	0	6,6,6	0.30	0
4	S3P	A	443[A]	-	13,16,16	1.13	1 (7%)	11,24,24	1.20	1 (9%)
5	GPJ	A	444	-	5,9,9	1.41	1 (20%)	8,12,12	2.13	4 (50%)
6	SKM	A	445[B]	-	10,12,12	3.31	2 (20%)	9,17,17	0.71	0
7	EDO	A	446	-	3,3,3	0.56	0	2,2,2	0.21	0
8	PEG	A	447	-	6,6,6	0.46	0	5,5,5	0.20	0
8	PEG	A	448	-	6,6,6	0.44	0	5,5,5	0.25	0
7	EDO	A	449	-	3,3,3	0.54	0	2,2,2	0.22	0
8	PEG	A	450	-	6,6,6	0.46	0	5,5,5	0.25	0
8	PEG	A	451	-	6,6,6	0.45	0	5,5,5	0.27	0
8	PEG	A	452	-	6,6,6	0.34	0	5,5,5	0.41	0
8	PEG	A	453	-	6,6,6	0.54	0	5,5,5	0.24	0
2	BME	B	439[A]	-	3,3,3	0.32	0	2,2,2	0.57	0
2	BME	B	439[B]	-	3,3,3	0.37	0	2,2,2	0.11	0
3	PO4	B	440[B]	-	4,4,4	0.54	0	6,6,6	0.27	0
4	S3P	B	441[A]	-	13,16,16	1.03	1 (7%)	11,24,24	1.03	0
5	GPJ	B	442	-	5,9,9	1.39	1 (20%)	8,12,12	1.88	1 (12%)
6	SKM	B	443[B]	-	10,12,12	3.20	2 (20%)	9,17,17	0.52	0
5	GPJ	B	444	-	5,9,9	1.11	0	8,12,12	1.41	1 (12%)
8	PEG	B	445	-	6,6,6	0.37	0	5,5,5	0.32	0
8	PEG	B	446	-	6,6,6	0.49	0	5,5,5	0.15	0
9	PGE	B	447	-	9,9,9	0.51	0	8,8,8	0.26	0
8	PEG	B	448	-	6,6,6	0.42	0	5,5,5	0.22	0
10	1PE	B	449	-	15,15,15	0.49	0	14,14,14	0.25	0
2	BME	C	439	1	3,3,3	0.49	0	2,2,2	0.51	0
3	PO4	C	441[B]	-	4,4,4	0.47	0	6,6,6	0.27	0
5	GPJ	C	442	-	5,9,9	0.98	0	8,12,12	1.92	2 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SKM	C	443[B]	-	10,12,12	2.99	2 (20%)	9,17,17	0.55	0
4	S3P	C	444[A]	-	13,16,16	1.16	1 (7%)	11,24,24	1.19	0
8	PEG	C	445	-	6,6,6	0.41	0	5,5,5	0.36	0
12	PG4	C	446	-	12,12,12	0.55	0	11,11,11	0.29	0
8	PEG	C	447	-	6,6,6	0.41	0	5,5,5	0.73	0
7	EDO	C	448	-	3,3,3	0.44	0	2,2,2	0.41	0
7	EDO	C	449	-	3,3,3	0.48	0	2,2,2	0.29	0
12	PG4	C	450	-	12,12,12	0.54	0	11,11,11	0.25	0
2	BME	D	439	1	3,3,3	0.40	0	2,2,2	0.51	0
5	GPJ	D	441	-	5,9,9	0.89	0	8,12,12	1.35	1 (12%)
4	S3P	D	442[A]	-	13,16,16	1.16	1 (7%)	11,24,24	1.28	2 (18%)
6	SKM	D	443[B]	-	10,12,12	3.17	2 (20%)	9,17,17	0.77	0
8	PEG	D	444	-	6,6,6	0.53	0	5,5,5	0.23	0
8	PEG	D	445	-	6,6,6	0.46	0	5,5,5	0.17	0
8	PEG	D	446	-	6,6,6	0.41	0	5,5,5	0.32	0
12	PG4	D	447	-	12,12,12	0.50	0	11,11,11	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BME	A	439	1	-	0/1/1/1	0/0/0/0
2	BME	A	440	1	-	0/1/1/1	0/0/0/0
3	PO4	A	441[B]	-	-	0/0/0/0	0/0/0/0
3	PO4	A	442[A]	-	-	0/0/0/0	0/0/0/0
4	S3P	A	443[A]	-	-	0/5/25/25	0/1/1/1
5	GPJ	A	444	-	-	0/5/7/7	0/0/0/0
6	SKM	A	445[B]	-	-	0/0/20/20	0/1/1/1
7	EDO	A	446	-	-	0/1/1/1	0/0/0/0
8	PEG	A	447	-	-	0/4/4/4	0/0/0/0
8	PEG	A	448	-	-	0/4/4/4	0/0/0/0
7	EDO	A	449	-	-	0/1/1/1	0/0/0/0
8	PEG	A	450	-	-	0/4/4/4	0/0/0/0
8	PEG	A	451	-	-	0/4/4/4	0/0/0/0
8	PEG	A	452	-	-	0/4/4/4	0/0/0/0
8	PEG	A	453	-	-	0/4/4/4	0/0/0/0
2	BME	B	439[A]	-	-	0/1/1/1	0/0/0/0
2	BME	B	439[B]	-	-	0/1/1/1	0/0/0/0
3	PO4	B	440[B]	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	S3P	B	441[A]	-	-	0/5/25/25	0/1/1/1
5	GPJ	B	442	-	-	0/5/7/7	0/0/0/0
6	SKM	B	443[B]	-	-	0/0/20/20	0/1/1/1
5	GPJ	B	444	-	-	0/5/7/7	0/0/0/0
8	PEG	B	445	-	-	0/4/4/4	0/0/0/0
8	PEG	B	446	-	-	0/4/4/4	0/0/0/0
9	PGE	B	447	-	-	0/7/7/7	0/0/0/0
8	PEG	B	448	-	-	0/4/4/4	0/0/0/0
10	1PE	B	449	-	-	0/13/13/13	0/0/0/0
2	BME	C	439	1	-	0/1/1/1	0/0/0/0
3	PO4	C	441[B]	-	-	0/0/0/0	0/0/0/0
5	GPJ	C	442	-	-	0/5/7/7	0/0/0/0
6	SKM	C	443[B]	-	-	0/0/20/20	0/1/1/1
4	S3P	C	444[A]	-	-	0/5/25/25	0/1/1/1
8	PEG	C	445	-	-	0/4/4/4	0/0/0/0
12	PG4	C	446	-	-	0/10/10/10	0/0/0/0
8	PEG	C	447	-	-	0/4/4/4	0/0/0/0
7	EDO	C	448	-	-	0/1/1/1	0/0/0/0
7	EDO	C	449	-	-	0/1/1/1	0/0/0/0
12	PG4	C	450	-	-	0/10/10/10	0/0/0/0
2	BME	D	439	1	-	0/1/1/1	0/0/0/0
5	GPJ	D	441	-	-	0/5/7/7	0/0/0/0
4	S3P	D	442[A]	-	-	0/5/25/25	0/1/1/1
6	SKM	D	443[B]	-	-	0/0/20/20	0/1/1/1
8	PEG	D	444	-	-	0/4/4/4	0/0/0/0
8	PEG	D	445	-	-	0/4/4/4	0/0/0/0
8	PEG	D	446	-	-	0/4/4/4	0/0/0/0
12	PG4	D	447	-	-	0/10/10/10	0/0/0/0

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	445[B]	SKM	C5-C4	-9.84	1.34	1.50
6	B	443[B]	SKM	C5-C4	-9.66	1.34	1.50
6	D	443[B]	SKM	C5-C4	-9.54	1.34	1.50
6	C	443[B]	SKM	C5-C4	-8.88	1.36	1.50
6	A	445[B]	SKM	C1-C4	-3.30	1.45	1.51
6	C	443[B]	SKM	C1-C4	-3.00	1.46	1.51
4	A	443[A]	S3P	C7-C1	-2.96	1.46	1.51
6	B	443[B]	SKM	C1-C4	-2.71	1.46	1.51
6	D	443[B]	SKM	C1-C4	-2.68	1.46	1.51
5	B	442	GPJ	P1-O2	-2.60	1.48	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	441[A]	S3P	C7-C1	-2.60	1.46	1.51
4	D	442[A]	S3P	C7-C1	-2.43	1.47	1.51
4	C	444[A]	S3P	C7-C1	-2.41	1.47	1.51
5	A	444	GPJ	P1-O3	-2.16	1.49	1.54

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	442	GPJ	O2-P1-C1	-4.75	96.38	106.69
5	C	442	GPJ	O2-P1-C1	-4.40	97.15	106.69
5	A	444	GPJ	O3-P1-C1	-3.47	99.17	106.69
5	A	444	GPJ	O2-P1-O1	-2.56	105.85	112.40
5	D	441	GPJ	O1-P1-C1	-2.20	97.72	108.18
5	A	444	GPJ	O2-P1-C1	2.02	111.06	106.69
4	D	442[A]	S3P	O8-P1-O7	2.08	115.31	107.38
4	A	443[A]	S3P	O1-C3-C4	2.31	113.58	107.74
5	C	442	GPJ	O3-P1-O2	2.32	114.92	108.13
4	D	442[A]	S3P	O1-C3-C4	2.87	114.98	107.74
5	A	444	GPJ	O3-P1-O2	3.30	117.80	108.13
5	B	444	GPJ	C1-N1-C2	3.36	119.22	113.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	441[B]	PO4	2	0
6	A	445[B]	SKM	2	0
7	A	449	EDO	1	0
3	B	440[B]	PO4	3	0
6	B	443[B]	SKM	3	0
10	B	449	1PE	1	0
3	C	441[B]	PO4	1	0
6	C	443[B]	SKM	1	0
8	C	447	PEG	1	0
8	D	446	PEG	1	0
12	D	447	PG4	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	436/441 (98%)	-0.03	9 (2%) 67 71	12, 20, 34, 63	0
1	B	439/441 (99%)	0.04	15 (3%) 49 53	12, 20, 37, 62	1 (0%)
1	C	438/441 (99%)	0.07	13 (2%) 54 58	12, 27, 45, 67	0
1	D	440/441 (99%)	0.26	16 (3%) 46 51	13, 30, 48, 67	0
All	All	1753/1764 (99%)	0.08	53 (3%) 54 58	12, 23, 43, 67	1 (0%)

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	438	PHE	9.0
1	B	212	LYS	6.2
1	B	436	GLY	5.6
1	A	212	LYS	5.6
1	D	438	PHE	5.5
1	B	213	GLN	5.1
1	D	-1	ASN	4.7
1	C	213	GLN	4.7
1	A	213	GLN	4.6
1	D	155	ARG	4.5
1	D	211	ASP	4.4
1	B	211	ASP	4.2
1	B	437	GLY	4.1
1	B	284	GLU	3.9
1	C	211	ASP	3.9
1	A	211	ASP	3.8
1	B	281	HIS	3.8
1	D	213	GLN	3.6
1	B	283[A]	THR	3.5
1	D	307	PRO	3.4
1	C	285	LYS	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	212	LYS	3.1
1	D	281	HIS	3.1
1	C	281	HIS	3.1
1	C	-1	ASN	3.0
1	C	436	GLY	2.9
1	B	282	TYR	2.9
1	A	286[A]	ASN	2.9
1	C	142	THR	2.8
1	D	282	TYR	2.8
1	C	151	TYR	2.7
1	B	285	LYS	2.7
1	C	212	LYS	2.7
1	D	319	VAL	2.6
1	C	282[A]	TYR	2.6
1	D	283	THR	2.6
1	A	0	ALA	2.6
1	A	435	ARG	2.6
1	D	68	ASP	2.5
1	D	190	PRO	2.5
1	B	299	ARG	2.3
1	C	68[A]	ASP	2.3
1	D	256	ARG	2.3
1	C	87	GLU	2.3
1	B	142	THR	2.2
1	A	285	LYS	2.1
1	A	33	ILE	2.1
1	D	286	ASN	2.1
1	A	29	LEU	2.1
1	B	286	ASN	2.1
1	D	280	THR	2.1
1	C	208	LEU	2.1
1	B	30	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	PEG	C	445	7/7	0.84	0.20	11.59	46,47,49,50	0
8	PEG	B	448	7/7	0.81	0.17	9.27	49,49,54,57	0
8	PEG	A	452	7/7	0.81	0.13	6.84	40,41,43,46	0
8	PEG	C	447	7/7	0.81	0.16	5.58	44,45,47,49	0
8	PEG	D	444	7/7	0.81	0.19	5.45	32,37,39,39	0
8	PEG	D	446	7/7	0.82	0.12	4.25	55,56,57,59	0
8	PEG	A	453	7/7	0.87	0.24	3.14	33,39,40,40	0
9	PGE	B	447	10/10	0.84	0.17	2.90	55,59,62,62	0
7	EDO	C	449	4/4	0.76	0.16	2.69	51,52,53,55	0
6	SKM	D	443[B]	12/12	0.91	0.18	2.49	15,17,19,20	12
6	SKM	A	445[B]	12/12	0.93	0.13	2.32	5,7,10,15	12
5	GPJ	B	444	10/10	0.86	0.26	2.27	32,41,44,48	0
12	PG4	C	446	13/13	0.89	0.17	2.18	20,34,51,53	0
7	EDO	A	446	4/4	0.80	0.20	2.13	44,48,49,49	0
4	S3P	D	442[A]	16/16	0.89	0.17	2.04	26,28,32,33	16
7	EDO	A	449	4/4	0.70	0.17	1.87	51,54,55,56	0
8	PEG	A	451	7/7	0.69	0.21	1.82	39,40,42,43	7
2	BME	A	439	4/4	0.94	0.19	1.42	38,46,48,53	0
8	PEG	A	450	7/7	0.80	0.22	1.38	64,64,65,66	0
8	PEG	A	448	7/7	0.84	0.17	1.35	62,63,64,65	0
6	SKM	C	443[B]	12/12	0.91	0.18	1.34	14,16,17,22	12
2	BME	A	440	4/4	0.86	0.17	1.25	46,48,50,50	0
12	PG4	C	450	13/13	0.73	0.20	1.21	54,56,61,61	0
4	S3P	A	443[A]	16/16	0.92	0.12	1.20	17,21,28,29	16
12	PG4	D	447	13/13	0.77	0.19	1.06	53,55,58,59	0
8	PEG	B	445	7/7	0.82	0.14	1.04	63,63,64,65	0
6	SKM	B	443[B]	12/12	0.92	0.12	0.99	7,9,9,15	12
8	PEG	A	447	7/7	0.85	0.13	0.74	54,57,58,58	0
3	PO4	A	441[B]	5/5	0.97	0.11	0.73	19,21,23,24	5
5	GPJ	B	442	10/10	0.98	0.10	0.65	15,16,19,20	0
4	S3P	C	444[A]	16/16	0.91	0.14	0.63	24,26,34,35	16
10	1PE	B	449	16/16	0.82	0.16	0.61	45,51,59,60	0
8	PEG	D	445	7/7	0.89	0.15	0.36	57,58,59,59	0
2	BME	B	439[A]	4/4	0.95	0.14	0.25	25,26,26,28	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	GPJ	C	442	10/10	0.98	0.12	0.23	21,24,25,28	0
5	GPJ	A	444	10/10	0.98	0.08	-0.02	15,16,18,18	0
4	S3P	B	441[A]	16/16	0.94	0.10	-0.10	18,20,27,27	16
2	BME	B	439[B]	4/4	0.95	0.14	-0.11	27,27,27,28	4
3	PO4	B	440[B]	5/5	0.97	0.09	-0.14	19,20,23,24	5
8	PEG	B	446	7/7	0.77	0.21	-0.28	73,74,74,74	0
5	GPJ	D	441	10/10	0.97	0.10	-0.48	22,24,27,28	0
3	PO4	C	441[B]	5/5	0.98	0.08	-0.64	28,29,29,30	5
11	CL	D	440	1/1	0.96	0.12	-	41,41,41,41	0
2	BME	D	439	4/4	0.94	0.34	-	40,42,42,43	4
7	EDO	C	448	4/4	0.80	0.17	-	59,59,60,60	0
11	CL	C	440	1/1	0.95	0.04	-	39,39,39,39	0
2	BME	C	439	4/4	0.94	0.34	-	39,44,46,48	0
3	PO4	A	442[A]	5/5	0.93	0.15	-	28,33,36,37	5

6.5 Other polymers

There are no such residues in this entry.