



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:15 PM GMT

PDB ID : 1STO
Title : CRYSTAL STRUCTURE OF OROTATE PHOSPHORIBOSYLTRANSFERASE
Authors : Scapin, G.; Grubmeyer, C.; Sacchettini, J.C.
Deposited on : 1993-12-20
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	213	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OMP	A	216	X	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 1718 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called OROTATE PHOSPHORIBOSYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	0
			1616	1034	277	299	6			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	101	ALA	GLU	CONFLICT	UNP P08870

- Molecule 2 is HYDROXIDE ION (three-letter code: OH) (formula: HO).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	O	0	0
			1	1		

- Molecule 3 is OROTIDINE-5'-MONOPHOSPHATE (three-letter code: OMP) (formula: C₁₀H₁₃N₂O₁₁P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			24	10	2	11	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	77	Total	O	0	0
			77	77		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: OROTATE PHOSPHORIBOSYLTRANSFERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	47.20Å 47.20Å 216.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.00 – 2.60	Depositor
% Data completeness (in resolution range)	(Not available) (28.00-2.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT, X-PLOR	Depositor
R, R_{free}	0.176 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1718	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OMP, OH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.36	15/1644 (0.9%)	1.46	23/2214 (1.0%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	22	GLU	CD-OE1	10.24	1.36	1.25
1	A	63	GLU	CD-OE1	9.48	1.36	1.25
1	A	10	GLU	CD-OE1	8.45	1.34	1.25
1	A	169	GLU	CD-OE2	8.30	1.34	1.25
1	A	138	GLU	CD-OE2	7.53	1.33	1.25
1	A	171	GLU	CD-OE2	7.47	1.33	1.25
1	A	163	GLU	CD-OE2	7.30	1.33	1.25
1	A	192	GLU	CD-OE2	7.23	1.33	1.25
1	A	193	GLU	CD-OE1	7.08	1.33	1.25
1	A	158	GLU	CD-OE2	6.67	1.32	1.25
1	A	210	GLU	CD-OE1	6.49	1.32	1.25
1	A	209	GLU	CD-OE1	6.22	1.32	1.25
1	A	199	GLU	CD-OE2	6.02	1.32	1.25
1	A	87	GLU	CD-OE2	5.43	1.31	1.25
1	A	135	GLU	CD-OE1	5.10	1.31	1.25

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	ASP	CB-CG-OD2	-8.61	110.55	118.30
1	A	186	ASP	CB-CG-OD1	8.32	125.79	118.30
1	A	59	ASP	CB-CG-OD1	-7.67	111.39	118.30
1	A	6	ARG	NE-CZ-NH2	-7.48	116.56	120.30
1	A	99	ARG	NE-CZ-NH2	7.33	123.97	120.30
1	A	208	ARG	NE-CZ-NH1	7.08	123.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	59	ASP	CB-CG-OD2	6.69	124.32	118.30
1	A	205	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	A	65	ASP	CB-CG-OD2	-6.59	112.37	118.30
1	A	186	ASP	CB-CG-OD2	-6.55	112.40	118.30
1	A	155	ASP	CB-CG-OD1	6.47	124.12	118.30
1	A	125	ASP	CB-CG-OD1	-6.34	112.59	118.30
1	A	92	ASP	CB-CG-OD1	6.32	123.99	118.30
1	A	82	ALA	N-CA-CB	6.02	118.52	110.10
1	A	72	TYR	N-CA-CB	5.93	121.28	110.60
1	A	90	ASP	CB-CG-OD1	-5.86	113.03	118.30
1	A	196	ASP	CB-CG-OD1	-5.84	113.05	118.30
1	A	6	ARG	NE-CZ-NH1	5.61	123.11	120.30
1	A	173	ASP	CB-CG-OD2	-5.53	113.32	118.30
1	A	83	VAL	N-CA-CB	5.26	123.08	111.50
1	A	137	MET	CB-CA-C	5.26	120.91	110.40
1	A	92	ASP	CB-CG-OD2	-5.25	113.57	118.30
1	A	134	ARG	NE-CZ-NH1	5.06	122.83	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1616	0	1629	157	0
2	A	1	0	0	0	0
3	A	24	0	7	12	0
4	A	77	0	0	4	0
All	All	1718	0	1636	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 49.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:ARG:HD2	3:A:216:OMP:O4	1.47	1.15
1:A:185:LYS:HE2	4:A:362:HOH:O	1.54	1.05
1:A:111:LEU:HD22	1:A:116:LEU:HG	1.46	0.98
1:A:57:LEU:HD13	1:A:151:LEU:HD22	1.49	0.94
1:A:194:LYS:HB2	1:A:197:MET:HG3	1.50	0.91
1:A:208:ARG:HG2	1:A:208:ARG:HH11	1.36	0.91
1:A:164:ILE:HD12	1:A:169:GLU:HG2	1.53	0.90
1:A:115:ALA:HB1	1:A:117:GLN:HB2	1.55	0.89
1:A:156:ARG:HD2	3:A:216:OMP:C4	2.04	0.88
1:A:97:PHE:CE1	1:A:112:VAL:HB	2.08	0.88
1:A:164:ILE:CD1	1:A:169:GLU:HG2	2.08	0.83
1:A:122:LEU:HD23	1:A:123:VAL:N	1.95	0.81
1:A:194:LYS:CB	1:A:197:MET:HG3	2.11	0.80
1:A:137:MET:CE	1:A:147:LEU:HD23	2.11	0.80
3:A:216:OMP:O2	3:A:216:OMP:H2'	1.80	0.79
1:A:111:LEU:CD2	1:A:116:LEU:HG	2.13	0.78
1:A:137:MET:CE	1:A:174:TYR:HB3	2.12	0.78
1:A:101:ALA:O	1:A:108:GLY:N	2.16	0.78
1:A:97:PHE:CD1	1:A:112:VAL:HB	2.19	0.78
1:A:51:ARG:HE	1:A:88:HIS:CE1	2.02	0.78
1:A:29:ARG:HD3	1:A:211:PHE:CE1	2.19	0.77
1:A:137:MET:HE3	1:A:174:TYR:HB3	1.64	0.77
1:A:152:ILE:HG13	1:A:180:SER:HB2	1.67	0.75
1:A:20:PHE:HB3	1:A:200:HIS:CD2	2.23	0.73
1:A:127:ILE:HG12	1:A:133:ILE:HD11	1.72	0.72
1:A:165:SER:O	1:A:169:GLU:HG3	1.90	0.71
1:A:131:THR:O	1:A:134:ARG:HG2	1.89	0.71
1:A:136:SER:O	1:A:140:ILE:HD12	1.91	0.71
1:A:156:ARG:HD2	3:A:216:OMP:C5	2.23	0.69
1:A:97:PHE:CE1	1:A:112:VAL:CB	2.76	0.69
1:A:137:MET:HE1	1:A:147:LEU:HD23	1.76	0.67
1:A:134:ARG:HB3	1:A:174:TYR:OH	1.94	0.67
1:A:25:LEU:HD21	1:A:31:SER:HB3	1.79	0.65
1:A:133:ILE:O	1:A:137:MET:N	2.29	0.64
1:A:187:LEU:HD12	1:A:187:LEU:O	1.99	0.63
3:A:216:OMP:O2	3:A:216:OMP:C2'	2.45	0.62
1:A:208:ARG:O	1:A:212:GLY:N	2.28	0.62
1:A:208:ARG:HH11	1:A:208:ARG:CG	2.09	0.62
1:A:7:GLN:O	1:A:10:GLU:HB2	1.98	0.62
1:A:134:ARG:HD2	1:A:174:TYR:CE2	2.36	0.60
1:A:179:ILE:HG22	1:A:180:SER:N	2.17	0.60
1:A:156:ARG:CD	3:A:216:OMP:O4	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:LEU:C	1:A:122:LEU:HD23	2.23	0.59
1:A:9:ILE:CD1	1:A:182:ILE:HG21	2.33	0.59
1:A:164:ILE:HD12	1:A:169:GLU:CG	2.29	0.58
1:A:95:TYR:CD1	1:A:95:TYR:O	2.56	0.58
1:A:126:VAL:HG12	1:A:126:VAL:O	2.04	0.57
1:A:201:LEU:O	1:A:205:ARG:HB2	2.04	0.56
1:A:128:THR:HG21	3:A:216:OMP:C6	2.35	0.56
1:A:137:MET:HA	1:A:140:ILE:HD12	1.86	0.56
1:A:156:ARG:CD	3:A:216:OMP:H5	2.37	0.55
1:A:5:GLN:O	1:A:9:ILE:HG12	2.05	0.55
1:A:137:MET:HB2	1:A:147:LEU:CD2	2.37	0.55
1:A:11:PHE:CZ	1:A:40:PHE:CE1	2.96	0.54
1:A:11:PHE:CD2	1:A:52:PHE:CE2	2.96	0.54
1:A:153:SER:HA	1:A:181:ILE:HD12	1.90	0.54
1:A:159:ARG:NH1	1:A:210:GLU:O	2.41	0.54
1:A:13:LEU:O	1:A:16:GLN:N	2.41	0.53
1:A:62:ILE:HG22	1:A:63:GLU:N	2.24	0.53
1:A:135:GLU:O	1:A:138:GLU:HB2	2.09	0.52
1:A:97:PHE:CE1	1:A:112:VAL:HG11	2.43	0.52
1:A:15:LYS:O	1:A:16:GLN:HB2	2.08	0.52
1:A:97:PHE:CE1	1:A:112:VAL:CG1	2.91	0.52
1:A:134:ARG:NH1	1:A:174:TYR:CE2	2.77	0.52
1:A:156:ARG:CD	3:A:216:OMP:C5	2.87	0.52
1:A:9:ILE:HD13	1:A:182:ILE:HG21	1.91	0.52
1:A:42:THR:HG23	1:A:43:GLY:N	2.25	0.52
1:A:84:ALA:O	1:A:88:HIS:HB2	2.10	0.52
1:A:132:ALA:O	1:A:136:SER:OG	2.28	0.51
1:A:127:ILE:CD1	1:A:152:ILE:HG21	2.41	0.51
1:A:137:MET:HE2	1:A:174:TYR:HB3	1.91	0.51
1:A:2:LYS:O	1:A:5:GLN:HG3	2.11	0.51
1:A:127:ILE:HD12	1:A:152:ILE:HG21	1.93	0.51
1:A:133:ILE:O	1:A:137:MET:HB3	2.10	0.51
1:A:191:LEU:HD22	1:A:197:MET:HB3	1.93	0.51
1:A:132:ALA:O	1:A:135:GLU:HB3	2.11	0.50
1:A:187:LEU:HD12	1:A:187:LEU:C	2.32	0.50
1:A:62:ILE:HD13	1:A:62:ILE:N	2.27	0.50
1:A:57:LEU:HD13	1:A:151:LEU:CD2	2.32	0.50
1:A:116:LEU:CD1	1:A:139:ILE:HG22	2.42	0.50
1:A:151:LEU:HD12	1:A:152:ILE:N	2.28	0.49
1:A:164:ILE:HD11	1:A:169:GLU:HG2	1.90	0.49
1:A:95:TYR:HE2	1:A:97:PHE:HE2	1.60	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:SER:OG	1:A:32:PRO:N	2.45	0.49
1:A:137:MET:HG2	1:A:174:TYR:CD1	2.47	0.48
1:A:7:GLN:HA	1:A:10:GLU:HG3	1.95	0.48
1:A:96:CYS:SG	1:A:97:PHE:N	2.85	0.48
1:A:39:LEU:N	1:A:39:LEU:CD2	2.77	0.48
1:A:29:ARG:HD3	1:A:211:PHE:CD1	2.49	0.48
1:A:156:ARG:NH1	3:A:216:OMP:O4	2.46	0.48
1:A:27:SER:CB	4:A:355:HOH:O	2.60	0.48
1:A:83:VAL:HG23	1:A:87:GLU:HG3	1.96	0.48
1:A:168:GLN:HG2	4:A:328:HOH:O	2.13	0.48
1:A:39:LEU:HD23	1:A:39:LEU:N	2.29	0.47
1:A:95:TYR:HE2	1:A:97:PHE:CE2	2.33	0.47
1:A:156:ARG:NE	3:A:216:OMP:H5	2.29	0.47
1:A:187:LEU:O	1:A:190:TYR:HB3	2.14	0.47
1:A:116:LEU:HD11	1:A:139:ILE:HG22	1.95	0.47
1:A:125:ASP:O	1:A:126:VAL:HG23	2.15	0.46
1:A:115:ALA:CB	1:A:117:GLN:HB2	2.38	0.46
1:A:137:MET:CE	1:A:174:TYR:CD1	2.98	0.46
1:A:111:LEU:HD21	1:A:116:LEU:CD1	2.46	0.46
1:A:147:LEU:HD12	1:A:147:LEU:HA	1.56	0.46
1:A:122:LEU:HD22	1:A:150:VAL:HG13	1.98	0.46
1:A:27:SER:HB3	4:A:355:HOH:O	2.16	0.46
1:A:137:MET:HE2	1:A:147:LEU:HD23	1.97	0.46
1:A:66:LEU:CD2	1:A:120:VAL:HG22	2.45	0.46
1:A:179:ILE:O	1:A:180:SER:HB3	2.16	0.45
1:A:55:GLU:O	1:A:59:ASP:N	2.48	0.45
1:A:81:THR:O	1:A:85:LEU:HB2	2.16	0.45
1:A:54:ALA:O	1:A:57:LEU:HB3	2.16	0.45
1:A:35:PHE:CB	1:A:154:LEU:HD12	2.45	0.45
1:A:200:HIS:O	1:A:204:VAL:HG22	2.16	0.45
1:A:25:LEU:HD11	1:A:31:SER:HB2	1.98	0.45
1:A:46:LEU:HD12	1:A:46:LEU:HA	1.64	0.45
1:A:108:GLY:O	1:A:110:SER:HB2	2.17	0.45
1:A:66:LEU:HD23	1:A:120:VAL:HG22	1.99	0.45
1:A:131:THR:HB	1:A:132:ALA:H	1.58	0.44
1:A:134:ARG:NH1	1:A:174:TYR:HE2	2.15	0.44
1:A:155:ASP:HB3	1:A:183:THR:HG22	1.99	0.44
1:A:17:VAL:HG22	1:A:36:ASN:C	2.38	0.44
1:A:93:LEU:HA	1:A:94:PRO:HD3	1.75	0.44
1:A:137:MET:HB2	1:A:147:LEU:HD21	1.99	0.44
1:A:208:ARG:NH1	1:A:208:ARG:CG	2.76	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:PRO:HD2	1:A:74:GLY:HA3	1.99	0.44
1:A:49:LEU:O	1:A:49:LEU:HD12	2.18	0.44
1:A:140:ILE:HG21	1:A:147:LEU:HD13	1.99	0.43
1:A:32:PRO:HG2	1:A:204:VAL:HG12	1.99	0.43
1:A:73:LYS:H	1:A:73:LYS:HG2	1.61	0.43
1:A:179:ILE:HG22	1:A:180:SER:H	1.84	0.43
1:A:139:ILE:HG23	1:A:143:HIS:CE1	2.54	0.43
1:A:25:LEU:H	1:A:25:LEU:HG	1.44	0.43
1:A:157:GLN:HB2	1:A:184:LEU:HB2	2.01	0.43
1:A:62:ILE:CG1	1:A:179:ILE:HD11	2.48	0.42
1:A:161:ARG:HA	1:A:161:ARG:HD2	1.91	0.42
1:A:127:ILE:HA	3:A:216:OMP:O2P	2.19	0.42
1:A:132:ALA:O	1:A:135:GLU:N	2.46	0.42
1:A:36:ASN:O	1:A:38:GLY:N	2.53	0.42
1:A:178:VAL:HG12	1:A:179:ILE:O	2.19	0.42
1:A:194:LYS:HB2	1:A:197:MET:CG	2.35	0.42
1:A:42:THR:CG2	1:A:43:GLY:N	2.79	0.42
1:A:208:ARG:NH1	1:A:208:ARG:HG2	2.11	0.41
1:A:69:GLY:HA2	1:A:70:PRO:HD3	1.90	0.41
1:A:134:ARG:HD2	1:A:174:TYR:CZ	2.55	0.41
1:A:125:ASP:OD1	1:A:125:ASP:N	2.33	0.41
1:A:64:PHE:CD1	1:A:64:PHE:N	2.87	0.41
1:A:9:ILE:HD11	1:A:182:ILE:HG21	2.02	0.41
1:A:12:ALA:O	1:A:17:VAL:HG12	2.21	0.41
1:A:9:ILE:H	1:A:9:ILE:HG12	1.71	0.41
1:A:179:ILE:CG2	1:A:180:SER:N	2.82	0.41
1:A:167:ILE:HA	1:A:167:ILE:HD12	1.73	0.41
1:A:95:TYR:CE2	1:A:97:PHE:CE2	3.08	0.41
1:A:17:VAL:HG23	1:A:36:ASN:O	2.21	0.41
1:A:156:ARG:HG2	1:A:156:ARG:NH1	2.35	0.41
1:A:124:ASP:CG	1:A:125:ASP:H	2.24	0.41
1:A:55:GLU:C	1:A:57:LEU:N	2.75	0.40
1:A:191:LEU:CD2	1:A:197:MET:HB3	2.51	0.40
1:A:56:ALA:O	1:A:60:SER:HB3	2.21	0.40
1:A:95:TYR:C	1:A:95:TYR:CD1	2.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	204/213 (96%)	171 (84%)	26 (13%)	7 (3%)	5 7

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	110	SER
1	A	132	ALA
1	A	37	ALA
1	A	109	GLY
1	A	114	SER
1	A	130	GLY
1	A	59	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	165/169 (98%)	116 (70%)	49 (30%)	0 1

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	2	LYS
1	A	9	ILE
1	A	11	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	13	LEU
1	A	14	ASN
1	A	15	LYS
1	A	17	VAL
1	A	18	LEU
1	A	30	LYS
1	A	39	LEU
1	A	42	THR
1	A	46	LEU
1	A	48	LEU
1	A	51	ARG
1	A	60	SER
1	A	62	ILE
1	A	66	LEU
1	A	73	LYS
1	A	83	VAL
1	A	90	ASP
1	A	91	LYS
1	A	93	LEU
1	A	95	TYR
1	A	96	CYS
1	A	98	ASN
1	A	110	SER
1	A	111	LEU
1	A	114	SER
1	A	116	LEU
1	A	117	GLN
1	A	126	VAL
1	A	131	THR
1	A	134	ARG
1	A	137	MET
1	A	138	GLU
1	A	141	GLN
1	A	147	LEU
1	A	151	LEU
1	A	153	SER
1	A	154	LEU
1	A	163	GLU
1	A	167	ILE
1	A	170	VAL
1	A	173	ASP
1	A	184	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	201	LEU
1	A	208	ARG
1	A	209	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	200	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is modelled with single atom - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OMP	A	216	-	15,25,25	2.54	5 (33%)	19,38,38	3.54	10 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OMP	A	216	-	1/1/6/6	0/6/30/30	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	216	OMP	C3'-C4'	-5.69	1.37	1.53
3	A	216	OMP	O2'-C2'	-5.25	1.30	1.43
3	A	216	OMP	C5-C6	2.02	1.40	1.38
3	A	216	OMP	P-O5'	2.73	1.69	1.60
3	A	216	OMP	O4'-C1'	4.09	1.46	1.41

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	216	OMP	O3P-P-O5'	-5.74	90.02	106.56
3	A	216	OMP	O4'-C4'-C3'	-2.14	100.84	105.15
3	A	216	OMP	C4-C5-C6	2.31	118.22	116.73
3	A	216	OMP	O3P-P-O2P	2.80	118.03	107.38
3	A	216	OMP	O5'-P-O1P	4.38	118.28	107.14
3	A	216	OMP	O4'-C1'-N1	4.70	113.66	108.29
3	A	216	OMP	C2'-C3'-C4'	4.98	112.85	102.61
3	A	216	OMP	C5'-C4'-C3'	5.51	137.06	115.21
3	A	216	OMP	C4-N3-C2	5.68	119.77	114.14
3	A	216	OMP	O3'-C3'-C4'	6.37	130.16	111.05

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	216	OMP	C3'

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	216	OMP	12	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.