



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:22 PM GMT

PDB ID : 1TD0  
Title : Viral capsid protein SHP at pH 5.5  
Authors : Chang, C.; Forrer, P.; Ott, D.; Wlodawer, A.; Plueckthun, A.  
Deposited on : 2004-05-21  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	114	<div> <div>4%</div> <div>62% 27% 11%</div> </div>
1	B	114	<div> <div>3%</div> <div>61% 28% 11%</div> </div>
1	C	114	<div> <div>5%</div> <div>58% 30% 11%</div> </div>
1	D	114	<div> <div>4%</div> <div>51% 38% 10%</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3536 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Head decoration protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	102	Total	C	N	O	S	0	0	0
			727	461	120	145	1			
1	B	102	Total	C	N	O	S	0	0	0
			727	461	120	145	1			
1	C	101	Total	C	N	O	S	0	0	0
			722	458	119	144	1			
1	D	103	Total	C	N	O	S	0	0	0
			735	467	121	146	1			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	150	Total	O	0	0
			150	150		
2	B	166	Total	O	0	0
			166	166		
2	C	164	Total	O	0	0
			164	164		
2	D	145	Total	O	0	0
			145	145		



E686	
P691	
Y694	
D695	
E696	
F703	
L708	
S709	
H710	
L713	
PR0	

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.48Å 57.48Å 101.61Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.74 – 1.95 28.74 – 1.95	Depositor EDS
% Data completeness (in resolution range)	96.3 (28.74-1.95) 96.2 (28.74-1.95)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 1.95Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.229 , 0.260 0.230 , 0.260	Depositor DCC
$R_{free}$ test set	1283 reflections (4.86%)	DCC
Wilson B-factor (Å <sup>2</sup> )	33.2	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 85.4	EDS
Estimated twinning fraction	0.480 for -h,-k,l 0.437 for h,-h-k,-l 0.438 for -k,-h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 27034 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	3536	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/745	0.59	0/1019
1	B	0.35	0/745	0.58	0/1019
1	C	0.34	0/740	0.58	0/1012
1	D	0.35	0/753	0.59	0/1030
All	All	0.35	0/2983	0.58	0/4080

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	727	0	695	37	0
1	B	727	0	695	43	0
1	C	722	0	693	41	0
1	D	735	0	706	60	0
2	A	150	0	0	12	0
2	B	166	0	0	18	0
2	C	164	0	0	20	0
2	D	145	0	0	36	0
All	All	3536	0	2789	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:614:ILE:H	1:D:614:ILE:HD12	1.05	1.08
1:C:414:ILE:HG13	1:D:614:ILE:HG12	1.39	1.02
1:D:641:MET:HA	2:D:1827:HOH:O	1.58	1.01
1:B:214:ILE:HG13	2:B:1702:HOH:O	1.68	0.94
1:D:614:ILE:H	1:D:614:ILE:CD1	1.82	0.93
1:D:660:ALA:HA	2:D:1976:HOH:O	1.67	0.92
1:D:664:LEU:HG	2:D:1973:HOH:O	1.74	0.86
1:D:614:ILE:HD12	1:D:614:ILE:N	1.91	0.85
1:B:250:VAL:HG22	2:B:1577:HOH:O	1.76	0.85
1:C:440:LEU:HB3	2:C:1906:HOH:O	1.79	0.81
1:B:291:PRO:HG2	1:B:294:VAL:HB	1.64	0.79
1:D:691:PRO:HG2	1:D:694:VAL:HB	1.64	0.79
1:C:491:PRO:HG2	1:C:494:VAL:HB	1.65	0.79
1:D:676:THR:HB	2:D:1979:HOH:O	1.82	0.78
1:A:91:PRO:HG2	1:A:94:VAL:HB	1.64	0.78
1:C:414:ILE:H	1:C:414:ILE:HD12	1.49	0.78
1:C:414:ILE:CG1	1:D:614:ILE:HG12	2.12	0.77
1:C:414:ILE:H	1:C:414:ILE:CD1	1.97	0.77
1:A:37:LEU:HD11	1:B:214:ILE:CG2	2.14	0.77
1:D:679:LYS:NZ	2:D:1602:HOH:O	2.17	0.77
1:C:476:THR:HB	2:C:1855:HOH:O	1.83	0.77
1:D:661:VAL:HG13	2:D:1827:HOH:O	1.84	0.76
1:D:661:VAL:HG22	2:D:1827:HOH:O	1.84	0.76
1:B:249:LEU:HD22	2:B:1446:HOH:O	1.84	0.76
1:B:217:GLY:HA3	1:B:282:THR:HB	1.69	0.75
1:C:417:GLY:HA3	1:C:482:THR:HB	1.69	0.75
1:D:617:GLY:HA3	1:D:682:THR:HB	1.69	0.75
1:A:76:THR:HB	2:A:1972:HOH:O	1.85	0.74
1:C:460:ALA:HB1	2:C:1857:HOH:O	1.87	0.73
1:A:17:GLY:HA3	1:A:82:THR:HB	1.69	0.73
1:A:60:ALA:HB1	2:A:1613:HOH:O	1.88	0.73
1:A:14:ILE:N	1:A:14:ILE:HD12	2.04	0.72
1:A:14:ILE:HD13	1:B:237:LEU:CD1	2.19	0.72
1:D:641:MET:HB3	2:D:1976:HOH:O	1.91	0.71
1:D:636:ALA:HA	2:D:1973:HOH:O	1.90	0.71
1:C:414:ILE:N	1:C:414:ILE:HD12	2.07	0.69
1:D:622:HIS:HB3	2:D:1920:HOH:O	1.92	0.69
1:A:14:ILE:HG12	1:B:214:ILE:HB	1.74	0.69
1:A:37:LEU:HD11	1:B:214:ILE:HG22	1.75	0.68
1:D:681:GLY:HA3	2:D:1749:HOH:O	1.93	0.68

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:618:ASN:ND2	2:D:1586:HOH:O	2.26	0.68
1:C:450:VAL:HG13	2:C:1815:HOH:O	1.97	0.65
1:A:37:LEU:HD11	1:B:214:ILE:HG21	1.79	0.65
1:A:14:ILE:HD11	1:B:287:ALA:HB1	1.79	0.65
1:C:414:ILE:HG13	1:D:614:ILE:CG1	2.24	0.65
1:B:250:VAL:HG13	2:B:1706:HOH:O	1.97	0.64
1:B:296:GLU:HB2	2:B:1090:HOH:O	1.97	0.64
1:C:508:LEU:HB3	2:C:1984:HOH:O	1.97	0.63
1:D:709:SER:HA	2:D:1770:HOH:O	1.99	0.63
1:C:448:LYS:HB2	2:C:1815:HOH:O	1.99	0.63
1:C:510:HIS:HB3	2:C:1969:HOH:O	1.98	0.63
1:A:81:GLY:HA3	2:A:1760:HOH:O	1.99	0.62
1:B:248:LYS:HB2	2:B:1706:HOH:O	1.98	0.62
1:B:252:TRP:CZ2	1:B:254:GLY:HA2	2.36	0.61
1:C:452:TRP:CZ2	1:C:454:GLY:HA2	2.36	0.61
1:C:465:VAL:HB	2:C:1855:HOH:O	1.99	0.61
1:C:456:LYS:HE3	2:C:1518:HOH:O	2.00	0.60
1:B:214:ILE:HD11	1:B:237:LEU:HD22	1.84	0.59
1:C:483:PHE:HB2	2:C:1969:HOH:O	2.01	0.59
1:D:616:ALA:HB1	1:D:713:LEU:HB2	1.84	0.59
1:B:256:LYS:HE3	2:B:1490:HOH:O	2.01	0.59
1:B:216:ALA:HB3	2:B:1076:HOH:O	2.01	0.59
1:B:272:GLU:HB2	2:B:1747:HOH:O	2.03	0.59
1:A:52:TRP:CZ2	1:A:54:GLY:HA2	2.38	0.59
1:D:653:ASP:HB2	2:D:1964:HOH:O	2.03	0.58
1:D:674:ALA:HB1	2:D:1647:HOH:O	2.03	0.58
1:C:437:LEU:CD1	1:D:614:ILE:HD13	2.32	0.58
1:D:651:VAL:HG22	2:D:1995:HOH:O	2.02	0.58
1:D:652:TRP:CZ2	1:D:654:GLY:HA2	2.39	0.58
1:A:65:VAL:HB	2:A:1972:HOH:O	2.05	0.57
1:D:665:VAL:HB	2:D:1979:HOH:O	2.04	0.56
1:A:108:LEU:HB3	2:A:1667:HOH:O	2.05	0.56
1:D:679:LYS:HE2	2:D:1920:HOH:O	2.05	0.56
1:B:265:VAL:HG23	1:B:277:TYR:HA	1.88	0.56
1:C:416:ALA:HB3	2:C:1907:HOH:O	2.05	0.56
1:D:625:THR:HB	2:D:1647:HOH:O	2.06	0.55
1:A:14:ILE:HD11	1:B:287:ALA:CB	2.36	0.55
1:C:465:VAL:HG23	1:C:477:TYR:HA	1.89	0.55
1:A:51:VAL:HG22	2:A:1961:HOH:O	2.05	0.55
1:D:665:VAL:HG23	1:D:677:TYR:HA	1.89	0.54
1:D:615:PHE:C	1:D:617:GLY:H	2.11	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:634:THR:HG21	2:D:1995:HOH:O	2.06	0.54
1:D:667:PRO:HG2	2:D:1802:HOH:O	2.08	0.54
1:A:65:VAL:HG23	1:A:77:TYR:HA	1.89	0.54
1:D:696:GLU:HB2	2:D:1110:HOH:O	2.07	0.53
1:B:276:THR:HG23	2:B:1122:HOH:O	2.09	0.53
1:A:86:GLU:HG2	2:B:1105:HOH:O	2.09	0.53
1:D:694:VAL:HG21	2:D:1879:HOH:O	2.08	0.53
1:D:659:SER:O	2:D:1827:HOH:O	2.19	0.53
1:A:67:PRO:HG2	2:A:1709:HOH:O	2.09	0.52
1:A:14:ILE:HG23	1:A:87:ALA:CB	2.39	0.52
1:D:652:TRP:HB2	2:D:1976:HOH:O	2.10	0.52
1:B:269:GLU:HA	1:B:269:GLU:OE2	2.10	0.52
1:C:469:GLU:HA	1:C:469:GLU:OE2	2.10	0.52
1:B:268:LEU:HD22	2:B:1747:HOH:O	2.10	0.51
1:D:621:ALA:HB2	2:D:1749:HOH:O	2.09	0.51
1:C:487:ALA:HB1	1:D:614:ILE:HD11	1.91	0.51
1:A:34:THR:HG21	2:A:1961:HOH:O	2.09	0.51
1:D:669:GLU:OE2	1:D:669:GLU:HA	2.11	0.51
1:A:69:GLU:HA	1:A:69:GLU:OE2	2.11	0.51
1:A:21:ALA:HB2	2:A:1760:HOH:O	2.11	0.51
1:A:37:LEU:CD1	1:B:214:ILE:HG22	2.40	0.50
1:B:311:ALA:HA	2:B:1860:HOH:O	2.11	0.50
1:B:243:ASP:N	2:B:1577:HOH:O	2.44	0.50
1:A:44:GLU:HB3	2:C:1569:HOH:O	2.12	0.49
1:D:666:LEU:N	2:D:1973:HOH:O	2.46	0.49
1:A:11:GLU:HA	1:B:286:GLU:O	2.12	0.49
1:C:475:LEU:C	1:C:475:LEU:HD12	2.33	0.49
1:D:615:PHE:O	1:D:617:GLY:N	2.40	0.49
1:C:418:ASN:HB2	2:C:1601:HOH:O	2.13	0.49
1:A:15:PHE:C	1:A:17:GLY:H	2.16	0.48
1:B:275:LEU:HD12	1:B:275:LEU:C	2.34	0.48
1:A:75:LEU:HD12	1:A:75:LEU:C	2.34	0.48
1:C:482:THR:HG22	2:C:1907:HOH:O	2.14	0.47
1:D:635:PRO:O	1:D:664:LEU:HD23	2.14	0.47
1:D:675:LEU:C	1:D:675:LEU:HD12	2.35	0.47
1:C:472:GLU:N	1:C:472:GLU:OE2	2.46	0.47
1:D:666:LEU:N	2:D:1979:HOH:O	2.47	0.47
1:B:272:GLU:OE2	1:B:272:GLU:N	2.45	0.47
1:D:672:GLU:N	1:D:672:GLU:OE2	2.47	0.47
1:C:420:PRO:HB3	2:D:1802:HOH:O	2.15	0.47
1:A:35:PRO:O	1:A:64:LEU:HD23	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:GLU:OE2	1:A:72:GLU:N	2.48	0.46
1:C:435:PRO:O	1:C:464:LEU:HD23	2.15	0.46
1:B:282:THR:HG22	2:B:1076:HOH:O	2.15	0.46
1:D:665:VAL:HA	2:D:1946:HOH:O	2.15	0.45
2:C:1748:HOH:O	1:D:686:GLU:HG2	2.16	0.45
1:D:678:TYR:HE1	2:D:1946:HOH:O	1.99	0.45
1:A:14:ILE:HD13	1:B:237:LEU:HD11	1.98	0.45
1:B:235:PRO:O	1:B:264:LEU:HD23	2.15	0.45
1:D:694:VAL:HG11	2:D:1879:HOH:O	2.16	0.45
1:C:486:GLU:O	1:D:611:GLU:HA	2.17	0.45
1:D:640:LEU:C	2:D:1976:HOH:O	2.56	0.44
2:A:1709:HOH:O	1:B:220:PRO:HB3	2.17	0.44
1:C:487:ALA:CB	1:D:614:ILE:HD11	2.48	0.44
1:C:496:GLU:HB2	2:C:1087:HOH:O	2.18	0.44
1:B:213:ARG:HA	2:B:1295:HOH:O	2.18	0.44
1:D:708:LEU:HB3	2:D:1908:HOH:O	2.17	0.44
1:A:66:LEU:N	2:A:1972:HOH:O	2.49	0.43
1:B:214:ILE:HD13	1:B:287:ALA:HB1	2.00	0.43
1:C:466:LEU:HA	2:C:1612:HOH:O	2.18	0.43
1:B:240:LEU:C	2:B:1446:HOH:O	2.57	0.43
1:C:449:LEU:HB3	2:C:1906:HOH:O	2.19	0.43
1:C:466:LEU:N	2:C:1855:HOH:O	2.51	0.43
1:B:214:ILE:HD11	1:B:237:LEU:CD2	2.49	0.43
1:C:414:ILE:HD13	1:D:637:LEU:CD1	2.49	0.42
1:B:213:ARG:C	1:B:215:PHE:N	2.72	0.42
1:D:703:PHE:HD1	2:D:1770:HOH:O	2.02	0.42
1:D:710:HIS:CD2	2:D:1770:HOH:O	2.73	0.41
1:A:96:GLU:HB2	2:A:1144:HOH:O	2.19	0.41
1:B:220:PRO:HG3	2:B:1633:HOH:O	2.19	0.41
1:C:415:PHE:C	1:C:417:GLY:H	2.24	0.41
1:B:252:TRP:CH2	1:B:254:GLY:HA2	2.56	0.41
1:C:452:TRP:CH2	1:C:454:GLY:HA2	2.56	0.41
1:C:493:SER:CA	2:C:1569:HOH:O	2.68	0.41
1:D:616:ALA:O	1:D:713:LEU:HD12	2.20	0.41
1:A:14:ILE:CD1	1:B:287:ALA:HB1	2.49	0.41
1:D:615:PHE:C	1:D:617:GLY:N	2.73	0.41
1:B:244:GLU:OE1	1:B:244:GLU:HA	2.21	0.40
1:A:14:ILE:HG22	1:A:14:ILE:O	2.20	0.40
1:C:444:GLU:OE1	1:C:444:GLU:HA	2.21	0.40
1:A:52:TRP:CH2	1:A:54:GLY:HA2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	100/114 (88%)	98 (98%)	1 (1%)	1 (1%)	19	8
1	B	100/114 (88%)	98 (98%)	2 (2%)	0	100	100
1	C	99/114 (87%)	95 (96%)	4 (4%)	0	100	100
1	D	101/114 (89%)	96 (95%)	3 (3%)	2 (2%)	9	2
All	All	400/456 (88%)	387 (97%)	10 (2%)	3 (1%)	24	11

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	616	ALA
1	D	614	ILE
1	A	16	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	72/87 (83%)	72 (100%)	0	100	100
1	B	72/87 (83%)	72 (100%)	0	100	100
1	C	72/87 (83%)	71 (99%)	1 (1%)	74	70
1	D	73/87 (84%)	73 (100%)	0	100	100
All	All	289/348 (83%)	288 (100%)	1 (0%)	94	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	414	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	102/114 (89%)	0.03	5 (4%) 33 45	18, 37, 58, 66	0
1	B	102/114 (89%)	-0.04	3 (2%) 55 65	19, 37, 58, 66	0
1	C	101/114 (88%)	0.02	6 (5%) 26 36	20, 37, 59, 70	0
1	D	103/114 (90%)	0.02	5 (4%) 33 45	20, 37, 59, 67	0
All	All	408/456 (89%)	0.01	19 (4%) 35 46	18, 37, 60, 70	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	412	VAL	5.1
1	D	616	ALA	3.8
1	A	16	ALA	3.8
1	C	413	ARG	3.7
1	B	213	ARG	3.6
1	A	112	ALA	3.3
1	A	14	ILE	3.1
1	D	614	ILE	3.0
1	A	92	GLU	2.7
1	D	612	VAL	2.6
1	A	12	VAL	2.4
1	C	512	ALA	2.4
1	C	415	PHE	2.2
1	B	212	VAL	2.2
1	B	215	PHE	2.2
1	D	611	GLU	2.2
1	C	414	ILE	2.2
1	C	416	ALA	2.1
1	D	615	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.