



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 05:08 PM BST

PDB ID : 1TKN
Title : Solution structure of CAPPD*, an independently folded extracellular domain of human Amyloid-beta Precursor Protein
Authors : Dulubova, I.; Ho, A.; Huryeva, I.; Sudhof, T.C.; Rizo, J.
Deposited on : 2004-06-08

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 90%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	110	 48% 39% 11% •

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:462-A:569 (108)	0.46	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 4, 5, 6, 8, 9, 10, 12, 17
2	1, 2, 11, 14, 16
3	15, 18, 19, 20
4	7, 13

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1875 atoms, of which 953 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Amyloid beta A4 protein.


Mol	Chain	Residues	Atoms							Trace
1	A	110	Total	C	H	N	O	S		0
			1875	577	953	176	164	5		

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Amyloid beta A4 protein




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Amyloid beta A4 protein



4.2.2 Score per residue for model 2 (medoid)


- Molecule 1: Amyloid beta A4 protein






4.2.3 Score per residue for model 3

- Molecule 1: Amyloid beta A4 protein




4.2.4 Score per residue for model 4

- Molecule 1: Amyloid beta A4 protein




4.2.5 Score per residue for model 5

- Molecule 1: Amyloid beta A4 protein




4.2.6 Score per residue for model 6

- Molecule 1: Amyloid beta A4 protein




4.2.7 Score per residue for model 7

- Molecule 1: Amyloid beta A4 protein




4.2.8 Score per residue for model 8

- Molecule 1: Amyloid beta A4 protein




4.2.9 Score per residue for model 9

- Molecule 1: Amyloid beta A4 protein




4.2.10 Score per residue for model 10

- Molecule 1: Amyloid beta A4 protein




4.2.11 Score per residue for model 11

- Molecule 1: Amyloid beta A4 protein




4.2.12 Score per residue for model 12

- Molecule 1: Amyloid beta A4 protein




4.2.13 Score per residue for model 13

- Molecule 1: Amyloid beta A4 protein




4.2.14 Score per residue for model 14

- Molecule 1: Amyloid beta A4 protein




4.2.15 Score per residue for model 15

- Molecule 1: Amyloid beta A4 protein




4.2.16 Score per residue for model 16

- Molecule 1: Amyloid beta A4 protein




4.2.17 Score per residue for model 17

- Molecule 1: Amyloid beta A4 protein




4.2.18 Score per residue for model 18

- Molecule 1: Amyloid beta A4 protein




4.2.19 Score per residue for model 19

- Molecule 1: Amyloid beta A4 protein



4.2.20 Score per residue for model 20

- Molecule 1: Amyloid beta A4 protein



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 1000 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure solution	1
CNS	refinement	1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6236
Number of chemical shift lists	1
Total number of shifts	1571
Number of shifts mapped to atoms	1491
Number of unparsed shifts	0
Number of shifts with mapping errors	80
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	90%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	904	929	924	43±4
All	All	18080	18580	18480	868

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:515:VAL:HG11	1:A:526:ILE:HD11	1.08	1.21	11	20
1:A:508:THR:HG22	1:A:530:VAL:HG13	0.91	1.39	18	2
1:A:548:LEU:O	1:A:548:LEU:HD22	0.84	1.73	14	7
1:A:548:LEU:HD13	1:A:549:TYR:N	0.83	1.89	16	20
1:A:548:LEU:HD22	1:A:548:LEU:O	0.82	1.75	1	13
1:A:515:VAL:HG11	1:A:526:ILE:CD1	0.81	2.05	13	14
1:A:486:ARG:O	1:A:490:VAL:HG13	0.81	1.75	11	20
1:A:529:GLN:O	1:A:532:THR:HG22	0.77	1.80	3	20
1:A:494:LEU:O	1:A:498:VAL:HG23	0.76	1.81	18	16
1:A:498:VAL:HG11	1:A:566:LEU:CD2	0.76	2.11	10	7
1:A:533:HIS:O	1:A:537:ILE:HD12	0.76	1.80	3	10
1:A:498:VAL:HG11	1:A:566:LEU:HD21	0.75	1.56	9	3
1:A:562:VAL:HA	1:A:565:LEU:HD23	0.75	1.59	8	13
1:A:508:THR:HG21	1:A:533:HIS:HB3	0.74	1.57	18	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:511:HIS:O	1:A:515:VAL:HG12	0.74	1.83	7	17
1:A:473:LEU:HD23	1:A:497:TYR:CD1	0.74	2.18	19	2
1:A:490:VAL:O	1:A:494:LEU:HD23	0.73	1.83	8	11
1:A:548:LEU:HD21	1:A:555:ALA:HA	0.72	1.61	13	20
1:A:498:VAL:HG22	1:A:541:MET:HE2	0.72	1.61	12	3
1:A:481:GLN:O	1:A:483:VAL:HG23	0.72	1.85	20	19
1:A:491:PHE:CE1	1:A:565:LEU:HD22	0.72	2.20	1	11
1:A:473:LEU:HD23	1:A:497:TYR:CD2	0.71	2.20	18	2
1:A:473:LEU:HD21	1:A:544:SER:OG	0.71	1.86	11	3
1:A:512:PHE:CD2	1:A:530:VAL:HG11	0.71	2.21	7	7
1:A:473:LEU:HD23	1:A:497:TYR:CE1	0.69	2.22	19	7
1:A:544:SER:HA	1:A:547:LEU:HD12	0.69	1.64	4	12
1:A:495:LYS:HB2	1:A:565:LEU:HD11	0.69	1.63	5	3
1:A:532:THR:O	1:A:536:VAL:HG23	0.68	1.89	4	15
1:A:562:VAL:O	1:A:566:LEU:HD12	0.68	1.89	16	8
1:A:512:PHE:CD1	1:A:530:VAL:HG21	0.68	2.24	19	4
1:A:477:ILE:HD13	1:A:480:LEU:HD12	0.68	1.66	17	15
1:A:473:LEU:HD23	1:A:497:TYR:CE2	0.68	2.24	15	4
1:A:479:ALA:CB	1:A:490:VAL:HG12	0.67	2.19	11	13
1:A:465:LEU:HD13	1:A:504:ASP:OD1	0.67	1.90	5	1
1:A:480:LEU:HD11	1:A:548:LEU:HB2	0.67	1.67	16	15
1:A:473:LEU:HD21	1:A:544:SER:HB2	0.67	1.66	7	3
1:A:479:ALA:HB1	1:A:490:VAL:HG12	0.66	1.68	7	4
1:A:508:THR:HG21	1:A:534:LEU:HB2	0.65	1.68	10	3
1:A:512:PHE:HB2	1:A:530:VAL:HG11	0.64	1.69	18	1
1:A:512:PHE:CB	1:A:530:VAL:HG11	0.61	2.26	18	1
1:A:515:VAL:HG21	1:A:522:LYS:HD2	0.61	1.72	3	7
1:A:495:LYS:CB	1:A:565:LEU:HD11	0.61	2.25	2	5
1:A:476:TYR:CD2	1:A:494:LEU:HD21	0.61	2.31	17	2
1:A:491:PHE:CD1	1:A:565:LEU:HD22	0.61	2.31	1	11
1:A:548:LEU:C	1:A:548:LEU:HD13	0.60	2.16	13	10
1:A:479:ALA:HB3	1:A:490:VAL:HG12	0.60	1.73	2	9
1:A:548:LEU:HD13	1:A:548:LEU:C	0.60	2.18	9	10
1:A:512:PHE:HD1	1:A:530:VAL:HG21	0.59	1.58	19	3
1:A:471:LEU:HD12	1:A:475:ASN:ND2	0.58	2.14	16	19
1:A:473:LEU:HD22	1:A:476:TYR:CE2	0.58	2.34	8	2
1:A:498:VAL:HG13	1:A:541:MET:HE1	0.58	1.75	18	4
1:A:498:VAL:HG11	1:A:566:LEU:HD22	0.58	1.75	10	3
1:A:495:LYS:CD	1:A:565:LEU:HD13	0.57	2.28	15	4
1:A:473:LEU:HD21	1:A:544:SER:HB3	0.57	1.76	8	2
1:A:548:LEU:HD22	1:A:548:LEU:C	0.57	2.20	16	15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:495:LYS:HG3	1:A:565:LEU:HD13	0.57	1.75	9	1
1:A:548:LEU:C	1:A:548:LEU:HD22	0.56	2.20	3	5
1:A:471:LEU:HD12	1:A:475:ASN:HD22	0.56	1.61	20	17
1:A:476:TYR:CD1	1:A:494:LEU:HD21	0.55	2.36	13	7
1:A:514:HIS:O	1:A:518:VAL:HG22	0.55	2.01	16	2
1:A:505:ARG:HA	1:A:537:ILE:HD13	0.55	1.77	1	11
1:A:498:VAL:HG13	1:A:541:MET:CE	0.55	2.32	2	2
1:A:495:LYS:CE	1:A:565:LEU:HD13	0.55	2.32	15	3
1:A:526:ILE:HD12	1:A:530:VAL:CG2	0.54	2.33	19	2
1:A:508:THR:HG22	1:A:530:VAL:CG1	0.53	2.25	18	3
1:A:473:LEU:HD22	1:A:476:TYR:HE2	0.53	1.64	15	2
1:A:531:MET:HA	1:A:534:LEU:HD12	0.53	1.80	7	13
1:A:515:VAL:HG11	1:A:526:ILE:HD13	0.53	1.78	13	1
1:A:536:VAL:HG13	1:A:540:ARG:HG3	0.51	1.82	6	6
1:A:473:LEU:O	1:A:473:LEU:HD12	0.51	2.05	16	2
1:A:487:PRO:O	1:A:558:ILE:HG22	0.51	2.05	20	1
1:A:526:ILE:O	1:A:530:VAL:HG23	0.51	2.06	20	4
1:A:505:ARG:HD3	1:A:537:ILE:HG21	0.51	1.82	19	1
1:A:509:LEU:O	1:A:509:LEU:HD12	0.50	2.06	6	4
1:A:565:LEU:HD12	1:A:565:LEU:C	0.50	2.27	15	1
1:A:505:ARG:CG	1:A:537:ILE:HG21	0.50	2.36	19	1
1:A:491:PHE:HE1	1:A:565:LEU:HD22	0.50	1.64	17	7
1:A:508:THR:HG22	1:A:530:VAL:HG12	0.50	1.83	7	2
1:A:473:LEU:C	1:A:473:LEU:HD12	0.50	2.27	16	2
1:A:504:ASP:OD1	1:A:537:ILE:HD11	0.49	2.07	12	2
1:A:477:ILE:O	1:A:480:LEU:HB2	0.49	2.07	7	19
1:A:548:LEU:HD21	1:A:555:ALA:CA	0.49	2.35	13	9
1:A:477:ILE:CD1	1:A:480:LEU:HD12	0.49	2.37	13	2
1:A:512:PHE:HB2	1:A:530:VAL:HG21	0.49	1.83	18	1
1:A:498:VAL:HG22	1:A:541:MET:CE	0.49	2.38	10	3
1:A:473:LEU:HD13	1:A:476:TYR:CZ	0.49	2.43	15	2
1:A:519:ASP:O	1:A:523:ALA:HB2	0.49	2.08	1	4
1:A:491:PHE:HB2	1:A:562:VAL:HG23	0.49	1.84	18	7
1:A:508:THR:CG2	1:A:530:VAL:HG13	0.48	2.26	18	6
1:A:495:LYS:HB3	1:A:565:LEU:HD11	0.48	1.83	12	1
1:A:558:ILE:O	1:A:562:VAL:HG23	0.48	2.09	20	3
1:A:505:ARG:CD	1:A:537:ILE:HG21	0.48	2.38	19	1
1:A:509:LEU:HD12	1:A:509:LEU:O	0.48	2.08	2	1
1:A:565:LEU:C	1:A:565:LEU:HD12	0.48	2.29	19	2
1:A:534:LEU:HD13	1:A:534:LEU:O	0.47	2.09	5	2
1:A:476:TYR:CD1	1:A:476:TYR:C	0.47	2.87	8	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:491:PHE:CD1	1:A:492:ASN:N	0.47	2.83	3	4
1:A:515:VAL:CG1	1:A:526:ILE:HD11	0.47	2.35	2	2
1:A:489:HIS:O	1:A:493:MET:CE	0.47	2.63	18	16
1:A:498:VAL:HG12	1:A:502:GLN:HE21	0.47	1.69	2	1
1:A:495:LYS:CG	1:A:565:LEU:HD22	0.46	2.40	15	1
1:A:505:ARG:HG2	1:A:534:LEU:HD21	0.46	1.86	5	1
1:A:512:PHE:CD1	1:A:530:VAL:HG11	0.46	2.45	17	2
1:A:476:TYR:C	1:A:476:TYR:CD1	0.46	2.89	15	1
1:A:490:VAL:HG21	1:A:558:ILE:HG21	0.46	1.85	8	4
1:A:473:LEU:HD12	1:A:473:LEU:C	0.46	2.31	12	1
1:A:476:TYR:CG	1:A:494:LEU:CD2	0.46	2.99	2	1
1:A:476:TYR:CD2	1:A:494:LEU:CD2	0.46	2.99	17	1
1:A:498:VAL:HG22	1:A:541:MET:HE1	0.46	1.88	17	1
1:A:522:LYS:O	1:A:526:ILE:HG23	0.45	2.10	12	5
1:A:468:ARG:O	1:A:472:ALA:HB2	0.45	2.11	19	2
1:A:491:PHE:CD1	1:A:491:PHE:C	0.45	2.90	8	5
1:A:472:ALA:HB1	1:A:497:TYR:HB2	0.45	1.89	5	1
1:A:536:VAL:HG13	1:A:540:ARG:CG	0.45	2.41	15	5
1:A:495:LYS:CG	1:A:565:LEU:HD13	0.45	2.42	7	1
1:A:498:VAL:O	1:A:501:GLU:CG	0.45	2.64	10	1
1:A:512:PHE:CD2	1:A:530:VAL:CG1	0.45	2.99	4	2
1:A:497:TYR:CD1	1:A:498:VAL:N	0.45	2.85	8	1
1:A:526:ILE:O	1:A:529:GLN:N	0.45	2.50	15	5
1:A:509:LEU:HD12	1:A:509:LEU:C	0.44	2.32	20	3
1:A:490:VAL:CG2	1:A:558:ILE:HG21	0.44	2.42	8	1
1:A:473:LEU:HD22	1:A:544:SER:OG	0.44	2.12	10	1
1:A:562:VAL:CA	1:A:565:LEU:HD23	0.44	2.39	9	1
1:A:462:GLU:HA	1:A:465:LEU:HD12	0.44	1.88	13	4
1:A:512:PHE:CE1	1:A:527:ARG:HA	0.44	2.46	12	3
1:A:512:PHE:CE1	1:A:530:VAL:HB	0.44	2.47	3	1
1:A:476:TYR:CD1	1:A:477:ILE:N	0.44	2.86	10	3
1:A:512:PHE:HE1	1:A:527:ARG:HA	0.44	1.71	9	1
1:A:473:LEU:HD21	1:A:544:SER:CB	0.44	2.42	5	1
1:A:505:ARG:CA	1:A:537:ILE:HD13	0.44	2.43	13	1
1:A:542:ASN:HA	1:A:545:LEU:HD12	0.44	1.88	13	1
1:A:491:PHE:CE2	1:A:565:LEU:HD22	0.44	2.48	10	1
1:A:487:PRO:HA	1:A:490:VAL:HG22	0.43	1.90	1	4
1:A:558:ILE:HD12	1:A:559:GLN:N	0.43	2.27	8	5
1:A:545:LEU:O	1:A:549:TYR:CD2	0.43	2.71	15	12
1:A:495:LYS:HE3	1:A:565:LEU:HD13	0.43	1.90	19	2
1:A:505:ARG:HG2	1:A:537:ILE:HD13	0.43	1.89	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:476:TYR:CD1	1:A:494:LEU:CD2	0.43	3.01	1	2
1:A:473:LEU:HD12	1:A:473:LEU:O	0.43	2.13	12	1
1:A:481:GLN:O	1:A:482:ALA:C	0.43	2.56	19	11
1:A:509:LEU:N	1:A:509:LEU:CD2	0.43	2.82	17	2
1:A:564:GLU:HA	1:A:567:GLN:HG3	0.43	1.91	16	8
1:A:476:TYR:OH	1:A:548:LEU:HB3	0.43	2.14	13	2
1:A:468:ARG:HA	1:A:471:LEU:HD23	0.43	1.91	10	1
1:A:508:THR:HG21	1:A:534:LEU:HG	0.42	1.91	7	1
1:A:473:LEU:O	1:A:476:TYR:CD2	0.42	2.72	16	1
1:A:522:LYS:HD2	1:A:526:ILE:HD13	0.42	1.91	9	1
1:A:476:TYR:OH	1:A:548:LEU:CB	0.42	2.67	18	3
1:A:518:VAL:HG23	1:A:519:ASP:N	0.42	2.29	4	7
1:A:563:ASP:O	1:A:567:GLN:CG	0.42	2.68	13	3
1:A:565:LEU:HG	1:A:566:LEU:N	0.42	2.29	7	3
1:A:564:GLU:HA	1:A:567:GLN:HG2	0.42	1.90	7	2
1:A:476:TYR:CD2	1:A:494:LEU:HD22	0.42	2.49	12	1
1:A:490:VAL:CG2	1:A:491:PHE:N	0.42	2.82	14	2
1:A:491:PHE:C	1:A:491:PHE:CD1	0.42	2.93	11	6
1:A:497:TYR:CE2	1:A:501:GLU:OE2	0.42	2.72	11	2
1:A:534:LEU:C	1:A:534:LEU:HD13	0.42	2.34	11	1
1:A:515:VAL:HG13	1:A:523:ALA:CB	0.42	2.44	14	2
1:A:509:LEU:CD2	1:A:509:LEU:N	0.42	2.83	15	3
1:A:509:LEU:C	1:A:509:LEU:HD12	0.42	2.34	16	2
1:A:512:PHE:CE1	1:A:527:ARG:HG2	0.42	2.50	16	1
1:A:532:THR:HA	1:A:535:ARG:CD	0.42	2.45	8	3
1:A:548:LEU:C	1:A:548:LEU:CD1	0.42	2.86	13	2
1:A:517:MET:CG	1:A:518:VAL:N	0.42	2.82	9	4
1:A:501:GLU:HG3	1:A:541:MET:HE2	0.42	1.92	7	1
1:A:522:LYS:CE	1:A:526:ILE:CG2	0.42	2.98	8	2
1:A:512:PHE:CE1	1:A:527:ARG:HG3	0.42	2.50	9	1
1:A:473:LEU:HD13	1:A:476:TYR:CE2	0.42	2.50	15	1
1:A:476:TYR:CB	1:A:493:MET:HB3	0.41	2.45	14	1
1:A:515:VAL:O	1:A:519:ASP:N	0.41	2.50	20	5
1:A:548:LEU:CD1	1:A:548:LEU:C	0.41	2.87	14	2
1:A:505:ARG:NH1	1:A:534:LEU:HD11	0.41	2.29	14	1
1:A:534:LEU:HD13	1:A:534:LEU:C	0.41	2.36	4	1
1:A:497:TYR:CZ	1:A:501:GLU:OE2	0.41	2.74	6	4
1:A:508:THR:CG2	1:A:530:VAL:CG1	0.41	2.99	12	2
1:A:473:LEU:HA	1:A:476:TYR:CE2	0.41	2.51	12	1
1:A:490:VAL:O	1:A:494:LEU:CD2	0.41	2.68	5	1
1:A:508:THR:HG21	1:A:533:HIS:CB	0.41	2.45	13	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:504:ASP:HB3	1:A:537:ILE:HD11	0.41	1.92	19	1
1:A:497:TYR:OH	1:A:544:SER:CB	0.41	2.69	15	1
1:A:509:LEU:CD2	1:A:534:LEU:CD2	0.41	2.99	3	1
1:A:512:PHE:CZ	1:A:530:VAL:HB	0.41	2.51	1	1
1:A:497:TYR:CE1	1:A:501:GLU:OE2	0.41	2.74	13	1
1:A:492:ASN:O	1:A:495:LYS:CG	0.40	2.69	12	1
1:A:537:ILE:HG22	1:A:538:TYR:N	0.40	2.30	11	2
1:A:491:PHE:CD2	1:A:561:GLU:OE1	0.40	2.74	18	1
1:A:508:THR:HG23	1:A:530:VAL:HG13	0.40	1.93	3	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	107/110 (97%)	103±1 (96±1%)	3±1 (3±1%)	1±0 (1±0%)	26	73
All	All	2140/2200 (97%)	2064 (96%)	56 (3%)	20 (1%)	26	73

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	483	VAL	20

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	99/101 (98%)	72±3 (73±3%)	27±3 (27±3%)	2	22
All	All	1980/2020 (98%)	1441 (73%)	539 (27%)	2	22

All 66 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	565	LEU	20
1	A	512	PHE	20
1	A	491	PHE	20
1	A	537	ILE	20
1	A	493	MET	20
1	A	522	LYS	20
1	A	499	ARG	20
1	A	548	LEU	20
1	A	497	TYR	20
1	A	488	ARG	19
1	A	476	TYR	18
1	A	529	GLN	17
1	A	496	LYS	17
1	A	470	ARG	16
1	A	473	LEU	15
1	A	534	LEU	15
1	A	527	ARG	14
1	A	507	HIS	13
1	A	509	LEU	12
1	A	533	HIS	11
1	A	511	HIS	11
1	A	538	TYR	11
1	A	560	ASP	10
1	A	467	ASP	8
1	A	501	GLU	7
1	A	546	SER	7
1	A	474	GLU	7
1	A	568	LYS	7
1	A	471	LEU	6
1	A	505	ARG	6
1	A	514	HIS	6
1	A	464	MET	6
1	A	495	LYS	6
1	A	462	GLU	5
1	A	521	LYS	5
1	A	549	TYR	5
1	A	528	SER	5
1	A	503	LYS	4
1	A	504	ASP	4
1	A	557	GLU	4
1	A	543	GLN	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	517	MET	4
1	A	486	ARG	4
1	A	519	ASP	3
1	A	506	GLN	3
1	A	516	ARG	3
1	A	544	SER	3
1	A	489	HIS	3
1	A	540	ARG	3
1	A	468	ARG	3
1	A	525	GLN	3
1	A	535	ARG	2
1	A	542	ASN	2
1	A	466	ASN	2
1	A	492	ASN	2
1	A	563	ASP	2
1	A	556	GLU	2
1	A	567	GLN	2
1	A	469	ARG	2
1	A	569	GLU	2
1	A	513	GLU	2
1	A	510	LYS	2
1	A	532	THR	1
1	A	531	MET	1
1	A	465	LEU	1
1	A	559	GLN	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry

There are no ligands in this entry.

6.7 Other polymers

There are no such molecules in this entry.

6.8 Polymer linkage issues

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 90% for the well-defined parts and 89% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 6236

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1571
Number of shifts mapped to atoms	1491
Number of unparsed shifts	0
Number of shifts with mapping errors	80
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 80 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	111	GLN	H	8.07	0.03	1
A	117	VAL	HG21	0.77	0.03	9
A	115	ASP	H	8.19	0.03	1
A	117	VAL	HG11	0.79	0.03	9
A	115	ASP	HA	4.62	0.03	1
A	111	GLN	HB2	2.01	0.03	2
A	113	TYR	HD2	7.01	0.03	9
A	115	ASP	HB2	2.67	0.03	2
A	114	SER	HB2	3.81	0.03	2
A	111	GLN	HG3	2.27	0.03	9
A	116	ASP	HB2	2.55	0.03	2
A	114	SER	H	8.03	0.03	1
A	111	GLN	CB	29.1	0.12	1
A	114	SER	C	175.49	0.12	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	113	TYR	HB3	2.89	0.03	2
A	113	TYR	CE2	118.1	0.12	9
A	116	ASP	HA	4.62	0.03	1
A	113	TYR	HE1	6.76	0.03	9
A	113	TYR	CB	38.3	0.12	1
A	116	ASP	CB	41.1	0.12	1
A	115	ASP	C	173.75	0.12	1
A	112	ASN	H	8.14	0.03	1
A	113	TYR	H	7.97	0.03	1
A	116	ASP	H	8.2	0.03	1
A	115	ASP	CA	54.3	0.12	1
A	117	VAL	N	123.168	0.15	1
A	115	ASP	N	122.2	0.15	1
A	111	GLN	HE21	7.39	0.03	9
A	113	TYR	CD1	133.0	0.12	9
A	117	VAL	CG2	20.1	0.12	9
A	111	GLN	HB3	1.94	0.03	2
A	117	VAL	HG12	0.79	0.03	9
A	117	VAL	CB	33.0	0.12	1
A	113	TYR	HD1	7.01	0.03	9
A	117	VAL	H	7.514	0.03	1
A	115	ASP	HB3	2.58	0.03	2
A	117	VAL	CG1	21.6	0.12	9
A	112	ASN	HD21	7.53	0.03	9
A	111	GLN	NE2	111.9	0.15	9
A	113	TYR	HB2	3.01	0.03	2
A	113	TYR	CE1	118.1	0.12	9
A	113	TYR	N	120.6	0.15	1
A	116	ASP	N	120.5	0.15	1
A	113	TYR	HE2	6.76	0.03	9
A	113	TYR	CA	58.0	0.12	1
A	114	SER	N	116.7	0.15	1
A	117	VAL	HG23	0.77	0.03	9
A	116	ASP	CA	54.4	0.12	1
A	111	GLN	HE22	6.8	0.03	9
A	112	ASN	ND2	112.3	0.15	9
A	115	ASP	CB	41.236	0.12	1
A	113	TYR	CD2	133.0	0.12	9
A	112	ASN	C	175.33	0.12	1
A	117	VAL	HG13	0.79	0.03	9
A	111	GLN	N	119.3	0.15	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	112	ASN	HA	4.63	0.03	1
A	112	ASN	HB3	2.66	0.03	2
A	117	VAL	CA	63.36	0.12	1
A	117	VAL	HA	3.99	0.03	1
A	114	SER	HA	4.36	0.03	1
A	114	SER	CB	63.8	0.12	1
A	112	ASN	HD22	6.87	0.03	9
A	112	ASN	HB2	2.74	0.03	2
A	117	VAL	HB	2.01	0.03	9
A	114	SER	CA	57.9	0.12	1
A	112	ASN	CB	38.8	0.12	1
A	116	ASP	C	175.47	0.12	1
A	117	VAL	HG22	0.77	0.03	9
A	113	TYR	C	174.72	0.12	1
A	111	GLN	C	176.61	0.12	1
A	111	GLN	CG	33.7	0.12	1
A	114	SER	HB3	3.72	0.03	2
A	111	GLN	HG2	2.27	0.03	9
A	116	ASP	HB3	2.69	0.03	2
A	112	ASN	CA	53.1	0.12	1
A	112	ASN	N	118.9	0.15	1
A	113	TYR	HA	4.51	0.03	1
A	111	GLN	CA	55.93	0.12	1
A	111	GLN	HA	4.24	0.03	1
A	117	VAL	C	175.0	0.12	1

7.1.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	117	-0.49 ± 0.15	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	117	0.44 ± 0.09	None needed (< 0.5 ppm)
$^{13}\text{C}'$	112	-0.54 ± 0.15	Should be applied
^{15}N	112	0.13 ± 0.18	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments ⓘ

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 90%, i.e. 1325 atoms were assigned a chemical shift out of a possible 1475. 0 out of 22 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	525/530 (99%)	211/211 (100%)	211/216 (98%)	103/103 (100%)
Sidechain	720/855 (84%)	448/503 (89%)	257/299 (86%)	15/53 (28%)
Aromatic	80/90 (89%)	46/46 (100%)	34/34 (100%)	0/10 (0%)
Overall	1325/1475 (90%)	705/760 (93%)	502/549 (91%)	118/166 (71%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 89%, i.e. 1350 atoms were assigned a chemical shift out of a possible 1509. 0 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	535/540 (99%)	215/215 (100%)	215/220 (98%)	105/105 (100%)
Sidechain	735/879 (84%)	457/517 (88%)	263/306 (86%)	15/56 (27%)
Aromatic	80/90 (89%)	46/46 (100%)	34/34 (100%)	0/10 (0%)
Overall	1350/1509 (89%)	718/778 (92%)	512/560 (91%)	120/171 (70%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	486	ARG	NE	128.30	92.63 – 76.73	27.4
1	A	469	ARG	NE	126.90	92.63 – 76.73	26.6

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

