



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:35 PM GMT

PDB ID : 4TNZ
Title : Structure basis of cellular dNTP regulation, SAMHD1-GTP-dATP-dTTP complex
Authors : Ji, X.; Tang, C.; Zhao, Q.; Wang, W.; Xiong, Y.
Deposited on : 2014-06-05
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4019 (2.40-2.36)
Clashscore	102246	4595 (2.40-2.36)
Ramachandran outliers	100387	4520 (2.40-2.36)
Sidechain outliers	100360	4522 (2.40-2.36)
RSRZ outliers	91569	4034 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	<div> <div>13%</div> <div>83%</div> <div>10%</div> <div>7%</div> </div>
1	B	514	<div> <div>24%</div> <div>82%</div> <div>11%</div> <div>6%</div> </div>
1	C	514	<div> <div>6%</div> <div>82%</div> <div>11%</div> <div>6%</div> </div>
1	D	514	<div> <div>14%</div> <div>82%</div> <div>10%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TTP	B	702	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16280 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	481	Total	C	N	O	S	0	2	0
			3948	2525	687	715	21			
1	A	480	Total	C	N	O	S	0	2	0
			3940	2521	686	712	21			
1	D	480	Total	C	N	O	S	0	1	0
			3934	2518	684	712	20			
1	B	481	Total	C	N	O	S	0	1	0
			3939	2520	686	712	21			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
C	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
A	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
A	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
D	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
D	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
B	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
B	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3

- Molecule 2 is THYMIDINE-5'-TRIPHOSPHATE (three-letter code: TTP) (formula: $C_{10}H_{17}N_2O_{14}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total 29	C 10	N 2	O 14	P 3	0	0
2	A	1	Total 29	C 10	N 2	O 14	P 3	0	0
2	D	1	Total 29	C 10	N 2	O 14	P 3	0	0
2	B	1	Total 29	C 10	N 2	O 14	P 3	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mg 1 1	0	0
3	A	3	Total Mg 3 3	0	0
3	D	2	Total Mg 2 2	0	0
3	C	2	Total Mg 2 2	0	0

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{14}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	C	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	D	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	B	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 5 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula: $C_{10}H_{16}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
5	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
5	D	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
5	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	53	Total	O	0	0
			53	53		
6	A	47	Total	O	0	0
			47	47		
6	D	32	Total	O	0	0
			32	32		
6	B	15	Total	O	0	0
			15	15		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.13Å 141.75Å 98.47Å 90.00° 116.29° 90.00°	Depositor
Resolution (Å)	88.29 – 2.38 48.74 – 2.38	Depositor EDS
% Data completeness (in resolution range)	98.4 (88.29-2.38) 98.4 (48.74-2.38)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.212 , 0.243 0.212 , 0.243	Depositor DCC
R_{free} test set	4172 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	45.9	Xtriage
Anisotropy	0.511	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.0	EDS
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 83069 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16280	wwPDB-VP
Average B, all atoms (Å ²)	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG, DTP, TTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/4032	0.69	0/5442
1	B	0.54	0/4031	0.68	1/5441 (0.0%)
1	C	0.62	0/4040	0.70	0/5453
1	D	0.58	0/4026	0.68	1/5434 (0.0%)
All	All	0.58	0/16129	0.69	2/21770 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	585	ASP	CB-CG-OD1	7.34	124.91	118.30
1	D	226	ARG	NE-CZ-NH2	5.10	122.85	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3940	0	3926	31	0
1	B	3939	0	3925	37	0
1	C	3948	0	3930	40	0
1	D	3934	0	3920	44	0
2	A	29	0	13	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	29	0	13	9	0
2	C	29	0	13	1	0
2	D	29	0	13	3	0
3	A	3	0	0	0	0
3	B	1	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	32	0	12	0	0
4	B	32	0	12	0	0
4	C	32	0	12	1	0
4	D	32	0	12	0	0
5	A	30	0	12	1	0
5	B	30	0	12	1	0
5	C	30	0	12	0	0
5	D	30	0	12	1	0
6	A	47	0	0	3	0
6	B	15	0	0	1	0
6	C	53	0	0	7	0
6	D	32	0	0	2	0
All	All	16280	0	15849	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:566:ARG:CG	1:D:587:ILE:HD11	1.71	1.20
1:D:566:ARG:HG2	1:D:587:ILE:HD11	1.25	1.12
1:D:566:ARG:CB	1:D:587:ILE:HD11	1.82	1.10
1:D:566:ARG:HB3	1:D:587:ILE:CD1	1.88	1.04
1:D:566:ARG:HB3	1:D:587:ILE:HD11	1.45	0.95
1:D:588:ALA:O	1:D:592:THR:HG23	1.66	0.95
1:C:415:ASP:OD2	1:C:417:GLU:HG2	1.73	0.89
1:B:312:LYS:NZ	2:B:702:TTP:O1G	2.06	0.88
1:C:415:ASP:CG	1:C:417:GLU:HG2	1.97	0.84
1:D:408:ARG:HD2	6:D:831:HOH:O	1.86	0.75
1:D:566:ARG:HG2	1:D:587:ILE:CD1	2.11	0.74
1:D:589:PRO:O	1:D:593:PRO:HD3	1.88	0.73
1:C:415:ASP:OD1	1:C:417:GLU:HG2	1.90	0.70
1:A:355:GLU:OE1	6:A:822:HOH:O	2.09	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:402:ALA:HB2	1:C:417:GLU:HG3	1.72	0.70
1:A:226:ARG:O	1:A:229:VAL:HG12	1.93	0.69
1:D:226:ARG:O	1:D:229:VAL:HG12	1.93	0.68
1:B:226:ARG:O	1:B:229:VAL:HG12	1.93	0.68
1:B:291:PRO:HG2	1:B:293:ASN:OD1	1.94	0.68
1:C:326:GLN:HG2	1:A:326:GLN:HG2	1.76	0.68
1:A:150:LEU:CD2	2:A:703:TTP:H2'1	2.23	0.68
1:C:226:ARG:O	1:C:229:VAL:HG12	1.94	0.67
1:C:417:GLU:H	1:C:417:GLU:CD	1.97	0.67
1:D:326:GLN:HG2	1:B:326:GLN:HG2	1.76	0.67
1:C:291:PRO:HG2	1:C:293:ASN:OD1	1.94	0.66
1:A:291:PRO:HG2	1:A:293:ASN:OD1	1.96	0.66
1:D:291:PRO:HG2	1:D:293:ASN:OD1	1.96	0.66
1:D:590:LEU:O	1:D:593:PRO:HD2	1.95	0.65
1:C:120:ASP:OD1	1:C:121:PRO:HD2	1.96	0.65
1:D:592:THR:N	1:D:593:PRO:CD	2.61	0.64
1:C:415:ASP:OD1	1:C:417:GLU:CG	2.46	0.64
1:B:120:ASP:OD1	1:B:121:PRO:HD2	1.98	0.64
1:B:589:PRO:O	1:B:593:PRO:HD3	1.98	0.64
1:D:120:ASP:OD1	1:D:121:PRO:HD2	1.98	0.64
1:D:566:ARG:CG	1:D:587:ILE:CD1	2.63	0.63
1:A:120:ASP:OD1	1:A:121:PRO:HD2	1.99	0.63
1:C:417:GLU:N	1:C:417:GLU:OE2	2.31	0.62
1:C:586:VAL:HG11	1:A:522[A]:CYS:SG	2.39	0.62
1:B:312:LYS:CE	2:B:702:TTP:O1G	2.48	0.61
1:C:348:ARG:HD3	6:C:835:HOH:O	2.00	0.61
1:C:262:GLU:HG3	6:C:843:HOH:O	2.01	0.60
1:D:566:ARG:HD3	1:D:587:ILE:CG1	2.31	0.60
1:C:425:ASN:OD1	1:B:425:ASN:OD1	2.19	0.59
1:D:566:ARG:HB3	1:D:587:ILE:HD13	1.80	0.59
1:C:355:GLU:OE1	6:C:849:HOH:O	2.17	0.58
1:A:287:TYR:CD1	1:A:298:TYR:CE1	2.93	0.57
1:B:287:TYR:CD1	1:B:298:TYR:CE1	2.93	0.57
1:B:206:ARG:NH2	2:B:702:TTP:O2B	2.38	0.56
1:C:287:TYR:CD1	1:C:298:TYR:CE1	2.95	0.55
1:B:215:HIS:CE1	2:B:702:TTP:O2A	2.59	0.55
1:D:240:MET:CE	1:D:419:TYR:HD2	2.21	0.53
1:B:313:TRP:CZ2	1:B:334:PHE:HD1	2.27	0.53
1:D:589:PRO:O	1:D:593:PRO:CD	2.55	0.53
1:C:240:MET:CE	1:C:419:TYR:HD2	2.23	0.52
1:A:240:MET:CE	1:A:419:TYR:HD2	2.23	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:415:ASP:OD1	1:C:417:GLU:OE1	2.27	0.52
1:B:374:TYR:O	2:B:702:TTP:HM52	2.10	0.52
1:D:287:TYR:CD1	1:D:298:TYR:CE1	2.98	0.52
1:C:592:THR:N	1:C:593:PRO:CD	2.73	0.51
1:A:167:HIS:O	1:A:171:VAL:HG23	2.10	0.51
1:D:167:HIS:O	1:D:171:VAL:HG23	2.10	0.51
1:C:167:HIS:O	1:C:171:VAL:HG23	2.10	0.51
1:B:592:THR:N	1:B:593:PRO:CD	2.73	0.51
1:A:592:THR:N	1:A:593:PRO:CD	2.73	0.51
1:B:240:MET:CE	1:B:419:TYR:HD2	2.24	0.51
1:B:167:HIS:O	1:B:171:VAL:HG23	2.11	0.51
1:A:397:ILE:HB	6:A:832:HOH:O	2.10	0.51
1:B:312:LYS:HE3	2:B:702:TTP:O1G	2.11	0.50
1:C:185:LYS:HD2	6:C:839:HOH:O	2.11	0.50
1:B:215:HIS:NE2	2:B:702:TTP:O5'	2.40	0.50
1:D:586:VAL:HG11	1:B:522[A]:CYS:SG	2.51	0.50
1:C:334:PHE:HA	6:C:849:HOH:O	2.12	0.50
1:C:256:GLN:HG3	6:C:801:HOH:O	2.12	0.49
2:B:702:TTP:O1B	2:B:702:TTP:O3G	2.29	0.49
1:A:598:TRP:O	1:A:599:ASN:HB2	2.12	0.49
1:B:589:PRO:O	1:B:593:PRO:CD	2.61	0.48
1:A:354:LYS:NZ	5:A:701:DTP:O1A	2.45	0.48
1:B:580:LYS:CE	1:B:585:ASP:OD2	2.62	0.48
1:C:415:ASP:OD1	1:C:417:GLU:CD	2.52	0.48
1:A:425:ASN:OD1	1:D:425:ASN:OD1	2.30	0.48
1:D:315:TYR:CE2	2:D:702:TTP:H5'1	2.49	0.47
1:C:417:GLU:N	1:C:417:GLU:CD	2.67	0.47
1:B:313:TRP:CZ2	1:B:334:PHE:CD1	3.02	0.47
2:D:702:TTP:O2B	2:D:702:TTP:O2G	2.32	0.47
1:D:354:LYS:NZ	5:D:705:DTP:O1A	2.48	0.47
1:A:396:TYR:CD1	1:A:437:LYS:HD2	2.50	0.47
1:B:478:LYS:HE2	1:B:495:ALA:HB1	1.98	0.46
1:B:463:THR:O	1:B:466:ILE:HG12	2.15	0.46
1:B:396:TYR:CD1	1:B:437:LYS:HD2	2.50	0.46
1:A:215:HIS:NE2	2:A:703:TTP:O5'	2.49	0.46
1:D:592:THR:N	1:D:593:PRO:HD3	2.30	0.46
1:D:478:LYS:HE2	1:D:495:ALA:HB1	1.98	0.46
1:A:463:THR:O	1:A:466:ILE:HG12	2.16	0.46
1:D:463:THR:O	1:D:466:ILE:HG12	2.16	0.46
1:A:478:LYS:HE2	1:A:495:ALA:HB1	1.98	0.46
1:C:251:LYS:O	1:C:255:GLU:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:396:TYR:CD1	1:D:437:LYS:HD2	2.51	0.45
1:C:478:LYS:HE2	1:C:495:ALA:HB1	1.98	0.45
4:C:703:GTP:O1B	4:C:703:GTP:O1A	2.33	0.45
1:A:287:TYR:HB3	1:A:298:TYR:OH	2.17	0.45
1:B:598:TRP:O	1:B:599:ASN:HB2	2.17	0.45
1:D:251:LYS:O	1:D:255:GLU:HG3	2.16	0.45
1:D:566:ARG:HD3	1:D:587:ILE:HG13	1.97	0.45
1:C:396:TYR:CD1	1:C:437:LYS:HD2	2.52	0.45
1:A:251:LYS:O	1:A:255:GLU:HG3	2.17	0.44
1:B:580:LYS:NZ	1:B:585:ASP:OD2	2.50	0.44
1:C:463:THR:O	1:C:466:ILE:HG12	2.17	0.44
1:D:487:VAL:HG22	1:D:590:LEU:CD1	2.48	0.44
1:B:251:LYS:O	1:B:255:GLU:HG3	2.17	0.44
1:B:215:HIS:HE1	2:B:702:TTP:O2A	2.01	0.44
1:D:276:LEU:C	6:D:830:HOH:O	2.56	0.44
1:D:287:TYR:HB3	1:D:298:TYR:OH	2.18	0.43
1:B:427:PHE:CD1	1:B:427:PHE:C	2.92	0.43
1:C:243:HIS:CE1	1:C:417:GLU:OE2	2.71	0.43
1:C:325:ILE:CG2	1:C:326:GLN:N	2.81	0.43
1:D:566:ARG:CB	1:D:587:ILE:CD1	2.57	0.43
1:B:287:TYR:HB3	1:B:298:TYR:OH	2.17	0.43
1:C:287:TYR:HB3	1:C:298:TYR:OH	2.18	0.43
1:A:215:HIS:HE2	2:A:703:TTP:PA	2.42	0.43
1:D:487:VAL:HG22	1:D:590:LEU:HD12	2.01	0.43
1:C:598:TRP:O	1:C:599:ASN:HB2	2.18	0.43
1:D:351:ALA:O	1:D:520:PHE:HA	2.18	0.43
1:A:351:ALA:O	1:A:520:PHE:HA	2.19	0.42
2:C:701:TTP:O2G	2:C:701:TTP:O1B	2.36	0.42
1:D:150:LEU:CD2	2:D:702:TTP:H2'1	2.50	0.42
1:B:351:ALA:O	1:B:520:PHE:HA	2.19	0.42
1:C:143:ARG:HD3	6:C:833:HOH:O	2.20	0.42
1:A:150:LEU:HD22	2:A:703:TTP:H2'1	1.99	0.42
1:B:354:LYS:NZ	5:B:701:DTP:O2A	2.53	0.42
1:D:566:ARG:HD3	1:D:587:ILE:HG12	2.00	0.42
1:A:232:THR:HB	1:A:234:GLU:OE1	2.19	0.42
1:A:381:ILE:HA	1:A:381:ILE:HD12	1.94	0.42
1:D:427:PHE:CD1	1:D:427:PHE:C	2.93	0.42
1:B:325:ILE:CG2	1:B:326:GLN:N	2.82	0.41
1:C:326:GLN:CG	1:A:326:GLN:HG2	2.48	0.41
1:C:351:ALA:O	1:C:520:PHE:HA	2.20	0.41
1:A:325:ILE:CG2	1:A:326:GLN:N	2.82	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:222:ILE:HB	1:B:223:PRO:HD3	2.02	0.41
1:D:439:LYS:O	1:D:443:GLU:HG2	2.20	0.41
1:D:325:ILE:CG2	1:D:326:GLN:N	2.83	0.41
1:A:427:PHE:C	1:A:427:PHE:CD1	2.94	0.41
1:A:394:ASP:HA	6:A:832:HOH:O	2.21	0.41
1:B:482:SER:C	6:B:814:HOH:O	2.59	0.41
1:C:146:TYR:HH	1:B:155:TYR:HH	1.69	0.41
1:C:427:PHE:CD1	1:C:427:PHE:C	2.94	0.41
1:D:592:THR:OG1	1:D:593:PRO:HD3	2.22	0.40
1:A:180:HIS:O	1:A:184:GLU:HG2	2.20	0.40
1:C:296:PHE:HB2	1:C:349:ILE:HG13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	478/514 (93%)	470 (98%)	8 (2%)	0	100	100
1	B	478/514 (93%)	469 (98%)	9 (2%)	0	100	100
1	C	479/514 (93%)	471 (98%)	8 (2%)	0	100	100
1	D	477/514 (93%)	468 (98%)	9 (2%)	0	100	100
All	All	1912/2056 (93%)	1878 (98%)	34 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	428/459 (93%)	416 (97%)	12 (3%)	51	71
1	B	428/459 (93%)	413 (96%)	15 (4%)	43	62
1	C	429/459 (94%)	414 (96%)	15 (4%)	43	62
1	D	427/459 (93%)	410 (96%)	17 (4%)	38	56
All	All	1712/1836 (93%)	1653 (97%)	59 (3%)	43	63

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	113	ASP
1	C	115	MET
1	C	180	HIS
1	C	273	VAL
1	C	277	GLU
1	C	284	LEU
1	C	315	TYR
1	C	342	GLU
1	C	359	LEU
1	C	368	SER
1	C	417	GLU
1	C	467	LYS
1	C	478	LYS
1	C	492	LYS
1	C	535	ASN
1	A	115	MET
1	A	180	HIS
1	A	273	VAL
1	A	277	GLU
1	A	315	TYR
1	A	342	GLU
1	A	359	LEU
1	A	368	SER
1	A	467	LYS
1	A	478	LYS
1	A	492	LYS
1	A	535	ASN
1	D	113	ASP
1	D	115	MET
1	D	180	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	273	VAL
1	D	277	GLU
1	D	315	TYR
1	D	342	GLU
1	D	359	LEU
1	D	368	SER
1	D	467	LYS
1	D	478	LYS
1	D	492	LYS
1	D	522	CYS
1	D	534	LYS
1	D	535	ASN
1	D	587	ILE
1	D	594	GLN
1	B	113	ASP
1	B	115	MET
1	B	180	HIS
1	B	227	PRO
1	B	273	VAL
1	B	277	GLU
1	B	315	TYR
1	B	342	GLU
1	B	359	LEU
1	B	368	SER
1	B	467	LYS
1	B	478	LYS
1	B	492	LYS
1	B	534	LYS
1	B	535	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	235	GLN
1	C	243	HIS
1	C	364	HIS
1	A	235	GLN
1	A	364	HIS
1	D	235	GLN
1	D	364	HIS
1	D	571	GLN
1	D	594	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	235	GLN
1	B	243	HIS
1	B	364	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DTP	A	701	3	24,32,32	1.34	5 (20%)	32,50,50	1.46	5 (15%)
2	TTP	A	703	3	21,30,30	0.87	1 (4%)	31,47,47	1.99	5 (16%)
4	GTP	A	705	3	25,34,34	1.07	2 (8%)	34,54,54	2.17	12 (35%)
5	DTP	B	701	3	24,32,32	1.32	3 (12%)	32,50,50	1.43	7 (21%)
2	TTP	B	702	3	21,30,30	0.52	0	31,47,47	2.42	6 (19%)
4	GTP	B	704	3	25,34,34	1.24	2 (8%)	34,54,54	2.07	8 (23%)
2	TTP	C	701	3	21,30,30	0.83	0	31,47,47	2.08	6 (19%)
4	GTP	C	703	3	25,34,34	1.27	4 (16%)	34,54,54	2.01	8 (23%)
5	DTP	C	704	3	24,32,32	0.99	1 (4%)	32,50,50	1.78	2 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TTP	D	702	3	21,30,30	0.58	0	31,47,47	1.99	5 (16%)
4	GTP	D	704	3	25,34,34	1.24	2 (8%)	34,54,54	2.28	11 (32%)
5	DTP	D	705	3	24,32,32	1.01	1 (4%)	32,50,50	1.76	6 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DTP	A	701	3	-	0/18/34/34	0/3/3/3
2	TTP	A	703	3	-	0/18/34/34	0/2/2/2
4	GTP	A	705	3	-	0/18/38/38	0/3/3/3
5	DTP	B	701	3	-	0/18/34/34	0/3/3/3
2	TTP	B	702	3	-	0/18/34/34	0/2/2/2
4	GTP	B	704	3	-	0/18/38/38	0/3/3/3
2	TTP	C	701	3	-	0/18/34/34	0/2/2/2
4	GTP	C	703	3	-	0/18/38/38	0/3/3/3
5	DTP	C	704	3	-	0/18/34/34	0/3/3/3
2	TTP	D	702	3	-	0/18/34/34	0/2/2/2
4	GTP	D	704	3	-	0/18/38/38	0/3/3/3
5	DTP	D	705	3	-	0/18/34/34	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	701	DTP	O4'-C4'	-2.94	1.38	1.45
5	A	701	DTP	PA-O2A	-2.26	1.45	1.54
2	A	703	TTP	PG-O2G	-2.22	1.46	1.54
5	B	701	DTP	PG-O2G	-2.21	1.46	1.54
5	B	701	DTP	PG-O3G	-2.13	1.47	1.54
4	C	703	GTP	PA-O2A	-2.02	1.46	1.54
5	A	701	DTP	C5-C4	2.01	1.45	1.40
5	A	701	DTP	C2-N1	2.10	1.37	1.33
5	C	704	DTP	C5-C4	2.31	1.45	1.40
4	A	705	GTP	C5-C4	2.35	1.45	1.40
4	C	703	GTP	C5-C4	2.48	1.46	1.40
5	A	701	DTP	O4'-C1'	2.70	1.48	1.42
4	D	704	GTP	C5-C4	2.73	1.46	1.40
4	C	703	GTP	C6-C5	2.83	1.46	1.41
4	C	703	GTP	O4'-C1'	2.86	1.44	1.41
4	B	704	GTP	C5-C4	2.87	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	704	GTP	C6-C5	2.92	1.47	1.41
4	A	705	GTP	O4'-C1'	2.99	1.45	1.41
5	D	705	DTP	C5-C4	3.05	1.47	1.40
4	D	704	GTP	C6-C5	3.38	1.48	1.41
5	B	701	DTP	C5-C4	3.63	1.48	1.40

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	704	DTP	N3-C2-N1	-7.50	123.15	128.89
2	B	702	TTP	PB-O3B-PG	-7.11	108.83	132.67
2	B	702	TTP	PB-O3A-PA	-6.58	114.26	132.73
4	D	704	GTP	C5-C6-N1	-6.23	115.08	123.59
4	C	703	GTP	PA-O3A-PB	-5.75	116.57	132.73
2	C	701	TTP	C5-C4-N3	-5.58	118.93	125.14
4	B	704	GTP	C5-C6-N1	-5.42	116.17	123.59
5	D	705	DTP	N3-C2-N1	-5.39	124.77	128.89
2	C	701	TTP	PB-O3A-PA	-5.38	117.62	132.73
4	B	704	GTP	PA-O3A-PB	-5.30	117.84	132.73
2	A	703	TTP	PB-O3B-PG	-5.21	115.21	132.67
4	A	705	GTP	PA-O3A-PB	-5.18	118.19	132.73
2	B	702	TTP	C5-C4-N3	-5.15	119.40	125.14
2	D	702	TTP	C5-C4-N3	-5.01	119.56	125.14
4	A	705	GTP	C5-C6-N1	-5.01	116.74	123.59
2	D	702	TTP	PB-O3A-PA	-4.99	118.71	132.73
2	A	703	TTP	PB-O3A-PA	-4.96	118.80	132.73
2	A	703	TTP	C5-C4-N3	-4.63	119.98	125.14
4	D	704	GTP	PA-O3A-PB	-4.27	120.75	132.73
2	D	702	TTP	PB-O3B-PG	-4.26	118.37	132.67
2	C	701	TTP	PB-O3B-PG	-4.05	119.10	132.67
5	A	701	DTP	N3-C2-N1	-3.93	125.89	128.89
4	D	704	GTP	C4-C5-N7	-3.67	106.11	109.48
4	C	703	GTP	C6-C5-C4	-3.65	116.53	120.90
4	C	703	GTP	C5-C6-N1	-3.44	118.88	123.59
4	B	704	GTP	C4-C5-N7	-3.38	106.37	109.48
5	D	705	DTP	PB-O3B-PG	-3.21	121.90	132.67
4	A	705	GTP	C4-C5-N7	-3.18	106.55	109.48
4	C	703	GTP	N3-C2-N1	-3.08	122.75	127.44
4	D	704	GTP	O5'-PA-O1A	-3.07	97.71	109.62
4	B	704	GTP	PB-O3B-PG	-3.05	122.43	132.67
5	B	701	DTP	O4'-C1'-N9	-2.99	102.54	107.72
5	D	705	DTP	C4-C5-N7	-2.96	106.76	109.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	704	GTP	N3-C2-N1	-2.91	123.02	127.44
5	D	705	DTP	PA-O3A-PB	-2.89	124.63	132.73
5	B	701	DTP	N3-C2-N1	-2.86	126.70	128.89
4	C	703	GTP	PB-O3B-PG	-2.86	123.08	132.67
5	A	701	DTP	PB-O3B-PG	-2.77	123.39	132.67
4	B	704	GTP	C6-C5-C4	-2.72	117.64	120.90
4	D	704	GTP	PB-O3B-PG	-2.57	124.05	132.67
4	A	705	GTP	N3-C2-N1	-2.55	123.56	127.44
4	B	704	GTP	N3-C2-N1	-2.53	123.58	127.44
4	A	705	GTP	O5'-PA-O1A	-2.43	100.17	109.62
5	B	701	DTP	O3A-PA-O5'	-2.39	96.59	102.94
4	C	703	GTP	C4-C5-N7	-2.32	107.34	109.48
5	B	701	DTP	C4-C5-N7	-2.32	107.35	109.48
5	B	701	DTP	PB-O3B-PG	-2.32	124.90	132.67
4	D	704	GTP	O4'-C4'-C3'	-2.20	100.70	105.15
4	A	705	GTP	N2-C2-N3	-2.17	113.63	117.80
4	D	704	GTP	C6-C5-C4	-2.16	118.31	120.90
4	A	705	GTP	C6-C5-C4	-2.03	118.47	120.90
2	A	703	TTP	O3G-PG-O2G	2.04	115.16	107.38
2	C	701	TTP	O3G-PG-O2G	2.11	115.41	107.38
5	B	701	DTP	C2'-C3'-C4'	2.23	107.40	102.77
2	D	702	TTP	O3G-PG-O2G	2.27	116.03	107.38
5	A	701	DTP	N6-C6-N1	2.30	124.14	119.20
4	A	705	GTP	O2B-PB-O1B	2.41	125.58	112.53
4	D	704	GTP	O2G-PG-O3B	2.42	116.06	105.09
5	D	705	DTP	O2A-PA-O3A	2.42	116.07	105.09
2	B	702	TTP	O3G-PG-O2G	2.43	116.62	107.38
5	A	701	DTP	C2'-C3'-C4'	2.44	107.82	102.77
4	A	705	GTP	O2G-PG-O3B	2.45	116.19	105.09
2	C	701	TTP	O4'-C1'-N1	2.57	112.16	107.72
2	B	702	TTP	O4'-C1'-N1	2.58	112.19	107.72
5	A	701	DTP	O3G-PG-O2G	2.70	117.68	107.38
4	A	705	GTP	O3G-PG-O1G	2.82	119.64	110.58
5	C	704	DTP	O3G-PG-O1G	2.88	119.85	110.58
4	B	704	GTP	O3G-PG-O2G	2.99	118.76	107.38
4	D	704	GTP	C4'-O4'-C1'	3.17	113.20	109.72
5	D	705	DTP	O3G-PG-O2G	3.20	119.58	107.38
5	B	701	DTP	O3G-PG-O1G	3.31	121.24	110.58
4	A	705	GTP	N2-C2-N1	3.38	122.80	117.20
4	C	703	GTP	O3G-PG-O2G	3.68	121.41	107.38
4	C	703	GTP	C6-N1-C2	4.35	121.98	115.94
2	A	703	TTP	C4-N3-C2	4.44	119.08	115.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	705	GTP	C6-N1-C2	4.55	122.25	115.94
2	C	701	TTP	C4-N3-C2	4.80	119.40	115.25
4	B	704	GTP	C6-N1-C2	5.04	122.94	115.94
2	B	702	TTP	C4-N3-C2	5.49	120.00	115.25
2	D	702	TTP	C4-N3-C2	5.82	120.28	115.25
4	D	704	GTP	C6-N1-C2	5.97	124.22	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	701	DTP	1	0
2	A	703	TTP	4	0
5	B	701	DTP	1	0
2	B	702	TTP	9	0
2	C	701	TTP	1	0
4	C	703	GTP	1	0
2	D	702	TTP	3	0
5	D	705	DTP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	480/514 (93%)	0.86	67 (13%) 4 5	31, 73, 120, 159	0
1	B	481/514 (93%)	1.55	122 (25%) 1 1	40, 94, 159, 200	0
1	C	481/514 (93%)	0.54	31 (6%) 23 26	33, 63, 106, 136	0
1	D	480/514 (93%)	0.88	72 (15%) 3 3	34, 74, 119, 155	0
All	All	1922/2056 (93%)	0.96	292 (15%) 3 3	31, 75, 134, 200	0

All (292) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	480	VAL	10.3
1	B	573	CYS	9.8
1	B	485	PRO	9.4
1	B	493	LEU	8.7
1	B	481	ALA	8.5
1	B	488	LEU	8.2
1	B	592	THR	8.1
1	B	347	LEU	8.0
1	B	478	LYS	7.9
1	A	491	VAL	7.9
1	B	345	ASN	7.6
1	D	488	LEU	7.6
1	A	488	LEU	7.4
1	A	286	PRO	7.3
1	B	484	LYS	7.1
1	A	487	VAL	7.1
1	B	563	TYR	6.9
1	D	540	LEU	6.8
1	B	476	LEU	6.8
1	D	490	ASP	6.8
1	B	562	LEU	6.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	489	LEU	6.7
1	B	498	PHE	6.6
1	B	276	LEU	6.3
1	D	466	ILE	6.3
1	B	489	LEU	6.2
1	B	578	PHE	6.2
1	A	490	ASP	6.0
1	B	230	LYS	5.9
1	D	590	LEU	5.8
1	B	341	CYS	5.7
1	A	284	LEU	5.6
1	D	491	VAL	5.5
1	A	493	LEU	5.5
1	A	568	TYR	5.2
1	B	569	PHE	5.2
1	A	492	LYS	5.1
1	B	469	LYS	5.1
1	B	570	VAL	5.0
1	B	596	LYS	5.0
1	B	285	TRP	5.0
1	D	493	LEU	4.9
1	B	572	TRP	4.8
1	B	492	LYS	4.8
1	B	557	VAL	4.7
1	B	591	ILE	4.7
1	B	554	CYS	4.7
1	A	484	LYS	4.7
1	D	543	GLU	4.7
1	B	568	TYR	4.6
1	B	288	LYS	4.6
1	A	486	LYS	4.6
1	B	511	GLU	4.6
1	A	285	TRP	4.5
1	D	492	LYS	4.5
1	B	457	VAL	4.5
1	B	467	LYS	4.4
1	D	589	PRO	4.4
1	B	590	LEU	4.4
1	B	266	CYS	4.4
1	B	348	ARG	4.4
1	B	396	TYR	4.3
1	B	584	GLY	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	559	ARG	4.3
1	D	563	TYR	4.2
1	D	489	LEU	4.1
1	B	350	CYS	4.1
1	B	475	SER	4.1
1	B	491	VAL	4.1
1	B	487	VAL	4.1
1	B	343	VAL	4.0
1	B	486	LYS	4.0
1	A	575	ASP	3.9
1	A	593	PRO	3.9
1	A	466	ILE	3.8
1	B	292	GLU	3.8
1	A	287	TYR	3.8
1	A	563	TYR	3.8
1	D	288	LYS	3.8
1	A	571	GLN	3.8
1	B	470	ARG	3.7
1	B	242	GLU	3.7
1	B	274	GLY	3.7
1	D	556	LYS	3.7
1	B	397	ILE	3.6
1	B	413	ILE	3.6
1	B	496	GLU	3.6
1	B	275	PRO	3.6
1	A	562	LEU	3.6
1	A	473	TYR	3.6
1	B	545	PHE	3.5
1	A	345	ASN	3.5
1	B	328	ASN	3.5
1	A	263	GLU	3.5
1	D	325	ILE	3.5
1	B	599	ASN	3.5
1	B	577	ASN	3.5
1	B	277	GLU	3.5
1	C	113	ASP	3.4
1	D	596	LYS	3.4
1	A	494	LYS	3.4
1	B	500	VAL	3.4
1	A	594	GLN	3.4
1	D	320	CYS	3.4
1	D	557	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	598	TRP	3.4
1	C	265	ILE	3.4
1	A	265	ILE	3.4
1	A	322	HIS	3.4
1	A	464	GLY	3.3
1	D	229	VAL	3.3
1	A	483	ALA	3.3
1	C	201	ILE	3.2
1	D	322	HIS	3.2
1	B	473	TYR	3.2
1	D	578	PHE	3.2
1	D	462	PRO	3.2
1	B	406	LYS	3.2
1	D	498	PHE	3.2
1	B	326	GLN	3.2
1	A	573	CYS	3.1
1	D	113	ASP	3.1
1	B	472	ASP	3.1
1	A	288	LYS	3.1
1	A	320	CYS	3.1
1	B	531	ARG	3.1
1	D	465	GLN	3.1
1	D	572	TRP	3.1
1	A	599	ASN	3.1
1	D	317	ALA	3.1
1	B	586	VAL	3.1
1	A	325	ILE	3.0
1	C	262	GLU	3.0
1	D	486	LYS	3.0
1	A	276	LEU	3.0
1	D	584	GLY	3.0
1	A	476	LEU	2.9
1	B	543	GLU	2.9
1	A	221	PHE	2.9
1	B	528	ARG	2.9
1	D	327	ASN	2.9
1	B	346	GLU	2.9
1	D	594	GLN	2.9
1	D	321	HIS	2.9
1	B	287	TYR	2.9
1	D	593	PRO	2.8
1	C	465	GLN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	263	GLU	2.8
1	C	556	LYS	2.8
1	A	437	LYS	2.8
1	A	560	LYS	2.8
1	D	323	LEU	2.8
1	C	263	GLU	2.8
1	C	293	ASN	2.8
1	B	490	ASP	2.8
1	C	287	TYR	2.8
1	C	404	GLY	2.8
1	D	121	PRO	2.8
1	B	185	LYS	2.8
1	A	592	THR	2.8
1	D	262	GLU	2.8
1	D	324	GLY	2.8
1	A	463	THR	2.7
1	B	295	SER	2.7
1	D	485	PRO	2.7
1	D	595	LYS	2.7
1	B	405	LYS	2.7
1	D	545	PHE	2.7
1	B	231	TRP	2.7
1	A	121	PRO	2.7
1	C	325	ILE	2.7
1	A	122	ILE	2.7
1	B	552	VAL	2.7
1	B	122	ILE	2.6
1	B	238	VAL	2.6
1	B	327	ASN	2.6
1	B	398	GLU	2.6
1	D	471	GLU	2.6
1	D	562	LEU	2.6
1	B	564	ALA	2.6
1	D	328	ASN	2.6
1	B	224	LEU	2.6
1	D	560	LYS	2.5
1	D	460	THR	2.5
1	A	324	GLY	2.5
1	B	229	VAL	2.5
1	D	122	ILE	2.5
1	A	321	HIS	2.5
1	B	526	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	568	TYR	2.5
1	C	255	GLU	2.5
1	D	484	LYS	2.5
1	C	121	PRO	2.5
1	B	581	PRO	2.5
1	B	587	ILE	2.5
1	B	559	ARG	2.5
1	B	544	LYS	2.4
1	D	482	SER	2.4
1	C	235	GLN	2.4
1	A	572	TRP	2.4
1	A	598	TRP	2.4
1	D	487	VAL	2.4
1	C	245	ILE	2.4
1	A	471	GLU	2.4
1	B	322	HIS	2.4
1	D	224	LEU	2.4
1	C	288	LYS	2.4
1	B	340	VAL	2.4
1	B	403	GLY	2.4
1	D	511[A]	GLU	2.4
1	B	594	GLN	2.4
1	D	230	LYS	2.4
1	D	470	ARG	2.4
1	B	388	ASP	2.4
1	D	228	GLU	2.4
1	C	242	GLU	2.3
1	C	249	GLY	2.3
1	B	471	GLU	2.3
1	B	479	GLU	2.3
1	B	593	PRO	2.3
1	B	262	GLU	2.3
1	C	250	ILE	2.3
1	D	397	ILE	2.3
1	A	498	PHE	2.3
1	D	160	ALA	2.3
1	C	285	TRP	2.3
1	C	252	PRO	2.3
1	A	277	GLU	2.3
1	D	326	GLN	2.3
1	B	571	GLN	2.3
1	A	150	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	587	ILE	2.3
1	A	422	LEU	2.3
1	A	472	ASP	2.3
1	A	590	LEU	2.3
1	C	251	LYS	2.3
1	D	255	GLU	2.3
1	D	531	ARG	2.3
1	B	349	ILE	2.2
1	D	344	ASP	2.2
1	D	316	PHE	2.2
1	A	326	GLN	2.2
1	B	510	GLN	2.2
1	B	494	LYS	2.2
1	A	114	THR	2.2
1	A	262	GLU	2.2
1	B	482	SER	2.2
1	D	198	CYS	2.2
1	C	332	LYS	2.2
1	B	585	ASP	2.2
1	B	222	ILE	2.2
1	C	345	ASN	2.2
1	B	474	GLU	2.2
1	B	438	LEU	2.2
1	D	580	LYS	2.2
1	C	490	ASP	2.2
1	A	266	CYS	2.2
1	B	235	GLN	2.2
1	B	468	ILE	2.2
1	A	292	GLU	2.2
1	B	265	ILE	2.1
1	B	290	ARG	2.1
1	B	296	PHE	2.1
1	D	574	ALA	2.1
1	B	556	LYS	2.1
1	C	557	VAL	2.1
1	A	485	PRO	2.1
1	A	478	LYS	2.1
1	D	276	LEU	2.1
1	C	126	ILE	2.1
1	D	343	VAL	2.1
1	A	342	GLU	2.1
1	D	285	TRP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	115	MET	2.1
1	B	530	ILE	2.1
1	A	396	TYR	2.1
1	B	598	TRP	2.1
1	A	317	ALA	2.1
1	C	328	ASN	2.1
1	A	327	ASN	2.1
1	A	591	ILE	2.1
1	D	468	ILE	2.1
1	B	156	VAL	2.1
1	B	508	GLY	2.1
1	B	158	PRO	2.1
1	C	492	LYS	2.1
1	B	219	GLY	2.0
1	B	399	ILE	2.0
1	C	241	PHE	2.0
1	B	499	ILE	2.0
1	C	276	LEU	2.0
1	B	189	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	TTP	B	702	29/29	0.87	0.17	-0.09	77,86,112,129	0
2	TTP	C	701	29/29	0.93	0.15	-0.31	40,56,96,101	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	DTP	A	701	30/30	0.98	0.17	-0.35	31,35,41,44	0
2	TTP	D	702	29/29	0.93	0.15	-0.44	48,65,100,100	0
4	GTP	B	704	32/32	0.96	0.16	-0.51	54,64,80,83	0
5	DTP	B	701	30/30	0.98	0.16	-0.61	43,49,60,61	0
5	DTP	D	705	30/30	0.97	0.17	-0.64	49,57,69,74	0
2	TTP	A	703	29/29	0.93	0.14	-0.65	50,66,100,108	0
4	GTP	C	703	32/32	0.99	0.13	-0.96	36,41,47,50	0
4	GTP	A	705	32/32	0.98	0.13	-1.00	38,45,53,54	0
5	DTP	C	704	30/30	0.99	0.15	-1.13	31,42,52,53	0
4	GTP	D	704	32/32	0.97	0.12	-1.14	44,54,68,71	0
3	MG	B	703	1/1	0.81	0.27	-	92,92,92,92	0
3	MG	C	702	1/1	0.54	0.28	-	77,77,77,77	0
3	MG	D	701	1/1	0.95	0.12	-	52,52,52,52	0
3	MG	A	704	1/1	0.81	0.17	-	85,85,85,85	0
3	MG	A	706	1/1	0.95	0.08	-	76,76,76,76	0
3	MG	A	702	1/1	0.95	0.08	-	54,54,54,54	0
3	MG	D	703	1/1	0.89	0.34	-	85,85,85,85	0
3	MG	C	705	1/1	0.90	0.12	-	77,77,77,77	0

6.5 Other polymers [i](#)

There are no such residues in this entry.