



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:24 PM GMT

PDB ID : 3TTB  
Title : Structure of the Thioalkalivibrio paradoxus cytochrome c nitrite reductase in complex with sulfite  
Authors : Polyakov, K.M.; Trofimov, A.A.; Tikhonova, T.V.; Tikhonov, A.V.; Dorovatovskii, P.V.; Popov, V.O.  
Deposited on : 2011-09-14  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	525	
1	B	525	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	B	530	-	-	-	X
6	GOL	B	531	-	-	-	X
6	GOL	B	532	-	-	-	X
7	SO4	A	533	-	-	-	X
7	SO4	B	534	-	-	-	X




In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eight-heme nitrite reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	520	Total 4129	C 2566	N 751	O 779	S 33	0	7	1
1	B	520	Total 4103	C 2555	N 743	O 772	S 33	0	2	1

- Molecule 2 is HEME C (three-letter code: HEC) (formula:  $\text{C}_{34}\text{H}_{34}\text{FeN}_4\text{O}_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			39	32	1	4	2		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			39	32	1	4	2		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is SULFITE ION (three-letter code: SO<sub>3</sub>) (formula: O<sub>3</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 4 3 1	0	0
3	B	1	Total O S 4 3 1	0	0


- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Ca 1 1	0	0
4	A	1	Total Ca 1 1	0	0

- Molecule 5 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	2	Total Co 2 2	0	0
5	A	2	Total Co 2 2	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	365	Total 365	O 365	0	0
8	B	371	Total 371	O 371	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Eight-heme nitrite reductase



- Molecule 1: Eight-heme nitrite reductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	190.99Å 190.99Å 190.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.99 – 2.00 38.99 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (38.99-2.00) 99.8 (38.99-1.90)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.11 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.134 , 0.153 0.123 , 0.123	Depositor DCC
$R_{free}$ test set	7836 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.8	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 45.8	EDS
Estimated twinning fraction	0.489 for H, K, L 0.511 for -H, L, K 0.479 for l,-k,h	Xtriage
Reported twinning fraction	0.489 for H, K, L 0.511 for -H, L, K	Depositor
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.39$ , $\langle L^2 \rangle = 0.21$	Xtriage
Outliers	0 of 180531 reflections	Xtriage
$F_o, F_c$ correlation	0.84	EDS
Total number of atoms	9727	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CO, CA, SO3, SO4, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.82	0/4282	0.82	0/5820
1	B	0.79	1/4229 (0.0%)	0.78	4/5748 (0.1%)
All	All	0.81	1/8511 (0.0%)	0.80	4/11568 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	490	PHE	CE1-CZ	5.51	1.47	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	96	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	B	81	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	B	96	ARG	NE-CZ-NH2	-5.03	117.78	120.30
1	B	404	ARG	NE-CZ-NH2	-5.00	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4129	0	3834	43	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	4103	0	3809	36	0
2	A	340	0	236	22	0
2	B	340	0	236	24	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	12	0	16	1	0
6	B	18	0	24	3	0
7	A	20	0	0	1	0
7	B	15	0	0	0	0
8	A	365	0	0	0	0
8	B	371	0	0	1	0
All	All	9727	0	8155	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ARG:HH22	6:B:530:GOL:H12	1.35	0.92
2:B:1008:HEC:HBC3	2:B:1008:HEC:HMC1	1.66	0.76
1:A:153:ARG:NH2	6:B:530:GOL:H12	2.01	0.75
2:A:1002:HEC:HMC1	2:A:1002:HEC:HBC3	1.67	0.74
1:A:409:ARG:HD3	7:A:532:SO4:O3	1.87	0.74
1:A:250:VAL:HG11	1:A:271:PRO:HG3	1.73	0.70
2:A:1008:HEC:HMC1	2:A:1008:HEC:HBC3	1.78	0.64
1:A:410:ALA:O	2:A:1008:HEC:CMC	2.45	0.64
2:A:1005:HEC:HBB3	2:A:1005:HEC:HMB1	1.80	0.64
2:B:1001:HEC:HBC3	2:B:1001:HEC:HMC1	1.81	0.63
1:A:90:LYS:HE2	1:A:96:ARG:HG3	1.81	0.62
2:A:1003:HEC:HBD1	1:B:68:SER:HB2	1.84	0.60
2:B:1005:HEC:HMB1	2:B:1005:HEC:HBB3	1.82	0.60
1:A:410:ALA:O	2:A:1008:HEC:HMC3	2.02	0.59
2:A:1001:HEC:HMB1	2:A:1001:HEC:HBB3	1.85	0.58
1:B:40[A]:ASP:OD1	8:B:595:HOH:O	2.17	0.57
2:A:1006:HEC:HBB3	2:A:1006:HEC:HMB1	1.84	0.57
1:A:5:GLN:OE1	1:A:5:GLN:N	2.38	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:487:SER:HB3	1:A:491:HIS:CE1	2.39	0.57
2:B:1008:HEC:HMB1	2:B:1008:HEC:HBB3	1.86	0.57
1:B:487:SER:HB3	1:B:491:HIS:CE1	2.41	0.56
2:B:1007:HEC:HBB3	2:B:1007:HEC:HMB1	1.88	0.56
2:A:1007:HEC:HMB1	2:A:1007:HEC:HBB3	1.88	0.55
1:A:408:ASN:HA	1:A:412:LEU:HB2	1.89	0.55
1:A:103:LEU:HG	1:A:445:LEU:HD13	1.87	0.55
1:B:374:ARG:HA	1:B:374:ARG:NE	2.21	0.55
1:A:410:ALA:O	2:A:1008:HEC:HMC2	2.08	0.54
2:A:1003:HEC:HMB1	2:A:1003:HEC:HBB3	1.89	0.53
1:B:15:TYR:CD1	1:B:22:GLU:HB2	2.44	0.53
1:B:310:GLN:HE21	1:B:323:ARG:HH12	1.55	0.53
1:B:377:VAL:HG22	2:B:1008:HEC:HBC2	1.91	0.52
1:B:90:LYS:HE3	1:B:96:ARG:HG3	1.90	0.52
2:B:1002:HEC:HBC3	2:B:1002:HEC:HMC1	1.90	0.52
1:A:90:LYS:HD2	1:A:113:HIS:CE1	2.45	0.52
1:B:227:CYS:HA	2:B:1005:HEC:HHC	1.93	0.51
1:B:310:GLN:HA	1:B:343:ASP:O	2.11	0.51
1:A:111:LEU:HD22	1:A:111:LEU:N	2.26	0.51
1:B:103:LEU:HG	1:B:445:LEU:HD13	1.92	0.50
1:B:29:LYS:HD2	2:B:1003:HEC:CGA	2.42	0.50
1:A:227:CYS:HA	2:A:1005:HEC:HHC	1.95	0.49
2:B:1002:HEC:HBC1	2:B:1003:HEC:HBB2	1.95	0.49
1:B:386:ARG:HA	1:B:396:THR:HA	1.94	0.49
1:B:408:ASN:HA	1:B:412:LEU:HB2	1.93	0.49
1:A:478:HIS:HB3	1:A:499:SER:O	2.14	0.48
2:B:1003:HEC:HHA	2:B:1003:HEC:HBA2	1.96	0.48
2:B:1003:HEC:HBC3	2:B:1003:HEC:HMC1	1.96	0.47
2:B:1004:HEC:HMB1	2:B:1004:HEC:HBB3	1.97	0.47
1:B:40[A]:ASP:HB2	1:B:58:VAL:HB	1.96	0.47
1:B:29:LYS:HB3	2:B:1003:HEC:HAD1	1.96	0.47
1:A:45:VAL:CG2	2:A:1001:HEC:HBB2	2.45	0.47
1:A:39:HIS:HA	1:A:58:VAL:O	2.15	0.47
1:A:305:CYS:HA	1:A:324:THR:O	2.15	0.47
1:A:38:CYS:HB2	2:A:1002:HEC:C4C	2.45	0.47
1:A:13:GLN:O	2:A:1001:HEC:HMC3	2.16	0.46
1:A:92:ASN:OD1	1:A:94[B]:ARG:HG2	2.16	0.46
1:B:129:VAL:HG11	2:B:1004:HEC:HMA1	1.96	0.46
1:A:92:ASN:OD1	1:A:93:PRO:HD2	2.15	0.46
1:A:393:LYS:HA	6:A:530:GOL:H2	1.97	0.46
1:B:45:VAL:CG2	2:B:1001:HEC:HBB2	2.46	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:MET:HB2	2:A:1006:HEC:HMD2	1.98	0.45
1:A:379:CYS:HA	2:A:1007:HEC:CHC	2.46	0.45
1:A:40:ASP:HB3	1:A:58:VAL:HB	1.99	0.45
1:B:40[B]:ASP:HB3	1:B:58:VAL:HB	1.98	0.45
1:A:481:TRP:O	1:A:485:GLU:HB2	2.17	0.45
1:B:455:ALA:HA	1:B:518:ILE:HG12	1.99	0.44
2:B:1002:HEC:CBC	2:B:1003:HEC:HBB2	2.48	0.44
1:B:103:LEU:HD23	1:B:479:TRP:CE2	2.53	0.44
1:B:438:ILE:O	1:B:442:GLU:HG3	2.17	0.44
1:A:305:CYS:SG	2:A:1004:HEC:HMC2	2.58	0.44
2:B:1001:HEC:HBB3	2:B:1001:HEC:HMB1	1.99	0.43
1:B:365:GLU:HA	1:B:368:TRP:CE3	2.54	0.43
1:B:379:CYS:HA	2:B:1007:HEC:CHC	2.49	0.43
2:A:1004:HEC:HBB3	2:A:1004:HEC:HMB1	2.00	0.43
1:B:435:HIS:O	1:B:439:MET:HG2	2.19	0.43
1:B:433:TYR:CE1	1:B:437:LYS:HE2	2.54	0.42
1:B:116:PRO:HD2	6:B:531:GOL:H11	2.01	0.42
1:B:122:MET:HB2	2:B:1006:HEC:HMD2	2.01	0.42
1:A:15:TYR:CD1	1:A:22:GLU:HB2	2.55	0.42
1:B:29:LYS:HD2	2:B:1003:HEC:CBA	2.50	0.42
1:A:300:HIS:CE1	2:A:1004:HEC:HMD1	2.55	0.41
1:B:310:GLN:HE21	1:B:323:ARG:HH22	1.68	0.41
1:B:482:TRP:CZ2	1:B:496:ALA:HA	2.55	0.41
1:A:103:LEU:HD12	1:A:449:ILE:HD12	2.01	0.41
1:B:38:CYS:HB2	2:B:1002:HEC:C4C	2.50	0.41
1:A:455:ALA:HA	1:A:518:ILE:HG12	2.02	0.41
1:A:374:ARG:HA	1:A:374:ARG:NE	2.35	0.41
1:A:91:ALA:HA	1:A:97:SER:O	2.21	0.41
1:A:96:ARG:CZ	1:A:488:VAL:HG22	2.51	0.41
1:A:379:CYS:HA	2:A:1007:HEC:HHC	2.02	0.41
1:B:196:TRP:CZ2	1:B:200:GLY:HA3	2.56	0.41
1:A:430:ILE:HG21	1:A:490:PHE:HA	2.03	0.41
1:A:310:GLN:HA	1:A:343:ASP:O	2.20	0.41
1:A:129:VAL:HG11	2:A:1004:HEC:HMA1	2.02	0.40
1:A:430:ILE:HG23	1:A:493:PRO:HB3	2.03	0.40
1:A:192:HIS:HB3	1:A:221:LEU:HD21	2.04	0.40
1:B:379:CYS:HA	2:B:1007:HEC:HHC	2.03	0.40
1:B:103:LEU:HD23	1:B:479:TRP:CZ2	2.56	0.40
1:B:35:CYS:HA	2:B:1002:HEC:CHC	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	525/525 (100%)	504 (96%)	20 (4%)	1 (0%)	52	48
1	B	520/525 (99%)	494 (95%)	24 (5%)	2 (0%)	39	33
All	All	1045/1050 (100%)	998 (96%)	44 (4%)	3 (0%)	46	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	225	VAL
1	B	523	ALA
1	B	225	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/440 (100%)	437 (99%)	3 (1%)	88	91
1	B	433/440 (98%)	431 (100%)	2 (0%)	92	94
All	All	873/880 (99%)	868 (99%)	5 (1%)	90	93

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	445	LEU
1	A	452	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	445	LEU
1	B	452	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	20	GLN
1	A	190	GLN
1	A	304	ASN
1	A	311	GLN
1	B	190	GLN
1	B	310	GLN
1	B	311	GLN
1	B	375	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 6 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEC	A	1001	1	24,50,50	2.29	5 (20%)	19,82,82	3.18	5 (26%)
2	HEC	A	1002	1	24,50,50	1.94	4 (16%)	19,82,82	3.13	7 (36%)
2	HEC	A	1003	1	24,50,50	2.40	5 (20%)	19,82,82	3.72	8 (42%)
2	HEC	A	1004	1,3,5	24,50,50	2.15	5 (20%)	19,82,82	3.14	7 (36%)
2	HEC	A	1005	1	24,50,50	2.47	8 (33%)	19,82,82	2.92	8 (42%)
2	HEC	A	1006	1	24,50,50	2.21	8 (33%)	19,82,82	3.70	10 (52%)
2	HEC	A	1007	1	24,50,50	2.35	6 (25%)	19,82,82	3.38	8 (42%)
2	HEC	A	1008	1	23,46,50	2.75	8 (34%)	17,77,82	3.52	9 (52%)
3	SO3	A	526	2	1,3,3	0.55	0	0,3,3	0.00	-
6	GOL	A	530	-	5,5,5	0.41	0	5,5,5	0.79	0
6	GOL	A	531	-	5,5,5	0.33	0	5,5,5	0.65	0
7	SO4	A	532	-	4,4,4	0.59	0	6,6,6	0.71	0
7	SO4	A	533	-	4,4,4	0.26	0	6,6,6	0.22	0
7	SO4	A	534	-	4,4,4	0.32	0	6,6,6	0.38	0
7	SO4	A	535	-	4,4,4	0.52	0	6,6,6	0.27	0
2	HEC	B	1001	1	24,50,50	2.07	7 (29%)	19,82,82	3.60	8 (42%)
2	HEC	B	1002	1	24,50,50	1.95	4 (16%)	19,82,82	3.41	8 (42%)
2	HEC	B	1003	1	24,50,50	2.59	6 (25%)	19,82,82	3.16	8 (42%)
2	HEC	B	1004	1,3,5	24,50,50	2.30	4 (16%)	19,82,82	2.73	7 (36%)
2	HEC	B	1005	1	24,50,50	2.41	4 (16%)	19,82,82	3.05	7 (36%)
2	HEC	B	1006	1	24,50,50	2.10	4 (16%)	19,82,82	3.43	8 (42%)
2	HEC	B	1007	1	24,50,50	2.24	5 (20%)	19,82,82	3.37	9 (47%)
2	HEC	B	1008	1	23,46,50	2.53	6 (26%)	17,77,82	2.82	6 (35%)
3	SO3	B	526	2	1,3,3	0.88	0	0,3,3	0.00	-
6	GOL	B	530	-	5,5,5	0.41	0	5,5,5	0.26	0
6	GOL	B	531	-	5,5,5	0.11	0	5,5,5	0.41	0
6	GOL	B	532	-	5,5,5	0.53	0	5,5,5	0.57	0
7	SO4	B	533	-	4,4,4	0.27	0	6,6,6	0.53	0
7	SO4	B	534	-	4,4,4	0.17	0	6,6,6	0.64	0
7	SO4	B	535	-	4,4,4	0.59	0	6,6,6	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	1001	1	-	0/6/54/54	0/0/8/8
2	HEC	A	1002	1	-	0/6/54/54	0/0/8/8

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	1003	1	-	0/6/54/54	0/0/8/8
2	HEC	A	1004	1,3,5	-	0/6/54/54	0/0/8/8
2	HEC	A	1005	1	-	0/6/54/54	0/0/8/8
2	HEC	A	1006	1	-	0/6/54/54	0/0/8/8
2	HEC	A	1007	1	-	0/6/54/54	0/0/8/8
2	HEC	A	1008	1	-	0/3/49/54	0/0/8/8
3	SO3	A	526	2	-	0/0/0/0	0/0/0/0
6	GOL	A	530	-	-	0/4/4/4	0/0/0/0
6	GOL	A	531	-	-	0/4/4/4	0/0/0/0
7	SO4	A	532	-	-	0/0/0/0	0/0/0/0
7	SO4	A	533	-	-	0/0/0/0	0/0/0/0
7	SO4	A	534	-	-	0/0/0/0	0/0/0/0
7	SO4	A	535	-	-	0/0/0/0	0/0/0/0
2	HEC	B	1001	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1002	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1003	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1004	1,3,5	-	0/6/54/54	0/0/8/8
2	HEC	B	1005	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1006	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1007	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1008	1	-	0/3/49/54	0/0/8/8
3	SO3	B	526	2	-	0/0/0/0	0/0/0/0
6	GOL	B	530	-	-	0/4/4/4	0/0/0/0
6	GOL	B	531	-	-	0/4/4/4	0/0/0/0
6	GOL	B	532	-	-	0/4/4/4	0/0/0/0
7	SO4	B	533	-	-	0/0/0/0	0/0/0/0
7	SO4	B	534	-	-	0/0/0/0	0/0/0/0
7	SO4	B	535	-	-	0/0/0/0	0/0/0/0

All (89) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1008	HEC	C3B-C2B	-8.05	1.32	1.40
2	B	1005	HEC	C3B-C2B	-7.74	1.32	1.40
2	B	1003	HEC	C3B-C2B	-7.48	1.32	1.40
2	B	1008	HEC	C3B-C2B	-7.23	1.33	1.40
2	A	1008	HEC	C3C-C2C	-7.07	1.33	1.40
2	A	1003	HEC	C3B-C2B	-7.01	1.33	1.40
2	B	1004	HEC	C3C-C2C	-6.90	1.33	1.40
2	A	1007	HEC	C3B-C2B	-6.75	1.33	1.40
2	B	1007	HEC	C3B-C2B	-6.54	1.33	1.40
2	A	1005	HEC	C3B-C2B	-6.37	1.34	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1003	HEC	C3C-C2C	-6.19	1.34	1.40
2	A	1005	HEC	C3C-C2C	-6.05	1.34	1.40
2	B	1008	HEC	C3C-C2C	-6.02	1.34	1.40
2	A	1001	HEC	C3B-C2B	-5.95	1.34	1.40
2	A	1006	HEC	C3C-C2C	-5.77	1.34	1.40
2	A	1006	HEC	C3B-C2B	-5.68	1.34	1.40
2	A	1001	HEC	C3C-C2C	-5.62	1.34	1.40
2	B	1006	HEC	C3B-C2B	-5.53	1.35	1.40
2	B	1004	HEC	C3B-C2B	-5.43	1.35	1.40
2	A	1004	HEC	C3C-C2C	-5.40	1.35	1.40
2	B	1005	HEC	C3C-C2C	-5.36	1.35	1.40
2	B	1006	HEC	C3C-C2C	-5.36	1.35	1.40
2	A	1007	HEC	C3C-C2C	-5.33	1.35	1.40
2	A	1002	HEC	C3C-C2C	-5.01	1.35	1.40
2	A	1004	HEC	C3B-C2B	-5.01	1.35	1.40
2	A	1003	HEC	C3C-C2C	-4.91	1.35	1.40
2	B	1007	HEC	C3C-C2C	-4.87	1.35	1.40
2	B	1001	HEC	C3B-C2B	-4.70	1.35	1.40
2	B	1002	HEC	C3B-C2B	-4.57	1.36	1.40
2	B	1002	HEC	C3C-C2C	-4.55	1.36	1.40
2	A	1002	HEC	C3B-C2B	-4.03	1.36	1.40
2	B	1001	HEC	C3C-C2C	-3.77	1.36	1.40
2	A	1008	HEC	C4C-NC	2.00	1.39	1.36
2	B	1001	HEC	C3B-C4B	2.01	1.47	1.42
2	A	1006	HEC	CAD-C3D	2.02	1.55	1.52
2	A	1005	HEC	CMD-C2D	2.02	1.55	1.51
2	B	1007	HEC	C4A-NA	2.03	1.39	1.36
2	A	1006	HEC	CBB-CAB	2.06	1.58	1.49
2	A	1001	HEC	C3C-C4C	2.07	1.47	1.42
2	B	1003	HEC	CMB-C2B	2.09	1.56	1.51
2	A	1008	HEC	C1A-NA	2.10	1.39	1.36
2	A	1006	HEC	C3C-C4C	2.12	1.47	1.42
2	A	1001	HEC	CAD-C3D	2.12	1.55	1.52
2	A	1008	HEC	CMD-C2D	2.14	1.56	1.51
2	A	1007	HEC	C4A-NA	2.14	1.39	1.36
2	B	1002	HEC	C4B-NB	2.15	1.39	1.36
2	A	1004	HEC	C1A-NA	2.15	1.39	1.36
2	A	1008	HEC	C3C-C4C	2.16	1.47	1.42
2	A	1002	HEC	CAD-C3D	2.16	1.55	1.52
2	A	1006	HEC	CMB-C2B	2.18	1.56	1.51
2	A	1008	HEC	CMC-C2C	2.21	1.56	1.51
2	B	1008	HEC	C4C-NC	2.21	1.39	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1007	HEC	CMD-C2D	2.23	1.56	1.51
2	A	1007	HEC	C4C-NC	2.26	1.39	1.36
2	B	1001	HEC	C3C-C4C	2.29	1.48	1.42
2	B	1008	HEC	CMC-C2C	2.33	1.56	1.51
2	A	1005	HEC	CAA-C2A	2.33	1.56	1.52
2	B	1001	HEC	CMC-C2C	2.34	1.56	1.51
2	B	1006	HEC	C4B-NB	2.37	1.39	1.36
2	A	1006	HEC	C4B-NB	2.42	1.40	1.36
2	B	1008	HEC	C3C-C4C	2.48	1.48	1.42
2	B	1005	HEC	CMD-C2D	2.48	1.56	1.51
2	B	1001	HEC	CMB-C2B	2.51	1.57	1.51
2	A	1005	HEC	CMB-C2B	2.76	1.57	1.51
2	A	1005	HEC	CMA-C3A	2.76	1.57	1.51
2	B	1004	HEC	CAD-C3D	2.77	1.56	1.52
2	A	1003	HEC	CMB-C2B	2.80	1.57	1.51
2	B	1003	HEC	CMC-C2C	2.82	1.57	1.51
2	A	1005	HEC	C4C-NC	2.87	1.40	1.36
2	A	1004	HEC	CAA-C2A	2.89	1.57	1.52
2	B	1007	HEC	C4C-NC	2.99	1.40	1.36
2	B	1003	HEC	C4C-NC	3.08	1.40	1.36
2	A	1003	HEC	C4A-NA	3.41	1.41	1.36
2	A	1006	HEC	C3D-C2D	3.71	1.48	1.37
2	B	1007	HEC	C3D-C2D	3.79	1.48	1.37
2	A	1007	HEC	C3D-C2D	3.81	1.49	1.37
2	A	1008	HEC	C3D-C2D	3.86	1.54	1.41
2	A	1004	HEC	C3D-C2D	3.86	1.49	1.37
2	B	1006	HEC	C3D-C2D	3.87	1.49	1.37
2	B	1005	HEC	C3D-C2D	3.92	1.49	1.37
2	B	1008	HEC	C3D-C2D	4.04	1.55	1.41
2	B	1003	HEC	C3D-C2D	4.13	1.49	1.37
2	B	1004	HEC	C3D-C2D	4.17	1.50	1.37
2	A	1003	HEC	C3D-C2D	4.18	1.50	1.37
2	B	1002	HEC	C3D-C2D	4.21	1.50	1.37
2	A	1005	HEC	C3D-C2D	4.34	1.50	1.37
2	A	1002	HEC	C3D-C2D	4.67	1.51	1.37
2	B	1001	HEC	C3D-C2D	4.85	1.52	1.37
2	A	1001	HEC	C3D-C2D	5.44	1.53	1.37

All (123) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1003	HEC	CBB-CAB-C3B	-10.83	103.28	127.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1008	HEC	CBB-CAB-C3B	-10.26	104.55	127.35
2	B	1001	HEC	CBB-CAB-C3B	-10.08	104.96	127.35
2	B	1002	HEC	CBB-CAB-C3B	-9.92	105.30	127.35
2	A	1007	HEC	CBB-CAB-C3B	-9.86	105.43	127.35
2	B	1005	HEC	CBB-CAB-C3B	-9.36	106.54	127.35
2	A	1004	HEC	CBB-CAB-C3B	-9.34	106.60	127.35
2	A	1001	HEC	CBB-CAB-C3B	-9.33	106.61	127.35
2	B	1003	HEC	CBB-CAB-C3B	-9.30	106.68	127.35
2	B	1006	HEC	CBB-CAB-C3B	-8.99	107.36	127.35
2	A	1005	HEC	CBB-CAB-C3B	-8.66	108.10	127.35
2	A	1006	HEC	CBB-CAB-C3B	-8.64	108.16	127.35
2	B	1008	HEC	CBB-CAB-C3B	-8.58	108.29	127.35
2	B	1007	HEC	CBB-CAB-C3B	-8.49	108.48	127.35
2	A	1002	HEC	CBB-CAB-C3B	-8.46	108.54	127.35
2	A	1006	HEC	CBC-CAC-C3C	-7.36	111.00	127.35
2	B	1001	HEC	CBC-CAC-C3C	-7.25	111.24	127.35
2	B	1004	HEC	CBB-CAB-C3B	-7.05	111.69	127.35
2	A	1001	HEC	CBC-CAC-C3C	-6.50	112.91	127.35
2	B	1001	HEC	CAD-CBD-CGD	-5.88	101.97	112.75
2	A	1002	HEC	CBC-CAC-C3C	-5.86	114.34	127.35
2	B	1006	HEC	CBC-CAC-C3C	-5.72	114.63	127.35
2	B	1004	HEC	CMC-C2C-C1C	-5.71	118.91	128.36
2	A	1003	HEC	CAD-CBD-CGD	-5.69	102.33	112.75
2	B	1007	HEC	CBC-CAC-C3C	-5.52	115.09	127.35
2	A	1008	HEC	CMC-C2C-C1C	-5.49	119.28	128.36
2	B	1002	HEC	CBC-CAC-C3C	-5.49	115.15	127.35
2	B	1007	HEC	CBA-CAA-C2A	-5.47	102.73	112.53
2	A	1007	HEC	CMB-C2B-C1B	-5.39	119.44	128.36
2	A	1006	HEC	CMC-C2C-C1C	-5.27	119.64	128.36
2	A	1004	HEC	CMB-C2B-C1B	-5.06	119.99	128.36
2	B	1006	HEC	CBD-CAD-C3D	-5.05	103.48	112.53
2	A	1003	HEC	CMC-C2C-C1C	-5.04	120.02	128.36
2	B	1006	HEC	CMC-C2C-C1C	-5.03	120.04	128.36
2	B	1002	HEC	CAA-CBA-CGA	-5.02	103.55	112.75
2	B	1005	HEC	CBC-CAC-C3C	-4.96	116.32	127.35
2	A	1008	HEC	CBC-CAC-C3C	-4.94	116.37	127.35
2	A	1006	HEC	CBD-CAD-C3D	-4.81	103.91	112.53
2	B	1005	HEC	CBD-CAD-C3D	-4.77	103.97	112.53
2	A	1004	HEC	CMC-C2C-C1C	-4.74	120.52	128.36
2	A	1007	HEC	CBC-CAC-C3C	-4.71	116.89	127.35
2	B	1003	HEC	CBD-CAD-C3D	-4.68	104.15	112.53
2	B	1006	HEC	CAA-CBA-CGA	-4.58	104.35	112.75

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1002	HEC	CMB-C2B-C1B	-4.52	120.89	128.36
2	B	1002	HEC	CMC-C2C-C1C	-4.46	120.98	128.36
2	A	1002	HEC	CAA-CBA-CGA	-4.42	104.65	112.75
2	B	1002	HEC	CBA-CAA-C2A	-4.40	104.65	112.53
2	B	1003	HEC	CAA-CBA-CGA	-4.39	104.71	112.75
2	A	1007	HEC	CBD-CAD-C3D	-4.37	104.69	112.53
2	B	1007	HEC	CBD-CAD-C3D	-4.34	104.75	112.53
2	A	1005	HEC	CBC-CAC-C3C	-4.32	117.76	127.35
2	A	1007	HEC	CBA-CAA-C2A	-4.25	104.92	112.53
2	A	1002	HEC	CMC-C2C-C1C	-4.23	121.37	128.36
2	A	1003	HEC	CAA-CBA-CGA	-4.22	105.01	112.75
2	B	1006	HEC	CBA-CAA-C2A	-4.22	104.97	112.53
2	A	1006	HEC	CBA-CAA-C2A	-4.11	105.16	112.53
2	A	1003	HEC	CAA-C2A-C1A	-4.11	122.55	127.01
2	A	1005	HEC	CMC-C2C-C1C	-4.08	121.61	128.36
2	B	1008	HEC	CBC-CAC-C3C	-4.06	118.33	127.35
2	B	1007	HEC	CMB-C2B-C1B	-4.03	121.70	128.36
2	B	1004	HEC	CBC-CAC-C3C	-3.97	118.54	127.35
2	A	1004	HEC	CBC-CAC-C3C	-3.95	118.58	127.35
2	A	1001	HEC	CBA-CAA-C2A	-3.93	105.49	112.53
2	A	1005	HEC	CBD-CAD-C3D	-3.90	105.53	112.53
2	A	1004	HEC	CBD-CAD-C3D	-3.74	105.83	112.53
2	A	1003	HEC	CBD-CAD-C3D	-3.70	105.90	112.53
2	B	1007	HEC	CAA-C2A-C1A	-3.68	123.01	127.01
2	A	1001	HEC	CMC-C2C-C1C	-3.65	122.33	128.36
2	B	1005	HEC	CMC-C2C-C1C	-3.64	122.34	128.36
2	B	1001	HEC	CMB-C2B-C1B	-3.51	122.56	128.36
2	B	1003	HEC	CAD-CBD-CGD	-3.42	106.49	112.75
2	A	1005	HEC	CMB-C2B-C1B	-3.41	122.72	128.36
2	B	1008	HEC	CMC-C2C-C1C	-3.39	122.76	128.36
2	A	1003	HEC	CBC-CAC-C3C	-3.36	119.89	127.35
2	B	1003	HEC	CMC-C2C-C1C	-3.28	122.94	128.36
2	B	1008	HEC	CMB-C2B-C1B	-3.25	122.98	128.36
2	B	1005	HEC	CMB-C2B-C1B	-3.25	122.99	128.36
2	B	1001	HEC	CAA-CBA-CGA	-3.21	106.87	112.75
2	B	1001	HEC	CMC-C2C-C1C	-3.21	123.06	128.36
2	A	1001	HEC	CBD-CAD-C3D	-3.15	106.89	112.53
2	B	1003	HEC	CBC-CAC-C3C	-3.09	120.49	127.35
2	B	1004	HEC	CAA-C2A-C1A	-3.08	123.66	127.01
2	A	1007	HEC	CMC-C2C-C1C	-3.07	123.29	128.36
2	B	1002	HEC	CAA-C2A-C1A	-3.04	123.71	127.01
2	A	1006	HEC	CAD-C3D-C2D	-3.03	120.35	129.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1004	HEC	CMB-C2B-C1B	-2.98	123.44	128.36
2	A	1008	HEC	CAA-CBA-CGA	-2.96	107.31	112.75
2	B	1003	HEC	CMB-C2B-C1B	-2.92	123.53	128.36
2	A	1007	HEC	CAA-C2A-C1A	-2.88	123.89	127.01
2	A	1006	HEC	CAA-C2A-C1A	-2.86	123.90	127.01
2	B	1007	HEC	CMC-C2C-C1C	-2.84	123.67	128.36
2	B	1004	HEC	CBD-CAD-C3D	-2.75	107.60	112.53
2	B	1001	HEC	CAA-C2A-C1A	-2.72	124.05	127.01
2	A	1005	HEC	CAA-CBA-CGA	-2.70	107.81	112.75
2	B	1002	HEC	CMB-C2B-C1B	-2.52	124.20	128.36
2	B	1006	HEC	CMB-C2B-C1B	-2.44	124.32	128.36
2	A	1005	HEC	CAA-C2A-C1A	-2.33	124.48	127.01
2	B	1001	HEC	CBA-CAA-C2A	-2.33	108.36	112.53
2	B	1005	HEC	CAA-C2A-C1A	-2.27	124.54	127.01
2	A	1008	HEC	CMD-C2D-C1D	-2.24	124.66	128.36
2	A	1006	HEC	CMB-C2B-C1B	-2.15	124.81	128.36
2	A	1002	HEC	CAA-C2A-C1A	-2.10	124.73	127.01
2	A	1008	HEC	CMB-C2B-C1B	-2.09	124.91	128.36
2	B	1005	HEC	CAA-CBA-CGA	-2.05	108.99	112.75
2	A	1002	HEC	CBA-CAA-C2A	-2.04	108.88	112.53
2	A	1006	HEC	CMA-C3A-C2A	2.02	129.46	125.24
2	B	1008	HEC	CMA-C3A-C2A	2.02	129.46	125.24
2	A	1008	HEC	CAD-C3D-C2D	2.17	129.57	125.14
2	A	1005	HEC	CAD-C3D-C4D	2.19	129.38	127.01
2	B	1002	HEC	CAD-CBD-CGD	2.25	116.87	112.75
2	A	1004	HEC	CAA-C2A-C1A	2.25	129.45	127.01
2	B	1007	HEC	CAD-C3D-C4D	2.37	129.58	127.01
2	A	1008	HEC	CMA-C3A-C2A	2.48	130.43	125.24
2	B	1006	HEC	CAD-C3D-C4D	2.50	129.72	127.01
2	B	1008	HEC	CAD-C3D-C2D	2.50	130.25	125.14
2	A	1008	HEC	CMD-C2D-C3D	2.55	130.34	125.14
2	A	1004	HEC	CAD-C3D-C4D	2.68	129.92	127.01
2	A	1007	HEC	CAA-CBA-CGA	2.71	117.71	112.75
2	B	1004	HEC	CAD-C3D-C4D	3.09	130.36	127.01
2	B	1007	HEC	CAA-CBA-CGA	3.45	119.06	112.75
2	B	1003	HEC	CBA-CAA-C2A	3.54	118.88	112.53
2	A	1003	HEC	CBA-CAA-C2A	4.06	119.81	112.53
2	A	1006	HEC	CAD-C3D-C4D	5.40	132.88	127.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

20 monomers are involved in 51 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	HEC	3	0
2	A	1002	HEC	2	0
2	A	1003	HEC	2	0
2	A	1004	HEC	4	0
2	A	1005	HEC	2	0
2	A	1006	HEC	2	0
2	A	1007	HEC	3	0
2	A	1008	HEC	4	0
6	A	530	GOL	1	0
7	A	532	SO4	1	0
2	B	1001	HEC	3	0
2	B	1002	HEC	5	0
2	B	1003	HEC	7	0
2	B	1004	HEC	2	0
2	B	1005	HEC	2	0
2	B	1006	HEC	1	0
2	B	1007	HEC	3	0
2	B	1008	HEC	3	0
6	B	530	GOL	2	0
6	B	531	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	520/525 (99%)	0.29	10 (1%) 70 70	16, 21, 32, 41	0
1	B	520/525 (99%)	0.37	14 (2%) 58 58	17, 22, 31, 42	0
All	All	1040/1050 (99%)	0.33	24 (2%) 64 64	16, 22, 31, 42	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	277	GLY	3.6
1	A	27	VAL	3.6
1	B	165	THR	3.5
1	A	45	VAL	3.4
1	B	5	GLN	3.0
1	B	463	ASP	3.0
1	A	9	VAL	2.9
1	A	408	ASN	2.8
1	B	523	ALA	2.8
1	A	165	THR	2.7
1	B	262	ALA	2.7
1	A	43	GLU	2.7
1	B	312	SER	2.6
1	B	517	ALA	2.5
1	A	414	CYS	2.3
1	A	464	VAL	2.3
1	A	12	LEU	2.3
1	A	5	GLN	2.2
1	B	416	ASP	2.1
1	B	521	ALA	2.1
1	B	415	HIS	2.1
1	B	6	LEU	2.0
1	B	42	THR	2.0
1	B	227	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
7	SO4	B	534	5/5	0.89	0.26	14.20	18,18,19,19	5
7	SO4	A	533	5/5	0.97	0.19	13.28	18,19,20,20	5
6	GOL	B	531	6/6	0.81	0.34	7.23	15,16,16,17	6
6	GOL	B	530	6/6	0.70	0.28	5.26	49,49,49,49	0
6	GOL	B	532	6/6	0.82	0.19	2.81	31,33,34,35	0
6	GOL	A	531	6/6	0.82	0.22	1.71	29,32,32,32	0
2	HEC	A	1006	43/43	0.96	0.16	0.89	15,16,17,19	0
2	HEC	A	1008	39/43	0.93	0.17	0.86	29,31,33,34	0
2	HEC	B	1008	39/43	0.90	0.17	0.83	30,32,34,35	0
2	HEC	B	1006	43/43	0.95	0.18	0.70	15,17,18,19	0
2	HEC	B	1003	43/43	0.95	0.14	0.64	16,18,27,28	0
2	HEC	B	1004	43/43	0.95	0.17	0.61	17,18,20,21	0
2	HEC	A	1003	43/43	0.94	0.14	0.42	17,19,28,29	0
2	HEC	A	1007	43/43	0.95	0.13	0.32	16,17,22,26	0
2	HEC	B	1002	43/43	0.95	0.14	0.28	18,19,22,23	0
7	SO4	A	534	5/5	0.95	0.15	0.13	19,19,19,20	5
2	HEC	A	1005	43/43	0.95	0.13	0.06	16,17,21,24	0
2	HEC	A	1004	43/43	0.96	0.15	0.03	16,17,18,19	0
2	HEC	B	1001	43/43	0.95	0.15	0.02	20,21,23,24	0
2	HEC	B	1007	43/43	0.96	0.13	0.01	17,18,22,25	0
2	HEC	B	1005	43/43	0.96	0.14	-0.24	16,17,23,25	0
2	HEC	A	1002	43/43	0.96	0.12	-0.38	19,20,22,23	0
7	SO4	B	533	5/5	0.96	0.14	-0.62	37,37,37,37	0
2	HEC	A	1001	43/43	0.95	0.12	-0.78	23,25,29,31	0
4	CA	B	527	1/1	0.94	0.12	-0.78	21,21,21,21	1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
7	SO4	A	532	5/5	0.97	0.11	-0.82	37,37,37,37	0
4	CA	A	527	1/1	0.96	0.13	-1.03	20,20,20,20	1
5	CO	A	528	1/1	0.99	0.10	-2.08	14,14,14,14	1
3	SO3	A	526	4/4	0.98	0.08	-3.28	21,21,22,22	0
3	SO3	B	526	4/4	0.98	0.07	-4.30	20,21,22,22	0
5	CO	B	528	1/1	0.99	0.04	-5.65	19,19,19,19	1
5	CO	B	529	1/1	0.96	0.07	-	19,19,19,19	1
6	GOL	A	530	6/6	0.80	0.24	-	49,49,49,49	0
7	SO4	A	535	5/5	0.87	0.20	-	34,35,35,35	5
7	SO4	B	535	5/5	0.89	0.30	-	30,31,31,31	5
5	CO	A	529	1/1	0.98	0.03	-	23,23,23,23	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.