



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 09:04 PM GMT

PDB ID : 4UB6  
Title : Native structure of photosystem II (dataset-1) by a femtosecond X-ray laser  
Authors : Suga, M.; Akita, F.; Hirata, K.; Ueno, G.; Murakami, H.; Nakajima, Y.; Shimizu, T.; Yamashita, K.; Yamamoto, M.; Ago, H.; Shen, J.R.  
Deposited on : 2014-08-12  
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	344	<div> <div>6%</div> <div>89%</div> <div>8%</div> </div>
1	a	344	<div> <div>11%</div> <div>96%</div> <div>••</div> </div>
2	B	505	<div> <div>5%</div> <div>87%</div> <div>12%</div> </div>
2	b	505	<div> <div>7%</div> <div>98%</div> <div>•</div> </div>
3	C	455	<div> <div>4%</div> <div>89%</div> <div>9%</div> <div>•</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	c	455	
4	D	342	
4	d	342	
5	E	84	
5	e	84	
6	F	44	
6	f	44	
7	H	65	
7	h	65	
8	I	38	
8	i	38	
9	J	39	
9	j	39	
10	K	37	
10	k	37	
11	L	37	
11	l	37	
12	M	36	
12	m	36	
13	O	244	
13	o	244	
14	T	32	
14	t	32	
15	U	104	
15	u	104	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
16	V	137	
16	v	137	
17	Y	30	
17	y	30	
18	X	40	
18	x	40	
19	Z	62	
19	z	62	
20	R	34	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
22	CL	U	201	-	-	X	-
23	BCT	A	404	-	-	-	X
23	BCT	a	419	-	-	-	X
24	CLA	A	405	X	-	-	-
24	CLA	A	406	X	-	-	-
24	CLA	A	407	X	-	-	-
24	CLA	A	410	X	-	-	-
24	CLA	B	602	X	-	-	X
24	CLA	B	603	X	-	-	-
24	CLA	B	604	X	-	-	-
24	CLA	B	605	X	-	-	-
24	CLA	B	606	X	-	-	-
24	CLA	B	607	X	-	-	-
24	CLA	B	608	X	-	-	-
24	CLA	B	609	X	-	-	-
24	CLA	B	610	X	-	-	-
24	CLA	B	611	X	-	-	-
24	CLA	B	612	X	-	-	-
24	CLA	B	613	X	-	-	-
24	CLA	B	614	X	-	-	-
24	CLA	B	615	X	-	-	-
24	CLA	B	616	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	CLA	B	617	X	-	-	-
24	CLA	C	502	X	-	-	-
24	CLA	C	503	X	-	-	-
24	CLA	C	504	X	-	-	-
24	CLA	C	505	X	-	-	-
24	CLA	C	506	X	-	-	-
24	CLA	C	507	X	-	-	-
24	CLA	C	508	X	-	-	-
24	CLA	C	509	X	-	-	-
24	CLA	C	510	X	-	-	-
24	CLA	C	511	X	-	-	-
24	CLA	C	512	X	-	-	-
24	CLA	C	513	X	-	-	-
24	CLA	C	514	X	-	-	-
24	CLA	D	401	X	-	-	-
24	CLA	D	402	X	-	-	-
24	CLA	a	406	X	-	-	-
24	CLA	a	407	X	-	-	-
24	CLA	a	409	X	-	-	-
24	CLA	b	605	X	-	-	X
24	CLA	b	606	X	-	-	-
24	CLA	b	607	X	-	-	-
24	CLA	b	608	X	-	-	-
24	CLA	b	609	X	-	-	-
24	CLA	b	610	X	-	-	-
24	CLA	b	611	X	-	-	-
24	CLA	b	612	X	-	-	-
24	CLA	b	613	X	-	-	-
24	CLA	b	614	X	-	-	-
24	CLA	b	615	X	-	-	-
24	CLA	b	616	X	-	-	-
24	CLA	b	617	X	-	-	-
24	CLA	b	618	X	-	-	-
24	CLA	b	619	X	-	-	-
24	CLA	b	620	X	-	-	-
24	CLA	c	902	X	-	-	-
24	CLA	c	903	X	-	-	-
24	CLA	c	904	X	-	-	-
24	CLA	c	905	X	-	-	-
24	CLA	c	906	X	-	-	-
24	CLA	c	907	X	-	-	-
24	CLA	c	908	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	CLA	c	909	X	-	-	-
24	CLA	c	910	X	-	-	-
24	CLA	c	911	X	-	-	-
24	CLA	c	912	X	-	-	-
24	CLA	c	913	X	-	-	-
24	CLA	c	914	X	-	-	-
24	CLA	d	401	X	-	-	-
24	CLA	d	402	X	-	-	-
24	CLA	d	403	X	-	-	-
25	PHO	a	420	-	-	-	X
26	BCR	b	622	-	-	-	X
26	BCR	d	404	-	-	-	X
27	SQD	A	416	-	-	-	X
27	SQD	B	621	-	-	-	X
27	SQD	L	102	-	-	-	X
27	SQD	a	402	-	-	-	X
27	SQD	a	411	-	-	-	X
28	GOL	A	413	-	-	-	X
28	GOL	A	414	-	-	-	X
28	GOL	A	415	-	-	-	X
28	GOL	B	627	-	-	-	X
28	GOL	B	628	-	-	-	X
28	GOL	B	629	-	-	-	X
28	GOL	B	631	-	-	-	X
28	GOL	C	525	-	-	-	X
28	GOL	C	526	-	-	-	X
28	GOL	F	103	-	-	-	X
28	GOL	T	101	-	-	-	X
28	GOL	V	203	-	-	-	X
28	GOL	V	206	-	-	-	X
28	GOL	a	415	-	-	-	X
28	GOL	b	628	-	-	-	X
28	GOL	b	631	-	-	-	X
28	GOL	b	632	-	-	-	X
28	GOL	b	633	-	-	-	X
28	GOL	c	925	-	-	-	X
28	GOL	f	101	-	-	-	X
28	GOL	t	102	-	-	-	X
28	GOL	v	203	-	-	-	X
29	LMT	A	417	-	-	-	X
29	LMT	B	636	-	-	-	X
29	LMT	C	522	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
29	LMT	E	102	-	-	-	X
29	LMT	a	401	-	-	-	X
29	LMT	b	601	-	-	-	X
29	LMT	c	921	-	-	-	X
29	LMT	f	103	-	-	-	X
29	LMT	m	102	-	-	-	X
29	LMT	m	104	-	-	-	X
31	PL9	A	419	-	-	-	X
31	PL9	a	417	-	-	-	X
32	UNL	D	410	-	-	-	X
32	UNL	I	101	-	-	-	X
32	UNL	J	102	-	-	-	X
32	UNL	K	101	-	-	-	X
32	UNL	d	410	-	-	-	X
32	UNL	d	411	-	-	-	X
32	UNL	d	413	-	-	-	X
32	UNL	i	101	-	-	-	X
32	UNL	j	102	-	-	-	X
34	LMG	C	501	-	-	-	X
34	LMG	J	101	-	-	-	X
34	LMG	Z	101	-	-	-	X
34	LMG	a	412	-	-	-	X
34	LMG	b	624	-	-	-	X
34	LMG	j	101	-	-	-	X
34	LMG	z	101	-	-	-	X
35	HTG	B	625	-	-	-	X
35	HTG	C	524	-	-	-	X
35	HTG	D	411	-	-	-	X
35	HTG	V	202	-	-	-	X
35	HTG	b	626	-	-	-	X
35	HTG	c	923	-	-	-	X
35	HTG	d	412	-	-	-	X
36	DGD	D	405	-	-	-	X
36	DGD	d	406	-	-	-	X
37	LHG	l	101	-	-	-	X

## 2 Entry composition

There are 40 unique types of molecules in this entry. The entry contains 54195 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem Q(B) protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	334	Total	C	N	O	S	0	3	0
			2634	1728	432	459	15			
1	a	334	Total	C	N	O	S	0	6	0
			2645	1737	432	461	15			

- Molecule 2 is a protein called Photosystem II CP47 chlorophyll apoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	504	Total	C	N	O	S	0	11	0
			4027	2643	668	703	13			
2	b	504	Total	C	N	O	S	0	12	0
			4033	2650	668	702	13			

- Molecule 3 is a protein called Photosystem II 44 kDa reaction center protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	451	Total	C	N	O	S	0	4	0
			3501	2291	584	613	13			
3	c	455	Total	C	N	O	S	0	6	0
			3544	2323	589	619	13			

- Molecule 4 is a protein called Photosystem II D2 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	342	Total	C	N	O	S	0	1	0
			2729	1807	445	465	12			
4	d	341	Total	C	N	O	S	0	1	0
			2720	1802	444	462	12			

- Molecule 5 is a protein called Cytochrome b559 subunit alpha.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	81	Total	C	N	O	0	2	0
			668	436	107	125			
5	e	81	Total	C	N	O	0	2	0
			670	439	107	124			

- Molecule 6 is a protein called Cytochrome b559 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	34	Total	C	N	O	S	0	0	0
			275	187	45	42	1			
6	f	32	Total	C	N	O	S	0	0	0
			257	175	43	38	1			

- Molecule 7 is a protein called Photosystem II reaction center protein H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	H	65	Total	C	N	O	S	0	1	0
			519	346	85	86	2			
7	h	65	Total	C	N	O	S	0	0	0
			511	341	82	86	2			

- Molecule 8 is a protein called Photosystem II reaction center protein I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	I	38	Total	C	N	O	S	0	0	0
			314	211	48	54	1			
8	i	38	Total	C	N	O	S	0	0	0
			314	211	48	54	1			

- Molecule 9 is a protein called Photosystem II reaction center protein J.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	J	38	Total	C	N	O	S	0	0	0
			272	182	42	47	1			
9	j	39	Total	C	N	O	S	0	0	0
			280	187	43	48	2			

- Molecule 10 is a protein called Photosystem II reaction center protein K.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	K	37	Total	C	N	O	0	0	0
			293	204	43	46			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	k	37	Total	C	N	O	0	0	0
			293	204	43	46			

- Molecule 11 is a protein called Photosystem II reaction center protein L.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	L	37	Total	C	N	O	S	0	1	0
			309	207	48	53	1			
11	l	37	Total	C	N	O	S	0	1	0
			309	207	48	53	1			

- Molecule 12 is a protein called Photosystem II reaction center protein M.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	M	34	Total	C	N	O	S	0	1	0
			274	184	40	49	1			
12	m	34	Total	C	N	O	S	0	0	0
			269	179	40	49	1			

- Molecule 13 is a protein called Photosystem II manganese-stabilizing polypeptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	O	243	Total	C	N	O	S	0	8	0
			1903	1191	315	392	5			
13	o	243	Total	C	N	O	S	0	5	0
			1891	1183	315	388	5			

- Molecule 14 is a protein called Photosystem II reaction center protein T.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	T	30	Total	C	N	O	S	0	1	0
			264	185	36	41	2			
14	t	30	Total	C	N	O	S	0	1	0
			264	185	36	41	2			

- Molecule 15 is a protein called Photosystem II 12 kDa extrinsic protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	U	97	Total	C	N	O	0	0	0
			774	491	129	154			
15	u	97	Total	C	N	O	0	0	0
			774	491	129	154			

- Molecule 16 is a protein called Cytochrome c-550.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	V	137	Total	C	N	O	S	0	1	0
			1072	680	180	208	4			
16	v	137	Total	C	N	O	S	0	0	0
			1064	675	177	208	4			

- Molecule 17 is a protein called Photosystem II reaction center protein Ycf12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Y	29	Total	C	N	O	S	0	0	0
			215	142	37	33	3			
17	y	29	Total	C	N	O	S	0	0	0
			215	142	37	33	3			

- Molecule 18 is a protein called Photosystem II reaction center protein X.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	X	39	Total	C	N	O	S	0	0	0
			287	191	46	50				
18	x	39	Total	C	N	O	S	0	0	0
			287	191	46	50				

- Molecule 19 is a protein called Photosystem II reaction center protein Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	Z	62	Total	C	N	O	S	0	0	0
			479	328	72	77	2			
19	z	62	Total	C	N	O	S	0	0	0
			479	328	72	77	2			

- Molecule 20 is a protein called Photosystem II protein Y.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	R	34	Total	C	N	O	S	0	0	0
			273	186	47	40				

- Molecule 21 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	A	1	Total	Fe	0	0
			1	1		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	a	1	Total	Fe	0	0
			1	1		

- Molecule 22 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
22	A	2	Total	Cl	0	0
			2	2		
22	v	1	Total	Cl	0	0
			1	1		
22	a	2	Total	Cl	0	0
			2	2		
22	U	1	Total	Cl	0	0
			1	1		

- Molecule 23 is BICARBONATE ION (three-letter code: BCT) (formula:  $\text{CHO}_3^-$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
23	A	1	Total	C	O	0	0
			4	1	3		
23	a	1	Total	C	O	0	0
			4	1	3		

- Molecule 24 is CHLOROPHYLL A (three-letter code: CLA) (formula:  $\text{C}_{55}\text{H}_{72}\text{MgN}_4\text{O}_5$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		
24	B	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	B	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	B	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	B	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	B	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	B	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	B	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	C	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	D	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	D	1	Total 65	C 55	Mg 1	N 4	O 5	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	a	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	a	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	a	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	b	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	c	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	d	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	d	1	Total 65	C 55	Mg 1	N 4	O 5	0	0
24	d	1	Total 65	C 55	Mg 1	N 4	O 5	0	0


- Molecule 25 is PHEOPHYTIN A (three-letter code: PHO) (formula: C<sub>55</sub>H<sub>74</sub>N<sub>4</sub>O<sub>5</sub>).






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
25	A	1	Total	C	N	O	0	0
			64	55	4	5		
25	A	1	Total	C	N	O	0	0
			64	55	4	5		
25	a	1	Total	C	N	O	0	0
			64	55	4	5		
25	a	1	Total	C	N	O	0	0
			64	55	4	5		

- Molecule 26 is BETA-CAROTENE (three-letter code: BCR) (formula: C<sub>40</sub>H<sub>56</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
26	A	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	B	1	Total C 40 40	0	0
26	C	1	Total C 40 40	0	0
26	C	1	Total C 40 40	0	0
26	D	1	Total C 40 40	0	0
26	H	1	Total C 40 40	0	0
26	K	1	Total C 40 40	0	0
26	K	1	Total C 40 40	0	0
26	T	1	Total C 40 40	0	0
26	a	1	Total C 40 40	0	0
26	b	1	Total C 40 40	0	0
26	b	1	Total C 40 40	0	0
26	b	1	Total C 40 40	0	0
26	c	1	Total C 40 40	0	0
26	d	1	Total C 40 40	0	0
26	h	1	Total C 40 40	0	0
26	k	1	Total C 40 40	0	0
26	k	1	Total C 40 40	0	0
26	t	1	Total C 40 40	0	0
26	y	1	Total C 40 40	0	0

- Molecule 27 is 1,2-DI-O-ACYL-3-O-[6-DEOXY-6-SULFO-ALPHA-D-GLUCOPYRANOSYL]-SN-GLYCEROL (three-letter code: SQD) (formula:  $C_{41}H_{78}O_{12}S$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
27	A	1	Total	C	O	S	0	0
			54	41	12	1		
27	A	1	Total	C	O	S	0	0
			54	41	12	1		
27	B	1	Total	C	O	S	0	0
			54	41	12	1		
27	F	1	Total	C	O	S	0	0
			43	30	12	1		
27	L	1	Total	C	O	S	0	0
			54	41	12	1		
27	a	1	Total	C	O	S	0	0
			54	41	12	1		
27	a	1	Total	C	O	S	0	0
			54	41	12	1		
27	f	1	Total	C	O	S	0	0
			43	30	12	1		

- Molecule 28 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
28	A	1	Total	C	O	0	0
			6	3	3		
28	A	1	Total	C	O	0	0
			6	3	3		
28	A	1	Total	C	O	0	0
			6	3	3		
28	B	1	Total	C	O	0	0
			6	3	3		
28	B	1	Total	C	O	0	0
			6	3	3		
28	B	1	Total	C	O	0	0
			6	3	3		
28	B	1	Total	C	O	0	0
			6	3	3		
28	B	1	Total	C	O	0	0
			6	3	3		
28	C	1	Total	C	O	0	0
			6	3	3		
28	C	1	Total	C	O	0	0
			6	3	3		
28	F	1	Total	C	O	0	0
			6	3	3		
28	O	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
28	T	1	Total	C	O	0	0
			6	3	3		
28	T	1	Total	C	O	0	0
			6	3	3		
28	V	1	Total	C	O	0	0
			6	3	3		
28	V	1	Total	C	O	0	0
			6	3	3		
28	V	1	Total	C	O	0	0
			6	3	3		
28	V	1	Total	C	O	0	0
			6	3	3		
28	a	1	Total	C	O	0	0
			6	3	3		
28	a	1	Total	C	O	0	0
			6	3	3		
28	a	1	Total	C	O	0	0
			6	3	3		
28	b	1	Total	C	O	0	0
			6	3	3		
28	b	1	Total	C	O	0	0
			6	3	3		
28	b	1	Total	C	O	0	0
			6	3	3		
28	b	1	Total	C	O	0	0
			6	3	3		
28	b	1	Total	C	O	0	0
			6	3	3		
28	b	1	Total	C	O	0	0
			6	3	3		
28	c	1	Total	C	O	0	0
			6	3	3		
28	c	1	Total	C	O	0	0
			6	3	3		
28	f	1	Total	C	O	0	0
			6	3	3		
28	o	1	Total	C	O	0	0
			6	3	3		
28	t	1	Total	C	O	0	0
			6	3	3		
28	v	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
28	v	1	Total	C	O	0	0
			6	3	3		
28	v	1	Total	C	O	0	0
			6	3	3		

- Molecule 29 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: C<sub>24</sub>H<sub>46</sub>O<sub>11</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
29	A	1	Total	C	O	0	0
			35	24	11		
29	B	1	Total	C	O	0	0
			35	24	11		
29	B	1	Total	C	O	0	0
			25	19	6		
29	C	1	Total	C	O	0	0
			35	24	11		
29	E	1	Total	C	O	0	0
			35	24	11		
29	M	1	Total	C	O	0	0
			35	24	11		
29	a	1	Total	C	O	0	0
			35	24	11		
29	b	1	Total	C	O	0	0
			25	19	6		
29	b	1	Total	C	O	0	0
			25	19	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
29	c	1	Total	C	O	0	0
			35	24	11		
29	f	1	Total	C	O	0	0
			35	24	11		
29	m	1	Total	C	O	0	0
			35	24	11		
29	m	1	Total	C	O	0	0
			35	24	11		
29	m	1	Total	C	O	0	0
			35	24	11		

- Molecule 30 is CA-MN4-O5 CLUSTER (three-letter code: OEX) (formula:  $\text{CaMn}_4\text{O}_5$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
30	A	1	Total	Ca	Mn	O	0	0
			10	1	4	5		
30	a	1	Total	Ca	Mn	O	0	0
			10	1	4	5		

- Molecule 31 is 2,3-DIMETHYL-5-(3,7,11,15,19,23,27,31,35-NONAMETHYL-2,6,10,14,18,22,26,30,34-HEXATRIACONTANONAENYL-2,5-CYCLOHEXADIENE-1,4-DIONE-2,3-DIMETHYL-5-SOLANESYL-1,4-BENZOQUINONE (three-letter code: PL9) (formula:  $\text{C}_{53}\text{H}_{80}\text{O}_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
31	A	1	Total	C	O	0	0
			55	53	2		
31	D	1	Total	C	O	0	0
			55	53	2		
31	a	1	Total	C	O	0	0
			55	53	2		
31	d	1	Total	C	O	0	0
			55	53	2		

- Molecule 32 is UNKNOWN LIGAND (three-letter code: UNL) (formula: ).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	J	1	Total	C		0	0
			10	10			
32	i	1	Total	C	O	0	0
			40	35	5		
32	D	2	Total	C	O	0	0
			57	51	6		
32	K	1	Total	C	O	0	0
			34	29	5		
32	B	1	Total	C	O	0	0
			33	28	5		
32	I	1	Total	C	O	0	0
			40	35	5		
32	c	1	Total	C	O	0	0
			32	27	5		
32	a	1	Total	C	O	0	0
			30	25	5		

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
32	A	1	Total C O 28 23 5	0	0
32	j	1	Total C 10 10	0	0
32	X	1	Total C O 18 16 2	0	0
32	d	3	Total C O 71 63 8	0	0
32	m	1	Total C 10 10	0	0
32	b	1	Total C O 33 28 5	0	0
32	M	1	Total C 10 10	0	0

- Molecule 33 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
33	B	1	Total Ca 1 1	0	0
33	c	1	Total Ca 1 1	0	0
33	F	1	Total Ca 1 1	0	0
33	o	1	Total Ca 1 1	0	0
33	O	1	Total Ca 1 1	0	0
33	b	1	Total Ca 1 1	0	0
33	f	1	Total Ca 1 1	0	0

- Molecule 34 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (three-letter code: LMG) (formula: C<sub>45</sub>H<sub>86</sub>O<sub>10</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
34	B	1	Total	C	O	0	0
			51	41	10		
34	C	1	Total	C	O	0	0
			51	41	10		
34	C	1	Total	C	O	0	0
			51	41	10		
34	C	1	Total	C	O	0	0
			51	41	10		
34	J	1	Total	C	O	0	0
			51	41	10		
34	Z	1	Total	C	O	0	0
			37	27	10		
34	a	1	Total	C	O	0	0
			51	41	10		
34	b	1	Total	C	O	0	0
			51	41	10		
34	c	1	Total	C	O	0	0
			51	41	10		
34	c	1	Total	C	O	0	0
			51	41	10		
34	j	1	Total	C	O	0	0
			51	41	10		
34	z	1	Total	C	O	0	0
			39	29	10		

- Molecule 35 is HEPTYL 1-THIOHEXOPYRANOSIDE (three-letter code: HTG) (formula:  $C_{13}H_{26}O_5S$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
35	B	1	Total	C	O	S	0	0
			19	13	5	1		
35	B	1	Total	C	O	S	0	0
			19	13	5	1		
35	B	1	Total	C	O	S	0	0
			19	13	5	1		
35	B	1	Total	C	O	S	0	0
			19	13	5	1		
35	B	1	Total	C	O	S	0	0
			19	13	5	1		
35	C	1	Total	C	O	S	0	0
			19	13	5	1		
35	C	1	Total	C	O	S	0	0
			19	13	5	1		
35	D	1	Total	C	O	S	0	0
			16	10	5	1		
35	O	1	Total	C	O	S	0	0
			19	13	5	1		
35	V	1	Total	C	O	S	0	0
			19	13	5	1		
35	b	1	Total	C	O	S	0	0
			19	13	5	1		
35	b	1	Total	C	O	S	0	0
			19	13	5	1		
35	b	1	Total	C	O	S	0	0
			19	13	5	1		
35	b	1	Total	C	O	S	0	0
			19	13	5	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
35	c	1	Total	C	O	S	0	0
			19	13	5	1		
35	c	1	Total	C	O	S	0	0
			19	13	5	1		
35	d	1	Total	C	O	S	0	0
			16	10	5	1		

- Molecule 36 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (three-letter code: DGD) (formula:  $C_{51}H_{96}O_{15}$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
36	C	1	Total	C	O		0	0
			62	47	15			
36	C	1	Total	C	O		0	0
			62	47	15			
36	C	1	Total	C	O		0	0
			62	47	15			
36	D	1	Total	C	O		0	0
			62	47	15			
36	H	1	Total	C	O		0	0
			62	47	15			
36	c	1	Total	C	O		0	0
			62	47	15			
36	c	1	Total	C	O		0	0
			62	47	15			
36	c	1	Total	C	O		0	0
			62	47	15			

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
36	d	1	Total	C	O	0	0
			62	47	15		
36	h	1	Total	C	O	0	0
			62	47	15		

- Molecule 37 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula: C<sub>38</sub>H<sub>75</sub>O<sub>10</sub>P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
37	D	1	Total	C	O	P	0	0
			49	38	10	1		
37	D	1	Total	C	O	P	0	0
			49	38	10	1		
37	D	1	Total	C	O	P	0	0
			49	38	10	1		
37	E	1	Total	C	O	P	0	0
			42	31	10	1		
37	L	1	Total	C	O	P	0	0
			49	38	10	1		
37	d	1	Total	C	O	P	0	0
			49	38	10	1		
37	d	1	Total	C	O	P	0	0
			49	38	10	1		
37	d	1	Total	C	O	P	0	0
			49	38	10	1		
37	e	1	Total	C	O	P	0	0
			42	31	10	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
37	1	1	Total	C	O	P	0	0
			49	38	10	1		

- Molecule 38 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
38	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
38	V	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
38	e	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
38	v	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 39 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	J	1	Total	Mg	0	0
			1	1		
39	j	1	Total	Mg	0	0
			1	1		

- Molecule 40 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
40	A	165	Total O 167 167	0	2
40	B	289	Total O 293 293	0	4
40	C	233	Total O 235 235	0	2
40	D	138	Total O 143 143	0	5
40	E	31	Total O 31 31	0	0
40	F	9	Total O 9 9	0	0
40	H	48	Total O 49 49	0	1
40	I	4	Total O 4 4	0	0
40	J	13	Total O 13 13	0	0
40	K	8	Total O 8 8	0	0
40	L	16	Total O 17 17	0	1
40	M	8	Total O 8 8	0	0
40	O	188	Total O 191 191	0	3
40	T	16	Total O 17 17	0	1
40	U	81	Total O 81 81	0	0
40	V	116	Total O 118 118	0	2
40	Y	4	Total O 4 4	0	0
40	X	9	Total O 9 9	0	0
40	Z	1	Total O 1 1	0	0
40	a	153	Total O 154 154	0	1
40	b	261	Total O 264 264	0	3
40	c	197	Total O 199 199	0	2


Continued on next page...

*Continued from previous page...*



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
40	d	132	Total 137	O 137	0	5
40	e	17	Total 17	O 17	0	0
40	f	5	Total 5	O 5	0	0
40	h	41	Total 41	O 41	0	0
40	i	6	Total 6	O 6	0	0
40	j	7	Total 7	O 7	0	0
40	k	6	Total 6	O 6	0	0
40	l	10	Total 10	O 10	0	0
40	m	18	Total 18	O 18	0	0
40	o	154	Total 155	O 155	0	1
40	t	12	Total 12	O 12	0	0
40	u	97	Total 97	O 97	0	0
40	v	89	Total 90	O 90	0	1
40	y	4	Total 4	O 4	0	0
40	x	4	Total 4	O 4	0	0









- Molecule 3: Photosystem II 44 kDa reaction center protein




- Molecule 3: Photosystem II 44 kDa reaction center protein




- Molecule 4: Photosystem II D2 protein




- Molecule 4: Photosystem II D2 protein




- Molecule 5: Cytochrome b559 subunit alpha




- Molecule 5: Cytochrome b559 subunit alpha




- Molecule 6: Cytochrome b559 subunit beta




- Molecule 6: Cytochrome b559 subunit beta




- Molecule 7: Photosystem II reaction center protein H




- Molecule 7: Photosystem II reaction center protein H




- Molecule 8: Photosystem II reaction center protein I




- Molecule 8: Photosystem II reaction center protein I




- Molecule 9: Photosystem II reaction center protein J




- Molecule 9: Photosystem II reaction center protein J




- Molecule 10: Photosystem II reaction center protein K




- Molecule 10: Photosystem II reaction center protein K




- Molecule 11: Photosystem II reaction center protein L




- Molecule 11: Photosystem II reaction center protein L




- Molecule 12: Photosystem II reaction center protein M




- Molecule 12: Photosystem II reaction center protein M




- Molecule 13: Photosystem II manganese-stabilizing polypeptide




- Molecule 13: Photosystem II manganese-stabilizing polypeptide




- Molecule 14: Photosystem II reaction center protein T



- Molecule 14: Photosystem II reaction center protein T




- Molecule 15: Photosystem II 12 kDa extrinsic protein




- Molecule 15: Photosystem II 12 kDa extrinsic protein

Chain u:  93% 7%




- Molecule 16: Cytochrome c-550

Chain V:  93% 6%




- Molecule 16: Cytochrome c-550

Chain v:  8% 100%





- Molecule 17: Photosystem II reaction center protein Ycf12

Chain Y:  23% 70% 27%




- Molecule 17: Photosystem II reaction center protein Ycf12

Chain y:  27% 87% 10%




- Molecule 18: Photosystem II reaction center protein X

Chain X:  15% 95%




- Molecule 18: Photosystem II reaction center protein X


Chain x:  28% 98%




- Molecule 19: Photosystem II reaction center protein Z



● Molecule 19: Photosystem II reaction center protein Z



● Molecule 20: Photosystem II protein Y



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	123.74Å 229.99Å 288.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	62.29 – 1.95 62.29 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.3 (62.29-1.95) 92.0 (62.29-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.42 (at 1.95Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, $R_{free}$	0.198 , 0.238 0.210 , 0.249	Depositor DCC
$R_{free}$ test set	29303 reflections (5.64%)	DCC
Wilson B-factor (Å <sup>2</sup> )	18.5	Xtriage
Anisotropy	0.620	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 69.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 585327 reflections (0.000%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	54195	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.79% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LHG, GOL, MG, OEX, PHO, DGD, CL, CA, LMT, CLA, PL9, FE2, SQD, BCT, HEM, FME, UNL, HTG, BCR, LMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.52	0/2728	0.59	0/3719
1	a	0.52	0/2748	0.57	0/3746
2	B	0.49	0/4200	0.56	0/5721
2	b	0.47	0/4209	0.56	0/5734
3	C	0.45	0/3626	0.54	0/4936
3	c	0.45	0/3676	0.53	0/5004
4	D	0.53	0/2827	0.57	0/3852
4	d	0.51	0/2818	0.56	0/3840
5	E	0.37	0/693	0.54	0/944
5	e	0.35	0/695	0.50	0/948
6	F	0.40	0/284	0.52	0/387
6	f	0.39	0/265	0.52	0/360
7	H	0.37	0/535	0.53	0/728
7	h	0.35	0/524	0.51	0/713
8	I	0.38	0/311	0.55	0/419
8	i	0.38	0/311	0.51	0/419
9	J	0.42	0/278	0.47	0/376
9	j	0.41	0/286	0.47	0/386
10	K	0.33	0/303	0.52	0/416
10	k	0.34	0/303	0.49	0/416
11	L	0.47	0/319	0.51	0/433
11	l	0.45	0/319	0.50	0/433
12	M	0.45	0/270	0.58	0/368
12	m	0.55	0/262	0.63	0/357
13	O	0.40	0/1958	0.58	0/2654
13	o	0.39	0/1937	0.58	0/2625
14	T	0.55	0/266	0.54	0/362
14	t	0.56	0/266	0.57	0/362
15	U	0.45	0/785	0.58	0/1064
15	u	0.42	0/785	0.56	0/1064
16	V	0.42	0/1096	0.56	0/1487

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
16	v	0.39	0/1085	0.52	0/1473
17	Y	0.32	0/216	0.46	0/289
17	y	0.33	0/216	0.51	0/289
18	X	0.37	0/290	0.42	0/392
18	x	0.35	0/290	0.46	0/392
19	Z	0.33	0/490	0.43	0/669
19	z	0.33	0/490	0.45	0/669
20	R	0.26	0/279	0.38	0/383
All	All	0.46	0/43239	0.55	0/58829

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2634	0	2546	24	0
1	a	2645	0	2567	0	0
2	B	4027	0	3906	53	0
2	b	4033	0	3921	0	0
3	C	3501	0	3428	29	0
3	c	3544	0	3480	0	0
4	D	2729	0	2632	36	0
4	d	2720	0	2626	0	0
5	E	668	0	658	14	0
5	e	670	0	664	0	0
6	F	275	0	282	7	0
6	f	257	0	269	0	0
7	H	519	0	545	5	0
7	h	511	0	532	0	0
8	I	314	0	328	6	0
8	i	314	0	328	0	0
9	J	272	0	279	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	j	280	0	291	0	0
10	K	293	0	305	9	0
10	k	293	0	305	0	0
11	L	309	0	327	10	0
11	l	309	0	327	0	0
12	M	274	0	299	4	0
12	m	269	0	288	0	0
13	O	1903	0	1886	23	0
13	o	1891	0	1870	0	0
14	T	264	0	267	2	0
14	t	264	0	267	0	0
15	U	774	0	773	6	0
15	u	774	0	773	0	0
16	V	1072	0	1086	7	0
16	v	1064	0	1073	0	0
17	Y	215	0	246	5	0
17	y	215	0	246	0	0
18	X	287	0	317	1	0
18	x	287	0	317	0	0
19	Z	479	0	516	9	0
19	z	479	0	516	0	0
20	R	273	0	305	4	0
21	A	1	0	0	0	0
21	a	1	0	0	0	0
22	A	2	0	0	0	0
22	U	1	0	0	3	0
22	a	2	0	0	0	0
22	v	1	0	0	0	0
23	A	4	0	0	0	0
23	a	4	0	0	0	0
24	A	260	0	288	14	0
24	B	1040	0	1152	56	0
24	C	845	0	936	35	0
24	D	130	0	144	10	0
24	a	195	0	216	0	0
24	b	1040	0	1152	0	0
24	c	845	0	936	0	0
24	d	195	0	216	0	0
25	A	128	0	148	3	0
25	a	128	0	148	0	0
26	A	40	0	56	1	0
26	B	120	0	168	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	C	80	0	112	1	0
26	D	40	0	56	2	0
26	H	40	0	56	4	0
26	K	80	0	112	5	0
26	T	40	0	56	3	0
26	a	40	0	56	0	0
26	b	120	0	168	0	0
26	c	40	0	56	0	0
26	d	40	0	56	0	0
26	h	40	0	56	0	0
26	k	80	0	112	0	0
26	t	40	0	56	0	0
26	y	40	0	56	0	0
27	A	108	0	156	7	0
27	B	54	0	78	3	0
27	F	43	0	52	3	0
27	L	54	0	78	2	0
27	a	108	0	156	0	0
27	f	43	0	53	0	0
28	A	18	0	24	2	0
28	B	42	0	56	5	0
28	C	12	0	16	2	0
28	F	6	0	7	0	0
28	O	6	0	8	0	0
28	T	12	0	16	1	0
28	V	24	0	32	1	0
28	a	18	0	24	0	0
28	b	36	0	48	0	0
28	c	12	0	16	0	0
28	f	6	0	6	0	0
28	o	6	0	8	0	0
28	t	6	0	8	0	0
28	v	18	0	24	0	0
29	A	35	0	46	0	0
29	B	60	0	81	2	0
29	C	35	0	46	2	0
29	E	35	0	46	1	0
29	M	35	0	46	3	0
29	a	35	0	46	0	0
29	b	50	0	70	0	0
29	c	35	0	46	0	0
29	f	35	0	46	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
29	m	105	0	138	0	0
30	A	10	0	0	0	0
30	a	10	0	0	0	0
31	A	55	0	80	5	0
31	D	55	0	80	1	0
31	a	55	0	80	0	0
31	d	55	0	80	0	0
32	A	28	0	0	0	0
32	B	33	0	0	0	0
32	D	57	0	0	0	0
32	I	40	0	0	0	0
32	J	10	0	0	0	0
32	K	34	0	0	0	0
32	M	10	0	0	0	0
32	X	18	0	0	0	0
32	a	30	0	0	0	0
32	b	33	0	0	0	0
32	c	32	0	0	0	0
32	d	71	0	0	0	0
32	i	40	0	0	0	0
32	j	10	0	0	0	0
32	m	10	0	0	0	0
33	B	1	0	0	0	0
33	F	1	0	0	0	0
33	O	1	0	0	0	0
33	b	1	0	0	0	0
33	c	1	0	0	0	0
33	f	1	0	0	0	0
33	o	1	0	0	0	0
34	B	51	0	72	1	0
34	C	153	0	216	7	0
34	J	51	0	72	7	0
34	Z	37	0	44	5	0
34	a	51	0	72	0	0
34	b	51	0	72	0	0
34	c	102	0	144	0	0
34	j	51	0	72	0	0
34	z	39	0	48	0	0
35	B	95	0	130	3	0
35	C	38	0	52	1	0
35	D	16	0	17	2	0
35	O	19	0	26	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
35	V	19	0	26	0	0
35	b	76	0	104	0	0
35	c	38	0	52	0	0
35	d	16	0	17	0	0
36	C	186	0	246	8	0
36	D	62	0	82	5	0
36	H	62	0	82	1	0
36	c	186	0	246	0	0
36	d	62	0	82	0	0
36	h	62	0	82	0	0
37	D	147	0	222	10	0
37	E	42	0	57	2	0
37	L	49	0	74	2	0
37	d	147	0	222	0	0
37	e	42	0	57	0	0
37	l	49	0	74	0	0
38	E	43	0	30	0	0
38	V	43	0	30	0	0
38	e	43	0	30	0	0
38	v	43	0	30	0	0
39	J	1	0	0	0	0
39	j	1	0	0	0	0
40	A	167	0	0	2	0
40	B	293	0	0	3	0
40	C	235	0	0	1	0
40	D	143	0	0	4	0
40	E	31	0	0	0	0
40	F	9	0	0	0	0
40	H	49	0	0	0	0
40	I	4	0	0	0	0
40	J	13	0	0	1	0
40	K	8	0	0	1	0
40	L	17	0	0	0	0
40	M	8	0	0	0	0
40	O	191	0	0	4	0
40	T	17	0	0	0	0
40	U	81	0	0	3	0
40	V	118	0	0	1	0
40	X	9	0	0	0	0
40	Y	4	0	0	0	0
40	Z	1	0	0	1	0
40	a	154	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	b	264	0	0	0	0
40	c	199	0	0	0	0
40	d	137	0	0	0	0
40	e	17	0	0	0	0
40	f	5	0	0	0	0
40	h	41	0	0	0	0
40	i	6	0	0	0	0
40	j	7	0	0	0	0
40	k	6	0	0	0	0
40	l	10	0	0	0	0
40	m	18	0	0	0	0
40	o	155	0	0	0	0
40	t	12	0	0	0	0
40	u	97	0	0	0	0
40	v	90	0	0	0	0
40	x	4	0	0	0	0
40	y	4	0	0	0	0
All	All	54195	0	52838	356	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 356 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:MET:HG2	31:A:419:PL9:H102	1.48	0.95
5:E:67:THR:H	5:E:75:GLN:HE22	2.76	0.94
1:A:253:GLY:HA3	2:B:491:VAL:HG12	3.66	0.87
22:U:201:CL:CL	40:U:305:HOH:O	2.35	0.82
1:A:250:ALA:HA	2:B:491:VAL:HG11	2.45	0.81

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/344 (97%)	331 (99%)	3 (1%)	1 (0%)	46	35
1	a	338/344 (98%)	333 (98%)	4 (1%)	1 (0%)	46	35
2	B	513/505 (102%)	506 (99%)	7 (1%)	0	100	100
2	b	514/505 (102%)	506 (98%)	8 (2%)	0	100	100
3	C	453/455 (100%)	441 (97%)	10 (2%)	2 (0%)	39	27
3	c	459/455 (101%)	445 (97%)	12 (3%)	2 (0%)	39	27
4	D	341/342 (100%)	334 (98%)	7 (2%)	0	100	100
4	d	340/342 (99%)	332 (98%)	8 (2%)	0	100	100
5	E	81/84 (96%)	81 (100%)	0	0	100	100
5	e	81/84 (96%)	79 (98%)	2 (2%)	0	100	100
6	F	32/44 (73%)	32 (100%)	0	0	100	100
6	f	30/44 (68%)	30 (100%)	0	0	100	100
7	H	64/65 (98%)	61 (95%)	3 (5%)	0	100	100
7	h	63/65 (97%)	59 (94%)	4 (6%)	0	100	100
8	I	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
8	i	36/38 (95%)	33 (92%)	2 (6%)	1 (3%)	6	1
9	J	36/39 (92%)	36 (100%)	0	0	100	100
9	j	37/39 (95%)	37 (100%)	0	0	100	100
10	K	35/37 (95%)	35 (100%)	0	0	100	100
10	k	35/37 (95%)	35 (100%)	0	0	100	100
11	L	36/37 (97%)	36 (100%)	0	0	100	100
11	l	36/37 (97%)	36 (100%)	0	0	100	100
12	M	33/36 (92%)	33 (100%)	0	0	100	100
12	m	32/36 (89%)	32 (100%)	0	0	100	100
13	O	249/244 (102%)	240 (96%)	8 (3%)	1 (0%)	39	27
13	o	246/244 (101%)	237 (96%)	9 (4%)	0	100	100
14	T	29/32 (91%)	29 (100%)	0	0	100	100
14	t	29/32 (91%)	29 (100%)	0	0	100	100
15	U	95/104 (91%)	91 (96%)	4 (4%)	0	100	100
15	u	95/104 (91%)	93 (98%)	2 (2%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	V	136/137 (99%)	132 (97%)	4 (3%)	0	100	100
16	v	135/137 (98%)	130 (96%)	5 (4%)	0	100	100
17	Y	27/30 (90%)	27 (100%)	0	0	100	100
17	y	27/30 (90%)	26 (96%)	1 (4%)	0	100	100
18	X	37/40 (92%)	36 (97%)	1 (3%)	0	100	100
18	x	37/40 (92%)	36 (97%)	1 (3%)	0	100	100
19	Z	60/62 (97%)	58 (97%)	2 (3%)	0	100	100
19	z	60/62 (97%)	58 (97%)	2 (3%)	0	100	100
20	R	32/34 (94%)	32 (100%)	0	0	100	100
All	All	5290/5384 (98%)	5170 (98%)	112 (2%)	8 (0%)	56	43

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	416[A]	SER
3	C	416[B]	SER
3	c	416[A]	SER
3	c	416[B]	SER
13	O	62	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/279 (98%)	272 (100%)	0	100	100
1	a	275/279 (99%)	272 (99%)	3 (1%)	80	77
2	B	413/403 (102%)	405 (98%)	8 (2%)	65	58
2	b	414/403 (103%)	406 (98%)	8 (2%)	65	58
3	C	356/356 (100%)	351 (99%)	5 (1%)	74	70
3	c	362/356 (102%)	356 (98%)	6 (2%)	68	63
4	D	278/277 (100%)	274 (99%)	4 (1%)	74	70

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	d	277/277 (100%)	273 (99%)	4 (1%)	74	70
5	E	74/73 (101%)	73 (99%)	1 (1%)	74	70
5	e	74/73 (101%)	73 (99%)	1 (1%)	74	70
6	F	28/38 (74%)	27 (96%)	1 (4%)	42	28
6	f	26/38 (68%)	25 (96%)	1 (4%)	40	25
7	H	55/54 (102%)	52 (94%)	3 (6%)	27	12
7	h	54/54 (100%)	53 (98%)	1 (2%)	65	58
8	I	34/34 (100%)	34 (100%)	0	100	100
8	i	34/34 (100%)	33 (97%)	1 (3%)	50	38
9	J	26/27 (96%)	26 (100%)	0	100	100
9	j	27/27 (100%)	26 (96%)	1 (4%)	41	27
10	K	30/30 (100%)	29 (97%)	1 (3%)	45	32
10	k	30/30 (100%)	29 (97%)	1 (3%)	45	32
11	L	36/35 (103%)	33 (92%)	3 (8%)	14	4
11	l	36/35 (103%)	35 (97%)	1 (3%)	51	39
12	M	31/32 (97%)	31 (100%)	0	100	100
12	m	30/32 (94%)	28 (93%)	2 (7%)	20	7
13	O	214/207 (103%)	210 (98%)	4 (2%)	65	58
13	o	211/207 (102%)	206 (98%)	5 (2%)	57	47
14	T	27/28 (96%)	27 (100%)	0	100	100
14	t	27/28 (96%)	25 (93%)	2 (7%)	17	5
15	U	84/89 (94%)	83 (99%)	1 (1%)	78	75
15	u	84/89 (94%)	84 (100%)	0	100	100
16	V	118/117 (101%)	117 (99%)	1 (1%)	86	85
16	v	117/117 (100%)	117 (100%)	0	100	100
17	Y	22/23 (96%)	19 (86%)	3 (14%)	5	1
17	y	22/23 (96%)	19 (86%)	3 (14%)	5	1
18	X	32/33 (97%)	32 (100%)	0	100	100
18	x	32/33 (97%)	32 (100%)	0	100	100
19	Z	52/52 (100%)	50 (96%)	2 (4%)	40	25
19	z	52/52 (100%)	50 (96%)	2 (4%)	40	25

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
20	R	29/29 (100%)	28 (97%)	1 (3%)	44 30
All	All	4395/4403 (100%)	4315 (98%)	80 (2%)	68 60

5 of 80 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
19	Z	6	GLN
2	b	472	ARG
14	t	25[A]	GLU
20	R	4	ARG
1	a	221[B]	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
1	a	315	ASN
2	b	331	ASN
16	v	118	HIS
2	b	53	ASN
2	b	289	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	FME	I	1	8	8,9,10	0.51	0	6,9,11	1.57	2 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
12	FME	M	1	12	8,9,10	0.58	0	6,9,11	1.47	2 (33%)
14	FME	T	1	14	8,9,10	0.56	0	6,9,11	1.55	2 (33%)
8	FME	i	1	8	8,9,10	0.62	0	6,9,11	1.82	3 (50%)
12	FME	m	1	12	8,9,10	0.65	0	6,9,11	1.41	2 (33%)
14	FME	t	1	14	8,9,10	0.58	0	6,9,11	2.19	4 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	FME	I	1	8	-	0/6/9/11	0/0/0/0
12	FME	M	1	12	-	0/6/9/11	0/0/0/0
14	FME	T	1	14	-	0/6/9/11	0/0/0/0
8	FME	i	1	8	-	0/6/9/11	0/0/0/0
12	FME	m	1	12	-	0/6/9/11	0/0/0/0
14	FME	t	1	14	-	0/6/9/11	0/0/0/0

There are no bond length outliers.

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	t	1	FME	O1-CN-N	-3.08	120.32	124.76
8	i	1	FME	O1-CN-N	-3.06	120.36	124.76
14	t	1	FME	O-C-CA	-2.86	117.88	125.44
8	I	1	FME	O-C-CA	-2.59	118.59	125.44
14	t	1	FME	CA-N-CN	-2.56	118.89	122.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	M	1	FME	1	0

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 251 ligands modelled in this entry, 18 are unknown and 17 are monoatomic - leaving 216 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
23	BCT	A	404	21	0,3,3	0.00	-	0,3,3	0.00	-
24	CLA	A	405	-	55,73,73	1.91	12 (21%)	61,113,113	2.04	17 (27%)
24	CLA	A	406	40	55,73,73	1.89	10 (18%)	61,113,113	2.37	23 (37%)
24	CLA	A	407	40	55,73,73	1.94	12 (21%)	61,113,113	2.12	20 (32%)
25	PHO	A	408	-	67,69,69	2.13	15 (22%)	84,99,99	2.04	22 (26%)
25	PHO	A	409	-	67,69,69	2.10	15 (22%)	84,99,99	1.83	21 (25%)
24	CLA	A	410	-	55,73,73	1.96	11 (20%)	61,113,113	2.02	19 (31%)
26	BCR	A	411	-	41,41,41	0.98	1 (2%)	56,56,56	1.21	4 (7%)
27	SQD	A	412	-	53,54,54	1.31	3 (5%)	61,65,65	1.87	12 (19%)
28	GOL	A	413	-	5,5,5	0.21	0	5,5,5	0.48	0
28	GOL	A	414	-	5,5,5	0.44	0	5,5,5	0.30	0
28	GOL	A	415	-	5,5,5	0.39	0	5,5,5	0.26	0
27	SQD	A	416	-	53,54,54	1.39	3 (5%)	61,65,65	1.23	7 (11%)
29	LMT	A	417	-	36,36,36	0.48	1 (2%)	47,47,47	1.07	2 (4%)
30	OEX	A	418	1,3,40	0,15,15	0.00	-	0,32,32	0.00	-
31	PL9	A	419	-	55,55,55	0.62	2 (3%)	68,69,69	1.97	25 (36%)
24	CLA	B	602	40	55,73,73	1.91	12 (21%)	61,113,113	2.14	19 (31%)
24	CLA	B	603	-	55,73,73	1.94	12 (21%)	61,113,113	2.24	24 (39%)
24	CLA	B	604	-	55,73,73	1.97	11 (20%)	61,113,113	2.30	20 (32%)
24	CLA	B	605	-	55,73,73	1.87	11 (20%)	61,113,113	2.07	18 (29%)
24	CLA	B	606	-	55,73,73	1.90	12 (21%)	61,113,113	2.25	19 (31%)
24	CLA	B	607	-	55,73,73	1.94	12 (21%)	61,113,113	2.33	23 (37%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
24	CLA	B	608	40	55,73,73	1.97	12 (21%)	61,113,113	2.13	20 (32%)
24	CLA	B	609	-	55,73,73	2.00	12 (21%)	61,113,113	2.12	19 (31%)
24	CLA	B	610	-	55,73,73	1.85	11 (20%)	61,113,113	2.10	19 (31%)
24	CLA	B	611	40	55,73,73	1.93	11 (20%)	61,113,113	2.16	18 (29%)
24	CLA	B	612	-	55,73,73	1.94	12 (21%)	61,113,113	2.10	20 (32%)
24	CLA	B	613	-	55,73,73	1.94	11 (20%)	61,113,113	2.16	17 (27%)
24	CLA	B	614	-	55,73,73	2.00	12 (21%)	61,113,113	1.99	18 (29%)
24	CLA	B	615	-	55,73,73	1.89	11 (20%)	61,113,113	2.29	20 (32%)
24	CLA	B	616	-	55,73,73	1.83	12 (21%)	61,113,113	2.07	22 (36%)
24	CLA	B	617	-	55,73,73	1.94	10 (18%)	61,113,113	2.26	20 (32%)
26	BCR	B	618	-	41,41,41	1.05	1 (2%)	56,56,56	1.24	7 (12%)
26	BCR	B	619	-	41,41,41	1.02	1 (2%)	56,56,56	1.24	7 (12%)
26	BCR	B	620	-	41,41,41	1.06	1 (2%)	56,56,56	1.26	4 (7%)
27	SQD	B	621	-	53,54,54	1.34	4 (7%)	61,65,65	1.63	6 (9%)
34	LMG	B	622	-	51,51,55	0.89	2 (3%)	59,59,63	1.16	4 (6%)
29	LMT	B	623	-	36,36,36	0.42	0	47,47,47	1.42	5 (10%)
35	HTG	B	624	-	19,19,19	1.05	1 (5%)	22,24,24	1.56	2 (9%)
35	HTG	B	625	-	19,19,19	0.77	1 (5%)	22,24,24	1.33	1 (4%)
35	HTG	B	626	-	19,19,19	0.93	1 (5%)	22,24,24	2.11	2 (9%)
28	GOL	B	627	-	5,5,5	0.39	0	5,5,5	0.54	0
28	GOL	B	628	-	5,5,5	0.22	0	5,5,5	0.41	0
28	GOL	B	629	-	5,5,5	0.38	0	5,5,5	0.50	0
28	GOL	B	630	-	5,5,5	0.28	0	5,5,5	0.37	0
28	GOL	B	631	-	5,5,5	0.39	0	5,5,5	0.52	0
28	GOL	B	632	-	5,5,5	0.32	0	5,5,5	0.31	0
35	HTG	B	633	-	19,19,19	1.04	2 (10%)	22,24,24	1.55	1 (4%)
35	HTG	B	634	-	19,19,19	0.97	1 (5%)	22,24,24	1.96	3 (13%)
29	LMT	B	636	-	25,25,36	0.41	0	30,30,47	0.67	0
28	GOL	B	637	-	5,5,5	0.36	0	5,5,5	0.34	0
34	LMG	C	501	-	51,51,55	0.92	2 (3%)	59,59,63	1.13	5 (8%)
24	CLA	C	502	-	55,73,73	1.94	12 (21%)	61,113,113	2.23	22 (36%)
24	CLA	C	503	-	55,73,73	1.92	12 (21%)	61,113,113	2.09	21 (34%)
24	CLA	C	504	-	55,73,73	1.92	12 (21%)	61,113,113	2.03	17 (27%)
24	CLA	C	505	40	55,73,73	1.96	12 (21%)	61,113,113	2.21	20 (32%)
24	CLA	C	506	-	55,73,73	1.93	12 (21%)	61,113,113	2.19	17 (27%)
24	CLA	C	507	-	55,73,73	1.93	12 (21%)	61,113,113	2.15	18 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
24	CLA	C	508	40	55,73,73	1.88	12 (21%)	61,113,113	2.13	19 (31%)
24	CLA	C	509	-	55,73,73	1.96	12 (21%)	61,113,113	2.33	22 (36%)
24	CLA	C	510	-	55,73,73	1.99	12 (21%)	61,113,113	2.18	21 (34%)
24	CLA	C	511	-	55,73,73	1.96	12 (21%)	61,113,113	2.14	18 (29%)
24	CLA	C	512	3	55,73,73	1.91	13 (23%)	61,113,113	2.04	17 (27%)
24	CLA	C	513	-	55,73,73	1.92	11 (20%)	61,113,113	2.16	20 (32%)
24	CLA	C	514	-	55,73,73	1.94	12 (21%)	61,113,113	2.09	19 (31%)
26	BCR	C	515	-	41,41,41	1.03	1 (2%)	56,56,56	1.36	4 (7%)
26	BCR	C	516	-	41,41,41	0.98	1 (2%)	56,56,56	1.41	5 (8%)
36	DGD	C	517	-	63,63,67	0.83	3 (4%)	77,77,81	1.06	7 (9%)
36	DGD	C	518	-	63,63,67	0.82	2 (3%)	77,77,81	1.02	6 (7%)
36	DGD	C	519	-	63,63,67	0.81	2 (3%)	77,77,81	0.96	4 (5%)
34	LMG	C	520	-	51,51,55	0.92	2 (3%)	59,59,63	1.08	5 (8%)
34	LMG	C	521	-	51,51,55	0.92	2 (3%)	59,59,63	1.09	4 (6%)
29	LMT	C	522	-	36,36,36	0.47	0	47,47,47	1.31	5 (10%)
35	HTG	C	523	-	19,19,19	0.91	2 (10%)	22,24,24	1.64	1 (4%)
35	HTG	C	524	-	19,19,19	0.95	2 (10%)	22,24,24	1.87	4 (18%)
28	GOL	C	525	-	5,5,5	0.34	0	5,5,5	0.61	0
28	GOL	C	526	-	5,5,5	0.18	0	5,5,5	0.40	0
24	CLA	D	401	-	55,73,73	1.88	12 (21%)	61,113,113	2.18	20 (32%)
24	CLA	D	402	-	55,73,73	1.90	12 (21%)	61,113,113	2.01	18 (29%)
26	BCR	D	403	-	41,41,41	1.02	1 (2%)	56,56,56	1.76	13 (23%)
31	PL9	D	404	-	55,55,55	0.75	2 (3%)	68,69,69	1.71	21 (30%)
36	DGD	D	405	-	63,63,67	0.94	3 (4%)	77,77,81	1.26	8 (10%)
37	LHG	D	406	-	48,48,48	0.84	2 (4%)	49,54,54	1.11	4 (8%)
37	LHG	D	407	-	48,48,48	0.84	2 (4%)	49,54,54	0.86	2 (4%)
37	LHG	D	408	-	48,48,48	0.85	2 (4%)	49,54,54	1.08	3 (6%)
35	HTG	D	411	-	16,16,19	1.08	2 (12%)	19,21,24	1.16	1 (5%)
37	LHG	E	101	-	41,41,48	1.02	2 (4%)	42,47,54	1.12	3 (7%)
29	LMT	E	102	-	36,36,36	0.47	0	47,47,47	0.90	1 (2%)
38	HEM	E	103	5,6	30,50,50	2.29	7 (23%)	24,82,82	2.56	11 (45%)
27	SQD	F	101	-	42,43,54	1.45	3 (7%)	50,54,65	2.21	10 (20%)
28	GOL	F	103	33	5,5,5	0.30	0	5,5,5	0.29	0
26	BCR	H	101	-	41,41,41	1.02	1 (2%)	56,56,56	1.39	7 (12%)
36	DGD	H	102	-	63,63,67	0.91	3 (4%)	77,77,81	0.93	4 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
34	LMG	J	101	39	51,51,55	0.85	2 (3%)	59,59,63	0.89	3 (5%)
26	BCR	K	102	-	41,41,41	0.98	1 (2%)	56,56,56	1.47	7 (12%)
26	BCR	K	103	-	41,41,41	0.99	1 (2%)	56,56,56	1.41	6 (10%)
37	LHG	L	101	-	48,48,48	0.88	2 (4%)	49,54,54	1.05	4 (8%)
27	SQD	L	102	-	53,54,54	1.31	3 (5%)	61,65,65	1.78	9 (14%)
29	LMT	M	101	-	36,36,36	0.40	0	47,47,47	0.93	1 (2%)
28	GOL	O	302	-	5,5,5	0.29	0	5,5,5	0.43	0
35	HTG	O	303	-	19,19,19	0.88	1 (5%)	22,24,24	0.76	1 (4%)
28	GOL	T	101	-	5,5,5	0.40	0	5,5,5	0.30	0
26	BCR	T	102	-	41,41,41	0.93	1 (2%)	56,56,56	1.41	10 (17%)
28	GOL	T	103	-	5,5,5	0.37	0	5,5,5	0.21	0
38	HEM	V	201	16	30,50,50	2.14	7 (23%)	24,82,82	2.47	9 (37%)
35	HTG	V	202	-	19,19,19	0.94	2 (10%)	22,24,24	1.67	3 (13%)
28	GOL	V	203	-	5,5,5	0.35	0	5,5,5	0.17	0
28	GOL	V	204	-	5,5,5	0.39	0	5,5,5	0.40	0
28	GOL	V	205	-	5,5,5	0.34	0	5,5,5	0.37	0
28	GOL	V	206	-	5,5,5	0.30	0	5,5,5	0.25	0
34	LMG	Z	101	-	37,37,55	0.95	2 (5%)	45,45,63	1.32	8 (17%)
29	LMT	a	401	-	36,36,36	0.51	1 (2%)	47,47,47	0.97	3 (6%)
27	SQD	a	402	-	53,54,54	1.44	3 (5%)	61,65,65	1.20	7 (11%)
24	CLA	a	406	-	55,73,73	1.99	12 (21%)	61,113,113	2.21	21 (34%)
24	CLA	a	407	40	55,73,73	1.90	12 (21%)	61,113,113	2.15	21 (34%)
25	PHO	a	408	-	67,69,69	1.99	14 (20%)	84,99,99	1.94	22 (26%)
24	CLA	a	409	-	55,73,73	1.89	11 (20%)	61,113,113	2.20	23 (37%)
26	BCR	a	410	-	41,41,41	1.04	2 (4%)	56,56,56	1.28	4 (7%)
27	SQD	a	411	-	53,54,54	1.29	3 (5%)	61,65,65	1.70	10 (16%)
34	LMG	a	412	-	51,51,55	0.87	2 (3%)	59,59,63	1.17	5 (8%)
28	GOL	a	413	-	5,5,5	0.28	0	5,5,5	0.58	0
28	GOL	a	414	-	5,5,5	0.38	0	5,5,5	0.39	0
28	GOL	a	415	-	5,5,5	0.37	0	5,5,5	0.42	0
30	OEX	a	416	1,3,40	0,15,15	0.00	-	0,32,32	0.00	-
31	PL9	a	417	-	55,55,55	0.62	2 (3%)	68,69,69	2.05	22 (32%)
23	BCT	a	419	21	0,3,3	0.00	-	0,3,3	0.00	-
25	PHO	a	420	-	67,69,69	2.17	17 (25%)	84,99,99	2.02	20 (23%)
29	LMT	b	601	-	25,25,36	0.45	0	30,30,47	1.36	3 (10%)
35	HTG	b	602	-	19,19,19	1.06	2 (10%)	22,24,24	1.37	1 (4%)
35	HTG	b	603	-	19,19,19	0.96	2 (10%)	22,24,24	1.82	3 (13%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
24	CLA	b	605	40	55,73,73	1.95	11 (20%)	61,113,113	2.09	17 (27%)
24	CLA	b	606	-	55,73,73	1.92	12 (21%)	61,113,113	2.22	20 (32%)
24	CLA	b	607	-	55,73,73	1.94	12 (21%)	61,113,113	2.35	21 (34%)
24	CLA	b	608	-	55,73,73	1.94	12 (21%)	61,113,113	2.22	18 (29%)
24	CLA	b	609	-	55,73,73	1.92	11 (20%)	61,113,113	2.23	18 (29%)
24	CLA	b	610	-	55,73,73	1.87	11 (20%)	61,113,113	2.28	20 (32%)
24	CLA	b	611	40	55,73,73	1.95	13 (23%)	61,113,113	2.27	20 (32%)
24	CLA	b	612	-	55,73,73	1.94	12 (21%)	61,113,113	2.07	20 (32%)
24	CLA	b	613	-	55,73,73	1.87	12 (21%)	61,113,113	2.06	20 (32%)
24	CLA	b	614	40	55,73,73	1.97	12 (21%)	61,113,113	2.14	21 (34%)
24	CLA	b	615	-	55,73,73	1.90	12 (21%)	61,113,113	2.21	18 (29%)
24	CLA	b	616	-	55,73,73	1.89	12 (21%)	61,113,113	2.11	17 (27%)
24	CLA	b	617	-	55,73,73	1.94	12 (21%)	61,113,113	2.15	21 (34%)
24	CLA	b	618	-	55,73,73	1.90	12 (21%)	61,113,113	2.28	22 (36%)
24	CLA	b	619	-	55,73,73	1.93	11 (20%)	61,113,113	2.17	19 (31%)
24	CLA	b	620	-	55,73,73	1.96	12 (21%)	61,113,113	2.16	18 (29%)
26	BCR	b	621	-	41,41,41	1.08	1 (2%)	56,56,56	1.21	2 (3%)
26	BCR	b	622	-	41,41,41	1.02	1 (2%)	56,56,56	1.27	4 (7%)
26	BCR	b	623	-	41,41,41	0.95	1 (2%)	56,56,56	1.45	9 (16%)
34	LMG	b	624	-	51,51,55	0.88	3 (5%)	59,59,63	1.05	4 (6%)
29	LMT	b	625	-	25,25,36	0.51	0	30,30,47	0.65	0
35	HTG	b	626	-	19,19,19	0.83	1 (5%)	22,24,24	1.77	2 (9%)
35	HTG	b	627	-	19,19,19	1.02	1 (5%)	22,24,24	2.14	4 (18%)
28	GOL	b	628	-	5,5,5	0.35	0	5,5,5	0.27	0
28	GOL	b	629	-	5,5,5	0.30	0	5,5,5	0.18	0
28	GOL	b	630	-	5,5,5	0.28	0	5,5,5	0.47	0
28	GOL	b	631	-	5,5,5	0.30	0	5,5,5	0.46	0
28	GOL	b	632	-	5,5,5	0.33	0	5,5,5	0.61	0
28	GOL	b	633	-	5,5,5	0.34	0	5,5,5	0.29	0
24	CLA	c	902	-	55,73,73	1.90	12 (21%)	61,113,113	2.18	18 (29%)
24	CLA	c	903	-	55,73,73	1.88	11 (20%)	61,113,113	2.08	16 (26%)
24	CLA	c	904	-	55,73,73	1.87	12 (21%)	61,113,113	2.09	18 (29%)
24	CLA	c	905	40	55,73,73	1.94	12 (21%)	61,113,113	2.17	20 (32%)
24	CLA	c	906	-	55,73,73	1.86	12 (21%)	61,113,113	2.23	17 (27%)
24	CLA	c	907	-	55,73,73	1.90	12 (21%)	61,113,113	2.21	21 (34%)
24	CLA	c	908	40	55,73,73	1.91	12 (21%)	61,113,113	2.33	18 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
24	CLA	c	909	-	55,73,73	1.97	12 (21%)	61,113,113	2.14	17 (27%)
24	CLA	c	910	-	55,73,73	1.98	12 (21%)	61,113,113	2.15	16 (26%)
24	CLA	c	911	-	55,73,73	1.94	12 (21%)	61,113,113	2.06	16 (26%)
24	CLA	c	912	3	55,73,73	1.92	12 (21%)	61,113,113	1.97	16 (26%)
24	CLA	c	913	-	55,73,73	1.89	12 (21%)	61,113,113	2.15	18 (29%)
24	CLA	c	914	-	55,73,73	1.92	12 (21%)	61,113,113	2.01	18 (29%)
26	BCR	c	915	-	41,41,41	1.03	1 (2%)	56,56,56	1.47	8 (14%)
36	DGD	c	916	-	63,63,67	0.80	2 (3%)	77,77,81	1.11	5 (6%)
36	DGD	c	917	-	63,63,67	0.86	2 (3%)	77,77,81	1.02	3 (3%)
36	DGD	c	918	-	63,63,67	0.83	2 (3%)	77,77,81	0.95	3 (3%)
34	LMG	c	919	-	51,51,55	0.93	2 (3%)	59,59,63	1.02	2 (3%)
34	LMG	c	920	-	51,51,55	0.92	2 (3%)	59,59,63	1.23	6 (10%)
29	LMT	c	921	-	36,36,36	0.44	0	47,47,47	0.84	0
35	HTG	c	922	-	19,19,19	0.84	1 (5%)	22,24,24	1.66	1 (4%)
35	HTG	c	923	-	19,19,19	1.06	2 (10%)	22,24,24	2.11	4 (18%)
28	GOL	c	924	-	5,5,5	0.35	0	5,5,5	0.24	0
28	GOL	c	925	-	5,5,5	0.33	0	5,5,5	0.55	0
24	CLA	d	401	40	55,73,73	1.90	10 (18%)	61,113,113	2.24	22 (36%)
24	CLA	d	402	-	55,73,73	1.83	12 (21%)	61,113,113	2.21	18 (29%)
24	CLA	d	403	-	55,73,73	1.93	12 (21%)	61,113,113	2.12	20 (32%)
26	BCR	d	404	-	41,41,41	1.00	1 (2%)	56,56,56	1.84	17 (30%)
31	PL9	d	405	-	55,55,55	0.75	2 (3%)	68,69,69	1.66	18 (26%)
36	DGD	d	406	-	63,63,67	0.90	2 (3%)	77,77,81	1.25	6 (7%)
37	LHG	d	407	-	48,48,48	0.90	2 (4%)	49,54,54	1.01	3 (6%)
37	LHG	d	408	-	48,48,48	0.85	2 (4%)	49,54,54	0.93	3 (6%)
37	LHG	d	409	-	48,48,48	0.92	2 (4%)	49,54,54	1.07	3 (6%)
35	HTG	d	412	-	16,16,19	1.03	2 (12%)	19,21,24	1.68	1 (5%)
37	LHG	e	101	-	41,41,48	0.98	2 (4%)	42,47,54	0.99	2 (4%)
38	HEM	e	102	5,6	30,50,50	2.29	7 (23%)	24,82,82	2.56	12 (50%)
28	GOL	f	101	33	5,5,5	0.33	0	5,5,5	0.42	0
27	SQD	f	102	-	42,43,54	1.58	3 (7%)	50,54,65	1.51	7 (14%)
29	LMT	f	103	-	36,36,36	0.52	0	47,47,47	0.93	4 (8%)
26	BCR	h	101	-	41,41,41	1.02	1 (2%)	56,56,56	1.31	5 (8%)
36	DGD	h	102	-	63,63,67	0.89	3 (4%)	77,77,81	1.00	5 (6%)
34	LMG	j	101	39	51,51,55	0.86	2 (3%)	59,59,63	0.98	3 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
26	BCR	k	101	-	41,41,41	1.05	1 (2%)	56,56,56	1.47	9 (16%)
26	BCR	k	102	-	41,41,41	1.02	1 (2%)	56,56,56	1.37	7 (12%)
37	LHG	l	101	-	48,48,48	0.89	2 (4%)	49,54,54	1.13	4 (8%)
29	LMT	m	102	-	36,36,36	0.47	0	47,47,47	0.91	1 (2%)
29	LMT	m	103	-	36,36,36	0.47	0	47,47,47	1.02	2 (4%)
29	LMT	m	104	-	36,36,36	0.49	0	47,47,47	1.03	2 (4%)
28	GOL	o	302	-	5,5,5	0.37	0	5,5,5	0.48	0
26	BCR	t	101	-	41,41,41	1.03	1 (2%)	56,56,56	1.39	7 (12%)
28	GOL	t	102	-	5,5,5	0.37	0	5,5,5	0.28	0
38	HEM	v	202	16	30,50,50	2.18	7 (23%)	24,82,82	2.31	9 (37%)
28	GOL	v	203	-	5,5,5	0.22	0	5,5,5	0.59	0
28	GOL	v	204	-	5,5,5	0.35	0	5,5,5	0.33	0
28	GOL	v	205	-	5,5,5	0.37	0	5,5,5	0.30	0
26	BCR	y	101	-	41,41,41	0.99	1 (2%)	56,56,56	1.64	11 (19%)
34	LMG	z	101	-	39,39,55	1.06	2 (5%)	47,47,63	1.50	9 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	BCT	A	404	21	-	0/0/0/0	0/0/0/0
24	CLA	A	405	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	A	406	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	A	407	40	2/2/20/25	0/37/135/135	0/0/9/9
25	PHO	A	408	-	-	0/53/103/103	0/1/6/6
25	PHO	A	409	-	-	0/53/103/103	0/1/6/6
24	CLA	A	410	-	2/2/20/25	0/37/135/135	0/0/9/9
26	BCR	A	411	-	-	0/29/63/63	0/2/2/2
27	SQD	A	412	-	-	0/49/69/69	0/1/1/1
28	GOL	A	413	-	-	0/4/4/4	0/0/0/0
28	GOL	A	414	-	-	0/4/4/4	0/0/0/0
28	GOL	A	415	-	-	0/4/4/4	0/0/0/0
27	SQD	A	416	-	-	0/49/69/69	0/1/1/1
29	LMT	A	417	-	-	0/21/61/61	0/2/2/2
30	OEX	A	418	1,3,40	-	0/0/68/68	0/0/6/6
31	PL9	A	419	-	-	0/53/73/73	0/1/1/1
24	CLA	B	602	40	3/3/20/25	0/37/135/135	0/0/9/9

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	CLA	B	603	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	B	604	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	B	605	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	606	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	607	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	B	608	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	609	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	B	610	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	B	611	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	612	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	613	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	614	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	615	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	B	616	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	B	617	-	3/3/20/25	0/37/135/135	0/0/9/9
26	BCR	B	618	-	-	0/29/63/63	0/2/2/2
26	BCR	B	619	-	-	0/29/63/63	0/2/2/2
26	BCR	B	620	-	-	0/29/63/63	0/2/2/2
27	SQD	B	621	-	-	0/49/69/69	0/1/1/1
34	LMG	B	622	-	-	0/46/66/70	0/1/1/1
29	LMT	B	623	-	-	0/21/61/61	0/2/2/2
35	HTG	B	624	-	-	0/10/30/30	0/1/1/1
35	HTG	B	625	-	-	0/10/30/30	0/1/1/1
35	HTG	B	626	-	-	0/10/30/30	0/1/1/1
28	GOL	B	627	-	-	0/4/4/4	0/0/0/0
28	GOL	B	628	-	-	0/4/4/4	0/0/0/0
28	GOL	B	629	-	-	0/4/4/4	0/0/0/0
28	GOL	B	630	-	-	0/4/4/4	0/0/0/0
28	GOL	B	631	-	-	0/4/4/4	0/0/0/0
28	GOL	B	632	-	-	0/4/4/4	0/0/0/0
35	HTG	B	633	-	-	0/10/30/30	0/1/1/1
35	HTG	B	634	-	-	0/10/30/30	0/1/1/1
29	LMT	B	636	-	-	0/17/37/61	0/1/1/2
28	GOL	B	637	-	-	0/4/4/4	0/0/0/0
34	LMG	C	501	-	-	0/46/66/70	0/1/1/1
24	CLA	C	502	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	503	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	C	504	-	3/3/20/25	0/37/135/135	0/0/9/9

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	CLA	C	505	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	506	-	1/1/20/25	0/37/135/135	0/0/9/9
24	CLA	C	507	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	508	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	509	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	C	510	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	511	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	512	3	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	513	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	C	514	-	2/2/20/25	0/37/135/135	0/0/9/9
26	BCR	C	515	-	-	0/29/63/63	0/2/2/2
26	BCR	C	516	-	-	0/29/63/63	0/2/2/2
36	DGD	C	517	-	-	0/51/91/95	0/2/2/2
36	DGD	C	518	-	-	0/51/91/95	0/2/2/2
36	DGD	C	519	-	-	0/51/91/95	0/2/2/2
34	LMG	C	520	-	-	0/46/66/70	0/1/1/1
34	LMG	C	521	-	-	0/46/66/70	0/1/1/1
29	LMT	C	522	-	-	0/21/61/61	0/2/2/2
35	HTG	C	523	-	-	0/10/30/30	0/1/1/1
35	HTG	C	524	-	-	0/10/30/30	0/1/1/1
28	GOL	C	525	-	-	0/4/4/4	0/0/0/0
28	GOL	C	526	-	-	0/4/4/4	0/0/0/0
24	CLA	D	401	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	D	402	-	3/3/20/25	0/37/135/135	0/0/9/9
26	BCR	D	403	-	-	0/29/63/63	0/2/2/2
31	PL9	D	404	-	-	0/53/73/73	0/1/1/1
36	DGD	D	405	-	-	0/51/91/95	0/2/2/2
37	LHG	D	406	-	-	0/53/53/53	0/0/0/0
37	LHG	D	407	-	-	0/53/53/53	0/0/0/0
37	LHG	D	408	-	-	0/53/53/53	0/0/0/0
35	HTG	D	411	-	-	0/7/27/30	0/1/1/1
37	LHG	E	101	-	-	0/46/46/53	0/0/0/0
29	LMT	E	102	-	-	0/21/61/61	0/2/2/2
38	HEM	E	103	5,6	-	0/10/54/54	0/0/8/8
27	SQD	F	101	-	-	2/38/58/69	0/1/1/1
28	GOL	F	103	33	-	0/4/4/4	0/0/0/0
26	BCR	H	101	-	-	0/29/63/63	0/2/2/2
36	DGD	H	102	-	-	0/51/91/95	0/2/2/2
34	LMG	J	101	39	-	0/46/66/70	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	BCR	K	102	-	-	0/29/63/63	0/2/2/2
26	BCR	K	103	-	-	0/29/63/63	0/2/2/2
37	LHG	L	101	-	-	0/53/53/53	0/0/0/0
27	SQD	L	102	-	-	1/49/69/69	0/1/1/1
29	LMT	M	101	-	-	0/21/61/61	0/2/2/2
28	GOL	O	302	-	-	0/4/4/4	0/0/0/0
35	HTG	O	303	-	-	0/10/30/30	0/1/1/1
28	GOL	T	101	-	-	0/4/4/4	0/0/0/0
26	BCR	T	102	-	-	0/29/63/63	0/2/2/2
28	GOL	T	103	-	-	0/4/4/4	0/0/0/0
38	HEM	V	201	16	-	0/10/54/54	0/0/8/8
35	HTG	V	202	-	-	0/10/30/30	0/1/1/1
28	GOL	V	203	-	-	0/4/4/4	0/0/0/0
28	GOL	V	204	-	-	0/4/4/4	0/0/0/0
28	GOL	V	205	-	-	0/4/4/4	0/0/0/0
28	GOL	V	206	-	-	0/4/4/4	0/0/0/0
34	LMG	Z	101	-	-	2/31/51/70	0/1/1/1
29	LMT	a	401	-	-	0/21/61/61	0/2/2/2
27	SQD	a	402	-	-	0/49/69/69	0/1/1/1
24	CLA	a	406	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	a	407	40	2/2/20/25	0/37/135/135	0/0/9/9
25	PHO	a	408	-	-	0/53/103/103	0/1/6/6
24	CLA	a	409	-	3/3/20/25	0/37/135/135	0/0/9/9
26	BCR	a	410	-	-	0/29/63/63	0/2/2/2
27	SQD	a	411	-	-	0/49/69/69	0/1/1/1
34	LMG	a	412	-	-	0/46/66/70	0/1/1/1
28	GOL	a	413	-	-	0/4/4/4	0/0/0/0
28	GOL	a	414	-	-	0/4/4/4	0/0/0/0
28	GOL	a	415	-	-	0/4/4/4	0/0/0/0
30	OEX	a	416	1,3,40	-	0/0/68/68	0/0/6/6
31	PL9	a	417	-	-	0/53/73/73	0/1/1/1
23	BCT	a	419	21	-	0/0/0/0	0/0/0/0
25	PHO	a	420	-	-	0/53/103/103	0/1/6/6
29	LMT	b	601	-	-	0/17/37/61	0/1/1/2
35	HTG	b	602	-	-	0/10/30/30	0/1/1/1
35	HTG	b	603	-	-	0/10/30/30	0/1/1/1
24	CLA	b	605	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	606	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	b	607	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	b	608	-	3/3/20/25	0/37/135/135	0/0/9/9

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	CLA	b	609	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	610	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	611	40	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	b	612	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	b	613	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	614	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	615	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	b	616	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	617	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	618	-	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	b	619	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	b	620	-	3/3/20/25	0/37/135/135	0/0/9/9
26	BCR	b	621	-	-	0/29/63/63	0/2/2/2
26	BCR	b	622	-	-	0/29/63/63	0/2/2/2
26	BCR	b	623	-	-	0/29/63/63	0/2/2/2
34	LMG	b	624	-	-	0/46/66/70	0/1/1/1
29	LMT	b	625	-	-	0/17/37/61	0/1/1/2
35	HTG	b	626	-	-	0/10/30/30	0/1/1/1
35	HTG	b	627	-	-	0/10/30/30	0/1/1/1
28	GOL	b	628	-	-	0/4/4/4	0/0/0/0
28	GOL	b	629	-	-	0/4/4/4	0/0/0/0
28	GOL	b	630	-	-	0/4/4/4	0/0/0/0
28	GOL	b	631	-	-	0/4/4/4	0/0/0/0
28	GOL	b	632	-	-	0/4/4/4	0/0/0/0
28	GOL	b	633	-	-	0/4/4/4	0/0/0/0
24	CLA	c	902	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	903	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	904	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	905	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	906	-	1/1/20/25	0/37/135/135	0/0/9/9
24	CLA	c	907	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	908	40	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	909	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	910	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	911	-	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	912	3	3/3/20/25	0/37/135/135	0/0/9/9
24	CLA	c	913	-	3/3/20/25	0/37/135/135	0/0/9/9

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	CLA	c	914	-	3/3/20/25	0/37/135/135	0/0/9/9
26	BCR	c	915	-	-	0/29/63/63	0/2/2/2
36	DGD	c	916	-	-	0/51/91/95	0/2/2/2
36	DGD	c	917	-	-	0/51/91/95	0/2/2/2
36	DGD	c	918	-	-	0/51/91/95	0/2/2/2
34	LMG	c	919	-	-	0/46/66/70	0/1/1/1
34	LMG	c	920	-	-	0/46/66/70	0/1/1/1
29	LMT	c	921	-	-	0/21/61/61	0/2/2/2
35	HTG	c	922	-	-	0/10/30/30	0/1/1/1
35	HTG	c	923	-	-	0/10/30/30	0/1/1/1
28	GOL	c	924	-	-	0/4/4/4	0/0/0/0
28	GOL	c	925	-	-	0/4/4/4	0/0/0/0
24	CLA	d	401	40	2/2/20/25	0/37/135/135	0/0/9/9
24	CLA	d	402	-	1/1/20/25	0/37/135/135	0/0/9/9
24	CLA	d	403	-	2/2/20/25	0/37/135/135	0/0/9/9
26	BCR	d	404	-	-	0/29/63/63	0/2/2/2
31	PL9	d	405	-	-	0/53/73/73	0/1/1/1
36	DGD	d	406	-	-	1/51/91/95	0/2/2/2
37	LHG	d	407	-	-	0/53/53/53	0/0/0/0
37	LHG	d	408	-	-	0/53/53/53	0/0/0/0
37	LHG	d	409	-	-	0/53/53/53	0/0/0/0
35	HTG	d	412	-	-	0/7/27/30	0/1/1/1
37	LHG	e	101	-	-	0/46/46/53	0/0/0/0
38	HEM	e	102	5,6	-	0/10/54/54	0/0/8/8
28	GOL	f	101	33	-	0/4/4/4	0/0/0/0
27	SQD	f	102	-	-	2/38/58/69	0/1/1/1
29	LMT	f	103	-	-	0/21/61/61	0/2/2/2
26	BCR	h	101	-	-	0/29/63/63	0/2/2/2
36	DGD	h	102	-	-	0/51/91/95	0/2/2/2
34	LMG	j	101	39	-	0/46/66/70	0/1/1/1
26	BCR	k	101	-	-	0/29/63/63	0/2/2/2
26	BCR	k	102	-	-	0/29/63/63	0/2/2/2
37	LHG	l	101	-	-	0/53/53/53	0/0/0/0
29	LMT	m	102	-	-	0/21/61/61	0/2/2/2
29	LMT	m	103	-	-	0/21/61/61	0/2/2/2
29	LMT	m	104	-	-	0/21/61/61	0/2/2/2
28	GOL	o	302	-	-	0/4/4/4	0/0/0/0
26	BCR	t	101	-	-	0/29/63/63	0/2/2/2
28	GOL	t	102	-	-	0/4/4/4	0/0/0/0
38	HEM	v	202	16	-	0/10/54/54	0/0/8/8
28	GOL	v	203	-	-	0/4/4/4	0/0/0/0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	GOL	v	204	-	-	0/4/4/4	0/0/0/0
28	GOL	v	205	-	-	0/4/4/4	0/0/0/0
26	BCR	y	101	-	-	0/29/63/63	0/2/2/2
34	LMG	z	101	-	-	0/34/54/70	0/1/1/1

The worst 5 of 1064 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	a	402	SQD	C6-S	-8.02	1.66	1.77
27	f	102	SQD	C6-S	-7.66	1.66	1.77
27	A	416	SQD	C6-S	-7.62	1.66	1.77
27	a	411	SQD	C6-S	-7.12	1.67	1.77
27	A	412	SQD	C6-S	-7.07	1.67	1.77

The worst 5 of 1989 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	b	609	CLA	CHD-C4C-C3C	-6.46	114.96	124.94
24	b	611	CLA	CHD-C4C-C3C	-6.41	115.04	124.94
24	C	513	CLA	CHD-C4C-C3C	-6.38	115.08	124.94
24	B	615	CLA	CHD-C4C-C3C	-6.35	115.12	124.94
24	B	617	CLA	CHD-C4C-C3C	-6.22	115.32	124.94

5 of 182 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
24	c	904	CLA	NC
24	c	904	CLA	ND
24	c	904	CLA	NA
24	C	506	CLA	ND
24	C	503	CLA	NC

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
27	L	102	SQD	C45-O47-C7-C8
36	d	406	DGD	C2G-O2G-C1B-C2B
27	F	101	SQD	C45-O47-C7-O49
34	Z	101	LMG	C8-O7-C10-O9
27	f	102	SQD	C45-O47-C7-O49

There are no ring outliers.

85 monomers are involved in 212 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	A	405	CLA	2	0
24	A	406	CLA	8	0
24	A	407	CLA	2	0
25	A	409	PHO	3	0
24	A	410	CLA	3	0
26	A	411	BCR	1	0
27	A	412	SQD	5	0
28	A	414	GOL	2	0
27	A	416	SQD	2	0
31	A	419	PL9	5	0
24	B	602	CLA	4	0
24	B	603	CLA	2	0
24	B	604	CLA	1	0
24	B	605	CLA	6	0
24	B	606	CLA	4	0
24	B	607	CLA	3	0
24	B	608	CLA	4	0
24	B	609	CLA	6	0
24	B	610	CLA	3	0
24	B	612	CLA	3	0
24	B	613	CLA	4	0
24	B	614	CLA	5	0
24	B	615	CLA	1	0
24	B	616	CLA	5	0
24	B	617	CLA	7	0
26	B	618	BCR	1	0
26	B	619	BCR	3	0
26	B	620	BCR	2	0
27	B	621	SQD	3	0
34	B	622	LMG	1	0
29	B	623	LMT	1	0
35	B	625	HTG	1	0
28	B	631	GOL	2	0
28	B	632	GOL	2	0
35	B	633	HTG	2	0
35	B	634	HTG	1	0
29	B	636	LMT	1	0
28	B	637	GOL	1	0
34	C	501	LMG	2	0
24	C	502	CLA	3	0
24	C	503	CLA	4	0
24	C	504	CLA	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	C	505	CLA	1	0
24	C	506	CLA	4	0
24	C	507	CLA	7	0
24	C	508	CLA	5	0
24	C	509	CLA	2	0
24	C	510	CLA	3	0
24	C	511	CLA	5	0
24	C	512	CLA	2	0
24	C	513	CLA	3	0
24	C	514	CLA	5	0
26	C	515	BCR	1	0
36	C	517	DGD	4	0
36	C	518	DGD	2	0
36	C	519	DGD	2	0
34	C	520	LMG	2	0
34	C	521	LMG	3	0
29	C	522	LMT	2	0
35	C	524	HTG	1	0
28	C	525	GOL	2	0
24	D	401	CLA	4	0
24	D	402	CLA	6	0
26	D	403	BCR	2	0
31	D	404	PL9	1	0
36	D	405	DGD	5	0
37	D	406	LHG	2	0
37	D	408	LHG	8	0
35	D	411	HTG	2	0
37	E	101	LHG	2	0
29	E	102	LMT	1	0
27	F	101	SQD	3	0
26	H	101	BCR	4	0
36	H	102	DGD	1	0
34	J	101	LMG	7	0
26	K	102	BCR	2	0
26	K	103	BCR	3	0
37	L	101	LHG	2	0
27	L	102	SQD	2	0
29	M	101	LMT	3	0
35	O	303	HTG	1	0
28	T	101	GOL	1	0
26	T	102	BCR	3	0
28	V	203	GOL	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
34	Z	101	LMG	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	334/344 (97%)	0.48	22 (6%) 22 31	13, 21, 38, 73	0
1	a	334/344 (97%)	0.63	37 (11%) 7 11	15, 23, 47, 90	0
2	B	504/505 (99%)	0.21	27 (5%) 29 41	15, 25, 48, 78	0
2	b	504/505 (99%)	0.31	37 (7%) 18 28	16, 27, 59, 92	0
3	C	451/455 (99%)	0.19	18 (3%) 42 53	18, 30, 46, 73	0
3	c	455/455 (100%)	0.33	31 (6%) 20 30	21, 33, 49, 92	0
4	D	342/342 (100%)	0.63	38 (11%) 7 11	14, 22, 37, 97	0
4	d	341/342 (99%)	0.41	17 (4%) 32 44	16, 25, 39, 90	0
5	E	81/84 (96%)	0.90	9 (11%) 7 11	26, 37, 66, 92	0
5	e	81/84 (96%)	1.18	14 (17%) 2 3	30, 42, 71, 92	0
6	F	34/44 (77%)	0.37	4 (11%) 6 10	23, 30, 50, 61	0
6	f	32/44 (72%)	0.36	3 (9%) 11 17	30, 34, 79, 84	0
7	H	65/65 (100%)	0.27	2 (3%) 52 62	23, 31, 46, 110	0
7	h	65/65 (100%)	0.78	8 (12%) 5 9	27, 35, 52, 105	0
8	I	37/38 (97%)	0.65	5 (13%) 4 7	26, 33, 88, 108	0
8	i	37/38 (97%)	0.60	3 (8%) 15 23	27, 33, 73, 102	0
9	J	38/39 (97%)	0.63	6 (15%) 3 4	24, 35, 84, 98	0
9	j	39/39 (100%)	0.39	1 (2%) 59 69	29, 38, 84, 96	0
10	K	37/37 (100%)	0.30	1 (2%) 58 68	27, 35, 54, 65	0
10	k	37/37 (100%)	1.00	8 (21%) 1 1	30, 38, 55, 68	0
11	L	37/37 (100%)	0.67	5 (13%) 4 7	15, 19, 56, 82	0
11	l	37/37 (100%)	0.84	5 (13%) 4 7	16, 20, 58, 83	0
12	M	33/36 (91%)	0.76	3 (9%) 11 18	15, 21, 45, 89	0
12	m	33/36 (91%)	0.70	3 (9%) 11 18	16, 21, 41, 88	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	O	243/244 (99%)	0.35	17 (6%) 19 29	16, 32, 66, 110	0
13	o	243/244 (99%)	0.76	47 (19%) 2 2	19, 33, 71, 125	0
14	T	29/32 (90%)	0.88	3 (10%) 9 14	16, 20, 43, 89	0
14	t	29/32 (90%)	0.51	2 (6%) 20 30	16, 20, 46, 89	0
15	U	97/104 (93%)	0.40	5 (5%) 31 42	21, 31, 54, 84	0
15	u	97/104 (93%)	-0.01	0 100 100	23, 33, 51, 84	0
16	V	137/137 (100%)	-0.03	0 100 100	20, 31, 51, 69	0
16	v	137/137 (100%)	0.56	11 (8%) 15 24	24, 36, 57, 70	0
17	Y	29/30 (96%)	1.70	7 (24%) 1 1	35, 47, 82, 101	0
17	y	29/30 (96%)	1.54	8 (27%) 1 0	38, 50, 83, 100	0
18	X	39/40 (97%)	0.66	6 (15%) 3 4	31, 38, 75, 102	0
18	x	39/40 (97%)	1.58	11 (28%) 1 0	33, 41, 83, 102	0
19	Z	62/62 (100%)	1.40	18 (29%) 1 0	36, 47, 83, 96	0
19	z	62/62 (100%)	2.96	35 (56%) 0 0	42, 49, 82, 96	0
20	R	34/34 (100%)	7.22	34 (100%) 0 0	55, 75, 98, 106	0
All	All	5294/5384 (98%)	0.54	511 (9%) 10 16	13, 29, 61, 125	0

The worst 5 of 511 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
19	z	62	VAL	17.9
17	Y	18	VAL	12.0
7	H	65	LEU	11.3
20	R	18	TRP	11.1
19	z	3	ILE	10.7

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
8	FME	i	1	10/11	0.98	0.12	-	21,31,39,42	0
12	FME	M	1	10/11	0.97	0.13	-	23,36,70,74	0
12	FME	m	1	10/11	0.93	0.16	-	13,32,67,68	0
14	FME	T	1	10/11	0.96	0.16	-	18,26,40,49	0
8	FME	I	1	10/11	0.95	0.13	-	22,34,38,38	0
14	FME	t	1	10/11	0.96	0.12	-	12,22,31,68	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
28	GOL	c	925	6/6	0.89	0.23	14.47	34,52,63,66	0
28	GOL	b	633	6/6	0.94	0.36	11.62	34,60,65,65	0
28	GOL	V	203	6/6	0.75	0.43	9.52	50,64,71,72	0
29	LMT	E	102	35/35	0.55	0.35	7.75	43,80,109,115	0
29	LMT	f	103	35/35	0.60	0.37	7.72	43,86,107,111	0
36	DGD	d	406	62/66	0.61	0.44	7.38	38,89,122,130	0
28	GOL	B	631	6/6	0.86	0.22	7.25	30,48,62,65	0
35	HTG	d	412	16/19	0.70	0.31	7.12	38,78,97,98	0
28	GOL	V	206	6/6	0.84	0.27	6.95	47,63,66,66	0
32	UNL	J	102	10/-	0.76	0.34	6.71	39,51,64,67	0
32	UNL	j	102	10/-	0.74	0.30	6.67	47,57,63,63	0
27	SQD	a	402	54/54	0.80	0.20	6.39	29,55,76,90	0
35	HTG	C	524	19/19	0.75	0.30	6.37	41,69,99,100	0
31	PL9	a	417	55/55	0.72	0.26	6.29	41,73,92,99	0
29	LMT	B	636	25/35	0.86	0.22	6.07	24,61,106,122	0
28	GOL	B	627	6/6	0.92	0.16	5.83	23,36,45,72	0
28	GOL	C	525	6/6	0.92	0.20	5.64	32,41,61,69	0
28	GOL	B	629	6/6	0.84	0.21	5.33	28,42,50,56	0
32	UNL	d	410	17/-	0.87	0.18	5.18	34,48,82,82	0
28	GOL	a	415	6/6	0.75	0.23	5.09	48,62,65,66	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
28	GOL	T	101	6/6	0.88	0.29	5.06	54,60,61,69	0
29	LMT	c	921	35/35	0.83	0.40	4.99	46,76,97,104	0
31	PL9	A	419	55/55	0.81	0.23	4.78	28,56,91,98	0
29	LMT	b	601	25/35	0.83	0.27	4.71	18,55,104,111	0
29	LMT	a	401	35/35	0.83	0.19	4.52	21,53,74,80	0
35	HTG	c	923	19/19	0.78	0.30	4.17	45,80,94,97	0
35	HTG	V	202	19/19	0.89	0.18	4.10	40,59,77,163	0
35	HTG	D	411	16/19	0.78	0.26	3.98	38,102,111,112	0
27	SQD	A	416	54/54	0.82	0.20	3.97	26,51,78,85	0
34	LMG	Z	101	37/55	0.74	0.28	3.90	30,75,96,112	0
26	BCR	d	404	40/40	0.89	0.15	3.72	27,36,54,60	0
28	GOL	A	415	6/6	0.80	0.20	3.52	36,49,64,64	0
35	HTG	B	625	19/19	0.91	0.20	3.49	28,43,74,86	0
32	UNL	D	410	40/-	0.82	0.20	3.43	24,54,93,101	0
34	LMG	j	101	51/55	0.92	0.17	3.38	25,35,71,81	0
34	LMG	C	501	51/55	0.80	0.20	3.34	34,56,76,85	0
32	UNL	d	411	36/-	0.80	0.23	3.34	32,56,104,111	0
29	LMT	m	102	35/35	0.68	0.24	3.31	33,61,79,95	0
36	DGD	D	405	62/66	0.54	0.39	3.31	48,79,113,122	0
28	GOL	F	103	6/6	0.90	0.19	3.30	60,65,71,71	0
29	LMT	A	417	35/35	0.85	0.19	3.29	22,57,79,97	0
28	GOL	b	632	6/6	0.84	0.19	3.26	38,52,59,59	0
28	GOL	B	628	6/6	0.86	0.29	3.26	33,42,54,72	0
29	LMT	m	104	35/35	0.77	0.24	3.20	29,59,85,86	0
26	BCR	b	622	40/40	0.92	0.18	3.07	14,24,43,51	0
34	LMG	J	101	51/55	0.90	0.19	2.99	18,32,75,81	0
32	UNL	i	101	40/-	0.77	0.25	2.95	28,62,105,117	0
29	LMT	C	522	35/35	0.74	0.38	2.89	52,81,102,104	0
32	UNL	d	413	18/-	0.77	0.19	2.85	30,52,81,84	0
24	CLA	B	602	65/65	0.92	0.16	2.80	22,40,80,101	0
34	LMG	z	101	39/55	0.74	0.33	2.78	45,82,99,107	0
28	GOL	t	102	6/6	0.89	0.25	2.77	22,59,67,67	0
28	GOL	f	101	6/6	0.81	0.25	2.73	44,50,62,64	0
34	LMG	b	624	51/55	0.89	0.23	2.68	21,36,57,81	0
23	BCT	A	404	4/4	0.94	0.15	2.51	21,24,36,47	0
32	UNL	K	101	34/-	0.69	0.30	2.51	37,61,83,88	0
28	GOL	v	203	6/6	0.75	0.31	2.50	39,74,86,87	0
28	GOL	C	526	6/6	0.95	0.19	2.46	17,21,26,26	0
28	GOL	b	631	6/6	0.91	0.16	2.41	28,41,48,51	0
24	CLA	b	605	65/65	0.92	0.18	2.37	29,48,89,102	0
28	GOL	b	628	6/6	0.91	0.13	2.33	30,35,42,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
27	SQD	L	102	54/54	0.77	0.22	2.29	24,52,86,91	0
35	HTG	b	626	19/19	0.90	0.20	2.29	30,50,86,86	0
23	BCT	a	419	4/4	0.93	0.15	2.25	21,32,41,50	0
27	SQD	B	621	54/54	0.77	0.21	2.21	26,55,94,104	0
28	GOL	A	413	6/6	0.93	0.11	2.16	23,30,33,36	0
32	UNL	I	101	40/-	0.78	0.23	2.14	27,62,110,120	0
25	PHO	a	420	64/64	0.93	0.20	2.12	17,24,30,33	0
34	LMG	a	412	51/55	0.78	0.21	2.08	33,62,84,90	0
28	GOL	A	414	6/6	0.87	0.17	2.08	30,40,43,49	0
37	LHG	l	101	49/49	0.90	0.18	2.02	15,27,39,56	0
27	SQD	a	411	54/54	0.91	0.22	2.01	32,52,73,81	0
26	BCR	B	619	40/40	0.93	0.14	1.89	15,23,46,49	0
37	LHG	d	407	49/49	0.92	0.20	1.78	15,31,44,53	0
26	BCR	D	403	40/40	0.92	0.14	1.73	19,30,58,70	0
34	LMG	C	521	51/55	0.78	0.25	1.71	32,69,88,108	0
37	LHG	L	101	49/49	0.94	0.21	1.71	12,26,38,46	0
35	HTG	b	602	19/19	0.88	0.15	1.70	29,45,65,68	0
29	LMT	b	625	25/35	0.71	0.29	1.67	44,67,109,119	0
37	LHG	E	101	42/49	0.82	0.22	1.66	22,63,78,93	0
37	LHG	D	406	49/49	0.92	0.22	1.65	14,26,38,52	0
34	LMG	B	622	51/55	0.86	0.23	1.63	19,32,49,71	0
28	GOL	a	413	6/6	0.91	0.11	1.62	30,32,37,42	0
32	UNL	D	409	17/-	0.87	0.16	1.58	30,40,63,66	0
24	CLA	d	402	65/65	0.95	0.23	1.55	16,20,36,46	0
31	PL9	d	405	55/55	0.92	0.18	1.53	13,19,33,44	0
28	GOL	c	924	6/6	0.97	0.20	1.47	24,24,25,29	0
39	MG	j	103	1/1	0.97	0.14	1.44	33,33,33,33	0
24	CLA	d	403	65/65	0.93	0.12	1.40	26,31,79,93	0
37	LHG	D	408	49/49	0.94	0.18	1.37	17,29,88,100	0
24	CLA	A	407	65/65	0.94	0.25	1.36	13,20,71,73	0
24	CLA	c	914	65/65	0.88	0.25	1.36	35,48,81,87	0
24	CLA	a	407	65/65	0.94	0.23	1.34	18,23,72,84	0
32	UNL	X	101	18/-	0.87	0.15	1.30	29,44,62,79	0
24	CLA	b	615	65/65	0.93	0.15	1.28	17,22,38,46	0
24	CLA	B	617	65/65	0.95	0.15	1.26	16,28,79,88	0
31	PL9	D	404	55/55	0.91	0.20	1.25	11,18,31,41	0
28	GOL	a	414	6/6	0.94	0.13	1.23	25,34,43,53	0
26	BCR	b	621	40/40	0.93	0.16	1.21	14,24,33,38	0
35	HTG	B	633	19/19	0.88	0.16	1.21	28,54,70,76	0
24	CLA	b	609	65/65	0.95	0.11	1.21	16,24,37,44	0
24	CLA	c	909	65/65	0.93	0.15	1.19	23,28,67,91	0
24	CLA	A	405	65/65	0.95	0.23	1.15	13,17,27,52	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
27	SQD	A	412	54/54	0.90	0.20	1.15	15,45,72,85	0
36	DGD	C	519	62/66	0.94	0.20	1.15	18,29,48,55	0
35	HTG	b	627	19/19	0.72	0.27	1.13	49,86,110,116	0
36	DGD	c	918	62/66	0.91	0.20	1.13	25,31,52,70	0
37	LHG	e	101	42/49	0.67	0.29	1.11	52,89,118,129	0
28	GOL	o	302	6/6	0.90	0.14	1.09	44,50,53,58	0
26	BCR	B	618	40/40	0.93	0.14	1.06	11,23,32,35	0
24	CLA	b	617	65/65	0.95	0.15	1.05	14,22,44,52	0
24	CLA	b	618	65/65	0.93	0.14	1.02	14,24,78,80	0
24	CLA	A	406	65/65	0.96	0.20	1.02	12,16,30,35	0
37	LHG	D	407	49/49	0.95	0.15	1.01	13,22,44,57	0
35	HTG	B	624	19/19	0.95	0.11	1.01	20,32,43,46	0
24	CLA	c	911	65/65	0.94	0.16	1.00	24,31,43,53	0
24	CLA	D	401	65/65	0.95	0.24	0.99	12,16,32,36	0
28	GOL	b	629	6/6	0.93	0.15	0.98	27,36,50,54	0
28	GOL	V	205	6/6	0.93	0.16	0.97	34,41,45,52	0
24	CLA	B	611	65/65	0.95	0.10	0.94	17,25,33,50	0
36	DGD	c	916	62/66	0.92	0.17	0.92	22,31,64,82	0
24	CLA	B	607	65/65	0.94	0.12	0.91	16,25,70,76	0
24	CLA	d	401	65/65	0.95	0.19	0.90	14,18,27,47	0
37	LHG	d	408	49/49	0.94	0.14	0.89	15,23,41,54	0
27	SQD	f	102	43/54	0.86	0.25	0.87	41,75,103,108	0
24	CLA	b	608	65/65	0.95	0.14	0.87	15,23,51,62	0
25	PHO	A	409	64/64	0.95	0.21	0.86	13,20,29,35	0
24	CLA	b	610	65/65	0.93	0.11	0.86	18,31,78,87	0
24	CLA	b	611	65/65	0.95	0.16	0.84	13,20,31,34	0
37	LHG	d	409	49/49	0.95	0.17	0.83	21,32,85,88	0
34	LMG	C	520	51/55	0.83	0.23	0.83	22,52,72,90	0
34	LMG	c	919	51/55	0.83	0.20	0.83	29,57,78,81	0
28	GOL	V	204	6/6	0.93	0.14	0.82	19,26,30,37	0
29	LMT	B	623	35/35	0.81	0.22	0.81	26,74,96,101	0
36	DGD	C	518	62/66	0.92	0.20	0.80	19,29,78,90	0
26	BCR	A	411	40/40	0.94	0.11	0.78	15,22,29,31	0
28	GOL	b	630	6/6	0.93	0.13	0.77	35,39,50,53	0
26	BCR	t	101	40/40	0.92	0.12	0.77	12,26,45,48	0
24	CLA	a	409	65/65	0.95	0.12	0.76	18,26,79,83	0
24	CLA	B	614	65/65	0.94	0.16	0.75	12,20,43,55	0
28	GOL	B	632	6/6	0.92	0.15	0.75	24,40,53,57	0
36	DGD	h	102	62/66	0.90	0.14	0.75	19,31,48,60	0
25	PHO	A	408	64/64	0.95	0.17	0.74	12,16,23,24	0
35	HTG	O	303	19/19	0.95	0.11	0.72	23,32,46,55	0
24	CLA	A	410	65/65	0.96	0.11	0.71	17,26,80,89	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
24	CLA	a	406	65/65	0.95	0.21	0.69	15,17,32,38	0
29	LMT	M	101	35/35	0.73	0.21	0.68	23,52,69,77	0
24	CLA	B	612	65/65	0.95	0.15	0.66	12,18,30,37	0
24	CLA	c	903	65/65	0.94	0.15	0.66	24,30,41,51	0
24	CLA	C	509	65/65	0.94	0.14	0.64	18,25,67,82	0
36	DGD	H	102	62/66	0.90	0.17	0.64	16,28,46,59	0
24	CLA	B	610	65/65	0.92	0.12	0.61	17,24,36,45	0
26	BCR	K	103	40/40	0.93	0.11	0.61	24,30,40,43	0
24	CLA	c	902	65/65	0.92	0.12	0.59	26,32,45,52	0
24	CLA	C	505	65/65	0.93	0.18	0.57	18,27,47,61	0
24	CLA	B	615	65/65	0.94	0.12	0.57	12,21,66,79	0
24	CLA	D	402	65/65	0.94	0.12	0.54	18,27,68,84	0
26	BCR	y	101	40/40	0.91	0.14	0.51	29,37,57,63	0
24	CLA	B	613	65/65	0.95	0.11	0.44	13,20,27,33	0
36	DGD	c	917	62/66	0.91	0.18	0.43	26,35,61,87	0
24	CLA	B	616	65/65	0.95	0.11	0.43	16,23,42,45	0
26	BCR	T	102	40/40	0.93	0.14	0.42	13,26,37,42	0
24	CLA	C	506	65/65	0.95	0.10	0.40	18,27,47,54	0
24	CLA	c	906	65/65	0.91	0.13	0.36	21,28,44,56	0
24	CLA	B	608	65/65	0.92	0.16	0.35	11,19,28,40	0
38	HEM	e	102	43/43	0.95	0.17	0.35	37,46,76,95	0
26	BCR	K	102	40/40	0.94	0.12	0.35	22,30,39,47	0
24	CLA	b	616	65/65	0.94	0.10	0.34	16,23,32,44	0
26	BCR	a	410	40/40	0.93	0.10	0.32	15,23,28,32	0
24	CLA	c	904	65/65	0.91	0.12	0.31	26,33,44,47	0
34	LMG	c	920	51/55	0.81	0.25	0.31	33,74,88,93	0
24	CLA	c	913	65/65	0.91	0.16	0.31	31,40,59,65	0
24	CLA	B	609	65/65	0.95	0.14	0.30	15,24,30,36	0
36	DGD	C	517	62/66	0.94	0.12	0.29	19,28,60,72	0
24	CLA	B	606	65/65	0.94	0.10	0.27	13,20,31,41	0
27	SQD	F	101	43/54	0.90	0.24	0.27	34,59,81,90	0
24	CLA	B	605	65/65	0.94	0.14	0.26	13,19,44,57	0
26	BCR	k	101	40/40	0.92	0.17	0.26	34,45,63,75	0
24	CLA	b	606	65/65	0.93	0.12	0.24	22,28,38,48	0
29	LMT	m	103	35/35	0.83	0.17	0.20	19,48,62,74	0
24	CLA	C	502	65/65	0.94	0.11	0.17	22,30,42,54	0
25	PHO	a	408	64/64	0.94	0.15	0.17	15,18,27,30	0
24	CLA	c	905	65/65	0.91	0.16	0.16	25,32,49,68	0
26	BCR	H	101	40/40	0.90	0.13	0.13	19,32,45,59	0
24	CLA	C	514	65/65	0.92	0.14	0.11	30,42,67,73	0
24	CLA	B	604	65/65	0.93	0.11	0.10	16,25,32,38	0
24	CLA	C	511	65/65	0.93	0.15	0.07	21,29,38,45	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
24	CLA	b	607	65/65	0.96	0.10	0.06	21,28,38,50	0
24	CLA	C	513	65/65	0.91	0.13	0.06	27,40,59,71	0
28	GOL	v	205	6/6	0.95	0.17	0.05	23,35,46,50	0
24	CLA	c	908	65/65	0.91	0.12	0.00	26,33,49,60	0
26	BCR	c	915	40/40	0.91	0.12	-0.00	25,34,42,45	0
38	HEM	v	202	43/43	0.97	0.11	-0.02	28,31,40,46	0
26	BCR	k	102	40/40	0.90	0.14	-0.03	30,37,50,61	0
24	CLA	c	910	65/65	0.94	0.12	-0.04	27,34,47,53	0
24	CLA	b	613	65/65	0.92	0.11	-0.05	23,29,42,48	0
24	CLA	B	603	65/65	0.92	0.12	-0.05	17,24,36,47	0
24	CLA	C	510	65/65	0.94	0.11	-0.07	23,30,45,62	0
24	CLA	C	504	65/65	0.94	0.11	-0.08	22,28,40,45	0
28	GOL	v	204	6/6	0.87	0.17	-0.09	54,66,71,80	0
24	CLA	b	620	65/65	0.94	0.13	-0.11	19,33,77,78	0
26	BCR	b	623	40/40	0.94	0.09	-0.11	18,31,42,48	0
24	CLA	b	614	65/65	0.94	0.10	-0.11	20,29,39,42	0
24	CLA	c	912	65/65	0.93	0.12	-0.16	27,36,50,54	0
24	CLA	C	507	65/65	0.92	0.13	-0.16	25,40,75,77	0
24	CLA	b	619	65/65	0.93	0.11	-0.17	20,30,49,51	0
24	CLA	C	508	65/65	0.94	0.12	-0.22	23,35,47,54	0
24	CLA	C	512	65/65	0.93	0.11	-0.22	22,30,39,45	0
26	BCR	h	101	40/40	0.90	0.12	-0.23	25,35,48,52	0
24	CLA	C	503	65/65	0.94	0.12	-0.26	20,25,39,63	0
24	CLA	c	907	65/65	0.94	0.12	-0.29	28,37,64,72	0
26	BCR	B	620	40/40	0.93	0.09	-0.35	16,26,39,49	0
26	BCR	C	515	40/40	0.93	0.10	-0.37	29,38,49,53	0
28	GOL	B	630	6/6	0.93	0.09	-0.46	26,32,40,42	0
24	CLA	b	612	65/65	0.95	0.10	-0.49	21,28,40,43	0
38	HEM	V	201	43/43	0.97	0.09	-0.56	22,25,32,39	0
38	HEM	E	103	43/43	0.97	0.12	-0.65	23,35,45,56	0
33	CA	O	301	1/1	0.97	0.14	-0.76	53,53,53,53	0
26	BCR	C	516	40/40	0.95	0.09	-0.80	23,32,42,43	0
39	MG	J	103	1/1	0.98	0.06	-1.50	27,27,27,27	0
21	FE2	A	401	1/1	0.99	0.07	-1.78	24,24,24,24	0
30	OEX	a	416	10/10	0.98	0.10	-1.94	18,21,24,34	0
22	CL	a	405	1/1	0.99	0.09	-2.03	26,26,26,26	0
30	OEX	A	418	10/10	0.99	0.09	-2.26	15,20,24,28	0
22	CL	A	403	1/1	0.99	0.06	-2.33	19,19,19,19	0
21	FE2	a	403	1/1	0.99	0.08	-2.87	28,28,28,28	0
22	CL	a	404	1/1	0.98	0.07	-2.95	20,20,20,20	0
33	CA	c	901	1/1	0.97	0.04	-3.34	44,44,44,44	0
22	CL	A	402	1/1	0.99	0.07	-4.96	18,18,18,18	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
33	CA	o	301	1/1	0.98	0.04	-5.19	54,54,54,54	0
22	CL	v	201	1/1	0.94	0.08	-	62,62,62,62	0
28	GOL	T	103	6/6	0.81	0.24	-	52,68,70,79	0
33	CA	B	601	1/1	0.78	0.09	-	83,83,83,83	0
35	HTG	c	922	19/19	0.80	0.21	-	43,67,84,95	0
35	HTG	C	523	19/19	0.92	0.19	-	54,62,86,88	0
35	HTG	b	603	19/19	0.65	0.26	-	46,84,110,111	0
33	CA	b	604	1/1	0.47	0.25	-	117,117,117,117	0
22	CL	U	201	1/1	0.96	0.07	-	50,50,50,50	0
32	UNL	m	101	10/-	0.81	0.22	-	35,50,55,61	0
28	GOL	O	302	6/6	0.78	0.23	-	49,55,57,61	0
32	UNL	M	102	10/-	0.81	0.21	-	28,38,57,58	0
33	CA	F	102	1/1	0.97	0.09	-	69,69,69,69	0
32	UNL	a	418	30/-	0.72	0.31	-	42,66,98,106	0
33	CA	f	104	1/1	0.91	0.07	-	77,77,77,77	0
35	HTG	B	634	19/19	0.62	0.31	-	32,76,109,127	0
32	UNL	c	926	32/-	0.70	0.37	-	39,79,98,105	0
32	UNL	B	635	33/-	0.73	0.25	-	33,58,102,102	0
32	UNL	A	420	28/-	0.64	0.28	-	50,71,78,86	0
35	HTG	B	626	19/19	0.60	0.37	-	48,81,94,95	0
32	UNL	b	634	33/-	0.68	0.29	-	29,62,111,117	0
28	GOL	B	637	6/6	0.62	0.26	-	51,72,83,86	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.