



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:35 PM GMT

PDB ID : 1UDA
Title : STRUCTURE OF UDP-GALACTOSE-4-EPIMERASE COMPLEXED
WITH UDP-4-DEOXY-4-FLUORO-ALPHA-D-GALACTOSE
Authors : Thoden, J.B.; Holden, H.M.
Deposited on : 1997-01-06
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	338	<div> <div></div> <div>73%</div> <div>24%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	UFG	A	341	X	-	-	-
5	PGE	A	410	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 3280 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-GALACTOSE-4-EPIMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	338	2625	1655	463	495	12	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	131	ASN	GLN	CONFLICT	UNP P09147

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Na	0	0
			3	3		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is URIDINE-5'-DIPHOSPHATE-4-DEOXY-4-FLUORO-ALPHA-D-GALACTOSE (three-letter code: UFG) (formula: $C_{15}H_{23}FN_2O_{16}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	P	0
			36	15	1	2	16	2	0

- Molecule 5 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	558	Total	O	0	0
			558	558		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: UDP-GALACTOSE-4-EPIMERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	83.50Å 83.50Å 108.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-1.80)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.188 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3280	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PGE, EDO, NAD, UFG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.04	11/2691 (0.4%)	1.63	56/3662 (1.5%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	138	GLU	CD-OE1	10.59	1.37	1.25
1	A	95	GLU	CD-OE1	6.80	1.33	1.25
1	A	278	LYS	CE-NZ	-6.70	1.32	1.49
1	A	191	GLU	CD-OE1	6.66	1.32	1.25
1	A	88	GLU	CD-OE2	6.59	1.32	1.25
1	A	293	GLU	CD-OE1	6.25	1.32	1.25
1	A	67	GLU	CD-OE1	5.56	1.31	1.25
1	A	225	GLU	CD-OE2	5.56	1.31	1.25
1	A	56	GLU	CD-OE1	-5.37	1.19	1.25
1	A	9	SER	CA-CB	5.33	1.60	1.52
1	A	62	GLU	CD-OE2	-5.09	1.20	1.25

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2	ARG	NE-CZ-NH1	12.65	126.63	120.30
1	A	162	ASP	CB-CG-OD2	11.45	128.60	118.30
1	A	2	ARG	NE-CZ-NH2	-10.36	115.12	120.30
1	A	106	ARG	NE-CZ-NH2	-10.08	115.26	120.30
1	A	302	ASP	CB-CG-OD2	9.97	127.28	118.30
1	A	112	ARG	NE-CZ-NH1	9.28	124.94	120.30
1	A	106	ARG	NE-CZ-NH1	9.04	124.82	120.30
1	A	31	ASP	CB-CG-OD2	8.50	125.95	118.30
1	A	213	ASP	CB-CG-OD2	-8.35	110.79	118.30
1	A	307	ASP	CB-CG-OD2	8.30	125.77	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	162	ASP	CB-CG-OD1	-8.18	110.94	118.30
1	A	169	ASP	CB-CG-OD1	-8.12	110.99	118.30
1	A	38	ARG	NE-CZ-NH1	-7.83	116.39	120.30
1	A	231	ARG	NE-CZ-NH1	-7.53	116.53	120.30
1	A	131	ASN	N-CA-CB	7.48	124.07	110.60
1	A	96	TYR	CA-CB-CG	-7.28	99.56	113.40
1	A	313	ARG	NE-CZ-NH2	7.20	123.90	120.30
1	A	96	TYR	CB-CG-CD1	7.03	125.22	121.00
1	A	31	ASP	CB-CG-OD1	-6.76	112.22	118.30
1	A	26	ASP	CB-CG-OD1	-6.75	112.22	118.30
1	A	338	ASP	CB-CG-OD2	6.66	124.29	118.30
1	A	98	ASP	CB-CG-OD1	-6.54	112.41	118.30
1	A	221	ASP	CB-CG-OD1	-6.52	112.43	118.30
1	A	302	ASP	CB-CG-OD1	-6.49	112.46	118.30
1	A	295	ASP	CB-CG-OD2	-6.47	112.48	118.30
1	A	58	ASP	CB-CG-OD1	6.45	124.10	118.30
1	A	319	ASP	CB-CG-OD1	6.35	124.02	118.30
1	A	96	TYR	CB-CG-CD2	-6.33	117.20	121.00
1	A	338	ASP	CB-CG-OD1	-6.27	112.66	118.30
1	A	112	ARG	NE-CZ-NH2	-6.22	117.19	120.30
1	A	295	ASP	CB-CG-OD1	6.16	123.84	118.30
1	A	77	VAL	CG1-CB-CG2	-6.03	101.25	110.90
1	A	126	THR	CA-CB-CG2	-5.99	104.01	112.40
1	A	307	ASP	CB-CG-OD1	-5.96	112.94	118.30
1	A	169	ASP	CB-CG-OD2	5.76	123.48	118.30
1	A	37	LYS	CA-CB-CG	-5.73	100.80	113.40
1	A	238	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	254	PRO	N-CA-CB	5.61	110.04	103.30
1	A	128	TYR	CB-CG-CD2	-5.56	117.66	121.00
1	A	127	VAL	CA-CB-CG2	-5.56	102.56	110.90
1	A	213	ASP	CB-CG-OD1	5.49	123.24	118.30
1	A	98	ASP	CB-CG-OD2	5.46	123.22	118.30
1	A	304	SER	N-CA-CB	-5.39	102.41	110.50
1	A	222	TYR	CB-CG-CD1	5.36	124.22	121.00
1	A	80	PHE	CB-CA-C	-5.32	99.76	110.40
1	A	222	TYR	CB-CG-CD2	-5.29	117.82	121.00
1	A	81	ALA	CB-CA-C	-5.29	102.17	110.10
1	A	226	ASP	CB-CG-OD2	-5.21	113.62	118.30
1	A	324	ASP	CB-CG-OD1	5.20	122.98	118.30
1	A	201	MET	CA-CB-CG	-5.19	104.48	113.30
1	A	1	MET	CG-SD-CE	5.15	108.45	100.20
1	A	232	ASP	CB-CG-OD2	5.14	122.93	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	265	VAL	CG1-CB-CG2	-5.11	102.73	110.90
1	A	9	SER	N-CA-CB	5.06	118.09	110.50
1	A	302	ASP	N-CA-C	-5.02	97.44	111.00
1	A	157	GLU	CG-CD-OE1	-5.00	108.30	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2625	0	2555	46	0
2	A	3	0	0	0	0
3	A	44	0	26	0	0
4	A	36	0	21	0	0
5	A	10	0	14	6	0
6	A	4	0	6	0	0
7	A	558	0	0	12	5
All	All	3280	0	2622	46	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:LYS:HZ3	5:A:410:PGE:H22	1.25	0.98
1:A:225:GLU:OE1	7:A:924:HOH:O	1.84	0.95
1:A:253:LYS:NZ	5:A:410:PGE:H22	1.83	0.93
1:A:22:GLN:HG2	7:A:988:HOH:O	1.78	0.82
1:A:165:LYS:HD3	7:A:1049:HOH:O	1.94	0.66
1:A:146:GLN:HB2	7:A:735:HOH:O	1.95	0.66
1:A:120:ILE:HD11	1:A:247:MET:HA	1.78	0.65
1:A:32:ASN:ND2	1:A:34:CYS:H	1.94	0.64
1:A:122:SER:N	7:A:1009:HOH:O	2.30	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:GLN:OE1	7:A:929:HOH:O	2.15	0.62
1:A:88:GLU:HG3	1:A:92:LYS:CE	2.30	0.62
1:A:32:ASN:HD22	1:A:32:ASN:C	2.03	0.61
1:A:253:LYS:HZ3	5:A:410:PGE:C2	2.08	0.61
1:A:18:VAL:HG21	1:A:189:MET:HE1	1.84	0.58
1:A:220:ASN:HB3	1:A:288:PHE:CD1	2.40	0.57
1:A:264:GLY:HA2	1:A:301:ALA:O	2.04	0.57
1:A:22:GLN:NE2	7:A:963:HOH:O	2.30	0.57
1:A:193:PRO:HA	7:A:652:HOH:O	2.04	0.55
1:A:30:LEU:HD13	1:A:30:LEU:C	2.27	0.55
1:A:70:HIS:ND1	7:A:1042:HOH:O	2.33	0.54
1:A:189:MET:HG3	1:A:336:TYR:OH	2.06	0.54
1:A:37:LYS:HE3	7:A:624:HOH:O	2.06	0.54
1:A:124:SER:HB3	1:A:126:THR:HG22	1.88	0.54
1:A:253:LYS:CE	5:A:410:PGE:H22	2.38	0.53
1:A:32:ASN:HD22	1:A:33:LEU:N	2.07	0.52
1:A:88:GLU:HG3	1:A:92:LYS:HE3	1.93	0.50
1:A:18:VAL:HG21	1:A:189:MET:CE	2.42	0.50
1:A:32:ASN:ND2	1:A:32:ASN:C	2.65	0.50
1:A:126:THR:HG21	1:A:150:GLY:HA2	1.95	0.49
1:A:280:CYS:SG	1:A:282:LYS:HG2	2.54	0.48
1:A:265:VAL:HG22	1:A:266:GLY:N	2.30	0.47
1:A:253:LYS:HZ1	5:A:410:PGE:H52	1.80	0.46
1:A:253:LYS:NZ	5:A:410:PGE:C5	2.78	0.46
1:A:297:PRO:HD2	7:A:690:HOH:O	2.14	0.46
1:A:214:SER:HB2	1:A:285:ASN:ND2	2.31	0.46
1:A:327:HIS:O	1:A:331:ARG:HG3	2.16	0.45
1:A:95:GLU:HG3	7:A:635:HOH:O	2.16	0.45
1:A:124:SER:O	1:A:127:VAL:HG22	2.16	0.45
1:A:88:GLU:HG3	1:A:92:LYS:HE2	1.99	0.45
1:A:120:ILE:HD11	1:A:247:MET:CA	2.47	0.45
1:A:69:LEU:HD13	1:A:111:MET:HA	2.00	0.44
1:A:164:GLN:HB2	1:A:172:ILE:HD12	2.00	0.43
1:A:184:HIS:CG	1:A:185:PRO:HD2	2.54	0.42
1:A:88:GLU:HG2	1:A:96:TYR:HE1	1.84	0.42
1:A:88:GLU:HG2	1:A:96:TYR:CE1	2.56	0.41
1:A:137:VAL:HG12	1:A:139:SER:H	1.85	0.41

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:722:HOH:O	7:A:722:HOH:O[6_555]	0.76	1.44
7:A:941:HOH:O	7:A:941:HOH:O[5_555]	0.97	1.23
7:A:671:HOH:O	7:A:671:HOH:O[6_555]	1.16	1.04
7:A:1054:HOH:O	7:A:1054:HOH:O[4_556]	1.23	0.97
7:A:502:HOH:O	7:A:502:HOH:O[6_555]	1.34	0.86

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	336/338 (99%)	324 (96%)	12 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/282 (100%)	277 (98%)	5 (2%)	66	54

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	32	ASN
1	A	189	MET
1	A	197	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	209	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	158	GLN
1	A	267	ASN
1	A	274	ASN
1	A	323	GLN
1	A	334	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAD	A	340	-	38,48,48	2.68	8 (21%)	47,73,73	2.56	17 (36%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	UFG	A	341	-	28,38,38	1.94	7 (25%)	39,58,58	2.50	4 (10%)
5	PGE	A	410	-	9,9,9	0.86	0	8,8,8	1.62	3 (37%)
6	EDO	A	411	-	3,3,3	0.43	0	2,2,2	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	340	-	-	0/22/62/62	0/5/5/5
4	UFG	A	341	-	1/1/11/11	0/19/59/59	0/3/3/3
5	PGE	A	410	-	-	0/7/7/7	0/0/0/0
6	EDO	A	411	-	-	0/1/1/1	0/0/0/0

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	340	NAD	C8A-N7A	-2.27	1.30	1.34
4	A	341	UFG	O4-C4	-2.11	1.19	1.24
4	A	341	UFG	F4'-C4'	2.12	1.46	1.40
4	A	341	UFG	PA-O5D	2.19	1.69	1.59
4	A	341	UFG	C4'-C3'	2.30	1.54	1.52
4	A	341	UFG	O3D-C3D	2.65	1.49	1.43
3	A	340	NAD	C2D-C3D	2.74	1.60	1.53
3	A	340	NAD	C6N-N1N	3.71	1.45	1.35
3	A	340	NAD	C2A-N1A	3.99	1.41	1.33
3	A	340	NAD	O4B-C1B	4.95	1.47	1.41
4	A	341	UFG	C4-N3	5.46	1.43	1.33
3	A	340	NAD	C5N-C4N	5.49	1.50	1.38
4	A	341	UFG	C6-N1	5.61	1.43	1.35
3	A	340	NAD	C2N-C3N	8.08	1.51	1.39
3	A	340	NAD	C4N-C3N	9.01	1.54	1.39

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	340	NAD	C5N-C4N-C3N	-4.23	115.02	120.33
3	A	340	NAD	O7N-C7N-N7N	-4.18	116.72	122.59
3	A	340	NAD	C2N-C3N-C4N	-3.58	114.31	118.29
3	A	340	NAD	N6A-C6A-N1A	-3.02	112.72	119.20
4	A	341	UFG	O5'-C1'-O3B	-3.00	107.40	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	340	NAD	PN-O3-PA	-2.88	124.63	132.73
3	A	340	NAD	O4B-C1B-N9A	-2.76	102.32	108.10
3	A	340	NAD	C2A-N1A-C6A	-2.67	114.00	118.77
3	A	340	NAD	O3D-C3D-C2D	-2.36	104.17	111.83
3	A	340	NAD	O3-PN-O5D	-2.35	96.70	102.94
3	A	340	NAD	O7N-C7N-C3N	-2.14	117.25	119.59
3	A	340	NAD	O4D-C4D-C5D	-2.07	101.93	109.32
3	A	340	NAD	O4B-C4B-C5B	-2.01	102.12	109.32
5	A	410	PGE	O3-C4-C3	2.05	119.47	110.36
3	A	340	NAD	O2N-PN-O3	2.09	114.58	105.09
5	A	410	PGE	C3-O2-C2	2.30	123.19	113.31
5	A	410	PGE	O2-C2-C1	2.45	121.73	110.43
3	A	340	NAD	O3-PA-O5B	2.45	109.45	102.94
3	A	340	NAD	O3B-C3B-C2B	2.98	121.50	111.83
4	A	341	UFG	C4D-O4'-C1D	3.81	113.91	109.72
3	A	340	NAD	C3N-C7N-N7N	7.49	126.02	117.82
4	A	341	UFG	F4'-C4'-C3'	9.25	115.09	108.52
3	A	340	NAD	N3A-C2A-N1A	9.68	136.30	128.89
4	A	341	UFG	C4-N3-C2	10.11	124.15	114.14

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	341	UFG	C4'

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	410	PGE	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.