



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 2, 2017 – 05:17 PM EST

PDB ID : 5UEJ
Title : 1.30 Å crystal structure of DapE enzyme from *Neisseria meningitidis* MC58
Authors : Nocek, B.; Joachimiak, A.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2017-01-02
Resolution : 1.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1475 (1.34-1.26)
Clashscore	102246	1031 (1.32-1.28)
Ramachandran outliers	100387	1504 (1.34-1.26)
Sidechain outliers	100360	1503 (1.34-1.26)
RSRZ outliers	91569	1476 (1.34-1.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	 82% 13% ..
1	B	384	 84% 11% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	404	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7052 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinyl-diaminopimelate desuccinylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	375	Total	C	N	O	S	0	12	0
			2933	1850	512	560	11			
1	B	376	Total	C	N	O	S	0	17	0
			2961	1872	511	567	11			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9JYL2
A	-1	ASN	-	expression tag	UNP Q9JYL2
A	0	ALA	-	expression tag	UNP Q9JYL2
B	-2	SER	-	expression tag	UNP Q9JYL2
B	-1	ASN	-	expression tag	UNP Q9JYL2
B	0	ALA	-	expression tag	UNP Q9JYL2

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Zn	0	0
			3	3		
2	A	2	Total	Zn	0	0
			2	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	541	Total	O	0	0
			541	541		
4	B	587	Total	O	0	0
			587	587		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Succinyl-diaminopimelate desuccinylase



- Molecule 1: Succinyl-diaminopimelate desuccinylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.77Å 88.64Å 133.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.30 25.55 – 1.30	Depositor EDS
% Data completeness (in resolution range)	95.2 (40.00-1.30) 85.4 (25.55-1.30)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.53 (at 1.30Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.113 , 0.153 0.114 , 0.153	Depositor DCC
R_{free} test set	9438 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	13.6	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	7052	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.38	26/3020 (0.9%)	1.34	31/4094 (0.8%)
1	B	1.48	29/3066 (0.9%)	1.35	36/4161 (0.9%)
All	All	1.44	55/6086 (0.9%)	1.35	67/8255 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	223	GLU	CD-OE2	-12.75	1.11	1.25
1	B	251	GLU	CD-OE1	12.51	1.39	1.25
1	B	198	TYR	CG-CD1	-12.14	1.23	1.39
1	B	226[A]	GLU	CD-OE2	12.11	1.39	1.25
1	B	226[B]	GLU	CD-OE2	12.11	1.39	1.25
1	B	251	GLU	CG-CD	10.97	1.68	1.51
1	A	263	GLU	CD-OE2	-10.51	1.14	1.25
1	A	377	ALA	CA-CB	9.92	1.73	1.52
1	B	198	TYR	CE1-CZ	-9.33	1.26	1.38
1	A	251	GLU	CG-CD	8.88	1.65	1.51
1	A	255	LYS	CE-NZ	-8.57	1.27	1.49
1	B	8	GLU	CD-OE2	8.32	1.34	1.25
1	B	48	ASP	CB-CG	8.14	1.68	1.51
1	A	218	GLN	CD-NE2	8.04	1.52	1.32
1	A	330	ARG	CZ-NH2	-7.94	1.22	1.33
1	A	12	GLU	CG-CD	7.34	1.62	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	151	LYS	CD-CE	7.22	1.69	1.51
1	B	278	ASP	CB-CG	6.96	1.66	1.51
1	A	341	GLU	CD-OE1	6.77	1.33	1.25
1	B	251	GLU	CB-CG	-6.75	1.39	1.52
1	B	198	TYR	CD1-CE1	6.63	1.49	1.39
1	A	272[A]	ARG	CZ-NH1	6.54	1.41	1.33
1	A	272[B]	ARG	CZ-NH1	6.54	1.41	1.33
1	B	278	ASP	CG-OD1	6.50	1.40	1.25
1	A	5	GLN	CG-CD	-6.35	1.36	1.51
1	A	8	GLU	CG-CD	6.24	1.61	1.51
1	A	377	ALA	N-CA	6.20	1.58	1.46
1	A	251	GLU	CB-CG	-6.20	1.40	1.52
1	B	198	TYR	CG-CD2	6.18	1.47	1.39
1	B	251	GLU	CD-OE2	-6.17	1.18	1.25
1	A	169	ASP	CB-CG	6.10	1.64	1.51
1	A	266	GLU	CB-CG	-6.10	1.40	1.52
1	A	193	GLN	CD-NE2	-6.04	1.17	1.32
1	B	16	ARG	CG-CD	-6.01	1.36	1.51
1	A	270	LYS	CD-CE	-5.86	1.36	1.51
1	B	17	PRO	N-CA	5.78	1.57	1.47
1	B	15	SER	CA-CB	5.77	1.61	1.52
1	B	266	GLU	CD-OE2	5.77	1.31	1.25
1	B	235	ILE	CB-CG1	5.73	1.70	1.54
1	B	32	GLU	CD-OE2	5.66	1.31	1.25
1	B	279	LYS	CB-CG	-5.49	1.37	1.52
1	B	56	ARG	NE-CZ	-5.45	1.25	1.33
1	A	239	ASN	CG-OD1	5.38	1.35	1.24
1	B	307	ARG	CZ-NH1	-5.35	1.26	1.33
1	B	12[A]	GLU	CG-CD	5.29	1.59	1.51
1	B	12[B]	GLU	CG-CD	5.29	1.59	1.51
1	A	338	GLU	CD-OE2	5.28	1.31	1.25
1	B	8	GLU	CG-CD	5.26	1.59	1.51
1	B	305	VAL	CB-CG2	-5.26	1.41	1.52
1	A	307	ARG	CD-NE	-5.24	1.37	1.46
1	A	226	GLU	CB-CG	-5.23	1.42	1.52
1	A	114	GLU	CD-OE2	5.18	1.31	1.25
1	A	12	GLU	CD-OE2	5.11	1.31	1.25
1	B	218	GLN	CD-OE1	5.06	1.35	1.24
1	A	38	GLY	CA-C	-5.04	1.43	1.51

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	278	ASP	CB-CG-OD1	-16.24	103.69	118.30
1	A	272[A]	ARG	NE-CZ-NH1	-16.14	112.23	120.30
1	A	272[B]	ARG	NE-CZ-NH1	-16.14	112.23	120.30
1	A	319	GLU	OE1-CD-OE2	12.48	138.28	123.30
1	A	138	ASP	CB-CG-OD1	-11.16	108.25	118.30
1	A	330	ARG	NE-CZ-NH2	9.32	124.96	120.30
1	B	55	ARG	NE-CZ-NH2	-9.14	115.73	120.30
1	B	48	ASP	CB-CG-OD1	9.02	126.42	118.30
1	B	278	ASP	CB-CG-OD2	8.95	126.36	118.30
1	A	154	ASP	CB-CG-OD1	8.73	126.16	118.30
1	A	272[A]	ARG	NH1-CZ-NH2	8.46	128.70	119.40
1	A	272[B]	ARG	NH1-CZ-NH2	8.46	128.70	119.40
1	B	374	ARG	NE-CZ-NH2	-8.15	116.22	120.30
1	A	190[A]	LYS	CB-CG-CD	8.02	132.46	111.60
1	A	190[B]	LYS	CB-CG-CD	8.02	132.46	111.60
1	B	90	ARG	NE-CZ-NH2	-7.90	116.35	120.30
1	B	342[A]	LEU	CB-CG-CD2	7.79	124.25	111.00
1	B	342[B]	LEU	CB-CG-CD2	7.79	124.25	111.00
1	B	101	ASP	CB-CG-OD2	-7.60	111.46	118.30
1	B	251	GLU	OE1-CD-OE2	-7.58	114.20	123.30
1	B	227	TYR	CB-CG-CD2	-7.43	116.54	121.00
1	B	198	TYR	CB-CG-CD2	-7.38	116.58	121.00
1	A	158	ASP	CB-CG-OD2	7.33	124.90	118.30
1	A	285	ASP	CB-CG-OD2	-7.28	111.75	118.30
1	A	153	ARG	NE-CZ-NH2	-7.18	116.71	120.30
1	A	377	ALA	CB-CA-C	7.00	120.60	110.10
1	A	357	ARG	CG-CD-NE	-6.95	97.21	111.80
1	B	226[A]	GLU	CG-CD-OE1	-6.95	104.41	118.30
1	B	226[B]	GLU	CG-CD-OE1	-6.95	104.41	118.30
1	B	25	ASP	CB-CG-OD1	6.70	124.33	118.30
1	B	198	TYR	CB-CG-CD1	6.64	124.98	121.00
1	B	97	ARG	NE-CZ-NH1	-6.62	116.99	120.30
1	B	301	LYS	CG-CD-CE	-6.57	92.18	111.90
1	A	368	TYR	CB-CG-CD1	6.50	124.90	121.00
1	B	90	ARG	NE-CZ-NH1	6.39	123.49	120.30
1	B	164	GLU	OE1-CD-OE2	-6.26	115.79	123.30
1	B	102[A]	MET	CG-SD-CE	-6.24	90.22	100.20
1	B	102[B]	MET	CG-SD-CE	-6.24	90.22	100.20
1	B	286	LEU	CB-CG-CD1	6.22	121.58	111.00
1	A	271	GLN	CB-CG-CD	6.15	127.59	111.60
1	B	179	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	B	227	TYR	CB-CG-CD1	5.90	124.54	121.00
1	B	25	ASP	CB-CG-OD2	-5.89	113.00	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	115	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	90	ARG	NE-CZ-NH1	5.81	123.20	120.30
1	B	2[A]	THR	N-CA-CB	5.78	121.29	110.30
1	B	2[B]	THR	N-CA-CB	5.78	121.29	110.30
1	A	286	LEU	CB-CG-CD1	5.71	120.70	111.00
1	A	319	GLU	CG-CD-OE2	-5.70	106.91	118.30
1	A	22	ASP	CB-CG-OD2	-5.64	113.22	118.30
1	A	95	TYR	CB-CG-CD2	5.56	124.34	121.00
1	B	219	GLU	OE1-CD-OE2	5.56	129.97	123.30
1	B	24	ARG	NE-CZ-NH2	5.54	123.07	120.30
1	A	91	ASP	CB-CG-OD1	-5.52	113.33	118.30
1	B	154	ASP	CB-CG-OD1	5.50	123.25	118.30
1	A	25	ASP	CB-CG-OD1	5.42	123.18	118.30
1	B	198	TYR	CZ-CE2-CD2	-5.38	114.96	119.80
1	A	342[A]	LEU	CB-CG-CD2	5.33	120.07	111.00
1	A	342[B]	LEU	CB-CG-CD2	5.33	120.07	111.00
1	A	148	ASP	CB-CG-OD2	-5.31	113.52	118.30
1	B	158	ASP	CB-CG-OD2	5.27	123.05	118.30
1	A	85	PHE	CB-CG-CD1	-5.20	117.16	120.80
1	B	307	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	A	119	LYS	CD-CE-NZ	5.14	123.53	111.70
1	B	227	TYR	CD1-CE1-CZ	-5.14	115.17	119.80
1	B	251	GLU	CG-CD-OE2	-5.13	108.05	118.30
1	A	259	ARG	NE-CZ-NH2	-5.03	117.79	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	251	GLU	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2933	0	2946	31	0
1	B	2961	0	2980	33	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	2	0	0	0	0
2	B	3	0	0	0	0
3	A	10	0	0	0	0
3	B	15	0	0	0	0
4	A	541	0	0	14	6
4	B	587	0	0	15	2
All	All	7052	0	5926	64	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:ASP:HB3	4:A:509:HOH:O	1.50	1.10
1:B:67:GLY:HA3	1:B:102[B]:MET:HE1	1.13	1.09
1:B:67:GLY:CA	1:B:102[B]:MET:HE1	1.85	1.04
1:A:67:GLY:HA3	1:A:102[A]:MET:HE2	1.37	1.01
1:A:67:GLY:CA	1:A:102[A]:MET:HE2	1.90	1.01
1:A:67:GLY:HA3	1:A:102[A]:MET:CE	1.92	1.00
1:B:266:GLU:OE2	4:B:501:HOH:O	1.81	0.96
1:A:68:HIS:H	1:A:102[A]:MET:HE2	1.30	0.95
1:B:67:GLY:HA3	1:B:102[B]:MET:CE	1.97	0.94
1:A:68:HIS:N	1:A:102[A]:MET:HE2	1.85	0.91
1:A:175:ILE:HG22	1:A:342[B]:LEU:HD13	1.53	0.90
1:A:266:GLU:OE2	4:A:501:HOH:O	1.93	0.85
1:A:32:GLU:HG3	4:A:802:HOH:O	1.81	0.79
1:A:68:HIS:H	1:A:102[A]:MET:CE	1.96	0.78
1:B:22[A]:ASP:OD1	4:B:502:HOH:O	2.02	0.78
1:B:124:GLN:HG2	4:B:507:HOH:O	1.87	0.74
1:A:266:GLU:CD	4:A:501:HOH:O	2.26	0.73
1:B:68:HIS:H	1:B:102[B]:MET:CE	2.03	0.72
1:A:218:GLN:OE1	4:A:502:HOH:O	2.07	0.71
1:B:290[B]:CYS:SG	4:B:501:HOH:O	2.19	0.71
1:B:35:HIS:HD2	4:B:949:HOH:O	1.76	0.68
1:A:138:ASP:OD1	4:A:503:HOH:O	2.14	0.65
1:A:266:GLU:OE1	4:A:501:HOH:O	2.15	0.64
1:B:290[A]:CYS:HB3	4:B:501:HOH:O	1.97	0.64
1:B:68:HIS:N	1:B:102[B]:MET:HE1	2.12	0.64
1:B:226[A]:GLU:HG2	4:B:686:HOH:O	1.97	0.63
1:A:67:GLY:HA3	1:A:102[A]:MET:HE1	1.80	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:GLY:C	1:A:102[A]:MET:HE2	2.21	0.60
1:B:68:HIS:H	1:B:102[B]:MET:HE1	1.63	0.60
1:A:224:GLY:HA2	4:A:508:HOH:O	2.02	0.58
1:A:138:ASP:CB	4:A:509:HOH:O	2.28	0.57
1:B:190[A]:LYS:HG3	4:B:510:HOH:O	2.06	0.55
1:A:290[B]:CYS:SG	4:A:501:HOH:O	2.22	0.55
1:B:102[B]:MET:HE2	1:B:106:ILE:HD11	1.89	0.54
1:B:68:HIS:N	1:B:102[B]:MET:CE	2.71	0.53
1:B:52[A]:ILE:HD12	4:B:880:HOH:O	2.08	0.53
1:A:102[A]:MET:HE3	1:A:106:ILE:HD11	1.91	0.53
1:B:78:GLU:H	1:B:78:GLU:CD	2.13	0.52
1:A:12:GLU:HG3	4:A:713:HOH:O	2.09	0.52
1:B:253[B]:ASN:HD21	1:B:255:LYS:NZ	2.08	0.52
1:B:67:GLY:C	1:B:102[B]:MET:HE1	2.31	0.51
1:B:190[A]:LYS:HG2	4:B:868:HOH:O	2.12	0.50
1:B:68:HIS:H	1:B:102[B]:MET:HE2	1.75	0.49
1:A:298:GLN:OE1	4:A:504:HOH:O	2.20	0.48
1:A:290[A]:CYS:HB3	4:A:501:HOH:O	2.13	0.48
1:A:221:TRP:CZ3	1:A:272[B]:ARG:HG2	2.52	0.44
1:B:190[A]:LYS:CD	4:B:510:HOH:O	2.65	0.44
1:A:29:LEU:HD23	1:A:29:LEU:C	2.38	0.43
1:A:175:ILE:HD11	1:A:320:LEU:CD2	2.48	0.43
1:A:349:ILE:HG21	1:A:349:ILE:HD13	1.79	0.43
1:B:253[B]:ASN:HD21	1:B:255:LYS:HZ2	1.67	0.42
1:A:272[B]:ARG:CG	1:A:272[B]:ARG:HH11	2.31	0.42
1:B:342[B]:LEU:HD12	1:B:368:TYR:HE1	1.85	0.42
1:B:190[A]:LYS:HD2	4:B:510:HOH:O	2.20	0.42
1:B:346:ASN:ND2	4:B:504:HOH:O	2.26	0.41
1:B:218:GLN:NE2	4:B:503:HOH:O	2.22	0.41
1:B:24:ARG:HD2	1:B:24:ARG:HA	1.91	0.41
1:A:190[A]:LYS:HG2	4:A:793:HOH:O	2.21	0.41
1:A:161[B]:ILE:HD11	1:A:371:ILE:HG21	2.03	0.41
1:B:342[B]:LEU:HD12	1:B:368:TYR:CE1	2.56	0.40
1:B:224:GLY:HA2	4:B:516:HOH:O	2.21	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:956:HOH:O	4:B:865:HOH:O[2_454]	1.25	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:766:HOH:O	4:A:1033:HOH:O[2_454]	1.28	0.92
4:A:520:HOH:O	4:A:884:HOH:O[4_555]	1.45	0.75
4:A:973:HOH:O	4:A:1033:HOH:O[2_454]	1.78	0.42
1:B:253[A]:ASN:ND2	4:A:731:HOH:O[4_455]	1.90	0.30
4:A:766:HOH:O	4:B:865:HOH:O[2_454]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/384 (100%)	376 (98%)	9 (2%)	0	100	100
1	B	390/384 (102%)	384 (98%)	6 (2%)	0	100	100
All	All	775/768 (101%)	760 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/313 (102%)	311 (98%)	7 (2%)	60	17
1	B	323/313 (103%)	321 (99%)	2 (1%)	90	68
All	All	641/626 (102%)	632 (99%)	9 (1%)	82	36

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	LYS
1	A	102[A]	MET
1	A	102[B]	MET
1	A	271	GLN
1	A	286	LEU
1	A	317[A]	GLU
1	A	317[B]	GLU
1	B	190[A]	LYS
1	B	190[B]	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	218	GLN
1	B	5	GLN
1	B	35	HIS
1	B	239	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	403	-	4,4,4	0.67	0	6,6,6	0.67	0
3	SO4	A	404	-	4,4,4	0.93	0	6,6,6	0.67	0
3	SO4	B	404	-	4,4,4	0.73	0	6,6,6	0.43	0
3	SO4	B	405	-	4,4,4	0.32	0	6,6,6	0.07	0
3	SO4	B	406	-	4,4,4	2.84	2 (50%)	6,6,6	1.32	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	403	-	-	0/0/0/0	0/0/0/0
3	SO4	A	404	-	-	0/0/0/0	0/0/0/0
3	SO4	B	404	-	-	0/0/0/0	0/0/0/0
3	SO4	B	405	-	-	0/0/0/0	0/0/0/0
3	SO4	B	406	-	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	406	SO4	O2-S	2.55	1.56	1.47
3	B	406	SO4	O1-S	4.73	1.63	1.47

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	406	SO4	O2-S-O1	2.21	116.96	109.59

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	375/384 (97%)	-0.66	1 (0%) 94 92	9, 15, 30, 42	0
1	B	376/384 (97%)	-0.52	1 (0%) 94 92	10, 15, 30, 80	0
All	All	751/768 (97%)	-0.59	2 (0%) 94 92	9, 15, 30, 80	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	377	ALA	2.8
1	B	91	ASP	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	A	404	5/5	0.98	0.09	2.03	15,20,28,29	5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	B	405	5/5	0.96	0.08	1.55	25,26,28,31	0
3	SO4	A	403	5/5	0.99	0.07	0.95	19,20,24,30	0
3	SO4	B	404	5/5	0.99	0.06	0.87	15,18,27,27	5
2	ZN	A	401	1/1	1.00	0.02	-1.91	13,13,13,13	0
2	ZN	B	401	1/1	1.00	0.01	-2.09	16,16,16,16	1
2	ZN	B	402	1/1	1.00	0.02	-3.54	13,13,13,13	0
2	ZN	A	402	1/1	1.00	0.01	-3.78	15,15,15,15	1
3	SO4	B	406	5/5	0.89	0.26	-	29,40,44,46	5
2	ZN	B	403	1/1	0.99	0.06	-	31,31,31,31	1

6.5 Other polymers [i](#)

There are no such residues in this entry.