



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:38 PM GMT

PDB ID : 3UG7
Title : Crystal Structure of Get3 from Methanocaldococcus jannaschii
Authors : Suloway, C.J.M.; Rome, M.E.; Clemons Jr., W.M.
Deposited on : 2011-11-02
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	<div> <div>5%</div> <div>67% 23% 9%</div> </div>
1	B	349	<div> <div>5%</div> <div>67% 19% 13%</div> </div>
1	C	349	<div> <div>11%</div> <div>64% 21% 14%</div> </div>
1	D	349	<div> <div>17%</div> <div>66% 20% 14%</div> </div>

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9910 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called arsenical pump-driving ATPase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	317	Total	C	N	O	S	0	0	0
			2537	1626	418	473	20			
1	B	303	Total	C	N	O	S	0	0	0
			2427	1557	397	453	20			
1	C	301	Total	C	N	O	S	0	0	0
			2415	1551	395	449	20			
1	D	301	Total	C	N	O	S	0	0	0
			2415	1551	395	449	20			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		


- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	A	1	Total	Zn	0	0
			1	1		
4	D	1	Total	Zn	0	0
			1	1		
4	C	1	Total	Zn	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: arsenical pump-driving ATPase




- Molecule 1: arsenical pump-driving ATPase




- Molecule 1: arsenical pump-driving ATPase





• Molecule 1: arsenical pump-driving ATPase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	71.95Å 149.64Å 72.89Å 90.00° 94.24° 90.00°	Depositor
Resolution (Å)	43.28 – 2.90 49.88 – 2.90	Depositor EDS
% Data completeness (in resolution range)	72.8 (43.28-2.90) 72.8 (49.88-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.91Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.2_869)	Depositor
R, R_{free}	0.269 , 0.295 0.267 , 0.287	Depositor DCC
R_{free} test set	1254 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	62.7	Xtriage
Anisotropy	0.067	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 36.9	EDS
Estimated twinning fraction	0.058 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 24806 reflections	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	9910	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/2576	0.51	1/3449 (0.0%)
1	B	0.27	0/2466	0.49	0/3306
1	C	0.28	0/2454	0.51	0/3290
1	D	0.26	0/2454	0.48	0/3290
All	All	0.27	0/9950	0.50	1/13335 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	125	LEU	CA-CB-CG	5.31	127.52	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2537	0	2619	64	0
1	B	2427	0	2493	51	0
1	C	2415	0	2486	65	0
1	D	2415	0	2486	50	0
2	A	27	0	12	1	0
2	B	27	0	12	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	27	0	12	2	0
2	D	27	0	12	3	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	9910	0	10132	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:95:ASP:HB2	1:C:98:LYS:HB3	1.52	0.91
1:A:25:GLY:H	1:C:187:LYS:HE2	1.41	0.86
1:B:100:MET:HE1	1:C:199:LEU:HD11	1.62	0.82
1:A:62:THR:HG22	1:A:94:ILE:HD12	1.62	0.82
1:B:62:THR:HG22	1:B:94:ILE:HD12	1.63	0.79
1:D:59:ILE:HB	1:D:91:VAL:HG12	1.69	0.74
1:A:22:LYS:HB2	1:A:236:GLU:HB3	1.72	0.72
1:B:103:TYR:CZ	1:B:107:LEU:HB2	2.26	0.71
1:C:111:ILE:HG12	1:C:118:GLY:HA3	1.74	0.68
1:D:60:VAL:HG12	1:D:92:VAL:HB	1.76	0.67
1:B:195:MET:HA	1:B:198:LYS:HG2	1.76	0.67
1:A:188:GLN:NE2	1:D:113:GLU:O	2.28	0.67
1:C:157:PHE:HB3	1:C:159:THR:HG22	1.78	0.66
1:A:60:VAL:HG12	1:A:92:VAL:HB	1.77	0.65
1:A:37:VAL:HG12	1:A:243:VAL:HG23	1.78	0.65
1:B:232:LEU:HD23	1:B:238:THR:HG21	1.78	0.65
1:A:28:TYR:HB2	1:A:238:THR:HG22	1.79	0.65
1:C:232:LEU:HD23	1:C:238:THR:HG21	1.78	0.65
1:B:62:THR:HG23	1:B:159:THR:HG22	1.79	0.64
1:B:37:VAL:HG12	1:B:243:VAL:HG23	1.78	0.64
1:A:21:GLU:O	1:C:186:ARG:NH1	2.32	0.63
1:A:232:LEU:HD23	1:A:238:THR:HG21	1.80	0.62
1:B:111:ILE:HD11	1:B:121:LEU:HD12	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:TYR:HB2	1:B:238:THR:HG22	1.81	0.62
1:C:28:TYR:HB2	1:C:238:THR:HG22	1.81	0.62
1:D:276:LEU:O	1:D:314:LEU:N	2.28	0.61
1:C:276:LEU:O	1:C:314:LEU:N	2.32	0.61
1:B:143:PHE:HZ	1:B:232:LEU:HD11	1.66	0.61
1:D:232:LEU:HD23	1:D:238:THR:HG21	1.80	0.61
1:D:28:TYR:HB2	1:D:238:THR:HG22	1.83	0.61
1:B:59:ILE:HB	1:B:91:VAL:HG22	1.84	0.60
1:B:125:LEU:HB2	1:C:192:PHE:HE1	1.65	0.60
1:A:62:THR:HG23	1:A:159:THR:HG22	1.82	0.60
1:A:111:ILE:HD12	1:A:118:GLY:HA3	1.83	0.60
1:A:143:PHE:HZ	1:A:232:LEU:HD11	1.67	0.59
1:D:62:THR:HG22	1:D:94:ILE:HD12	1.82	0.59
1:C:37:VAL:HG12	1:C:243:VAL:HG23	1.82	0.59
1:C:143:PHE:HZ	1:C:232:LEU:HD11	1.68	0.59
1:B:276:LEU:O	1:B:314:LEU:N	2.31	0.58
1:A:25:GLY:N	1:C:187:LYS:HE2	2.13	0.58
1:A:13:ARG:O	1:A:17:GLU:HG2	2.02	0.57
1:D:37:VAL:HG12	1:D:243:VAL:HG23	1.85	0.57
1:A:198:LYS:O	1:A:201:PRO:HD3	2.05	0.57
1:D:143:PHE:HZ	1:D:232:LEU:HD11	1.69	0.56
1:C:107:LEU:O	1:C:111:ILE:HG13	2.06	0.56
1:C:57:VAL:HG13	1:C:89:LEU:HD13	1.87	0.56
1:C:39:LYS:N	2:C:401:ADP:O3B	2.36	0.56
1:D:322:ILE:HA	1:D:325:LEU:HD12	1.87	0.56
1:C:62:THR:HG22	1:C:94:ILE:HD11	1.88	0.56
1:A:276:LEU:O	1:A:314:LEU:N	2.33	0.55
1:A:322:ILE:HA	1:A:325:LEU:HD12	1.89	0.55
1:B:192:PHE:HA	1:C:103:TYR:OH	2.06	0.55
1:A:258:MET:HG3	1:A:268:ILE:HD12	1.88	0.55
1:D:157:PHE:HB3	1:D:159:THR:HG22	1.88	0.54
1:B:97:GLN:O	1:B:100:MET:HB3	2.07	0.54
1:B:111:ILE:HD12	1:B:118:GLY:HA2	1.90	0.54
1:A:59:ILE:HB	1:A:91:VAL:HG22	1.88	0.54
1:C:111:ILE:HG12	1:C:118:GLY:CA	2.39	0.53
1:A:34:LYS:HG2	1:A:35:GLY:H	1.72	0.53
1:D:27:LYS:HB2	1:D:154:VAL:HG22	1.90	0.53
1:B:103:TYR:CG	1:C:195:MET:HG3	2.44	0.53
1:B:34:LYS:HG2	1:B:35:GLY:H	1.72	0.53
1:D:47:GLY:HA3	1:D:59:ILE:HD11	1.91	0.53
1:C:30:MET:HB3	1:C:157:PHE:HB2	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:114:ASN:OD1	1:D:116:PHE:N	2.41	0.53
1:D:258:MET:HG3	1:D:268:ILE:HD12	1.90	0.52
1:B:258:MET:HG3	1:B:268:ILE:HD12	1.91	0.52
1:B:39:LYS:HG2	2:B:401:ADP:O1B	2.09	0.52
1:A:21:GLU:HG2	1:C:215:LEU:HB3	1.90	0.52
1:C:242:LEU:HD13	1:C:254:SER:HB3	1.92	0.52
1:C:34:LYS:HG2	1:C:35:GLY:H	1.75	0.52
1:D:114:ASN:ND2	1:D:117:LEU:HB2	2.25	0.52
1:C:322:ILE:HA	1:C:325:LEU:HD12	1.91	0.52
1:B:103:TYR:CD1	1:C:195:MET:HG3	2.45	0.51
1:D:98:LYS:O	1:D:102:GLU:HG3	2.09	0.51
1:A:24:ASP:HB3	1:C:186:ARG:NE	2.26	0.51
1:D:34:LYS:HG2	1:D:35:GLY:H	1.76	0.51
1:B:100:MET:SD	1:B:129:ALA:HB2	2.51	0.51
1:A:167:ARG:HA	1:A:264:TYR:OH	2.12	0.50
1:A:17:GLU:OE2	1:A:53:LYS:NZ	2.44	0.50
1:A:39:LYS:HG2	2:A:401:ADP:O1B	2.10	0.50
1:A:72:PHE:O	1:A:84:LYS:HE3	2.11	0.50
1:A:10:ASN:N	1:A:331:ILE:O	2.45	0.49
1:B:72:PHE:O	1:B:84:LYS:HE3	2.12	0.49
1:C:72:PHE:O	1:C:84:LYS:HE3	2.12	0.49
1:D:72:PHE:O	1:D:84:LYS:HE3	2.12	0.49
1:C:195:MET:SD	1:C:198:LYS:HD2	2.52	0.49
1:A:97:GLN:O	1:A:101:GLU:HG2	2.12	0.49
1:B:201:PRO:HA	1:B:202:PHE:HA	1.52	0.49
1:C:275:GLN:HB3	1:C:314:LEU:HD12	1.94	0.49
1:A:103:TYR:CZ	1:D:198:LYS:HD2	2.48	0.48
1:B:322:ILE:HA	1:B:325:LEU:HD12	1.94	0.48
1:A:100:MET:HE3	1:A:125:LEU:HB3	1.96	0.48
1:C:258:MET:HG3	1:C:268:ILE:HD12	1.94	0.48
1:D:242:LEU:HD13	1:D:254:SER:HB3	1.96	0.48
1:A:27:LYS:HB2	1:A:154:VAL:HG22	1.94	0.47
1:A:30:MET:HB3	1:A:157:PHE:HB2	1.95	0.47
1:B:110:GLN:HE22	1:C:191:GLY:HA3	1.78	0.47
1:C:167:ARG:HA	1:C:264:TYR:OH	2.14	0.47
1:B:269:ASP:OD2	1:B:270:ALA:N	2.47	0.47
1:C:78:HIS:HA	1:C:93:GLU:O	2.14	0.47
1:D:30:MET:HB3	1:D:157:PHE:HB2	1.96	0.47
1:D:201:PRO:HA	1:D:202:PHE:HA	1.54	0.47
1:C:108:LYS:HA	1:C:111:ILE:HD12	1.96	0.47
1:B:125:LEU:HB2	1:C:192:PHE:CE1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:198:LYS:O	1:B:201:PRO:HD3	2.15	0.47
1:B:38:GLY:O	1:B:42:MET:HG2	2.15	0.46
1:C:83:VAL:HG11	1:C:91:VAL:HG23	1.98	0.46
1:D:34:LYS:HB3	1:D:37:VAL:HG21	1.98	0.46
1:B:36:GLY:C	1:B:38:GLY:H	2.19	0.46
1:B:140:PHE:HE2	1:B:168:PHE:CD2	2.34	0.46
1:A:38:GLY:O	1:A:42:MET:HG2	2.15	0.46
1:A:97:GLN:O	1:A:100:MET:HB3	2.15	0.46
1:D:167:ARG:HA	1:D:264:TYR:OH	2.15	0.46
1:A:125:LEU:HD23	1:D:196:MET:HG2	1.98	0.45
1:B:194:LYS:HE3	1:B:194:LYS:HB2	1.75	0.45
1:C:220:LYS:O	1:C:224:ARG:HG3	2.16	0.45
1:A:201:PRO:HA	1:A:202:PHE:HA	1.52	0.45
1:B:103:TYR:OH	1:C:192:PHE:HA	2.17	0.45
1:D:113:GLU:HA	1:D:115:PRO:HD3	1.99	0.45
1:A:140:PHE:HE2	1:A:168:PHE:CD2	2.34	0.45
1:C:107:LEU:HD22	1:C:125:LEU:HD12	1.98	0.45
1:A:13:ARG:HA	1:A:333:TYR:HD1	1.82	0.45
1:D:210:ASP:OD2	1:D:210:ASP:N	2.50	0.45
1:C:163:GLY:HA3	1:C:260:ALA:HB1	1.99	0.44
1:C:39:LYS:HG2	2:C:401:ADP:O3B	2.17	0.44
1:B:38:GLY:HA2	2:B:401:ADP:O1A	2.17	0.44
1:C:76:PHE:HB2	1:C:93:GLU:HB2	1.99	0.44
1:C:84:LYS:HA	1:C:84:LYS:HD3	1.76	0.44
1:C:100:MET:O	1:C:104:LYS:HG3	2.17	0.44
1:D:72:PHE:HE2	1:D:91:VAL:HG11	1.83	0.44
1:C:159:THR:O	1:C:161:PRO:HD3	2.18	0.44
1:A:24:ASP:N	1:A:24:ASP:OD1	2.50	0.44
1:A:179:MET:HE1	1:A:219:GLU:HA	1.99	0.44
1:B:160:ALA:HA	1:B:161:PRO:HD3	1.83	0.44
1:B:252:LEU:O	1:B:256:ARG:HG3	2.18	0.44
1:C:252:LEU:O	1:C:256:ARG:HG3	2.18	0.44
1:D:38:GLY:O	1:D:42:MET:HG2	2.18	0.43
1:D:36:GLY:C	1:D:38:GLY:H	2.21	0.43
1:D:39:LYS:HG2	2:D:401:ADP:O3B	2.18	0.43
1:C:95:ASP:OD2	1:C:98:LYS:HD2	2.18	0.43
1:B:72:PHE:O	1:B:73:GLU:HB2	2.19	0.43
1:C:34:LYS:O	1:C:39:LYS:NZ	2.50	0.43
1:D:57:VAL:HG13	1:D:89:LEU:HD13	2.00	0.43
1:B:47:GLY:HA3	1:B:59:ILE:HD11	1.99	0.43
1:D:190:SER:O	1:D:194:LYS:HE3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:ALA:HA	1:A:161:PRO:HD3	1.88	0.43
1:D:252:LEU:O	1:D:256:ARG:HG3	2.19	0.43
1:D:84:LYS:HD3	1:D:84:LYS:HA	1.75	0.43
1:B:34:LYS:HB3	1:B:37:VAL:HG21	2.00	0.43
1:A:72:PHE:CE2	1:A:91:VAL:HG21	2.54	0.43
1:A:72:PHE:HE2	1:A:91:VAL:HG21	1.84	0.43
1:B:167:ARG:HA	1:B:264:TYR:OH	2.18	0.43
1:A:117:LEU:O	1:A:121:LEU:HG	2.19	0.43
1:A:242:LEU:HD23	1:A:268:ILE:HG21	2.00	0.43
1:D:42:MET:HG3	1:D:243:VAL:HG11	2.01	0.42
1:C:36:GLY:C	1:C:38:GLY:H	2.22	0.42
1:A:22:LYS:CB	1:A:236:GLU:HB3	2.47	0.42
1:D:39:LYS:N	2:D:401:ADP:O3B	2.50	0.42
1:B:235:PRO:C	1:B:237:ARG:H	2.23	0.42
1:D:78:HIS:O	1:D:92:VAL:HG13	2.19	0.42
1:A:197:LYS:O	1:A:201:PRO:HB3	2.19	0.42
1:C:47:GLY:HA3	1:C:59:ILE:HD11	2.00	0.42
1:D:163:GLY:HA3	1:D:260:ALA:HB1	2.01	0.42
1:C:72:PHE:O	1:C:73:GLU:HB2	2.20	0.42
1:A:34:LYS:HB3	1:A:37:VAL:HG21	2.01	0.42
1:A:28:TYR:O	1:A:238:THR:HA	2.20	0.42
1:D:38:GLY:HA2	2:D:401:ADP:O2A	2.20	0.42
1:A:220:LYS:O	1:A:224:ARG:HG3	2.20	0.42
1:C:176:ASP:O	1:C:180:THR:HG23	2.20	0.42
1:C:78:HIS:HB2	1:C:95:ASP:OD2	2.20	0.42
1:C:186:ARG:HD3	1:C:211:TYR:CB	2.50	0.42
1:A:84:LYS:HD3	1:A:84:LYS:HA	1.79	0.42
1:D:220:LYS:O	1:D:224:ARG:HG3	2.19	0.42
1:C:34:LYS:HB3	1:C:37:VAL:HG21	2.01	0.42
1:C:72:PHE:CE2	1:C:91:VAL:HG21	2.54	0.42
1:C:76:PHE:CE1	1:C:83:VAL:HG12	2.55	0.42
1:A:36:GLY:C	1:A:38:GLY:H	2.24	0.42
1:A:252:LEU:O	1:A:256:ARG:HG3	2.20	0.42
1:A:78:HIS:O	1:A:92:VAL:HG13	2.20	0.41
1:A:57:VAL:HG22	1:A:154:VAL:HB	2.02	0.41
1:B:220:LYS:O	1:B:224:ARG:HG3	2.20	0.41
1:B:101:GLU:HA	1:B:104:LYS:HD3	2.02	0.41
1:B:72:PHE:CE2	1:B:91:VAL:HG21	2.54	0.41
1:B:242:LEU:HD13	1:B:254:SER:HB3	2.02	0.41
1:A:13:ARG:NE	1:A:333:TYR:O	2.53	0.41
1:A:235:PRO:C	1:A:237:ARG:H	2.24	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:HIS:O	1:B:92:VAL:HG13	2.20	0.41
1:C:193:MET:O	1:C:197:LYS:HG2	2.19	0.41
1:C:168:PHE:O	1:C:171:MET:HG3	2.20	0.41
1:B:72:PHE:HE2	1:B:91:VAL:HG21	1.84	0.41
1:B:113:GLU:O	1:B:115:PRO:HD3	2.19	0.41
1:C:62:THR:HA	1:C:94:ILE:HD11	2.02	0.41
1:D:100:MET:HG3	1:D:129:ALA:HB2	2.02	0.41
1:C:38:GLY:O	1:C:42:MET:HG2	2.20	0.41
1:D:235:PRO:C	1:D:237:ARG:H	2.24	0.41
1:D:72:PHE:O	1:D:73:GLU:HB2	2.20	0.41
1:C:215:LEU:O	1:C:219:GLU:HB2	2.21	0.41
1:D:159:THR:O	1:D:161:PRO:HD3	2.21	0.41
1:A:94:ILE:HD11	1:A:142:VAL:HB	2.02	0.41
1:A:194:LYS:HB2	1:A:194:LYS:HE3	1.75	0.41
1:D:34:LYS:O	1:D:39:LYS:NZ	2.53	0.41
1:A:47:GLY:HA3	1:A:59:ILE:HD11	2.03	0.41
1:A:72:PHE:O	1:A:73:GLU:HB2	2.19	0.41
1:B:197:LYS:HE2	1:B:197:LYS:HB3	1.91	0.41
1:D:215:LEU:O	1:D:219:GLU:HB2	2.20	0.41
1:A:79:GLU:HG3	1:A:80:PRO:HD2	2.02	0.40
1:C:57:VAL:HB	1:C:154:VAL:HG13	2.02	0.40
1:C:140:PHE:HE2	1:C:168:PHE:CD2	2.39	0.40
1:A:259:LYS:O	1:A:262:GLN:HB3	2.22	0.40
1:A:34:LYS:HG2	1:A:35:GLY:N	2.34	0.40
1:D:160:ALA:HA	1:D:161:PRO:HD3	1.94	0.40
1:D:125:LEU:HD23	1:D:125:LEU:HA	1.85	0.40
1:B:30:MET:HB3	1:B:157:PHE:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/349 (90%)	300 (96%)	12 (4%)	1 (0%)	46	79
1	B	299/349 (86%)	285 (95%)	13 (4%)	1 (0%)	46	79
1	C	297/349 (85%)	284 (96%)	12 (4%)	1 (0%)	46	79
1	D	297/349 (85%)	283 (95%)	13 (4%)	1 (0%)	46	79
All	All	1206/1396 (86%)	1152 (96%)	50 (4%)	4 (0%)	46	79

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	37	VAL
1	B	37	VAL
1	C	37	VAL
1	D	37	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/306 (90%)	274 (99%)	3 (1%)	80	95
1	B	265/306 (87%)	264 (100%)	1 (0%)	93	98
1	C	264/306 (86%)	263 (100%)	1 (0%)	93	98
1	D	264/306 (86%)	263 (100%)	1 (0%)	93	98
All	All	1070/1224 (87%)	1064 (99%)	6 (1%)	90	97

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	215	LEU
1	A	286	CYS
1	A	317	THR
1	B	286	CYS
1	C	286	CYS
1	D	286	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	A	401	3	22,29,29	0.98	1 (4%)	27,45,45	1.85	4 (14%)
2	ADP	B	401	3	22,29,29	1.03	2 (9%)	27,45,45	1.93	5 (18%)
2	ADP	C	401	3	22,29,29	1.01	1 (4%)	27,45,45	1.83	3 (11%)
2	ADP	D	401	3	22,29,29	1.00	1 (4%)	27,45,45	1.83	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	401	3	-	0/12/32/32	0/3/3/3
2	ADP	B	401	3	-	0/12/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	C	401	3	-	0/12/32/32	0/3/3/3
2	ADP	D	401	3	-	0/12/32/32	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	ADP	O4'-C1'	2.04	1.43	1.41
2	C	401	ADP	C5-C4	3.07	1.47	1.40
2	A	401	ADP	C5-C4	3.07	1.47	1.40
2	D	401	ADP	C5-C4	3.11	1.47	1.40
2	B	401	ADP	C5-C4	3.16	1.47	1.40

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	ADP	N3-C2-N1	-6.83	123.66	128.89
2	D	401	ADP	N3-C2-N1	-6.79	123.69	128.89
2	C	401	ADP	N3-C2-N1	-6.78	123.70	128.89
2	B	401	ADP	N3-C2-N1	-6.74	123.73	128.89
2	B	401	ADP	C4-C5-N7	-3.44	106.31	109.48
2	C	401	ADP	PA-O3A-PB	-3.40	121.26	132.67
2	D	401	ADP	PA-O3A-PB	-3.36	121.42	132.67
2	A	401	ADP	PA-O3A-PB	-3.25	121.75	132.67
2	B	401	ADP	PA-O3A-PB	-3.23	121.83	132.67
2	A	401	ADP	C4-C5-N7	-3.21	106.52	109.48
2	C	401	ADP	C4-C5-N7	-3.14	106.59	109.48
2	D	401	ADP	C4-C5-N7	-3.05	106.68	109.48
2	B	401	ADP	C2'-C1'-N9	-2.28	110.81	114.29
2	A	401	ADP	O3B-PB-O2B	2.02	115.07	107.38
2	B	401	ADP	O3B-PB-O2B	2.03	115.09	107.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	ADP	1	0
2	B	401	ADP	2	0
2	C	401	ADP	2	0
2	D	401	ADP	3	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/349 (90%)	0.39	16 (5%) 32 26	23, 62, 100, 125	0
1	B	303/349 (86%)	0.48	17 (5%) 28 21	29, 70, 108, 139	0
1	C	301/349 (86%)	0.77	38 (12%) 5 3	39, 96, 143, 155	0
1	D	301/349 (86%)	1.05	59 (19%) 1 1	44, 97, 138, 163	0
All	All	1222/1396 (87%)	0.67	130 (10%) 8 5	23, 78, 135, 163	0

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	285	PHE	6.2
1	D	328	ILE	5.7
1	C	202	PHE	5.1
1	D	333	TYR	4.9
1	C	280	ASP	4.9
1	D	54	GLY	4.9
1	C	279	GLU	4.5
1	D	59	ILE	4.5
1	D	57	VAL	4.4
1	B	202	PHE	4.4
1	D	277	ILE	4.4
1	C	304	PHE	4.4
1	D	43	SER	4.3
1	D	276	LEU	4.1
1	A	10	ASN	4.1
1	C	270	ALA	4.0
1	D	325	LEU	4.0
1	A	202	PHE	3.9
1	A	54	GLY	3.8
1	D	88	ASN	3.8
1	D	93	GLU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	273	VAL	3.7
1	D	58	VAL	3.7
1	C	311	TYR	3.6
1	C	278	PRO	3.6
1	B	54	GLY	3.5
1	C	111	ILE	3.5
1	C	107	LEU	3.4
1	D	154	VAL	3.4
1	D	202	PHE	3.3
1	B	87	ASP	3.3
1	B	151	GLU	3.3
1	D	72	PHE	3.3
1	B	292	LEU	3.2
1	D	281	VAL	3.2
1	B	98	LYS	3.2
1	D	246	PRO	3.1
1	D	211	TYR	3.1
1	C	271	VAL	3.1
1	D	87	ASP	3.1
1	C	242	LEU	3.1
1	D	316	ARG	3.0
1	D	55	LEU	3.0
1	C	103	TYR	3.0
1	D	29	ILE	3.0
1	C	246	PRO	3.0
1	D	148	ASP	3.0
1	D	317	THR	2.9
1	D	27	LYS	2.9
1	C	285	PHE	2.9
1	D	278	PRO	2.9
1	D	280	ASP	2.9
1	D	90	TYR	2.8
1	C	198	LYS	2.8
1	D	41	THR	2.7
1	C	244	VAL	2.7
1	D	331	ILE	2.7
1	D	279	GLU	2.7
1	D	28	TYR	2.7
1	D	306	ASP	2.7
1	D	45	ALA	2.7
1	A	151	GLU	2.6
1	D	31	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	84	LYS	2.6
1	D	156	ILE	2.6
1	C	307	LYS	2.6
1	D	92	VAL	2.6
1	D	30	MET	2.5
1	B	152	PHE	2.5
1	B	200	LEU	2.5
1	D	144	LEU	2.5
1	D	332	LEU	2.5
1	D	94	ILE	2.5
1	C	291	GLU	2.5
1	C	31	PHE	2.5
1	C	102	GLU	2.4
1	D	273	VAL	2.4
1	C	78	HIS	2.4
1	C	297	LEU	2.4
1	D	147	MET	2.4
1	D	151	GLU	2.4
1	C	306	ASP	2.3
1	B	320	LYS	2.3
1	C	312	VAL	2.3
1	A	11	SER	2.3
1	D	311	TYR	2.3
1	C	319	ALA	2.3
1	D	44	ALA	2.3
1	C	313	PRO	2.3
1	D	50	LEU	2.3
1	D	91	VAL	2.3
1	B	84	LYS	2.3
1	A	197	LYS	2.3
1	C	72	PHE	2.2
1	D	236	GLU	2.2
1	D	149	SER	2.2
1	B	135	ASP	2.2
1	C	333	TYR	2.2
1	C	267	PRO	2.2
1	B	211	TYR	2.2
1	D	48	VAL	2.2
1	A	13	ARG	2.2
1	D	78	HIS	2.2
1	D	150	ASN	2.2
1	A	12	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	152	PHE	2.2
1	A	103	TYR	2.2
1	A	282	GLN	2.2
1	C	281	VAL	2.2
1	A	280	ASP	2.1
1	B	111	ILE	2.1
1	B	278	PRO	2.1
1	C	91	VAL	2.1
1	A	281	VAL	2.1
1	C	310	ALA	2.1
1	C	294	LEU	2.1
1	D	63	ASP	2.1
1	B	281	VAL	2.1
1	A	20	LEU	2.1
1	C	30	MET	2.1
1	B	141	ASP	2.0
1	C	284	ASP	2.0
1	C	277	ILE	2.0
1	B	82	LYS	2.0
1	A	287	ARG	2.0
1	D	89	LEU	2.0
1	A	189	MET	2.0
1	D	237	ARG	2.0
1	A	212	ASP	2.0
1	D	53	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	MG	B	403	1/1	0.98	0.21	-0.21	16,16,16,16	0
2	ADP	A	401	27/27	0.93	0.22	-0.44	26,40,51,52	0
3	MG	D	403	1/1	0.91	0.22	-0.78	51,51,51,51	0
2	ADP	D	401	27/27	0.88	0.21	-1.04	68,82,87,156	0
2	ADP	C	401	27/27	0.90	0.19	-1.16	71,76,81,161	0
3	MG	C	403	1/1	0.93	0.20	-1.41	43,43,43,43	0
2	ADP	B	401	27/27	0.94	0.17	-1.44	25,50,51,52	0
4	ZN	A	404	1/1	0.81	0.05	-	133,133,133,133	1
4	ZN	D	404	1/1	0.90	0.12	-	177,177,177,177	1
4	ZN	B	404	1/1	0.93	0.06	-	106,106,106,106	1
3	MG	A	403	1/1	0.94	0.27	-	18,18,18,18	0
4	ZN	C	404	1/1	0.46	0.12	-	171,171,171,171	1

6.5 Other polymers [i](#)

There are no such residues in this entry.