



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:37 PM GMT

PDB ID : 1UH3  
Title : Thermoactinomyces vulgaris R-47 alpha-amylase/acarbose complex  
Authors : Abe, A.; Tonozyuka, T.; Sakano, Y.; Kamitori, S.  
Deposited on : 2003-06-23  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	637	<div> <div style="width: 73%; background-color: green;"></div> <div style="width: 24%; background-color: yellow;"></div> <div style="width: 3%; background-color: orange;"></div> <div style="width: 0%; background-color: red;"></div> <div style="width: 0%; background-color: grey;"></div> </div> <div>73% 24% .</div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GLC	A	702	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GLC	A	705	-	-	-	X
3	GLD	A	811	-	-	-	X
4	GLC	A	801	-	-	-	X
4	GLC	A	802	-	-	-	X
4	GLC	A	803	-	-	-	X
6	ACI	A	901	-	-	-	X
7	GLC	A	910	-	-	-	X
7	GLC	A	911	-	-	-	X

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 5438 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alpha-amylase I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	637	Total	C	N	O	S	0	0	0
			5038	3192	842	994	10			

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			34	19	1	14		


- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	2	Total	C	O	0	0
			21	12	9		
3	A	2	Total	C	O	0	0
			21	12	9		
3	A	2	Total	C	O	0	0
			21	12	9		

- Molecule 4 is a polymer of unknown type called SUGAR (4-MER).


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	4	Total	C	O	0	0
			45	24	21		

- Molecule 5 is SUGAR ((1S,2S,3R,6R)-6-AMINO-4-(HYDROXYMETHYL)CYCLOHEX-4-ENE-1,2,3-TRIOL) (three-letter code: HSD) (formula: C<sub>7</sub>H<sub>13</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			12	7	1	4		

- Molecule 6 is SUGAR (6-AMINO-4-HYDROXYMETHYL-CYCLOHEX-4-ENE-1,2,3-TRIOL) (three-letter code: ACI) (formula:  $C_7H_{13}NO_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			12	7	1	4		

- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	2	Total	C	O	0	0
			23	12	11		

- Molecule 8 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	3	Total	Ca	0	0
			3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	208	Total	O	0	0
			208	208		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: alpha-amylase I



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.61Å 50.60Å 108.56Å 90.00° 103.77° 90.00°	Depositor
Resolution (Å)	33.00 – 2.60 33.36 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.7 (33.00-2.60) 99.8 (33.36-2.60)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.83 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.185 , 0.255 0.193 , 0.261	Depositor DCC
$R_{free}$ test set	1973 reflections (9.85%)	DCC
Wilson B-factor (Å <sup>2</sup> )	11.3	Xtriage
Anisotropy	0.956	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 33.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 20029 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	5438	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, HSD, ACI, GLC, GLD, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/5195	0.62	0/7108

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5038	0	4648	158	0
2	A	34	0	30	2	0
3	A	63	0	60	2	0
4	A	45	0	39	1	0
5	A	12	0	11	4	0
6	A	12	0	12	0	0
7	A	23	0	21	4	0
8	A	3	0	0	0	0
9	A	208	0	0	6	0
All	All	5438	0	4821	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:HIS:HD2	1:A:223:TYR:H	1.14	0.93
1:A:272:HIS:HD2	1:A:274:TRP:H	1.22	0.84
1:A:221:HIS:CD2	1:A:223:TYR:H	2.00	0.80
1:A:37:ARG:HH22	1:A:598:GLN:NE2	1.86	0.74
1:A:578:ARG:HE	1:A:637:GLN:HE21	1.36	0.74
1:A:589:SER:N	7:A:911:GLC:O3	2.20	0.73
1:A:474:THR:OG1	1:A:479:ARG:HD2	1.87	0.73
1:A:268:THR:HG22	1:A:317:PRO:HG2	1.72	0.72
1:A:207:ASN:H	1:A:207:ASN:HD22	1.35	0.71
1:A:578:ARG:HE	1:A:637:GLN:NE2	1.89	0.71
1:A:345:ASN:HD21	1:A:387:VAL:HG13	1.58	0.68
1:A:202:LYS:HE2	1:A:253:ASN:O	1.94	0.68
1:A:268:THR:HG21	1:A:298:TYR:OH	1.94	0.68
1:A:603:ASN:HD21	1:A:621:GLY:H	1.41	0.67
1:A:519:ASN:H	1:A:519:ASN:HD22	1.42	0.67
1:A:331:VAL:HG23	1:A:332:ILE:HD12	1.77	0.66
1:A:400:ASN:HB2	5:A:810:HSD:H5	1.78	0.66
1:A:253:ASN:H	1:A:253:ASN:HD22	1.43	0.66
1:A:519:ASN:ND2	1:A:519:ASN:H	1.93	0.65
1:A:28:SER:H	1:A:123:ASN:HD21	1.44	0.65
1:A:455:ASN:HD21	5:A:810:HSD:C4	2.10	0.65
1:A:495:MET:HG3	1:A:541:LEU:HB3	1.79	0.64
1:A:268:THR:HG23	1:A:269:GLY:O	1.97	0.64
1:A:330:GLY:HA2	1:A:334:ASN:HB2	1.80	0.64
1:A:220:ASN:H	1:A:220:ASN:ND2	1.97	0.63
1:A:201:LYS:NZ	1:A:253:ASN:HD21	1.97	0.63
1:A:154:THR:HA	1:A:164:THR:O	1.98	0.63
1:A:157:TYR:O	1:A:164:THR:HG23	1.99	0.62
1:A:114:ASN:HD22	1:A:115:ALA:N	1.98	0.61
1:A:211:LEU:HD23	1:A:214:ILE:HG21	1.82	0.60
1:A:37:ARG:HH22	1:A:598:GLN:HE21	1.50	0.60
1:A:218:PRO:HG2	1:A:224:ASP:OD2	2.01	0.60
1:A:345:ASN:ND2	1:A:387:VAL:HG13	2.16	0.59
1:A:589:SER:HB2	7:A:911:GLC:O3	2.02	0.59
1:A:519:ASN:N	1:A:519:ASN:HD22	2.00	0.58
1:A:220:ASN:H	1:A:220:ASN:HD22	1.52	0.58
1:A:459:ASN:N	1:A:459:ASN:HD22	2.02	0.58
1:A:134:VAL:H	1:A:207:ASN:HD21	1.52	0.58
1:A:425:SER:HB2	1:A:479:ARG:HH11	1.69	0.57
1:A:138:ILE:O	1:A:140:PRO:HD3	2.04	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:523:PHE:HE1	1:A:528:ALA:HB2	1.68	0.57
1:A:409:ASN:H	1:A:409:ASN:HD22	1.51	0.56
1:A:484:LEU:HG	1:A:488:TYR:CE2	2.40	0.56
1:A:331:VAL:HG23	1:A:332:ILE:CD1	2.35	0.56
1:A:12:LEU:HD12	1:A:38:THR:HG22	1.88	0.56
1:A:158:THR:HG22	1:A:163:PRO:HA	1.86	0.55
1:A:489:LEU:HD11	1:A:583:LEU:HB3	1.88	0.55
1:A:212:ASN:HB3	1:A:213:PRO:HD2	1.90	0.54
1:A:268:THR:CG2	1:A:317:PRO:HG2	2.38	0.53
1:A:207:ASN:ND2	1:A:208:ILE:HG13	2.24	0.53
1:A:434:GLN:OE1	1:A:434:GLN:HA	2.09	0.53
1:A:131:LYS:HD3	1:A:462:GLN:OE1	2.08	0.53
1:A:114:ASN:HD22	1:A:114:ASN:C	2.11	0.53
1:A:220:ASN:HD22	1:A:220:ASN:N	2.04	0.53
1:A:213:PRO:HB2	1:A:222:LYS:HB2	1.90	0.52
1:A:433:TYR:HB2	1:A:473:ILE:HD12	1.92	0.52
1:A:523:PHE:CE1	1:A:528:ALA:HB2	2.45	0.52
1:A:142:ARG:HG3	1:A:520:ARG:O	2.10	0.52
1:A:345:ASN:ND2	1:A:387:VAL:CG1	2.73	0.52
1:A:201:LYS:HB3	1:A:255:PRO:HD2	1.91	0.51
2:A:701:BGC:O2	2:A:702:GLC:H4	2.10	0.51
1:A:402:ASN:N	1:A:403:PRO:CD	2.73	0.51
1:A:354:ARG:NH1	1:A:356:ASP:HB2	2.25	0.51
1:A:253:ASN:H	1:A:253:ASN:ND2	2.09	0.51
1:A:11:GLY:O	1:A:37:ARG:HD3	2.11	0.51
1:A:14:HIS:HD2	1:A:35:LYS:O	1.93	0.51
1:A:326:SER:OG	1:A:329:ARG:HG3	2.11	0.50
1:A:253:ASN:HD22	1:A:253:ASN:N	2.05	0.50
1:A:138:ILE:HG21	1:A:193:ILE:CD1	2.41	0.50
1:A:458:THR:O	1:A:462:GLN:HG3	2.11	0.50
1:A:578:ARG:NE	1:A:637:GLN:HE21	2.08	0.50
1:A:210:TYR:CZ	1:A:354:ARG:HG3	2.46	0.50
1:A:540:LYS:O	1:A:544:ILE:HG13	2.12	0.50
1:A:609:ASP:O	1:A:611:ILE:N	2.45	0.49
1:A:527:GLN:HG3	1:A:532:ASN:HD22	1.77	0.49
5:A:810:HSD:H3	3:A:811:GLD:H63	1.95	0.49
1:A:455:ASN:HD21	5:A:810:HSD:H6	1.77	0.49
1:A:216:LYS:HE3	1:A:226:GLN:OE1	2.12	0.49
1:A:598:GLN:HA	1:A:598:GLN:HE21	1.78	0.49
1:A:268:THR:O	1:A:317:PRO:HD2	2.13	0.48
1:A:519:ASN:ND2	1:A:520:ARG:HD3	2.28	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:ILE:HB	1:A:95:ASN:O	2.14	0.48
1:A:586:ASP:OD1	1:A:590:HIS:HE1	1.95	0.48
1:A:499:GLY:O	1:A:501:PRO:HD3	2.14	0.48
1:A:131:LYS:HG3	1:A:462:GLN:CB	2.44	0.48
1:A:571:GLY:HA3	1:A:599:LEU:HD21	1.95	0.48
1:A:37:ARG:NH2	1:A:598:GLN:NE2	2.60	0.47
1:A:134:VAL:H	1:A:207:ASN:ND2	2.12	0.47
1:A:201:LYS:HZ1	1:A:253:ASN:HD21	1.61	0.47
1:A:197:LEU:HD12	1:A:197:LEU:HA	1.79	0.47
1:A:495:MET:HE1	1:A:542:ILE:HG12	1.96	0.47
1:A:120:ILE:O	1:A:122:PRO:HD3	2.15	0.47
1:A:589:SER:CB	7:A:911:GLC:O3	2.63	0.47
1:A:497:TYR:CG	1:A:498:VAL:N	2.84	0.47
1:A:332:ILE:HG22	1:A:333:TYR:HD1	1.80	0.46
1:A:272:HIS:CD2	1:A:274:TRP:H	2.14	0.46
1:A:374:HIS:HD2	1:A:410:GLN:OE1	1.98	0.46
1:A:356:ASP:OD2	2:A:703:ACI:H2	2.15	0.46
1:A:27:THR:HA	1:A:123:ASN:ND2	2.30	0.46
1:A:50:TYR:HA	1:A:89:TYR:O	2.15	0.46
1:A:138:ILE:HG21	1:A:193:ILE:HD11	1.97	0.46
1:A:114:ASN:ND2	1:A:114:ASN:C	2.70	0.46
1:A:371:VAL:HG23	9:A:1143:HOH:O	2.15	0.46
1:A:607:VAL:HG21	1:A:635:LEU:HB3	1.98	0.45
1:A:603:ASN:HD22	1:A:618:VAL:HG12	1.82	0.45
1:A:477:ALA:HB3	1:A:511:MET:O	2.17	0.45
1:A:398:TRP:CD1	1:A:398:TRP:N	2.84	0.45
1:A:201:LYS:HE3	1:A:255:PRO:O	2.17	0.45
1:A:138:ILE:HD13	1:A:193:ILE:HD12	1.99	0.45
1:A:355:LEU:HB2	1:A:395:GLY:HA2	1.99	0.45
1:A:144:TYR:O	1:A:192:GLY:HA3	2.16	0.45
1:A:211:LEU:O	1:A:262:ASP:HB2	2.17	0.44
1:A:226:GLN:HG3	1:A:271:SER:O	2.17	0.44
1:A:598:GLN:HE21	1:A:598:GLN:CA	2.30	0.44
1:A:565:ASN:O	1:A:567:ILE:HD13	2.17	0.44
1:A:207:ASN:N	1:A:207:ASN:HD22	2.00	0.44
1:A:189:ASP:O	1:A:193:ILE:HG12	2.17	0.44
1:A:290:GLN:HA	1:A:295:TYR:CD1	2.53	0.44
1:A:212:ASN:HB3	1:A:213:PRO:CD	2.47	0.44
1:A:540:LYS:HE3	1:A:540:LYS:HB2	1.91	0.43
7:A:910:GLC:O5	7:A:911:GLC:H61	2.18	0.43
1:A:374:HIS:HE1	9:A:1151:HOH:O	2.01	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:LYS:HG3	1:A:462:GLN:HB2	2.00	0.43
1:A:559:LEU:HD21	1:A:599:LEU:HD13	2.00	0.43
1:A:511:MET:HG2	1:A:512:GLN:N	2.32	0.43
1:A:58:PHE:CZ	4:A:804:GLC:H62	2.54	0.43
1:A:201:LYS:NZ	1:A:253:ASN:ND2	2.64	0.43
1:A:253:ASN:ND2	1:A:253:ASN:N	2.67	0.43
1:A:375:GLN:NE2	9:A:1172:HOH:O	2.50	0.43
1:A:449:LEU:O	1:A:453:ARG:HB2	2.19	0.43
1:A:360:TYR:O	1:A:361:VAL:C	2.57	0.43
1:A:155:GLY:O	1:A:156:SER:C	2.57	0.43
1:A:12:LEU:HA	1:A:37:ARG:O	2.19	0.42
1:A:495:MET:HG3	1:A:541:LEU:CB	2.46	0.42
1:A:398:TRP:CG	3:A:705:GLC:H3	2.54	0.42
1:A:422:GLN:N	1:A:423:PRO:HD2	2.34	0.42
1:A:442:THR:HG23	1:A:568:TYR:HB2	2.01	0.42
1:A:207:ASN:N	1:A:207:ASN:ND2	2.67	0.42
1:A:201:LYS:HZ3	1:A:253:ASN:HD21	1.65	0.42
1:A:422:GLN:OE1	1:A:422:GLN:HA	2.19	0.42
1:A:409:ASN:HD21	1:A:410:GLN:HE21	1.68	0.42
1:A:607:VAL:CG1	1:A:616:TYR:HB2	2.50	0.42
1:A:509:TYR:CD1	1:A:509:TYR:C	2.93	0.42
1:A:334:ASN:HB3	9:A:1069:HOH:O	2.20	0.41
1:A:303:TRP:CE2	1:A:304:PRO:HB3	2.55	0.41
1:A:30:GLN:C	1:A:83:ALA:HB2	2.40	0.41
1:A:216:LYS:HB3	1:A:227:ASP:HB3	2.01	0.41
1:A:560:ILE:HB	1:A:569:SER:HB3	2.02	0.41
1:A:450:ARG:HD3	9:A:1019:HOH:O	2.21	0.41
1:A:578:ARG:HH21	1:A:578:ARG:HG3	1.86	0.41
1:A:459:ASN:N	1:A:459:ASN:ND2	2.67	0.41
1:A:425:SER:CB	1:A:479:ARG:HH11	2.33	0.41
1:A:210:TYR:CE1	1:A:354:ARG:HG3	2.56	0.41
1:A:578:ARG:NH2	1:A:578:ARG:HG3	2.34	0.41
1:A:326:SER:HG	1:A:329:ARG:HG3	1.85	0.41
1:A:328:VAL:HA	1:A:331:VAL:HG22	2.03	0.41
1:A:343:TYR:O	1:A:350:VAL:HG22	2.21	0.40
1:A:241:LEU:HD22	1:A:245:ILE:HD11	2.02	0.40
1:A:5:ASN:HA	1:A:96:ASP:O	2.21	0.40
1:A:1:ALA:HA	9:A:1021:HOH:O	2.20	0.40
1:A:130:LEU:HD13	1:A:463:SER:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	635/637 (100%)	589 (93%)	43 (7%)	3 (0%)	34 60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	140	PRO
1	A	610	LYS
1	A	384	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	540/540 (100%)	514 (95%)	26 (5%)	31 58

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	36	LEU
1	A	37	ARG
1	A	60	TRP
1	A	114	ASN
1	A	130	LEU
1	A	140	PRO
1	A	160	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	166	LYS
1	A	197	LEU
1	A	207	ASN
1	A	210	TYR
1	A	220	ASN
1	A	241	LEU
1	A	253	ASN
1	A	304	PRO
1	A	319	LEU
1	A	344	LEU
1	A	409	ASN
1	A	433	TYR
1	A	435	ASN
1	A	459	ASN
1	A	470	ASN
1	A	509	TYR
1	A	519	ASN
1	A	598	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	10	ASN
1	A	14	HIS
1	A	30	GLN
1	A	56	ASN
1	A	114	ASN
1	A	123	ASN
1	A	137	GLN
1	A	153	GLN
1	A	160	ASN
1	A	195	GLN
1	A	207	ASN
1	A	220	ASN
1	A	221	HIS
1	A	253	ASN
1	A	266	ASN
1	A	272	HIS
1	A	280	ASN
1	A	314	ASN
1	A	323	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	345	ASN
1	A	364	ASN
1	A	367	ASN
1	A	374	HIS
1	A	375	GLN
1	A	409	ASN
1	A	410	GLN
1	A	435	ASN
1	A	444	GLN
1	A	455	ASN
1	A	459	ASN
1	A	494	GLN
1	A	512	GLN
1	A	519	ASN
1	A	539	GLN
1	A	547	GLN
1	A	575	ASN
1	A	585	ASN
1	A	590	HIS
1	A	598	GLN
1	A	603	ASN
1	A	637	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

15 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	A	701	2	11,11,12	0.39	0	14,15,17	0.80	1 (7%)
2	GLC	A	702	2	11,11,12	0.68	0	14,15,17	0.80	0
2	ACI	A	703	3,2	11,12,12	1.28	1 (9%)	9,17,17	1.34	1 (11%)
3	GLD	A	704	3,2	9,9,10	0.77	0	10,12,14	0.51	0
3	GLC	A	705	3	12,12,12	0.46	0	17,17,17	0.74	0
4	GLC	A	801	4	11,11,12	0.52	0	14,15,17	0.68	1 (7%)
4	GLC	A	802	4	11,11,12	0.63	0	14,15,17	0.58	0
4	GLC	A	803	4	11,11,12	0.53	0	14,15,17	0.35	0
4	GLC	A	804	4	12,12,12	0.57	0	17,17,17	0.67	0
3	GLD	A	811	3,5	9,9,10	0.64	0	10,12,14	0.90	0
3	GLC	A	812	3	12,12,12	0.49	0	17,17,17	0.31	0
3	GLD	A	902	3,6	9,9,10	0.65	0	10,12,14	0.51	0
3	GLC	A	903	3	12,12,12	0.41	0	17,17,17	0.42	0
7	GLC	A	910	7	11,11,12	0.76	1 (9%)	14,15,17	1.72	1 (7%)
7	GLC	A	911	7	12,12,12	0.66	0	17,17,17	1.01	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	A	701	2	-	0/2/19/22	0/1/1/1
2	GLC	A	702	2	-	0/2/19/22	0/1/1/1
2	ACI	A	703	3,2	-	0/2/22/22	0/1/1/1
3	GLD	A	704	3,2	-	0/0/13/16	0/1/1/1
3	GLC	A	705	3	-	0/2/22/22	0/1/1/1
4	GLC	A	801	4	-	0/2/19/22	0/1/1/1
4	GLC	A	802	4	-	0/2/19/22	0/1/1/1
4	GLC	A	803	4	-	0/2/19/22	0/1/1/1
4	GLC	A	804	4	-	0/2/22/22	0/1/1/1
3	GLD	A	811	3,5	-	0/0/13/16	0/1/1/1
3	GLC	A	812	3	-	0/2/22/22	0/1/1/1
3	GLD	A	902	3,6	-	0/0/13/16	0/1/1/1
3	GLC	A	903	3	-	0/2/22/22	0/1/1/1
7	GLC	A	910	7	-	0/2/19/22	0/1/1/1
7	GLC	A	911	7	-	0/2/22/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	910	GLC	C2-C3	2.01	1.55	1.52
2	A	703	ACI	C7-C5	3.19	1.37	1.32

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	911	GLC	C4-C3-C2	-2.22	106.64	110.79
4	A	801	GLC	C1-C2-C3	2.03	111.94	109.54
7	A	911	GLC	O4-C4-C5	2.11	114.82	109.24
2	A	701	BGC	C1-C2-C3	2.56	112.57	109.54
2	A	703	ACI	O4-C4-C5	3.60	118.12	110.36
7	A	910	GLC	C1-C2-C3	5.50	116.04	109.54

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	BGC	1	0
2	A	702	GLC	1	0
2	A	703	ACI	1	0
3	A	705	GLC	1	0
4	A	804	GLC	1	0
3	A	811	GLD	1	0
7	A	910	GLC	1	0
7	A	911	GLC	4	0

## 5.6 Ligand geometry

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	HSD	A	810	3	11,12,12	0.88	1 (9%)	9,17,17	0.70	0
6	ACI	A	901	3	11,12,12	0.99	1 (9%)	9,17,17	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HSD	A	810	3	-	0/2/22/22	0/1/1/1
6	ACI	A	901	3	-	0/2/22/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	810	HSD	C2-C3	2.03	1.35	1.32
6	A	901	ACI	C7-C5	2.34	1.36	1.32

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	810	HSD	4	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	637/637 (100%)	-0.44	1 (0%) 95 95	1, 9, 21, 33	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	620	ASN	2.6

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
7	GLC	A	911	12/12	0.81	0.41	12.05	54,55,57,59	0
7	GLC	A	910	11/12	0.73	0.33	5.97	51,54,55,55	0
3	GLD	A	811	9/10	0.92	0.19	5.90	36,39,40,42	0
4	GLC	A	801	11/12	0.89	0.23	4.04	35,38,40,41	0
4	GLC	A	803	11/12	0.92	0.21	2.37	33,34,35,37	0
2	GLC	A	702	11/12	0.90	0.18	2.36	14,17,24,30	0
4	GLC	A	802	11/12	0.90	0.20	2.09	31,34,35,36	0
3	GLC	A	705	12/12	0.93	0.16	2.07	15,17,21,22	0
3	GLD	A	902	9/10	0.96	0.18	1.26	8,12,13,13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ACI	A	703	12/12	0.95	0.15	0.53	7,8,10,11	0
3	GLD	A	704	9/10	0.96	0.11	-0.99	7,11,12,13	0
4	GLC	A	804	12/12	0.80	0.43	-	41,49,51,52	0
3	GLC	A	812	12/12	0.84	0.27	-	39,40,40,41	0
3	GLC	A	903	12/12	0.93	0.22	-	13,14,16,19	0
2	BGC	A	701	11/12	0.66	0.34	-	37,41,41,42	0

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	ACI	A	901	12/12	0.92	0.21	2.43	12,15,17,18	0
8	CA	A	1001	1/1	0.97	0.04	-2.71	9,9,9,9	0
8	CA	A	1002	1/1	0.96	0.05	-3.65	22,22,22,22	0
8	CA	A	1003	1/1	0.98	0.03	-6.04	14,14,14,14	0
5	HSD	A	810	12/12	0.81	0.30	-	39,40,41,42	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.