



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:45 PM GMT

PDB ID : 3UTG
Title : Crystal structure of Aspergillus fumigatus UDP galactopyranose mutase complexed with UDP in reduced state
Authors : Dhatwalia, R.; Singh, H.; Tanner, J.J.
Deposited on : 2011-11-25
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	<div> <div>%</div> <div> <div></div> <div>92%</div> <div>6% •</div> </div> </div>
1	B	513	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>8% •</div> </div> </div>
1	C	513	<div> <div></div> <div> <div></div> <div>93%</div> <div>5% •</div> </div> </div>
1	D	513	<div> <div></div> <div> <div></div> <div>95%</div> <div>• •</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	D	514	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 16560 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-galactopyranose mutase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	505	Total	C	N	O	S	0	0	0
			3893	2473	661	738	21			
1	B	505	Total	C	N	O	S	0	0	0
			3900	2475	663	741	21			
1	C	504	Total	C	N	O	S	0	0	0
			3880	2466	660	733	21			
1	D	505	Total	C	N	O	S	0	0	0
			3878	2463	658	736	21			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	ALA	-	EXPRESSION TAG	UNP Q4W1X2
A	-1	ILE	-	EXPRESSION TAG	UNP Q4W1X2
A	0	ALA	-	EXPRESSION TAG	UNP Q4W1X2
A	344	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
A	345	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
A	429	THR	ALA	SEE REMARK 999	UNP Q4W1X2
B	-2	ALA	-	EXPRESSION TAG	UNP Q4W1X2
B	-1	ILE	-	EXPRESSION TAG	UNP Q4W1X2
B	0	ALA	-	EXPRESSION TAG	UNP Q4W1X2
B	344	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
B	345	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
B	429	THR	ALA	SEE REMARK 999	UNP Q4W1X2
C	-2	ALA	-	EXPRESSION TAG	UNP Q4W1X2
C	-1	ILE	-	EXPRESSION TAG	UNP Q4W1X2
C	0	ALA	-	EXPRESSION TAG	UNP Q4W1X2
C	344	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
C	345	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
C	429	THR	ALA	SEE REMARK 999	UNP Q4W1X2
D	-2	ALA	-	EXPRESSION TAG	UNP Q4W1X2
D	-1	ILE	-	EXPRESSION TAG	UNP Q4W1X2
D	0	ALA	-	EXPRESSION TAG	UNP Q4W1X2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	344	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
D	345	ALA	LYS	ENGINEERED MUTATION	UNP Q4W1X2
D	429	THR	ALA	SEE REMARK 999	UNP Q4W1X2

- Molecule 2 is DIHYDROFLAVINE-ADENINE DINUCLEOTIDE (three-letter code: FDA) (formula: $C_{27}H_{35}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C₉H₁₄N₂O₁₂P₂).




Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	156	Total	O	0	0
			156	156		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: UDP-galactopyranose mutase




• Molecule 1: UDP-galactopyranose mutase



• Molecule 1: UDP-galactopyranose mutase



• Molecule 1: UDP-galactopyranose mutase



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	218.18Å 218.18Å 320.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.59 – 2.25 48.59 – 2.25	Depositor EDS
% Data completeness (in resolution range)	97.5 (48.59-2.25) 97.4 (48.59-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 2.24Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.2_432)	Depositor
R, R_{free}	0.192 , 0.218 0.191 , 0.215	Depositor DCC
R_{free} test set	10296 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	31.8	Xtriage
Anisotropy	0.373	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 205754 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16560	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FDA, UDP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/3991	0.53	0/5441
1	B	0.39	0/3998	0.54	1/5451 (0.0%)
1	C	0.37	0/3978	0.51	0/5425
1	D	0.37	0/3976	0.50	0/5425
All	All	0.38	0/15943	0.52	1/21742 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	166	VAL	CB-CA-C	-6.23	99.56	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3893	0	3739	24	0
1	B	3900	0	3744	22	0
1	C	3880	0	3727	15	0
1	D	3878	0	3708	12	0
2	A	53	0	32	0	0
2	B	53	0	32	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	53	0	32	0	0
2	D	53	0	33	0	0
3	A	15	0	0	0	0
3	B	15	0	0	0	0
3	C	30	0	0	0	0
3	D	30	0	0	1	0
4	A	25	0	11	0	0
4	B	25	0	11	0	0
5	A	154	0	0	1	0
5	B	189	0	0	1	0
5	C	158	0	0	0	0
5	D	156	0	0	0	0
All	All	16560	0	15069	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:LEU:O	1:B:192:THR:HG23	1.86	0.74
1:B:455:VAL:HG13	1:B:484:PRO:HB3	1.73	0.70
1:A:162:TYR:CE2	1:A:166:VAL:HG21	2.27	0.70
1:B:166:VAL:HG13	1:B:326:TYR:CD1	2.29	0.67
1:C:69:TYR:CD1	1:C:463:MET:HG3	2.36	0.60
1:A:188:LEU:O	1:A:192:THR:HG23	2.03	0.59
1:A:64:VAL:HG22	1:A:210:PHE:CD2	2.38	0.58
1:B:348:THR:O	1:B:357:PRO:HG3	2.02	0.58
1:C:455:VAL:HG13	1:C:484:PRO:HB3	1.85	0.58
1:C:384:GLN:HG2	1:C:412:HIS:HE1	1.70	0.56
1:A:122:ILE:HD12	1:A:192:THR:HG22	1.88	0.56
1:A:166:VAL:HG13	1:A:326:TYR:CD1	2.41	0.56
1:B:427:GLU:O	1:B:431:THR:HG23	2.05	0.55
1:B:181:GLU:O	1:B:181:GLU:HG2	2.07	0.54
1:B:244:LYS:HB3	1:B:253:THR:HB	1.90	0.54
1:D:312:ASP:HB3	3:D:513:SO4:O2	2.08	0.53
1:C:245:VAL:HG22	1:C:252:VAL:HG22	1.88	0.53
1:D:69:TYR:CG	1:D:463:MET:HG3	2.44	0.53
1:B:357:PRO:HA	5:B:567:HOH:O	2.08	0.52
1:A:282:GLU:OE1	1:A:436:LYS:HE2	2.09	0.52
1:A:121:CYS:SG	1:A:157:LEU:HD12	2.50	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:287:THR:HG22	1:C:433:ILE:HD13	1.91	0.52
1:A:162:TYR:O	1:A:166:VAL:HG23	2.10	0.51
1:D:245:VAL:HG22	1:D:252:VAL:HG22	1.92	0.51
1:C:69:TYR:CG	1:C:463:MET:HG3	2.45	0.51
1:A:66:PHE:N	1:A:66:PHE:CD2	2.78	0.51
1:A:166:VAL:HG13	1:A:326:TYR:CE1	2.47	0.49
1:A:212:PHE:CG	1:A:213:PRO:HD2	2.47	0.49
1:D:287:THR:HG22	1:D:433:ILE:HD13	1.95	0.48
1:B:69:TYR:CG	1:B:463:MET:HG3	2.48	0.47
1:D:122:ILE:HD12	1:D:192:THR:HG22	1.95	0.47
1:D:384:GLN:HG3	1:D:412:HIS:HE1	1.80	0.47
1:B:69:TYR:CD1	1:B:463:MET:HG3	2.50	0.47
1:C:384:GLN:CG	1:C:412:HIS:HE1	2.29	0.46
1:B:139:PRO:HB3	1:B:148:ARG:HD2	1.98	0.45
1:C:104:TYR:CG	1:C:105:PRO:HA	2.52	0.45
1:A:181:GLU:HG2	1:A:181:GLU:O	2.16	0.45
1:B:37:VAL:HG12	1:B:235:ARG:HB3	1.98	0.45
1:B:91:ARG:HG3	1:B:315:TRP:CH2	2.52	0.44
1:A:162:TYR:CE2	1:A:166:VAL:CG2	2.98	0.44
1:A:473:VAL:HG12	1:C:501:ALA:HB2	1.99	0.44
1:B:64:VAL:HG22	1:B:210:PHE:CD2	2.52	0.44
1:D:69:TYR:CD1	1:D:463:MET:HG3	2.53	0.44
1:C:162:TYR:CE2	1:C:166:VAL:HG21	2.52	0.44
1:A:184:ALA:HB2	1:A:204:TRP:CD2	2.54	0.43
1:B:66:PHE:CD2	1:B:66:PHE:N	2.86	0.43
1:B:297:VAL:C	1:B:298:ILE:HD12	2.38	0.43
1:A:298:ILE:N	1:A:298:ILE:HD12	2.33	0.43
1:B:14:GLY:O	1:B:19:GLY:HA3	2.18	0.43
1:A:360:THR:O	1:A:360:THR:CG2	2.65	0.43
1:A:470:ASP:HB3	1:A:476:ALA:HB3	2.00	0.43
1:C:14:GLY:O	1:C:19:GLY:HA3	2.18	0.43
1:B:438:GLN:NE2	1:B:443:TRP:CE2	2.82	0.43
1:C:3:HIS:HA	1:C:4:PRO:HD3	1.78	0.42
1:D:185:ALA:HA	1:D:186:PRO:HD3	1.90	0.42
1:B:342:ALA:HA	1:B:366:PRO:HA	2.01	0.42
1:B:18:THR:OG1	1:B:461:SER:HB3	2.20	0.42
1:D:104:TYR:CG	1:D:105:PRO:HA	2.55	0.41
1:A:215:ARG:NH2	5:A:571:HOH:O	2.53	0.41
1:D:360:THR:HG23	1:D:360:THR:O	2.20	0.41
1:C:318:PHE:HA	1:C:319:PRO:HD2	1.96	0.41
1:B:181:GLU:CG	1:B:206:PRO:HG3	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:14:GLY:O	1:D:19:GLY:HA3	2.21	0.41
1:C:283:LEU:HA	1:C:283:LEU:HD23	1.84	0.41
1:C:18:THR:OG1	1:C:461:SER:HB3	2.21	0.41
1:B:318:PHE:HA	1:B:319:PRO:HD2	1.94	0.40
1:A:162:TYR:CZ	1:A:166:VAL:HG21	2.57	0.40
1:A:162:TYR:CZ	1:A:166:VAL:CG2	3.04	0.40
1:D:384:GLN:CG	1:D:412:HIS:HE1	2.34	0.40
1:A:87:TYR:O	1:A:211:ARG:HA	2.21	0.40
1:A:434:LEU:N	1:A:435:PRO:CD	2.84	0.40
1:A:72:PHE:CD1	1:A:459:ASP:HA	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	503/513 (98%)	492 (98%)	11 (2%)	0	100	100
1	B	503/513 (98%)	492 (98%)	11 (2%)	0	100	100
1	C	502/513 (98%)	488 (97%)	14 (3%)	0	100	100
1	D	503/513 (98%)	492 (98%)	11 (2%)	0	100	100
All	All	2011/2052 (98%)	1964 (98%)	47 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	409/432 (95%)	405 (99%)	4 (1%)	82	89
1	B	411/432 (95%)	403 (98%)	8 (2%)	65	75
1	C	407/432 (94%)	404 (99%)	3 (1%)	88	93
1	D	406/432 (94%)	404 (100%)	2 (0%)	92	95
All	All	1633/1728 (94%)	1616 (99%)	17 (1%)	82	89

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	PHE
1	A	175	GLN
1	A	360	THR
1	A	361	GLU
1	B	7	SER
1	B	64	VAL
1	B	157	LEU
1	B	166	VAL
1	B	175	GLN
1	B	179	LEU
1	B	192	THR
1	B	282	GLU
1	C	175	GLN
1	C	252	VAL
1	C	360	THR
1	D	199	LYS
1	D	360	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	248	ASN
1	C	248	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FDA	A	511	-	48,58,58	2.78	18 (37%)	54,89,89	2.28	12 (22%)
3	SO4	A	512	-	4,4,4	0.14	0	6,6,6	0.22	0
3	SO4	A	513	-	4,4,4	0.20	0	6,6,6	0.11	0
3	SO4	A	514	-	4,4,4	0.22	0	6,6,6	0.08	0
4	UDP	A	515	-	18,26,26	2.26	5 (27%)	26,40,40	1.70	5 (19%)
2	FDA	B	511	-	48,58,58	2.78	18 (37%)	54,89,89	2.21	9 (16%)
3	SO4	B	512	-	4,4,4	0.18	0	6,6,6	0.14	0
3	SO4	B	513	-	4,4,4	0.18	0	6,6,6	0.19	0
3	SO4	B	514	-	4,4,4	0.11	0	6,6,6	0.22	0
4	UDP	B	515	-	18,26,26	2.22	5 (27%)	26,40,40	1.72	4 (15%)
2	FDA	C	511	-	48,58,58	2.83	18 (37%)	54,89,89	2.30	11 (20%)
3	SO4	C	512	-	4,4,4	0.10	0	6,6,6	0.30	0
3	SO4	C	513	-	4,4,4	0.18	0	6,6,6	0.15	0
3	SO4	C	514	-	4,4,4	0.13	0	6,6,6	0.10	0
3	SO4	C	515	-	4,4,4	0.15	0	6,6,6	0.08	0
3	SO4	C	516	-	4,4,4	0.16	0	6,6,6	0.10	0
3	SO4	C	517	-	4,4,4	0.22	0	6,6,6	0.12	0
2	FDA	D	511	-	48,58,58	2.84	18 (37%)	54,89,89	2.25	10 (18%)
3	SO4	D	512	-	4,4,4	0.14	0	6,6,6	0.08	0
3	SO4	D	513	-	4,4,4	0.23	0	6,6,6	0.15	0
3	SO4	D	514	-	4,4,4	0.21	0	6,6,6	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	D	515	-	4,4,4	0.19	0	6,6,6	0.11	0
3	SO4	D	516	-	4,4,4	0.19	0	6,6,6	0.08	0
3	SO4	D	517	-	4,4,4	0.16	0	6,6,6	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FDA	A	511	-	-	0/30/50/50	0/6/6/6
3	SO4	A	512	-	-	0/0/0/0	0/0/0/0
3	SO4	A	513	-	-	0/0/0/0	0/0/0/0
3	SO4	A	514	-	-	0/0/0/0	0/0/0/0
4	UDP	A	515	-	-	0/12/32/32	0/2/2/2
2	FDA	B	511	-	-	0/30/50/50	0/6/6/6
3	SO4	B	512	-	-	0/0/0/0	0/0/0/0
3	SO4	B	513	-	-	0/0/0/0	0/0/0/0
3	SO4	B	514	-	-	0/0/0/0	0/0/0/0
4	UDP	B	515	-	-	0/12/32/32	0/2/2/2
2	FDA	C	511	-	-	0/30/50/50	0/6/6/6
3	SO4	C	512	-	-	0/0/0/0	0/0/0/0
3	SO4	C	513	-	-	0/0/0/0	0/0/0/0
3	SO4	C	514	-	-	0/0/0/0	0/0/0/0
3	SO4	C	515	-	-	0/0/0/0	0/0/0/0
3	SO4	C	516	-	-	0/0/0/0	0/0/0/0
3	SO4	C	517	-	-	0/0/0/0	0/0/0/0
2	FDA	D	511	-	-	0/30/50/50	0/6/6/6
3	SO4	D	512	-	-	0/0/0/0	0/0/0/0
3	SO4	D	513	-	-	0/0/0/0	0/0/0/0
3	SO4	D	514	-	-	0/0/0/0	0/0/0/0
3	SO4	D	515	-	-	0/0/0/0	0/0/0/0
3	SO4	D	516	-	-	0/0/0/0	0/0/0/0
3	SO4	D	517	-	-	0/0/0/0	0/0/0/0

All (82) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	511	FDA	C9A-C5X	-3.40	1.35	1.42
2	B	511	FDA	C9A-C5X	-3.29	1.36	1.42
2	C	511	FDA	C9A-C5X	-3.26	1.36	1.42
2	D	511	FDA	C9A-C5X	-3.18	1.36	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	511	FDA	O3B-C3B	-2.67	1.36	1.43
2	B	511	FDA	O3B-C3B	-2.61	1.36	1.43
2	A	511	FDA	O3B-C3B	-2.58	1.36	1.43
4	B	515	UDP	C3'-C2'	-2.55	1.46	1.53
2	C	511	FDA	PA-O2A	-2.50	1.44	1.54
2	B	511	FDA	PA-O2A	-2.48	1.44	1.54
2	D	511	FDA	PA-O2A	-2.33	1.45	1.54
2	A	511	FDA	PA-O2A	-2.31	1.45	1.54
2	D	511	FDA	O3B-C3B	-2.29	1.37	1.43
2	D	511	FDA	PA-O5B	-2.26	1.48	1.59
4	B	515	UDP	O2'-C2'	-2.25	1.37	1.43
4	A	515	UDP	C3'-C2'	-2.23	1.47	1.53
2	A	511	FDA	PA-O5B	-2.18	1.49	1.59
2	D	511	FDA	O2'-C2'	-2.15	1.38	1.43
2	A	511	FDA	C2B-C3B	-2.14	1.47	1.53
2	B	511	FDA	PA-O5B	-2.13	1.49	1.59
4	A	515	UDP	O2'-C2'	-2.12	1.37	1.43
2	B	511	FDA	O3'-C3'	-2.11	1.37	1.43
2	C	511	FDA	PA-O5B	-2.08	1.49	1.59
2	C	511	FDA	C2B-C3B	-2.04	1.47	1.53
2	B	511	FDA	C2B-C3B	-2.04	1.47	1.53
2	C	511	FDA	P-O1P	2.01	1.58	1.51
2	D	511	FDA	P-O1P	2.02	1.58	1.51
2	A	511	FDA	P-O1P	2.19	1.59	1.51
4	A	515	UDP	PA-O1A	2.33	1.59	1.51
4	B	515	UDP	PA-O1A	2.44	1.60	1.51
2	B	511	FDA	C2A-N3A	2.45	1.36	1.32
2	C	511	FDA	C2A-N3A	2.75	1.37	1.32
2	A	511	FDA	C2A-N3A	2.75	1.37	1.32
2	D	511	FDA	C2A-N3A	2.86	1.37	1.32
2	B	511	FDA	C6A-N6A	3.25	1.45	1.34
2	D	511	FDA	C6A-N6A	3.26	1.45	1.34
2	A	511	FDA	C10-N10	3.27	1.43	1.39
2	A	511	FDA	C6A-N6A	3.29	1.45	1.34
2	A	511	FDA	C9-C9A	3.29	1.47	1.40
2	C	511	FDA	C6A-N6A	3.36	1.45	1.34
2	D	511	FDA	C9-C9A	3.50	1.48	1.40
2	D	511	FDA	C10-N10	3.63	1.43	1.39
2	B	511	FDA	C9-C9A	3.74	1.48	1.40
2	C	511	FDA	C9-C9A	3.77	1.49	1.40
2	B	511	FDA	C10-N10	3.89	1.43	1.39
2	A	511	FDA	C4-C4X	3.91	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	511	FDA	C4-N3	4.03	1.40	1.33
2	C	511	FDA	C4-C4X	4.14	1.49	1.41
2	D	511	FDA	C4-N3	4.23	1.41	1.33
4	B	515	UDP	C4-N3	4.24	1.41	1.33
2	B	511	FDA	C4-C4X	4.38	1.50	1.41
2	B	511	FDA	C4-N3	4.40	1.41	1.33
2	A	511	FDA	C4-N3	4.40	1.41	1.33
4	A	515	UDP	C4-N3	4.57	1.41	1.33
2	D	511	FDA	C4-C4X	4.57	1.50	1.41
2	C	511	FDA	C10-N10	4.62	1.44	1.39
2	B	511	FDA	C6-C5X	4.66	1.48	1.41
2	B	511	FDA	C9A-N10	4.86	1.45	1.38
2	C	511	FDA	C6-C5X	4.90	1.49	1.41
2	D	511	FDA	C6-C5X	5.02	1.49	1.41
2	A	511	FDA	C6-C5X	5.15	1.49	1.41
2	A	511	FDA	C9A-N10	5.23	1.46	1.38
2	D	511	FDA	C9A-N10	5.44	1.46	1.38
2	A	511	FDA	O4-C4	5.65	1.38	1.24
2	D	511	FDA	O4-C4	5.68	1.38	1.24
2	C	511	FDA	C9A-N10	5.71	1.46	1.38
2	B	511	FDA	O4-C4	5.72	1.38	1.24
2	C	511	FDA	O4-C4	5.75	1.38	1.24
2	C	511	FDA	C10-N1	5.75	1.45	1.35
2	D	511	FDA	C10-N1	5.89	1.45	1.35
2	B	511	FDA	C10-N1	6.07	1.45	1.35
2	A	511	FDA	C10-N1	6.12	1.45	1.35
2	B	511	FDA	C5X-N5	6.17	1.45	1.35
4	B	515	UDP	C6-N1	6.44	1.44	1.35
2	C	511	FDA	C5X-N5	6.57	1.45	1.35
4	A	515	UDP	C6-N1	6.62	1.45	1.35
2	A	511	FDA	C5X-N5	6.74	1.46	1.35
2	D	511	FDA	C5X-N5	7.16	1.46	1.35
2	A	511	FDA	C4X-N5	7.54	1.45	1.33
2	C	511	FDA	C4X-N5	7.60	1.45	1.33
2	B	511	FDA	C4X-N5	7.74	1.45	1.33
2	D	511	FDA	C4X-N5	7.90	1.45	1.33

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	511	FDA	N3A-C2A-N1A	-11.78	119.87	128.89
2	D	511	FDA	N3A-C2A-N1A	-11.61	120.00	128.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	511	FDA	N3A-C2A-N1A	-11.25	120.28	128.89
2	B	511	FDA	N3A-C2A-N1A	-11.25	120.28	128.89
2	A	511	FDA	C2B-C1B-N9A	-4.29	107.75	114.29
2	B	511	FDA	C2B-C1B-N9A	-3.94	108.27	114.29
2	D	511	FDA	C1B-N9A-C4A	-3.37	121.85	126.94
2	D	511	FDA	C2B-C1B-N9A	-3.24	109.34	114.29
2	C	511	FDA	C2B-C1B-N9A	-3.23	109.36	114.29
2	C	511	FDA	O2P-P-O3P	-3.17	90.70	105.09
2	C	511	FDA	C4X-C4-N3	-3.12	119.32	123.59
2	B	511	FDA	C4X-C4-N3	-3.12	119.33	123.59
4	B	515	UDP	C4'-O4'-C1'	-2.97	106.45	109.72
2	C	511	FDA	C1B-N9A-C4A	-2.94	122.51	126.94
2	A	511	FDA	C1B-N9A-C4A	-2.92	122.53	126.94
2	D	511	FDA	C4X-C4-N3	-2.91	119.61	123.59
2	D	511	FDA	O2P-P-O5'	-2.88	93.94	108.46
2	A	511	FDA	C4X-C4-N3	-2.87	119.67	123.59
2	B	511	FDA	C1B-N9A-C4A	-2.82	122.69	126.94
2	D	511	FDA	O2A-PA-O5B	-2.64	95.15	108.46
2	A	511	FDA	O2P-P-O5'	-2.46	96.03	108.46
4	A	515	UDP	PA-O3A-PB	-2.45	124.46	132.67
4	A	515	UDP	C4'-O4'-C1'	-2.43	107.05	109.72
2	A	511	FDA	P-O3P-PA	-2.41	125.97	132.73
4	A	515	UDP	O2A-PA-O3A	-2.30	94.66	105.09
2	C	511	FDA	O2A-PA-O5B	-2.20	97.35	108.46
2	B	511	FDA	O2A-PA-O5B	-2.18	97.49	108.46
2	D	511	FDA	C4A-C5A-N7A	-2.05	107.60	109.48
4	B	515	UDP	O3A-PA-O5'	-2.02	97.57	102.94
2	A	511	FDA	O5B-PA-O1A	2.05	117.57	109.62
2	C	511	FDA	C2B-C3B-C4B	2.09	106.91	102.61
4	B	515	UDP	O5'-PA-O1A	2.15	117.96	109.62
4	A	515	UDP	O5'-PA-O1A	2.16	117.99	109.62
2	B	511	FDA	O5B-PA-O1A	2.22	118.23	109.62
2	A	511	FDA	O5'-P-O1P	2.25	118.37	109.62
2	A	511	FDA	C1'-N10-C9A	2.26	121.40	118.86
2	C	511	FDA	O5B-PA-O1A	2.36	118.76	109.62
2	C	511	FDA	C5X-C9A-N10	2.58	119.58	117.62
2	B	511	FDA	C5X-C9A-N10	2.74	119.70	117.62
2	D	511	FDA	O4B-C1B-N9A	2.76	113.88	108.10
2	C	511	FDA	O4B-C1B-N9A	3.22	114.84	108.10
2	A	511	FDA	O4B-C1B-N9A	3.42	115.25	108.10
2	A	511	FDA	C5X-C9A-N10	3.88	120.57	117.62
2	B	511	FDA	O4B-C1B-N9A	3.88	116.22	108.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	511	FDA	C5X-C9A-N10	4.34	120.92	117.62
2	D	511	FDA	C4-N3-C2	5.41	119.92	115.25
2	A	511	FDA	C4-N3-C2	5.45	119.96	115.25
2	B	511	FDA	C4-N3-C2	5.72	120.19	115.25
2	C	511	FDA	C4-N3-C2	5.92	120.36	115.25
4	A	515	UDP	C4-N3-C2	6.26	120.34	114.14
4	B	515	UDP	C4-N3-C2	6.70	120.77	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	513	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	505/513 (98%)	-0.44	5 (0%) 84 85	20, 31, 53, 106	0
1	B	505/513 (98%)	-0.48	4 (0%) 87 88	17, 29, 51, 86	0
1	C	504/513 (98%)	-0.48	1 (0%) 95 96	18, 32, 55, 75	0
1	D	505/513 (98%)	-0.48	2 (0%) 93 93	20, 32, 53, 86	0
All	All	2019/2052 (98%)	-0.47	12 (0%) 90 91	17, 31, 54, 106	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	358	GLN	4.5
1	A	507	SER	3.0
1	B	507	SER	2.7
1	D	183	VAL	2.3
1	B	359	SER	2.3
1	B	357	PRO	2.3
1	A	137	THR	2.3
1	A	357	PRO	2.2
1	A	359	SER	2.2
1	C	6	ILE	2.1
1	A	257	GLY	2.1
1	D	505	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	D	514	5/5	0.95	0.17	7.57	51,53,60,61	5
4	UDP	B	515	25/25	0.98	0.13	0.52	18,25,30,34	0
2	FDA	B	511	53/53	0.96	0.11	0.02	16,26,35,39	0
2	FDA	A	511	53/53	0.96	0.12	-0.01	14,26,37,41	0
2	FDA	C	511	53/53	0.96	0.11	-0.08	23,32,42,45	0
4	UDP	A	515	25/25	0.99	0.11	-0.22	15,26,30,34	0
2	FDA	D	511	53/53	0.96	0.12	-0.25	21,32,39,42	0
3	SO4	C	517	5/5	0.92	0.27	-	30,58,63,65	5
3	SO4	B	514	5/5	0.91	0.20	-	48,51,65,67	5
3	SO4	B	513	5/5	0.99	0.13	-	42,50,55,62	0
3	SO4	D	517	5/5	0.93	0.21	-	103,105,105,107	0
3	SO4	C	515	5/5	0.92	0.21	-	83,83,85,90	0
3	SO4	A	514	5/5	0.85	0.16	-	93,97,98,101	0
3	SO4	A	513	5/5	0.87	0.25	-	98,99,103,103	0
3	SO4	D	516	5/5	0.94	0.22	-	78,83,87,88	0
3	SO4	B	512	5/5	0.97	0.20	-	85,87,87,88	0
3	SO4	A	512	5/5	0.97	0.17	-	56,57,65,71	0
3	SO4	D	512	5/5	0.97	0.19	-	56,65,67,69	0
3	SO4	D	515	5/5	0.95	0.15	-	78,85,86,86	0
3	SO4	D	513	5/5	0.93	0.15	-	100,102,102,103	0
3	SO4	C	516	5/5	0.94	0.19	-	68,78,80,87	0
3	SO4	C	512	5/5	0.96	0.15	-	49,51,54,64	0
3	SO4	C	514	5/5	0.98	0.14	-	39,42,52,52	5
3	SO4	C	513	5/5	0.96	0.17	-	98,99,102,104	0

6.5 Other polymers [i](#)

There are no such residues in this entry.