



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:54 AM GMT

PDB ID : 2V7P
Title : CRYSTAL STRUCTURE OF LACTATE DEHYDROGENASE FROM
THERMUS THERMOPHILUS HB8 (HOLO FORM)
Authors : Coquelle, N.; Fioravanti, E.; Weik, M.; Vellieux, F.
Deposited on : 2007-07-31
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 1%, orange 1%, orange 85%, yellow 85%, yellow 99%, green 99%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> % 85% 14% </div> </div>
1	B	310	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 5%, orange 5%, orange 77%, yellow 77%, yellow 99%, green 99%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> 5% 77% 17% </div> </div>
1	C	310	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 1%, orange 1%, orange 85%, yellow 85%, yellow 99%, green 99%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> 85% 14% </div> </div>
1	D	310	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 3%, orange 3%, orange 78%, yellow 78%, yellow 99%, green 99%, green 100%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> 3% 78% 18% </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OXM	A	501	-	-	-	X
2	OXM	C	501	-	-	-	X
2	OXM	D	501	-	-	-	X
3	NAD	D	1332	X	-	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9824 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-LACTATE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	310	Total	C	N	O	S	0	4	0
			2324	1474	418	429	3			
1	B	299	Total	C	N	O	S	0	2	0
			2234	1420	399	412	3			
1	C	310	Total	C	N	O	S	0	2	0
			2319	1472	416	428	3			
1	D	300	Total	C	N	O	S	0	1	0
			2212	1412	395	402	3			

- Molecule 2 is OXAMIC ACID (three-letter code: OXM) (formula: C₂H₃NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			6	2	1	3		
2	B	1	Total	C	N	O	0	0
			6	2	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			6	2	1	3		
2	D	1	Total	C	N	O	0	0
			6	2	1	3		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	147	Total	O	0	0
			147	147		
4	B	136	Total	O	0	0
			136	136		
4	C	152	Total	O	0	0
			152	152		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	100	Total	O	0	0
			100	100		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: L-LACTATE DEHYDROGENASE




• Molecule 1: L-LACTATE DEHYDROGENASE




• Molecule 1: L-LACTATE DEHYDROGENASE



• Molecule 1: L-LACTATE DEHYDROGENASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	151.50Å 142.85Å 59.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.16 – 2.10 45.75 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.7 (39.16-2.10) 97.8 (45.75-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.24 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.192 , 0.204 0.191 , 0.202	Depositor DCC
R_{free} test set	3733 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	23.1	Xtriage
Anisotropy	0.286	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 61.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 74680 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9824	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXM, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/2380	0.62	0/3238
1	B	0.61	3/2280 (0.1%)	0.64	1/3100 (0.0%)
1	C	0.40	0/2367	0.58	1/3220 (0.0%)
1	D	0.35	0/2254	0.55	0/3067
All	All	0.45	3/9281 (0.0%)	0.60	2/12625 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
1	C	0	1
1	D	0	1
All	All	0	6

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	128	LEU	C-N	-5.70	1.21	1.34
1	B	127	VAL	C-N	-5.39	1.21	1.34
1	B	328	ALA	CA-CB	-5.28	1.41	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	287	LEU	CA-CB-CG	5.83	128.71	115.30
1	B	209(B)	GLY	N-CA-C	-5.33	99.79	113.10

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	256	ARG	Sidechain
1	B	112	LEU	Mainchain
1	B	214	GLU	Peptide
1	B	215	ALA	Peptide
1	C	256	ARG	Sidechain
1	D	92	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2324	0	2365	43	0
1	B	2234	0	2273	52	0
1	C	2319	0	2369	56	0
1	D	2212	0	2260	43	0
2	A	6	0	2	0	0
2	B	6	0	2	0	0
2	C	6	0	2	1	0
2	D	6	0	2	0	0
3	A	44	0	24	3	0
3	B	44	0	23	3	0
3	C	44	0	22	4	0
3	D	44	0	24	3	0
4	A	147	0	0	4	0
4	B	136	0	0	4	0
4	C	152	0	0	8	0
4	D	100	0	0	4	0
All	All	9824	0	9368	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:LEU:HD12	1:B:113:LEU:O	1.37	1.22
1:A:22:MET:CE	1:A:92[B]:ARG:HH11	1.58	1.14
1:A:22:MET:HE1	1:A:92[B]:ARG:HH11	0.99	1.08
1:A:22:MET:HE1	1:A:92[B]:ARG:NH1	1.75	1.01
1:C:316:ARG:HG2	1:C:316:ARG:HH11	1.26	0.99
1:B:113:LEU:HD12	1:B:113:LEU:C	1.85	0.92
1:B:209(C):VAL:HG21	1:C:303:VAL:CG1	2.00	0.90
1:B:215:ALA:HA	1:B:217:GLY:H	1.36	0.89
1:A:22:MET:CE	1:A:92[B]:ARG:NH1	2.32	0.88
1:D:53:ASP:O	1:D:56:ARG:NH1	2.08	0.87
1:B:216:ARG:HD3	4:B:2081:HOH:O	1.75	0.85
1:B:209(C):VAL:HG21	1:C:303:VAL:HG11	1.60	0.83
1:C:306:SER:HA	4:C:2137:HOH:O	1.78	0.81
1:C:126:ARG:HH21	1:C:126:ARG:HG3	1.43	0.81
1:C:179:TYR:CE2	1:C:220:LEU:HD13	2.15	0.80
1:B:256:ARG:NE	1:B:259:ARG:HH21	1.81	0.78
1:C:190:TYR:HE2	1:C:192:LEU:HD11	1.51	0.76
1:A:108:THR:H	1:A:111:GLN:HE21	1.34	0.75
1:B:126:ARG:NH2	1:B:129:GLU:OE1	2.17	0.75
1:C:113:LEU:O	1:C:113:LEU:HD12	1.89	0.73
1:C:316:ARG:NH1	1:C:316:ARG:HG2	2.01	0.72
1:D:194:GLU:HG3	1:D:322:LEU:HD21	1.72	0.71
1:A:156:PRO:HD2	1:A:159:ARG:HG3	1.74	0.69
1:C:179:TYR:CE2	1:C:220:LEU:CD1	2.77	0.67
1:A:223:GLU:HG2	1:A:227:ARG:NH2	2.10	0.66
1:D:316:ARG:HH21	1:D:316:ARG:HG2	1.61	0.66
1:C:190:TYR:CE2	1:C:202:VAL:HG21	2.31	0.66
1:D:148:VAL:O	1:D:152:LEU:HD13	1.95	0.65
1:B:256:ARG:HE	1:B:259:ARG:HH21	1.44	0.65
1:B:26:ILE:HB	1:B:51:LEU:HD23	1.79	0.64
1:D:151:ARG:NE	1:D:331:PHE:O	2.24	0.63
1:B:209(C):VAL:CG2	1:C:303:VAL:HG11	2.29	0.62
1:C:148:VAL:HG22	1:C:331:PHE:CD2	2.34	0.62
1:A:275:THR:HG21	1:A:278:VAL:CG1	2.30	0.61
1:C:241:GLU:HG2	4:C:2103:HOH:O	2.01	0.61
3:C:1332:NAD:H6N	4:C:2109:HOH:O	2.00	0.60
1:B:186:SER:O	1:B:208:VAL:HG13	2.02	0.60
1:D:179:TYR:CZ	1:D:218:ARG:HD3	2.37	0.60
1:C:108:THR:OG1	1:C:111:GLN:HG3	2.02	0.59
1:B:209(B):GLY:HA3	1:C:190:TYR:HE1	1.68	0.59
1:B:209(C):VAL:HG22	1:C:305:PRO:HA	1.83	0.59
1:B:24:VAL:HG11	1:B:40:LEU:HD13	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:256:ARG:NE	1:B:259:ARG:NH2	2.49	0.58
1:C:190:TYR:CD2	1:C:192:LEU:HD21	2.38	0.58
1:A:209(C):VAL:HG21	1:D:303:VAL:CG1	2.33	0.58
1:A:279:GLU:OE1	1:A:312:ARG:CZ	2.51	0.58
1:C:30:GLY:HA3	3:C:1332:NAD:O5B	2.04	0.57
1:B:209(B):GLY:HA3	1:C:190:TYR:CE1	2.38	0.57
1:A:26:ILE:HB	1:A:51:LEU:HD23	1.86	0.56
1:D:256:ARG:NH1	1:D:259:ARG:HH21	2.03	0.56
1:A:138:ALA:O	3:A:1332:NAD:H2N	2.07	0.55
1:C:223:GLU:HB2	4:C:2094:HOH:O	2.07	0.55
1:C:126:ARG:HH21	1:C:126:ARG:CG	2.17	0.55
1:C:210(B):LEU:HD21	1:C:225:ARG:HH21	1.72	0.55
1:B:179:TYR:CE2	1:B:220:LEU:CD2	2.90	0.55
1:A:22:MET:HE3	1:A:92[B]:ARG:HH11	1.61	0.55
1:C:113:LEU:C	1:C:113:LEU:HD12	2.25	0.55
1:C:22:MET:HG3	4:C:2009:HOH:O	2.05	0.55
1:D:84:SER:HB2	4:D:2011:HOH:O	2.07	0.54
1:B:111:GLN:O	1:B:115:ARG:HG3	2.07	0.54
1:B:124:VAL:HB	1:B:125:PRO:HD3	1.90	0.54
1:D:124:VAL:N	1:D:125:PRO:HD2	2.22	0.54
1:D:279:GLU:OE2	1:D:312:ARG:CZ	2.56	0.54
1:B:310:GLU:OE2	4:B:2122:HOH:O	2.18	0.54
1:B:215:ALA:HA	1:B:217:GLY:N	2.16	0.53
1:A:194:GLU:HG3	1:A:322:LEU:HD21	1.91	0.53
1:D:256:ARG:HH11	1:D:259:ARG:HH21	1.56	0.53
1:B:179:TYR:CE2	1:B:220:LEU:HD21	2.44	0.53
1:B:161:VAL:HG22	1:B:298:VAL:HG23	1.91	0.53
1:B:179:TYR:CZ	1:B:220:LEU:HD23	2.43	0.53
1:A:303:VAL:HG11	1:D:209(C):VAL:HG11	1.91	0.53
1:C:56:ARG:HE	1:C:60[A]:GLN:HG3	1.74	0.52
1:A:22:MET:HE3	1:A:92[B]:ARG:NH1	2.20	0.52
1:B:246:THR:OG1	3:B:1332:NAD:H5N	2.10	0.52
1:C:140:ASN:HD22	1:C:142:VAL:H	1.58	0.52
1:B:214:GLU:HG2	1:B:219:ALA:HB1	1.92	0.52
1:C:316:ARG:CG	1:C:316:ARG:NH1	2.70	0.52
1:C:138:ALA:O	3:C:1332:NAD:H2N	2.10	0.52
1:C:190:TYR:CE2	1:C:192:LEU:HD11	2.39	0.51
1:A:316:ARG:HD2	4:A:2139:HOH:O	2.10	0.51
1:C:62:HIS:HE1	4:C:2015:HOH:O	1.93	0.51
1:A:22:MET:CE	1:A:92[A]:ARG:NE	2.74	0.50
1:B:74:HIS:NE2	4:B:2020:HOH:O	2.31	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:210(B):LEU:HD11	1:D:225:ARG:NH2	2.27	0.49
1:B:239:ILE:CG2	1:B:246:THR:HG22	2.42	0.49
1:C:310:GLU:CD	1:C:310:GLU:H	2.15	0.49
1:D:194:GLU:O	1:D:199:GLU:HB3	2.12	0.49
1:A:190:TYR:HE2	1:A:202:VAL:HG21	1.78	0.49
1:D:292:ILE:HD12	1:D:292:ILE:N	2.26	0.49
1:D:99:GLY:O	3:D:1332:NAD:H8A	2.12	0.49
1:D:275:THR:HG21	1:D:278:VAL:HG22	1.95	0.49
1:C:275:THR:HG21	1:C:278:VAL:CG2	2.43	0.49
1:A:264:ASP:OD1	1:A:266:LYS:NZ	2.41	0.49
1:B:112:LEU:O	1:B:115:ARG:N	2.45	0.49
1:C:140:ASN:HA	1:C:142:VAL:N	2.27	0.49
1:C:277:GLU:OE2	1:C:280:GLY:N	2.37	0.49
1:B:54:LEU:HG	3:B:1332:NAD:C6A	2.44	0.48
1:D:70:THR:N	1:D:71:PRO:CD	2.76	0.48
1:D:165:THR:HA	1:D:168:ASP:OD2	2.14	0.48
1:C:62:HIS:CD2	1:D:243:LYS:NZ	2.81	0.48
1:C:179:TYR:CZ	1:C:220:LEU:CD1	2.96	0.48
2:C:501:OXM:C1	3:C:1332:NAD:C4N	2.92	0.48
1:A:209(C):VAL:HG22	1:D:305:PRO:HA	1.96	0.48
1:A:185:GLN:HB3	4:A:2079:HOH:O	2.14	0.48
1:C:324:GLU:OE1	1:C:324:GLU:HA	2.13	0.48
1:D:116:ASN:ND2	4:D:2032:HOH:O	2.46	0.48
1:B:213:ALA:HB1	1:B:218:ARG:O	2.14	0.47
1:A:165:THR:HA	1:A:168:ASP:OD2	2.14	0.47
1:D:327:PHE:C	1:D:329:LEU:H	2.16	0.47
1:A:22:MET:HE2	1:A:92[A]:ARG:HG3	1.96	0.47
1:B:310:GLU:HG3	4:B:2123:HOH:O	2.15	0.47
1:A:223:GLU:HG2	1:A:227:ARG:HH22	1.77	0.47
1:A:279:GLU:HA	1:A:279:GLU:OE1	2.15	0.47
1:A:22:MET:HE1	1:A:92[B]:ARG:HD3	1.97	0.46
1:B:209(D):PRO:O	1:B:210(A):LEU:C	2.53	0.46
1:A:22:MET:CE	1:A:92[A]:ARG:HG3	2.46	0.46
1:C:202:VAL:O	1:C:202:VAL:HG12	2.15	0.46
1:B:194:GLU:O	1:B:199:GLU:HB3	2.15	0.46
1:A:124:VAL:HB	1:A:125:PRO:HD3	1.97	0.45
1:B:190:TYR:CE2	1:B:192:LEU:HD21	2.51	0.45
1:A:250:ILE:HD13	3:A:1332:NAD:N7N	2.31	0.45
1:A:92[B]:ARG:NE	4:A:2035:HOH:O	2.14	0.45
1:C:62:HIS:HD2	1:D:243:LYS:NZ	2.15	0.45
1:D:119:VAL:O	1:D:123:VAL:HG23	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:210(B):LEU:O	1:D:214:GLU:HG3	2.18	0.44
1:B:214:GLU:HG2	1:B:219:ALA:CB	2.48	0.44
1:C:62:HIS:HD2	1:D:243:LYS:HZ3	1.66	0.44
1:B:52:VAL:HG22	1:B:83:GLY:O	2.17	0.44
1:D:26:ILE:HB	1:D:51:LEU:HD23	1.99	0.44
1:C:287:LEU:C	1:C:287:LEU:HD23	2.38	0.44
1:D:210(B):LEU:CD1	4:D:2056:HOH:O	2.65	0.43
1:C:220:LEU:HD12	1:C:220:LEU:HA	1.75	0.43
1:B:70:THR:N	1:B:71:PRO:CD	2.80	0.43
1:A:70:THR:N	1:A:71:PRO:CD	2.82	0.43
1:B:165:THR:HA	1:B:168:ASP:OD2	2.18	0.43
1:D:143:ASP:OD2	1:D:194:GLU:HA	2.19	0.43
1:A:140:ASN:HD22	1:A:142:VAL:H	1.64	0.43
1:C:151:ARG:NE	1:C:331:PHE:OXT	2.43	0.43
1:C:105:PRO:HB3	1:C:241:GLU:OE2	2.19	0.42
1:A:30:GLY:HA3	3:A:1332:NAD:O5B	2.19	0.42
1:D:282:LEU:O	1:D:323:LYS:HE2	2.19	0.42
1:C:306:SER:O	1:C:307:LEU:HD23	2.19	0.42
1:B:121:ALA:HA	1:B:152:LEU:HD13	2.00	0.42
1:B:210(B):LEU:HA	1:B:210(B):LEU:HD12	1.64	0.42
1:A:68:HIS:CG	1:B:171:ARG:HG2	2.54	0.42
1:D:56:ARG:NH2	4:D:2011:HOH:O	2.52	0.42
1:B:113:LEU:CD1	1:B:113:LEU:O	2.32	0.42
1:B:214:GLU:HA	1:B:219:ALA:HA	2.01	0.42
1:D:275:THR:HA	1:D:276:PRO:HD3	1.94	0.42
1:A:98:ALA:O	1:A:139[A]:THR:CG2	2.67	0.42
1:C:194:GLU:O	1:C:199:GLU:HB3	2.20	0.42
1:D:287:LEU:HB3	1:D:322:LEU:CD1	2.49	0.42
1:C:177:ALA:HB1	1:C:182:VAL:O	2.20	0.42
1:A:62:HIS:CE1	1:B:243:LYS:HD2	2.55	0.42
1:B:115:ARG:O	1:B:119:VAL:HG23	2.19	0.42
1:C:22:MET:HE3	1:C:22:MET:HB3	1.77	0.41
1:C:310:GLU:N	1:C:310:GLU:CD	2.74	0.41
1:A:92[B]:ARG:HD2	4:A:2036:HOH:O	2.20	0.41
1:D:179:TYR:CE1	1:D:218:ARG:HD3	2.56	0.41
1:D:30:GLY:HA3	3:D:1332:NAD:O5B	2.20	0.41
1:B:138:ALA:O	3:B:1332:NAD:H2N	2.20	0.41
1:D:138:ALA:O	3:D:1332:NAD:H2N	2.21	0.41
1:D:220:LEU:HA	1:D:220:LEU:HD23	1.89	0.41
1:A:190:TYR:CE2	1:A:202:VAL:HG21	2.55	0.41
1:D:177:ALA:O	1:D:181:ARG:N	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:ARG:HA	1:B:56:ARG:HD3	1.92	0.41
1:D:209(D):PRO:HB2	1:D:211:GLU:HG2	2.03	0.41
1:C:179:TYR:CZ	1:C:218:ARG:HD2	2.56	0.41
1:D:130:ALA:O	1:D:132(A):PRO:HD3	2.21	0.41
1:B:209(C):VAL:HG21	1:C:303:VAL:HG12	1.97	0.41
1:A:278:VAL:O	1:A:278:VAL:HG23	2.21	0.41
1:B:24:VAL:CG1	1:B:49:VAL:HG22	2.51	0.41
1:A:194:GLU:O	1:A:199:GLU:HB3	2.20	0.41
1:C:172:PHE:CE1	1:C:176:LEU:HD11	2.56	0.41
1:D:316:ARG:NH2	1:D:316:ARG:HG2	2.34	0.41
1:C:22:MET:N	4:C:2001:HOH:O	2.54	0.41
1:B:287:LEU:O	1:B:291:ARG:NH1	2.53	0.40
1:A:275:THR:HG21	1:A:278:VAL:HG11	2.00	0.40
1:C:223:GLU:CB	4:C:2094:HOH:O	2.68	0.40
1:A:98:ALA:O	1:A:139[A]:THR:HG21	2.22	0.40
1:C:210(B):LEU:HD21	1:C:225:ARG:NH2	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	312/310 (101%)	302 (97%)	10 (3%)	0	100	100
1	B	297/310 (96%)	289 (97%)	8 (3%)	0	100	100
1	C	310/310 (100%)	304 (98%)	6 (2%)	0	100	100
1	D	297/310 (96%)	288 (97%)	7 (2%)	2 (1%)	26	21
All	All	1216/1240 (98%)	1183 (97%)	31 (2%)	2 (0%)	52	53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	195	HIS
1	D	305	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/232 (100%)	226 (97%)	7 (3%)	48	51
1	B	223/232 (96%)	219 (98%)	4 (2%)	66	72
1	C	233/232 (100%)	228 (98%)	5 (2%)	61	66
1	D	218/232 (94%)	214 (98%)	4 (2%)	66	72
All	All	907/928 (98%)	887 (98%)	20 (2%)	60	64

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	190	TYR
1	A	216	ARG
1	A	218	ARG
1	A	241	GLU
1	A	246	THR
1	A	287	LEU
1	A	312	ARG
1	B	113	LEU
1	B	136	LEU
1	B	210(B)	LEU
1	B	216	ARG
1	C	22	MET
1	C	92	ARG
1	C	220	LEU
1	C	246	THR
1	C	287	LEU
1	D	112	LEU
1	D	114	ASP
1	D	256	ARG
1	D	287	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	HIS
1	A	111	GLN
1	A	140	ASN
1	B	62	HIS
1	B	118	GLN
1	B	140	ASN
1	C	62	HIS
1	C	140	ASN
1	D	140	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAD	A	1332	-	38,48,48	2.85	15 (39%)	47,73,73	2.53	19 (40%)
2	OXM	A	501	-	2,5,5	0.94	0	2,6,6	1.06	0
3	NAD	B	1332	-	38,48,48	3.11	17 (44%)	47,73,73	2.52	14 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	OXM	B	501	-	2,5,5	0.30	0	2,6,6	1.05	0
3	NAD	C	1332	-	38,48,48	2.44	19 (50%)	47,73,73	3.57	16 (34%)
2	OXM	C	501	-	2,5,5	0.18	0	2,6,6	0.13	0
3	NAD	D	1332	-	38,48,48	2.42	15 (39%)	47,73,73	3.22	16 (34%)
2	OXM	D	501	-	2,5,5	0.38	0	2,6,6	1.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	1332	-	-	0/22/62/62	0/5/5/5
2	OXM	A	501	-	-	0/0/4/4	0/0/0/0
3	NAD	B	1332	-	-	0/22/62/62	0/5/5/5
2	OXM	B	501	-	-	0/0/4/4	0/0/0/0
3	NAD	C	1332	-	-	0/22/62/62	0/5/5/5
2	OXM	C	501	-	-	0/0/4/4	0/0/0/0
3	NAD	D	1332	-	1/1/11/11	0/22/62/62	0/5/5/5
2	OXM	D	501	-	-	0/0/4/4	0/0/0/0

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1332	NAD	O4D-C1D	-10.08	1.28	1.41
3	B	1332	NAD	O4B-C1B	-6.29	1.33	1.41
3	A	1332	NAD	PA-O2A	-6.07	1.29	1.54
3	A	1332	NAD	PN-O2N	-6.05	1.29	1.54
3	D	1332	NAD	PN-O2N	-5.47	1.31	1.54
3	B	1332	NAD	PA-O2A	-5.41	1.31	1.54
3	A	1332	NAD	PA-O5B	-5.38	1.34	1.59
3	A	1332	NAD	PA-O1A	-5.11	1.32	1.51
3	A	1332	NAD	O4D-C1D	-5.00	1.34	1.41
3	B	1332	NAD	PN-O2N	-4.94	1.33	1.54
3	C	1332	NAD	O5D-C5D	-4.72	1.25	1.44
3	C	1332	NAD	PN-O2N	-4.54	1.35	1.54
3	D	1332	NAD	PN-O1N	-4.43	1.35	1.51
3	B	1332	NAD	PA-O1A	-4.43	1.35	1.51
3	D	1332	NAD	PA-O2A	-4.42	1.36	1.54
3	A	1332	NAD	O3D-C3D	-4.39	1.32	1.43
3	C	1332	NAD	PN-O5D	-4.34	1.39	1.59
3	D	1332	NAD	O5D-C5D	-4.30	1.27	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1332	NAD	C7N-N7N	-4.08	1.24	1.33
3	C	1332	NAD	O4B-C1B	-4.04	1.36	1.41
3	A	1332	NAD	PN-O5D	-3.95	1.40	1.59
3	D	1332	NAD	O5B-C5B	-3.92	1.28	1.44
3	D	1332	NAD	PN-O5D	-3.85	1.41	1.59
3	C	1332	NAD	PA-O1A	-3.65	1.37	1.51
3	C	1332	NAD	O3D-C3D	-3.62	1.34	1.43
3	C	1332	NAD	PA-O2A	-3.60	1.39	1.54
3	B	1332	NAD	C8A-N7A	-3.57	1.27	1.34
3	B	1332	NAD	O4B-C4B	-3.57	1.36	1.45
3	B	1332	NAD	C5A-N7A	-3.41	1.27	1.39
3	D	1332	NAD	C8A-N7A	-3.37	1.28	1.34
3	B	1332	NAD	O3D-C3D	-3.32	1.35	1.43
3	A	1332	NAD	O5B-C5B	-3.29	1.31	1.44
3	A	1332	NAD	C5A-N7A	-3.27	1.28	1.39
3	D	1332	NAD	PA-O5B	-3.27	1.44	1.59
3	B	1332	NAD	O5B-C5B	-3.25	1.31	1.44
3	A	1332	NAD	PN-O1N	-3.23	1.39	1.51
3	A	1332	NAD	C8A-N7A	-3.19	1.28	1.34
3	C	1332	NAD	O5B-C5B	-3.14	1.31	1.44
3	C	1332	NAD	PN-O1N	-3.11	1.39	1.51
3	C	1332	NAD	C5A-N7A	-3.02	1.29	1.39
3	D	1332	NAD	PA-O1A	-3.00	1.40	1.51
3	B	1332	NAD	C5D-C4D	-2.99	1.42	1.51
3	C	1332	NAD	O4B-C4B	-2.97	1.38	1.45
3	A	1332	NAD	O4B-C1B	-2.95	1.37	1.41
3	D	1332	NAD	C5A-N7A	-2.92	1.29	1.39
3	A	1332	NAD	C7N-N7N	-2.89	1.27	1.33
3	B	1332	NAD	O4D-C4D	-2.86	1.38	1.45
3	C	1332	NAD	O3B-C3B	-2.69	1.36	1.43
3	D	1332	NAD	C5B-C4B	-2.67	1.43	1.51
3	B	1332	NAD	PN-O1N	-2.56	1.41	1.51
3	B	1332	NAD	O3B-C3B	-2.54	1.36	1.43
3	D	1332	NAD	O3D-C3D	-2.48	1.37	1.43
3	C	1332	NAD	O2B-C2B	-2.35	1.37	1.43
3	A	1332	NAD	O2D-C2D	-2.19	1.37	1.43
3	D	1332	NAD	O4B-C4B	-2.18	1.40	1.45
3	B	1332	NAD	PN-O5D	-2.15	1.49	1.59
3	C	1332	NAD	C2B-C3B	-2.13	1.47	1.53
3	D	1332	NAD	C5A-C4A	-2.12	1.35	1.40
3	C	1332	NAD	C8A-N7A	-2.02	1.30	1.34
3	C	1332	NAD	C7N-N7N	-2.00	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1332	NAD	C3D-C4D	2.09	1.58	1.53
3	C	1332	NAD	C6A-N6A	2.46	1.42	1.34
3	C	1332	NAD	O7N-C7N	3.36	1.31	1.24
3	B	1332	NAD	O7N-C7N	4.04	1.32	1.24
3	A	1332	NAD	O7N-C7N	4.84	1.34	1.24
3	D	1332	NAD	O7N-C7N	5.36	1.35	1.24

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1332	NAD	N3A-C2A-N1A	-12.13	119.61	128.89
3	C	1332	NAD	N3A-C2A-N1A	-9.85	121.35	128.89
3	A	1332	NAD	N3A-C2A-N1A	-6.94	123.58	128.89
3	B	1332	NAD	N3A-C2A-N1A	-6.72	123.75	128.89
3	C	1332	NAD	C2B-C1B-N9A	-6.08	105.01	114.29
3	B	1332	NAD	C2D-C3D-C4D	-5.96	90.36	102.61
3	B	1332	NAD	C2B-C1B-N9A	-5.33	106.14	114.29
3	D	1332	NAD	O4D-C4D-C3D	-5.19	94.69	105.15
3	C	1332	NAD	O4D-C4D-C3D	-4.69	95.70	105.15
3	D	1332	NAD	C2B-C1B-N9A	-4.58	107.30	114.29
3	A	1332	NAD	C3N-C7N-N7N	-4.01	113.42	117.82
3	B	1332	NAD	O5D-C5D-C4D	-3.70	95.49	109.12
3	A	1332	NAD	O4D-C4D-C5D	-3.24	97.73	109.32
3	D	1332	NAD	C2B-C3B-C4B	-3.16	96.12	102.61
3	A	1332	NAD	O4D-C4D-C3D	-3.15	98.81	105.15
3	A	1332	NAD	C5N-C4N-C3N	-2.97	116.60	120.33
3	D	1332	NAD	O5B-PA-O1A	-2.95	98.15	109.62
3	A	1332	NAD	C2B-C1B-N9A	-2.71	110.15	114.29
3	A	1332	NAD	C2B-C3B-C4B	-2.53	97.42	102.61
3	C	1332	NAD	O7N-C7N-N7N	-2.43	119.17	122.59
3	D	1332	NAD	C4B-O4B-C1B	-2.33	107.16	109.72
3	B	1332	NAD	C2B-C3B-C4B	-2.32	97.85	102.61
3	B	1332	NAD	PN-O3-PA	-2.26	126.39	132.73
3	C	1332	NAD	C2B-C3B-C4B	-2.23	98.04	102.61
3	B	1332	NAD	C4B-O4B-C1B	-2.19	107.31	109.72
3	A	1332	NAD	C4B-O4B-C1B	-2.17	107.33	109.72
3	C	1332	NAD	C4A-C5A-N7A	-2.11	107.54	109.48
3	A	1332	NAD	O5B-PA-O1A	-2.11	101.43	109.62
3	C	1332	NAD	C4B-O4B-C1B	-2.09	107.43	109.72
3	C	1332	NAD	O3D-C3D-C4D	2.21	117.67	111.05
3	D	1332	NAD	O3B-C3B-C4B	2.28	117.89	111.05
3	D	1332	NAD	O5B-C5B-C4B	2.38	117.88	109.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1332	NAD	O4D-C4D-C5D	2.40	117.91	109.32
3	D	1332	NAD	O3D-C3D-C2D	2.44	119.77	111.83
3	B	1332	NAD	O5B-C5B-C4B	2.45	118.14	109.12
3	D	1332	NAD	C6N-C5N-C4N	2.45	123.15	119.44
3	A	1332	NAD	O3-PN-O5D	2.45	109.45	102.94
3	A	1332	NAD	O3B-C3B-C4B	2.51	118.59	111.05
3	A	1332	NAD	C1B-N9A-C4A	2.75	131.09	126.94
3	C	1332	NAD	O5B-C5B-C4B	2.76	119.28	109.12
3	A	1332	NAD	C5D-C4D-C3D	2.81	126.35	115.21
3	A	1332	NAD	O5D-C5D-C4D	2.86	119.67	109.12
3	C	1332	NAD	O7N-C7N-C3N	2.97	122.83	119.59
3	B	1332	NAD	C2N-C3N-C4N	3.01	121.64	118.29
3	A	1332	NAD	C3N-C2N-N1N	3.05	123.87	120.36
3	B	1332	NAD	O4D-C4D-C3D	3.07	111.33	105.15
3	D	1332	NAD	C1B-N9A-C4A	3.14	131.68	126.94
3	C	1332	NAD	O3-PA-O5B	3.29	111.65	102.94
3	C	1332	NAD	C1B-N9A-C4A	3.33	131.96	126.94
3	A	1332	NAD	O5B-C5B-C4B	3.41	121.69	109.12
3	D	1332	NAD	O5D-C5D-C4D	3.57	122.28	109.12
3	C	1332	NAD	C4D-O4D-C1D	3.62	113.70	109.72
3	B	1332	NAD	C1B-N9A-C4A	3.65	132.44	126.94
3	C	1332	NAD	O5D-C5D-C4D	3.95	123.68	109.12
3	B	1332	NAD	O3-PA-O5B	4.99	116.16	102.94
3	D	1332	NAD	O3-PA-O5B	5.09	116.45	102.94
3	B	1332	NAD	O4D-C4D-C5D	5.25	128.11	109.32
3	A	1332	NAD	O3-PA-O5B	5.26	116.89	102.94
3	D	1332	NAD	O4B-C4B-C5B	5.51	129.03	109.32
3	B	1332	NAD	O4B-C4B-C5B	5.54	129.13	109.32
3	A	1332	NAD	O4B-C4B-C5B	5.97	130.68	109.32
3	A	1332	NAD	O4D-C1D-N1N	6.05	114.78	108.13
3	C	1332	NAD	O4B-C4B-C5B	6.15	131.33	109.32
3	D	1332	NAD	O4D-C1D-N1N	10.94	120.15	108.13
3	C	1332	NAD	O4D-C1D-N1N	16.96	126.76	108.13

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	1332	NAD	C4B

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1332	NAD	3	0
3	B	1332	NAD	3	0
3	C	1332	NAD	4	0
2	C	501	OXM	1	0
3	D	1332	NAD	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	310/310 (100%)	-0.10	4 (1%) 79 84	10, 22, 36, 46	15 (4%)
1	B	299/310 (96%)	-0.10	14 (4%) 35 44	12, 22, 40, 58	21 (7%)
1	C	310/310 (100%)	-0.27	1 (0%) 94 95	12, 21, 40, 51	12 (3%)
1	D	300/310 (96%)	0.01	8 (2%) 58 65	16, 27, 44, 61	14 (4%)
All	All	1219/1240 (98%)	-0.12	27 (2%) 65 71	10, 22, 41, 61	62 (5%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	100	VAL	5.2
1	B	112	LEU	4.5
1	D	112	LEU	3.6
1	D	327	PHE	3.6
1	D	331	PHE	3.5
1	B	209(C)	VAL	3.3
1	B	209(A)	GLY	3.2
1	C	190	TYR	3.2
1	B	331	PHE	3.2
1	B	209(B)	GLY	3.1
1	A	106	GLY	3.0
1	A	43	LEU	2.7
1	D	304	TYR	2.7
1	B	42	LEU	2.5
1	D	114	ASP	2.5
1	D	276	PRO	2.3
1	B	214	GLU	2.3
1	B	73	ALA	2.2
1	A	42	LEU	2.2
1	A	220	LEU	2.2
1	B	218	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	219	ALA	2.1
1	D	280	GLY	2.1
1	B	43	LEU	2.1
1	B	209(D)	PRO	2.1
1	B	223	GLU	2.1
1	B	111	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	OXM	C	501	6/6	0.95	0.17	6.70	25,27,29,30	0
2	OXM	A	501	6/6	0.92	0.14	2.98	26,27,28,28	0
2	OXM	D	501	6/6	0.95	0.13	2.76	24,27,29,29	0
2	OXM	B	501	6/6	0.94	0.12	1.63	25,27,28,28	0
3	NAD	C	1332	44/44	0.96	0.10	0.38	19,25,28,30	0
3	NAD	B	1332	44/44	0.97	0.09	-0.36	17,24,26,28	0
3	NAD	D	1332	44/44	0.96	0.10	-0.46	19,27,29,32	0
3	NAD	A	1332	44/44	0.97	0.09	-0.72	12,18,23,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.