



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:53 AM GMT

PDB ID : 2V7Y  
Title : CRYSTAL STRUCTURE OF THE MOLECULAR CHAPERONE DNAK  
FROM GEOBACILLUS KAUSTOPHILUS HTA426 IN POST-ATP HY-  
DROLYSIS STATE  
Authors : Chang, Y.-W.; Sun, Y.-J.; Wang, C.; Hsiao, C.-D.  
Deposited on : 2007-08-02  
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*


The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4019 (2.40-2.36)
Clashscore	102246	4595 (2.40-2.36)
Ramachandran outliers	100387	4520 (2.40-2.36)
Sidechain outliers	100360	4522 (2.40-2.36)
RSRZ outliers	91569	4034 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	509	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3919 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHAPERONE PROTEIN DNAK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	504	Total	C	N	O	S	0	0	0
			3720	2330	644	738	8			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	166	Total	O	0	0
			166	166		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CHAPERONE PROTEIN DNAK



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.75Å 71.45Å 183.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.58 – 2.37 29.58 – 2.37	Depositor EDS
% Data completeness (in resolution range)	89.3 (29.58-2.37) 89.3 (29.58-2.37)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.49 (at 2.36Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.227 , 0.270 0.223 , 0.264	Depositor DCC
$R_{free}$ test set	1251 reflections (4.81%)	DCC
Wilson B-factor (Å <sup>2</sup> )	35.8	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 46.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 27597 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3919	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.66	8/3770 (0.2%)	1.12	48/5122 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	21

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	399	ALA	C-N	-9.68	1.11	1.34
1	A	492	ALA	C-N	8.70	1.54	1.34
1	A	201	PHE	C-N	-8.14	1.15	1.34
1	A	204	VAL	C-N	-7.67	1.16	1.34
1	A	43	LYS	C-N	6.93	1.50	1.34
1	A	503	GLU	C-N	-6.03	1.20	1.34
1	A	44	ASN	C-N	5.96	1.43	1.33
1	A	93	ILE	C-N	-5.40	1.21	1.34

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	204	VAL	O-C-N	-11.60	104.15	122.70
1	A	44	ASN	CA-C-N	-10.71	94.79	116.20
1	A	69	ARG	NE-CZ-NH1	10.57	125.59	120.30
1	A	502	ALA	C-N-CA	10.31	147.48	121.70
1	A	125	ARG	NE-CZ-NH2	10.24	125.42	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	482	GLN	CB-CA-C	9.99	130.39	110.40
1	A	43	LYS	C-N-CA	-9.13	98.87	121.70
1	A	44	ASN	CA-C-O	8.95	138.89	120.10
1	A	473	SER	C-N-CA	8.92	143.99	121.70
1	A	472	SER	C-N-CA	8.89	143.93	121.70
1	A	492	ALA	C-N-CA	-8.88	99.51	121.70
1	A	202	ASP	CB-CG-OD1	8.79	126.21	118.30
1	A	494	ALA	C-N-CA	8.18	142.16	121.70
1	A	96	TYR	CB-CG-CD2	-7.95	116.23	121.00
1	A	474	SER	CA-C-N	-7.74	100.71	116.20
1	A	470	ILE	CA-C-N	-7.30	101.14	117.20
1	A	470	ILE	C-N-CA	-7.24	103.60	121.70
1	A	473	SER	CA-C-N	-7.12	101.54	117.20
1	A	503	GLU	C-N-CA	6.93	139.02	121.70
1	A	47	ARG	O-C-N	-6.68	112.01	122.70
1	A	204	VAL	CA-CB-CG2	6.53	120.69	110.90
1	A	496	ARG	C-N-CA	6.40	137.70	121.70
1	A	475	GLY	C-N-CA	-6.21	106.19	121.70
1	A	400	ASP	CB-CG-OD1	6.18	123.87	118.30
1	A	493	GLU	O-C-N	-6.17	112.83	122.70
1	A	473	SER	O-C-N	6.14	132.52	122.70
1	A	47	ARG	NE-CZ-NH1	-6.13	117.23	120.30
1	A	469	THR	CA-CB-OG1	6.07	121.74	109.00
1	A	498	ARG	O-C-N	-5.96	113.17	122.70
1	A	402	GLN	O-C-N	5.95	132.22	122.70
1	A	492	ALA	CA-C-N	-5.88	104.26	117.20
1	A	125	ARG	CD-NE-CZ	5.75	131.65	123.60
1	A	361	LEU	CA-CB-CG	5.65	128.29	115.30
1	A	478	GLU	CA-C-N	-5.65	104.77	117.20
1	A	21	GLY	N-CA-C	-5.62	99.05	113.10
1	A	470	ILE	O-C-N	5.51	131.52	122.70
1	A	69	ARG	CD-NE-CZ	5.48	131.27	123.60
1	A	469	THR	CA-CB-CG2	5.43	120.00	112.40
1	A	498	ARG	C-N-CA	5.37	135.13	121.70
1	A	204	VAL	CA-C-N	5.37	129.02	117.20
1	A	63	THR	N-CA-C	-5.37	96.51	111.00
1	A	204	VAL	CA-CB-CG1	5.35	118.93	110.90
1	A	402	GLN	C-N-CA	5.34	135.05	121.70
1	A	479	GLU	CA-C-N	-5.26	105.63	117.20
1	A	479	GLU	O-C-N	5.25	131.09	122.70
1	A	204	VAL	CG1-CB-CG2	5.24	119.28	110.90
1	A	502	ALA	CA-C-N	-5.13	105.91	117.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	477	SER	N-CA-CB	5.11	118.16	110.50

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	470	ILE	CB

All (21) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	125	ARG	Mainchain
1	A	204	VAL	Mainchain
1	A	44	ASN	Mainchain
1	A	47	ARG	Mainchain
1	A	470	ILE	Peptide
1	A	472	SER	Mainchain,Peptide
1	A	473	SER	Peptide
1	A	474	SER	Mainchain
1	A	475	GLY	Mainchain
1	A	492	ALA	Mainchain,Peptide
1	A	493	GLU	Mainchain,Peptide
1	A	494	ALA	Mainchain,Peptide
1	A	495	ASP	Mainchain,Peptide
1	A	498	ARG	Mainchain
1	A	503	GLU	Mainchain,Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3720	0	3674	182	0
2	A	27	0	12	0	0
3	A	5	0	0	0	0
4	A	1	0	0	0	0
5	A	166	0	0	1	0
All	All	3919	0	3686	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:SER:HA	1:A:474:SER:CB	1.41	1.51
1:A:47:ARG:HH11	1:A:47:ARG:CG	1.33	1.32
1:A:472:SER:HA	1:A:474:SER:CA	1.63	1.29
1:A:472:SER:CA	1:A:474:SER:CB	2.18	1.20
1:A:47:ARG:HH11	1:A:47:ARG:HG2	0.95	1.11
1:A:47:ARG:NH1	1:A:47:ARG:HG2	1.55	1.03
1:A:286:MET:SD	1:A:325:GLU:HG3	2.04	0.98
1:A:47:ARG:HH11	1:A:47:ARG:HG3	1.28	0.96
1:A:472:SER:CB	1:A:474:SER:CB	2.44	0.94
1:A:129:LYS:NZ	1:A:142:ILE:HD13	1.82	0.94
1:A:285:THR:HG22	1:A:286:MET:HE2	1.53	0.91
1:A:87:GLN:HE21	1:A:87:GLN:H	0.96	0.88
1:A:70:HIS:O	1:A:73:THR:HB	1.72	0.88
1:A:73:THR:HG22	1:A:75:TYR:H	1.40	0.85
1:A:47:ARG:NH1	1:A:47:ARG:CG	2.09	0.85
1:A:401:ASN:OD1	1:A:433:PRO:HB3	1.76	0.84
1:A:471:LYS:O	1:A:474:SER:HA	1.79	0.83
1:A:472:SER:HA	1:A:474:SER:HA	1.61	0.82
1:A:254:PHE:H	1:A:264:HIS:CD2	1.99	0.81
1:A:166:TYR:OH	1:A:285:THR:HG21	1.81	0.80
1:A:129:LYS:HZ2	1:A:142:ILE:HD13	1.46	0.80
1:A:444:THR:HG21	1:A:456:ARG:HH21	1.44	0.79
1:A:249:GLN:NE2	1:A:268:THR:HB	1.98	0.79
1:A:87:GLN:N	1:A:87:GLN:HE21	1.78	0.78
1:A:133:ARG:CG	1:A:133:ARG:HH21	1.96	0.78
1:A:205:ILE:HD11	1:A:274:PHE:CD1	2.18	0.78
1:A:254:PHE:H	1:A:264:HIS:HD2	1.32	0.78
1:A:87:GLN:NE2	1:A:87:GLN:H	1.77	0.78
1:A:155:LEU:HD23	1:A:163:ILE:HD13	1.67	0.76
1:A:379:LYS:HB3	1:A:379:LYS:HZ3	1.50	0.76
1:A:411:GLN:HB2	1:A:423:LEU:HD11	1.68	0.74
1:A:129:LYS:HZ3	1:A:142:ILE:HD13	1.54	0.73
1:A:129:LYS:HG3	1:A:142:ILE:HD11	1.70	0.71
1:A:206:ILE:O	1:A:210:VAL:HG13	1.90	0.71
1:A:379:LYS:HB3	1:A:379:LYS:NZ	2.06	0.71
1:A:39:VAL:HB	1:A:65:ILE:HD13	1.71	0.70
1:A:454:HIS:HD2	1:A:469:THR:HG22	1.58	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:423:LEU:HB3	1:A:470:ILE:HG13	1.75	0.68
1:A:472:SER:CA	1:A:474:SER:CA	2.57	0.68
1:A:389:THR:HG23	1:A:447:ILE:HD13	1.75	0.68
1:A:102:GLU:CG	1:A:109:VAL:HG13	2.24	0.67
1:A:389:THR:CG2	1:A:447:ILE:HD13	2.24	0.67
1:A:26:VAL:CG2	1:A:342:ILE:HD11	2.25	0.67
1:A:89:ILE:O	1:A:93:ILE:HD12	1.94	0.67
1:A:489:GLU:O	1:A:492:ALA:HB2	1.95	0.67
1:A:462:THR:HG22	1:A:464:LYS:H	1.60	0.66
1:A:64:ILE:CD1	1:A:77:VAL:HG21	2.26	0.66
1:A:133:ARG:HG3	1:A:133:ARG:HH21	1.60	0.65
1:A:115:THR:HG23	1:A:145:GLU:CG	2.27	0.64
1:A:64:ILE:HD12	1:A:77:VAL:HG21	1.80	0.64
1:A:367:SER:CB	1:A:379:LYS:HE2	2.28	0.63
1:A:447:ILE:N	1:A:447:ILE:HD12	2.14	0.63
1:A:102:GLU:HG2	1:A:109:VAL:HG13	1.80	0.63
1:A:361:LEU:HD13	1:A:361:LEU:O	2.00	0.62
1:A:220:ASP:OD2	1:A:223:LYS:HG3	2.00	0.62
1:A:205:ILE:HD11	1:A:274:PHE:HD1	1.63	0.62
1:A:205:ILE:HD12	1:A:269:LEU:HD21	1.81	0.61
1:A:249:GLN:HE22	1:A:268:THR:HB	1.64	0.60
1:A:153:TYR:CZ	1:A:334:VAL:HG13	2.37	0.60
1:A:186:GLU:HG2	1:A:188:LYS:HE2	1.84	0.60
1:A:285:THR:HG22	1:A:286:MET:CE	2.27	0.60
1:A:308:LEU:HB3	1:A:313:THR:HG21	1.83	0.60
1:A:423:LEU:HB3	1:A:470:ILE:CG1	2.32	0.60
1:A:115:THR:HG21	1:A:340:VAL:HG11	1.84	0.60
1:A:164:LEU:HD23	1:A:303:ILE:HD11	1.83	0.60
1:A:347:GLN:HA	1:A:347:GLN:HE21	1.67	0.59
1:A:381:ILE:HD11	1:A:391:LYS:HB2	1.84	0.59
1:A:379:LYS:CB	1:A:379:LYS:NZ	2.65	0.59
1:A:73:THR:HG22	1:A:75:TYR:N	2.14	0.59
1:A:115:THR:HG21	1:A:340:VAL:CG1	2.34	0.58
1:A:16:VAL:HG22	1:A:27:ILE:HD12	1.84	0.57
1:A:221:LEU:HD22	1:A:255:ILE:HD12	1.86	0.57
1:A:367:SER:HB3	1:A:379:LYS:HE2	1.85	0.57
1:A:102:GLU:HG3	1:A:109:VAL:HG13	1.87	0.56
1:A:494:ALA:O	1:A:497:LYS:CB	2.53	0.56
1:A:367:SER:HB3	1:A:379:LYS:NZ	2.21	0.56
1:A:320:GLU:OE2	1:A:324:ARG:HD2	2.05	0.56
1:A:323:LYS:HG2	1:A:330:PRO:HD3	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:LEU:HD21	1:A:303:ILE:HD11	1.87	0.56
1:A:462:THR:O	1:A:463:ASN:HB2	2.05	0.56
1:A:409:VAL:HG22	1:A:423:LEU:HB2	1.87	0.55
1:A:29:ASN:HB2	1:A:30:PRO:CD	2.36	0.55
1:A:115:THR:HG23	1:A:145:GLU:HG3	1.87	0.55
1:A:367:SER:HB2	1:A:412:GLY:O	2.06	0.54
1:A:29:ASN:HB2	1:A:30:PRO:HD2	1.90	0.54
1:A:381:ILE:HD11	1:A:391:LYS:CB	2.37	0.54
1:A:361:LEU:CD1	1:A:361:LEU:O	2.56	0.53
1:A:159:GLU:CD	1:A:159:GLU:H	2.11	0.53
1:A:462:THR:HG22	1:A:464:LYS:N	2.23	0.53
1:A:115:THR:HG23	1:A:145:GLU:HG2	1.89	0.53
1:A:26:VAL:HG22	1:A:342:ILE:HD11	1.91	0.53
1:A:306:VAL:HG21	1:A:326:LEU:HD23	1.91	0.53
1:A:9:LEU:HD13	1:A:94:LEU:HD13	1.91	0.52
1:A:398:ALA:N	1:A:402:GLN:OE1	2.40	0.52
1:A:392:SER:OG	1:A:444:THR:HB	2.10	0.52
1:A:133:ARG:HG3	1:A:133:ARG:NH2	2.23	0.52
1:A:133:ARG:HH21	1:A:133:ARG:HG2	1.74	0.52
1:A:454:HIS:HD2	1:A:469:THR:CG2	2.21	0.52
1:A:367:SER:HB3	1:A:379:LYS:CE	2.41	0.51
1:A:57:ALA:HA	1:A:63:THR:HG21	1.92	0.51
1:A:347:GLN:O	1:A:351:ILE:HG12	2.10	0.51
1:A:164:LEU:HD23	1:A:303:ILE:CD1	2.40	0.51
1:A:443:VAL:HA	1:A:456:ARG:O	2.11	0.51
1:A:69:ARG:NH2	1:A:194:ASN:O	2.37	0.50
1:A:104:TYR:HD1	1:A:105:LEU:HD13	1.77	0.50
1:A:139:VAL:HG11	1:A:142:ILE:HD11	1.92	0.49
1:A:242:LEU:O	1:A:271:ARG:HD2	2.12	0.49
1:A:328:LYS:HB3	1:A:328:LYS:NZ	2.27	0.49
1:A:186:GLU:HG2	1:A:188:LYS:HD3	1.94	0.49
1:A:306:VAL:CG2	1:A:326:LEU:HD23	2.42	0.49
1:A:286:MET:SD	1:A:325:GLU:CG	2.91	0.49
1:A:380:LEU:O	1:A:391:LYS:HG2	2.11	0.49
1:A:26:VAL:HG23	1:A:342:ILE:HD11	1.94	0.49
1:A:115:THR:CG2	1:A:145:GLU:HG2	2.43	0.49
1:A:319:GLN:HE22	1:A:332:LYS:NZ	2.11	0.48
1:A:79:ILE:HD12	1:A:79:ILE:N	2.28	0.48
1:A:85:THR:O	1:A:89:ILE:HD12	2.13	0.48
1:A:64:ILE:HD11	1:A:77:VAL:HG21	1.95	0.48
1:A:308:LEU:CD1	1:A:330:PRO:HB3	2.44	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:GLU:H	1:A:259:GLU:CD	2.15	0.48
1:A:396:THR:CG2	1:A:437:GLY:HA2	2.44	0.47
1:A:133:ARG:HH12	1:A:138:GLU:CD	2.17	0.47
1:A:84:TYR:HB2	1:A:89:ILE:HD11	1.95	0.47
1:A:84:TYR:CB	1:A:89:ILE:HD11	2.44	0.47
1:A:441:ILE:HD12	1:A:441:ILE:N	2.29	0.47
1:A:254:PHE:N	1:A:264:HIS:HD2	2.06	0.47
1:A:208:TYR:O	1:A:212:GLN:HG2	2.14	0.47
1:A:472:SER:HA	1:A:474:SER:N	2.27	0.46
1:A:153:TYR:CE2	1:A:334:VAL:HG13	2.49	0.46
1:A:133:ARG:CG	1:A:133:ARG:NH2	2.65	0.46
1:A:308:LEU:HD13	1:A:330:PRO:HB3	1.97	0.46
1:A:310:GLY:O	1:A:313:THR:HB	2.16	0.46
1:A:280:HIS:CD2	1:A:280:HIS:H	2.34	0.46
1:A:208:TYR:CE2	1:A:273:LYS:HE2	2.51	0.45
1:A:148:ALA:O	1:A:343:GLY:HA3	2.15	0.45
1:A:377:PHE:CE1	1:A:410:LEU:HB2	2.52	0.45
1:A:255:ILE:O	1:A:255:ILE:HD13	2.16	0.45
1:A:124:GLN:O	1:A:128:THR:HG23	2.16	0.45
1:A:129:LYS:O	1:A:133:ARG:HD2	2.17	0.45
1:A:380:LEU:HD22	1:A:445:PHE:CD2	2.52	0.44
1:A:129:LYS:NZ	1:A:142:ILE:CD1	2.68	0.44
1:A:379:LYS:HZ1	1:A:382:GLU:HA	1.82	0.44
1:A:494:ALA:O	1:A:497:LYS:N	2.51	0.44
1:A:381:ILE:CD1	1:A:391:LYS:HB2	2.47	0.44
1:A:30:PRO:HD3	1:A:100:TYR:CD1	2.53	0.44
1:A:347:GLN:CA	1:A:347:GLN:HE21	2.31	0.44
1:A:408:HIS:CE1	1:A:410:LEU:HD21	2.53	0.43
1:A:473:SER:C	1:A:475:GLY:N	2.62	0.43
1:A:47:ARG:NH1	1:A:47:ARG:HG3	2.06	0.43
1:A:236:GLU:HG2	1:A:240:LYS:HE3	1.99	0.43
1:A:370:ILE:HD12	1:A:443:VAL:HG21	2.00	0.43
1:A:367:SER:HB3	1:A:379:LYS:HZ3	1.84	0.42
1:A:387:ILE:HA	1:A:388:PRO:C	2.40	0.42
1:A:124:GLN:O	1:A:128:THR:CG2	2.68	0.42
1:A:497:LYS:O	1:A:500:GLU:CB	2.67	0.42
1:A:98:LYS:HE3	5:A:2056:HOH:O	2.19	0.42
1:A:80:GLU:OE1	1:A:80:GLU:HA	2.20	0.42
1:A:130:ASP:O	1:A:134:ILE:HG12	2.20	0.41
1:A:8:ASP:O	1:A:14:SER:HA	2.20	0.41
1:A:364:THR:HA	1:A:365:PRO:HD2	1.96	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:VAL:HG22	1:A:339:VAL:HG11	2.02	0.41
1:A:141:ARG:NH1	1:A:351:ILE:HD12	2.36	0.41
1:A:173:PHE:HE2	1:A:288:PRO:HB2	1.85	0.41
1:A:142:ILE:HD12	1:A:142:ILE:N	2.36	0.41
1:A:370:ILE:CD1	1:A:443:VAL:HG21	2.50	0.41
1:A:88:GLU:O	1:A:92:ILE:HD12	2.21	0.41
1:A:367:SER:CB	1:A:379:LYS:CE	2.98	0.41
1:A:500:GLU:C	1:A:502:ALA:H	2.24	0.41
1:A:444:THR:HG21	1:A:456:ARG:NH2	2.22	0.41
1:A:470:ILE:C	1:A:470:ILE:HD13	2.41	0.41
1:A:14:SER:HB3	1:A:97:LEU:HD21	2.02	0.41
1:A:397:THR:OG1	1:A:402:GLN:HB2	2.20	0.40
1:A:399:ALA:O	1:A:400:ASP:C	2.58	0.40
1:A:129:LYS:HZ3	1:A:142:ILE:CD1	2.26	0.40
1:A:395:PHE:CD1	1:A:443:VAL:HG13	2.56	0.40
1:A:205:ILE:HD12	1:A:269:LEU:CD2	2.47	0.40
1:A:29:ASN:HA	1:A:100:TYR:CD2	2.56	0.40
1:A:242:LEU:HA	1:A:242:LEU:HD12	1.95	0.40
1:A:34:ARG:CZ	1:A:338:GLU:OE2	2.70	0.40
1:A:34:ARG:HG2	1:A:34:ARG:HH11	1.87	0.40
1:A:389:THR:HG22	1:A:447:ILE:HD13	2.03	0.40
1:A:438:VAL:HB	1:A:439:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/509 (99%)	468 (93%)	30 (6%)	4 (1%)	24	33

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	497	LYS
1	A	490	GLU
1	A	500	GLU
1	A	2	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	385/418 (92%)	326 (85%)	59 (15%)	<b>3</b> <b>4</b>

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	16	VAL
1	A	31	GLU
1	A	34	ARG
1	A	36	THR
1	A	43	LYS
1	A	44	ASN
1	A	47	ARG
1	A	49	VAL
1	A	87	GLN
1	A	94	LEU
1	A	100	TYR
1	A	105	LEU
1	A	109	VAL
1	A	110	THR
1	A	115	THR
1	A	120	PHE
1	A	128	THR
1	A	133	ARG
1	A	151	LEU
1	A	155	LEU
1	A	157	LYS
1	A	164	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	215	GLN
1	A	230	ARG
1	A	231	LEU
1	A	242	LEU
1	A	245	VAL
1	A	252	LEU
1	A	255	ILE
1	A	259	GLU
1	A	271	ARG
1	A	281	LEU
1	A	285	THR
1	A	298	LEU
1	A	305	LYS
1	A	313	THR
1	A	322	ILE
1	A	323	LYS
1	A	334	VAL
1	A	347	GLN
1	A	354	GLU
1	A	360	LEU
1	A	361	LEU
1	A	364	THR
1	A	370	ILE
1	A	372	THR
1	A	379	LYS
1	A	397	THR
1	A	409	VAL
1	A	425	ARG
1	A	429	THR
1	A	444	THR
1	A	453	VAL
1	A	462	THR
1	A	469	THR
1	A	470	ILE
1	A	477	SER
1	A	489	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	83	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	87	GLN
1	A	161	GLN
1	A	211	ASN
1	A	249	GLN
1	A	264	HIS
1	A	280	HIS
1	A	319	GLN
1	A	347	GLN
1	A	384	ASN
1	A	454	HIS
1	A	463	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	ADP	A	1505	4	22,29,29	1.18	4 (18%)	27,45,45	3.31	8 (29%)
3	PO4	A	1506	4	4,4,4	0.38	0	6,6,6	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1505	4	-	0/12/32/32	0/3/3/3
3	PO4	A	1506	4	-	0/0/0/0	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1505	ADP	C2-N1	-2.21	1.29	1.33
2	A	1505	ADP	C2'-C3'	-2.13	1.47	1.53
2	A	1505	ADP	PB-O3B	-2.12	1.47	1.54
2	A	1505	ADP	O5'-C5'	-2.09	1.36	1.44

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1505	ADP	N3-C2-N1	-13.09	118.87	128.89
2	A	1505	ADP	C2'-C1'-N9	-5.14	106.43	114.29
2	A	1505	ADP	C4'-O4'-C1'	-5.11	104.10	109.72
2	A	1505	ADP	C1'-N9-C4	-3.75	121.29	126.94
2	A	1505	ADP	O3B-PB-O1B	-2.49	102.58	110.58
2	A	1505	ADP	O3A-PA-O5'	-2.42	96.52	102.94
2	A	1505	ADP	O3B-PB-O2B	2.75	117.84	107.38
2	A	1505	ADP	PA-O3A-PB	3.20	143.38	132.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	504/509 (99%)	0.34	28 (5%)	28 32	17, 40, 95, 128	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	492	ALA	8.3
1	A	501	ALA	6.2
1	A	488	ALA	5.8
1	A	475	GLY	5.7
1	A	491	ASN	4.5
1	A	494	ALA	4.1
1	A	504	LEU	4.0
1	A	44	ASN	3.9
1	A	485	ILE	3.9
1	A	495	ASP	3.8
1	A	489	GLU	3.7
1	A	499	LYS	3.4
1	A	497	LYS	3.4
1	A	496	ARG	3.4
1	A	493	GLU	3.2
1	A	259	GLU	3.1
1	A	474	SER	3.1
1	A	490	GLU	3.0
1	A	498	ARG	2.9
1	A	500	GLU	2.8
1	A	477	SER	2.7
1	A	503	GLU	2.6
1	A	470	ILE	2.6
1	A	142	ILE	2.4
1	A	473	SER	2.4
1	A	502	ALA	2.3
1	A	115	THR	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	159	GLU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ADP	A	1505	27/27	0.98	0.15	0.05	19,26,32,34	0
3	PO4	A	1506	5/5	0.99	0.14	-1.65	24,26,31,34	0
4	MG	A	1507	1/1	0.70	0.67	-	55,55,55,55	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.