



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 09:50 PM GMT

PDB ID : 4V94  
Title : Molecular architecture of the eukaryotic chaperonin TRiC/CCT derived by a combination of chemical crosslinking and mass-spectrometry, XL-MS  
Authors : Leitner, A.; Joachimiak, L.A.; Bracher, A.; Walzthoeni, T.; Chen, B.; Monke-meyer, L.; Pechmann, S.; Holmes, S.; Cong, Y.; Ma, B.; Ludtke, S.; Chiu, W.; Hartl, F.U.; Aebersold, R.; Frydman, J.  
Deposited on : 2012-01-11  
Resolution : 3.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1317 (4.10-3.50)
Clashscore	102246	1458 (4.10-3.50)
Ramachandran outliers	100387	1397 (4.10-3.50)
Sidechain outliers	100360	1392 (4.10-3.50)
RSRZ outliers	91569	1325 (4.10-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	F	546	<div> <div>0%</div> <div> <div></div> <div>63%</div> <div>31%</div> <div>5%</div> </div> </div>
1	N	546	<div> <div>3%</div> <div> <div></div> <div>67%</div> <div>28%</div> <div></div> </div> </div>
1	f	546	<div> <div>3%</div> <div> <div></div> <div>93%</div> <div>5%</div> </div> </div>
1	n	546	<div> <div>2%</div> <div> <div></div> <div>93%</div> <div>5%</div> </div> </div>
2	H	568	<div> <div></div> <div> <div></div> <div>60%</div> <div>27%</div> <div>8%</div> </div> </div>

*Continued on next page...*



Continued from previous page...

Mol	Chain	Length	Quality of chain
2	P	568	
2	h	568	
2	p	568	
3	G	550	
3	O	550	
3	g	550	
3	o	550	
4	E	562	
4	M	562	
4	e	562	
4	m	562	
5	B	527	
5	J	527	
5	b	527	
5	j	527	
6	D	528	
6	L	528	
6	d	528	
6	l	528	
7	A	559	
7	I	559	
7	a	559	
7	i	559	
8	C	590	
8	K	590	

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
8	c	590	
8	k	590	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	BEF	B	603	-	-	X	X
11	BEF	C	1103	-	-	X	X
11	BEF	E	603	-	-	-	X
11	BEF	G	603	-	-	-	X
11	BEF	J	603	-	-	-	X
11	BEF	K	1103	-	-	-	X
11	BEF	O	603	-	-	-	X
11	BEF	c	1103	-	-	-	X
11	BEF	d	603	-	-	-	X
11	BEF	e	603	-	-	-	X
11	BEF	g	603	-	-	-	X
11	BEF	k	1103	-	-	-	X
11	BEF	l	603	-	-	-	X
9	MG	K	1101	-	-	-	X



## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 120080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-complex protein 1 subunit zeta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	F	538	Total	C	N	O	S	0	0	0
			3836	2417	640	765	14			
1	N	538	Total	C	N	O	S	0	0	0
			3836	2417	640	765	14			
1	f	538	Total	C	N	O	S	0	0	0
			3836	2417	640	765	14			
1	n	538	Total	C	N	O	S	0	0	0
			3836	2417	640	765	14			

- Molecule 2 is a protein called T-complex protein 1 subunit theta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	521	Total	C	N	O	S	0	0	0
			3619	2286	602	708	23			
2	P	521	Total	C	N	O	S	0	0	0
			3619	2286	602	708	23			
2	h	521	Total	C	N	O	S	0	0	0
			3619	2286	602	708	23			
2	p	521	Total	C	N	O	S	0	0	0
			3619	2286	602	708	23			

- Molecule 3 is a protein called T-complex protein 1 subunit eta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	526	Total	C	N	O	S	0	0	0
			3752	2372	631	730	19			
3	O	526	Total	C	N	O	S	0	0	0
			3752	2372	631	730	19			
3	g	526	Total	C	N	O	S	0	0	0
			3752	2372	631	730	19			
3	o	526	Total	C	N	O	S	0	0	0
			3752	2372	631	730	19			



- Molecule 4 is a protein called T-complex protein 1 subunit epsilon.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	535	Total	C	N	O	S	0	0	0
			3798	2391	634	752	21			
4	M	535	Total	C	N	O	S	0	0	0
			3798	2391	634	752	21			
4	e	535	Total	C	N	O	S	0	0	0
			3798	2391	634	752	21			
4	m	535	Total	C	N	O	S	0	0	0
			3798	2391	634	752	21			

- Molecule 5 is a protein called T-complex protein 1 subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	B	518	Total	C	N	O	S	0	0	0
			3689	2306	623	747	13			
5	J	518	Total	C	N	O	S	0	0	0
			3689	2306	623	747	13			
5	b	518	Total	C	N	O	S	0	0	0
			3689	2306	623	747	13			
5	j	518	Total	C	N	O	S	0	0	0
			3689	2306	623	747	13			

- Molecule 6 is a protein called T-complex protein 1 subunit delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	D	523	Total	C	N	O	S	0	0	0
			3685	2306	631	731	17			
6	L	523	Total	C	N	O	S	0	0	0
			3685	2306	631	731	17			
6	d	523	Total	C	N	O	S	0	0	0
			3685	2306	631	731	17			
6	l	523	Total	C	N	O	S	0	0	0
			3685	2306	631	731	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	345	ASP	GLY	ENGINEERED MUTATION	UNP P39078
L	345	ASP	GLY	ENGINEERED MUTATION	UNP P39078
d	345	ASP	GLY	ENGINEERED MUTATION	UNP P39078
l	345	ASP	GLY	ENGINEERED MUTATION	UNP P39078



- Molecule 7 is a protein called T-complex protein 1 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	A	539	Total	C	N	O	S	0	0	0
			3770	2369	638	746	17			
7	I	539	Total	C	N	O	S	0	0	0
			3770	2369	638	746	17			
7	a	539	Total	C	N	O	S	0	0	0
			3770	2369	638	746	17			
7	i	539	Total	C	N	O	S	0	0	0
			3770	2369	638	746	17			

- Molecule 8 is a protein called T-complex protein 1 subunit gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	C	513	Total	C	N	O	S	0	0	0
			3615	2270	620	699	26			
8	K	513	Total	C	N	O	S	0	0	0
			3615	2270	620	699	26			
8	c	513	Total	C	N	O	S	0	0	0
			3615	2270	620	699	26			
8	k	513	Total	C	N	O	S	0	0	0
			3615	2270	620	699	26			

There are 224 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	1001	GLY	-	SEE REMARK 999	UNP P39077
C	1002	SER	-	SEE REMARK 999	UNP P39077
C	1003	GLY	-	SEE REMARK 999	UNP P39077
C	1004	SER	-	SEE REMARK 999	UNP P39077
C	1005	GLY	-	SEE REMARK 999	UNP P39077
C	1006	TRP	-	SEE REMARK 999	UNP P39077
C	1007	SER	-	SEE REMARK 999	UNP P39077
C	1008	HIS	-	SEE REMARK 999	UNP P39077
C	1009	PRO	-	SEE REMARK 999	UNP P39077
C	1010	GLN	-	SEE REMARK 999	UNP P39077
C	1011	PHE	-	SEE REMARK 999	UNP P39077
C	1012	GLU	-	SEE REMARK 999	UNP P39077
C	1013	LYS	-	SEE REMARK 999	UNP P39077
C	1014	GLY	-	SEE REMARK 999	UNP P39077
C	1015	SER	-	SEE REMARK 999	UNP P39077
C	1016	GLY	-	SEE REMARK 999	UNP P39077
C	1017	LYS	-	SEE REMARK 999	UNP P39077
C	1018	ARG	-	SEE REMARK 999	UNP P39077

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	1019	ARG	-	SEE REMARK 999	UNP P39077
C	1020	TRP	-	SEE REMARK 999	UNP P39077
C	1021	LYS	-	SEE REMARK 999	UNP P39077
C	1022	LYS	-	SEE REMARK 999	UNP P39077
C	1023	ASN	-	SEE REMARK 999	UNP P39077
C	1024	PHE	-	SEE REMARK 999	UNP P39077
C	1025	ILE	-	SEE REMARK 999	UNP P39077
C	1026	ALA	-	SEE REMARK 999	UNP P39077
C	1027	VAL	-	SEE REMARK 999	UNP P39077
C	1028	SER	-	SEE REMARK 999	UNP P39077
C	1029	ALA	-	SEE REMARK 999	UNP P39077
C	1030	ALA	-	SEE REMARK 999	UNP P39077
C	1031	ASN	-	SEE REMARK 999	UNP P39077
C	1032	ARG	-	SEE REMARK 999	UNP P39077
C	1033	PHE	-	SEE REMARK 999	UNP P39077
C	1034	LYS	-	SEE REMARK 999	UNP P39077
C	1035	LYS	-	SEE REMARK 999	UNP P39077
C	1036	ILE	-	SEE REMARK 999	UNP P39077
C	1037	SER	-	SEE REMARK 999	UNP P39077
C	1038	SER	-	SEE REMARK 999	UNP P39077
C	1039	SER	-	SEE REMARK 999	UNP P39077
C	1040	GLY	-	SEE REMARK 999	UNP P39077
C	1041	ALA	-	SEE REMARK 999	UNP P39077
C	1042	LEU	-	SEE REMARK 999	UNP P39077
C	1043	GLY	-	SEE REMARK 999	UNP P39077
C	1044	SER	-	SEE REMARK 999	UNP P39077
C	1045	GLY	-	SEE REMARK 999	UNP P39077
C	1046	HIS	-	SEE REMARK 999	UNP P39077
C	1047	HIS	-	SEE REMARK 999	UNP P39077
C	1048	HIS	-	SEE REMARK 999	UNP P39077
C	1049	HIS	-	SEE REMARK 999	UNP P39077
C	1050	HIS	-	SEE REMARK 999	UNP P39077
C	1051	HIS	-	SEE REMARK 999	UNP P39077
C	1052	HIS	-	SEE REMARK 999	UNP P39077
C	1053	HIS	-	SEE REMARK 999	UNP P39077
C	1054	GLY	-	SEE REMARK 999	UNP P39077
C	1055	SER	-	SEE REMARK 999	UNP P39077
C	1056	GLY	-	SEE REMARK 999	UNP P39077
K	1001	GLY	-	SEE REMARK 999	UNP P39077
K	1002	SER	-	SEE REMARK 999	UNP P39077
K	1003	GLY	-	SEE REMARK 999	UNP P39077
K	1004	SER	-	SEE REMARK 999	UNP P39077

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	1005	GLY	-	SEE REMARK 999	UNP P39077
K	1006	TRP	-	SEE REMARK 999	UNP P39077
K	1007	SER	-	SEE REMARK 999	UNP P39077
K	1008	HIS	-	SEE REMARK 999	UNP P39077
K	1009	PRO	-	SEE REMARK 999	UNP P39077
K	1010	GLN	-	SEE REMARK 999	UNP P39077
K	1011	PHE	-	SEE REMARK 999	UNP P39077
K	1012	GLU	-	SEE REMARK 999	UNP P39077
K	1013	LYS	-	SEE REMARK 999	UNP P39077
K	1014	GLY	-	SEE REMARK 999	UNP P39077
K	1015	SER	-	SEE REMARK 999	UNP P39077
K	1016	GLY	-	SEE REMARK 999	UNP P39077
K	1017	LYS	-	SEE REMARK 999	UNP P39077
K	1018	ARG	-	SEE REMARK 999	UNP P39077
K	1019	ARG	-	SEE REMARK 999	UNP P39077
K	1020	TRP	-	SEE REMARK 999	UNP P39077
K	1021	LYS	-	SEE REMARK 999	UNP P39077
K	1022	LYS	-	SEE REMARK 999	UNP P39077
K	1023	ASN	-	SEE REMARK 999	UNP P39077
K	1024	PHE	-	SEE REMARK 999	UNP P39077
K	1025	ILE	-	SEE REMARK 999	UNP P39077
K	1026	ALA	-	SEE REMARK 999	UNP P39077
K	1027	VAL	-	SEE REMARK 999	UNP P39077
K	1028	SER	-	SEE REMARK 999	UNP P39077
K	1029	ALA	-	SEE REMARK 999	UNP P39077
K	1030	ALA	-	SEE REMARK 999	UNP P39077
K	1031	ASN	-	SEE REMARK 999	UNP P39077
K	1032	ARG	-	SEE REMARK 999	UNP P39077
K	1033	PHE	-	SEE REMARK 999	UNP P39077
K	1034	LYS	-	SEE REMARK 999	UNP P39077
K	1035	LYS	-	SEE REMARK 999	UNP P39077
K	1036	ILE	-	SEE REMARK 999	UNP P39077
K	1037	SER	-	SEE REMARK 999	UNP P39077
K	1038	SER	-	SEE REMARK 999	UNP P39077
K	1039	SER	-	SEE REMARK 999	UNP P39077
K	1040	GLY	-	SEE REMARK 999	UNP P39077
K	1041	ALA	-	SEE REMARK 999	UNP P39077
K	1042	LEU	-	SEE REMARK 999	UNP P39077
K	1043	GLY	-	SEE REMARK 999	UNP P39077
K	1044	SER	-	SEE REMARK 999	UNP P39077
K	1045	GLY	-	SEE REMARK 999	UNP P39077
K	1046	HIS	-	SEE REMARK 999	UNP P39077

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	1047	HIS	-	SEE REMARK 999	UNP P39077
K	1048	HIS	-	SEE REMARK 999	UNP P39077
K	1049	HIS	-	SEE REMARK 999	UNP P39077
K	1050	HIS	-	SEE REMARK 999	UNP P39077
K	1051	HIS	-	SEE REMARK 999	UNP P39077
K	1052	HIS	-	SEE REMARK 999	UNP P39077
K	1053	HIS	-	SEE REMARK 999	UNP P39077
K	1054	GLY	-	SEE REMARK 999	UNP P39077
K	1055	SER	-	SEE REMARK 999	UNP P39077
K	1056	GLY	-	SEE REMARK 999	UNP P39077
c	1001	GLY	-	SEE REMARK 999	UNP P39077
c	1002	SER	-	SEE REMARK 999	UNP P39077
c	1003	GLY	-	SEE REMARK 999	UNP P39077
c	1004	SER	-	SEE REMARK 999	UNP P39077
c	1005	GLY	-	SEE REMARK 999	UNP P39077
c	1006	TRP	-	SEE REMARK 999	UNP P39077
c	1007	SER	-	SEE REMARK 999	UNP P39077
c	1008	HIS	-	SEE REMARK 999	UNP P39077
c	1009	PRO	-	SEE REMARK 999	UNP P39077
c	1010	GLN	-	SEE REMARK 999	UNP P39077
c	1011	PHE	-	SEE REMARK 999	UNP P39077
c	1012	GLU	-	SEE REMARK 999	UNP P39077
c	1013	LYS	-	SEE REMARK 999	UNP P39077
c	1014	GLY	-	SEE REMARK 999	UNP P39077
c	1015	SER	-	SEE REMARK 999	UNP P39077
c	1016	GLY	-	SEE REMARK 999	UNP P39077
c	1017	LYS	-	SEE REMARK 999	UNP P39077
c	1018	ARG	-	SEE REMARK 999	UNP P39077
c	1019	ARG	-	SEE REMARK 999	UNP P39077
c	1020	TRP	-	SEE REMARK 999	UNP P39077
c	1021	LYS	-	SEE REMARK 999	UNP P39077
c	1022	LYS	-	SEE REMARK 999	UNP P39077
c	1023	ASN	-	SEE REMARK 999	UNP P39077
c	1024	PHE	-	SEE REMARK 999	UNP P39077
c	1025	ILE	-	SEE REMARK 999	UNP P39077
c	1026	ALA	-	SEE REMARK 999	UNP P39077
c	1027	VAL	-	SEE REMARK 999	UNP P39077
c	1028	SER	-	SEE REMARK 999	UNP P39077
c	1029	ALA	-	SEE REMARK 999	UNP P39077
c	1030	ALA	-	SEE REMARK 999	UNP P39077
c	1031	ASN	-	SEE REMARK 999	UNP P39077
c	1032	ARG	-	SEE REMARK 999	UNP P39077

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
c	1033	PHE	-	SEE REMARK 999	UNP P39077
c	1034	LYS	-	SEE REMARK 999	UNP P39077
c	1035	LYS	-	SEE REMARK 999	UNP P39077
c	1036	ILE	-	SEE REMARK 999	UNP P39077
c	1037	SER	-	SEE REMARK 999	UNP P39077
c	1038	SER	-	SEE REMARK 999	UNP P39077
c	1039	SER	-	SEE REMARK 999	UNP P39077
c	1040	GLY	-	SEE REMARK 999	UNP P39077
c	1041	ALA	-	SEE REMARK 999	UNP P39077
c	1042	LEU	-	SEE REMARK 999	UNP P39077
c	1043	GLY	-	SEE REMARK 999	UNP P39077
c	1044	SER	-	SEE REMARK 999	UNP P39077
c	1045	GLY	-	SEE REMARK 999	UNP P39077
c	1046	HIS	-	SEE REMARK 999	UNP P39077
c	1047	HIS	-	SEE REMARK 999	UNP P39077
c	1048	HIS	-	SEE REMARK 999	UNP P39077
c	1049	HIS	-	SEE REMARK 999	UNP P39077
c	1050	HIS	-	SEE REMARK 999	UNP P39077
c	1051	HIS	-	SEE REMARK 999	UNP P39077
c	1052	HIS	-	SEE REMARK 999	UNP P39077
c	1053	HIS	-	SEE REMARK 999	UNP P39077
c	1054	GLY	-	SEE REMARK 999	UNP P39077
c	1055	SER	-	SEE REMARK 999	UNP P39077
c	1056	GLY	-	SEE REMARK 999	UNP P39077
k	1001	GLY	-	SEE REMARK 999	UNP P39077
k	1002	SER	-	SEE REMARK 999	UNP P39077
k	1003	GLY	-	SEE REMARK 999	UNP P39077
k	1004	SER	-	SEE REMARK 999	UNP P39077
k	1005	GLY	-	SEE REMARK 999	UNP P39077
k	1006	TRP	-	SEE REMARK 999	UNP P39077
k	1007	SER	-	SEE REMARK 999	UNP P39077
k	1008	HIS	-	SEE REMARK 999	UNP P39077
k	1009	PRO	-	SEE REMARK 999	UNP P39077
k	1010	GLN	-	SEE REMARK 999	UNP P39077
k	1011	PHE	-	SEE REMARK 999	UNP P39077
k	1012	GLU	-	SEE REMARK 999	UNP P39077
k	1013	LYS	-	SEE REMARK 999	UNP P39077
k	1014	GLY	-	SEE REMARK 999	UNP P39077
k	1015	SER	-	SEE REMARK 999	UNP P39077
k	1016	GLY	-	SEE REMARK 999	UNP P39077
k	1017	LYS	-	SEE REMARK 999	UNP P39077
k	1018	ARG	-	SEE REMARK 999	UNP P39077

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
k	1019	ARG	-	SEE REMARK 999	UNP P39077
k	1020	TRP	-	SEE REMARK 999	UNP P39077
k	1021	LYS	-	SEE REMARK 999	UNP P39077
k	1022	LYS	-	SEE REMARK 999	UNP P39077
k	1023	ASN	-	SEE REMARK 999	UNP P39077
k	1024	PHE	-	SEE REMARK 999	UNP P39077
k	1025	ILE	-	SEE REMARK 999	UNP P39077
k	1026	ALA	-	SEE REMARK 999	UNP P39077
k	1027	VAL	-	SEE REMARK 999	UNP P39077
k	1028	SER	-	SEE REMARK 999	UNP P39077
k	1029	ALA	-	SEE REMARK 999	UNP P39077
k	1030	ALA	-	SEE REMARK 999	UNP P39077
k	1031	ASN	-	SEE REMARK 999	UNP P39077
k	1032	ARG	-	SEE REMARK 999	UNP P39077
k	1033	PHE	-	SEE REMARK 999	UNP P39077
k	1034	LYS	-	SEE REMARK 999	UNP P39077
k	1035	LYS	-	SEE REMARK 999	UNP P39077
k	1036	ILE	-	SEE REMARK 999	UNP P39077
k	1037	SER	-	SEE REMARK 999	UNP P39077
k	1038	SER	-	SEE REMARK 999	UNP P39077
k	1039	SER	-	SEE REMARK 999	UNP P39077
k	1040	GLY	-	SEE REMARK 999	UNP P39077
k	1041	ALA	-	SEE REMARK 999	UNP P39077
k	1042	LEU	-	SEE REMARK 999	UNP P39077
k	1043	GLY	-	SEE REMARK 999	UNP P39077
k	1044	SER	-	SEE REMARK 999	UNP P39077
k	1045	GLY	-	SEE REMARK 999	UNP P39077
k	1046	HIS	-	SEE REMARK 999	UNP P39077
k	1047	HIS	-	SEE REMARK 999	UNP P39077
k	1048	HIS	-	SEE REMARK 999	UNP P39077
k	1049	HIS	-	SEE REMARK 999	UNP P39077
k	1050	HIS	-	SEE REMARK 999	UNP P39077
k	1051	HIS	-	SEE REMARK 999	UNP P39077
k	1052	HIS	-	SEE REMARK 999	UNP P39077
k	1053	HIS	-	SEE REMARK 999	UNP P39077
k	1054	GLY	-	SEE REMARK 999	UNP P39077
k	1055	SER	-	SEE REMARK 999	UNP P39077
k	1056	GLY	-	SEE REMARK 999	UNP P39077

- Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	P	1	Total Mg 1 1	0	0
9	g	1	Total Mg 1 1	0	0
9	K	1	Total Mg 1 1	0	0
9	h	1	Total Mg 1 1	0	0
9	B	1	Total Mg 1 1	0	0
9	c	1	Total Mg 1 1	0	0
9	N	1	Total Mg 1 1	0	0
9	o	1	Total Mg 1 1	0	0
9	f	1	Total Mg 1 1	0	0
9	p	1	Total Mg 1 1	0	0
9	J	1	Total Mg 1 1	0	0
9	k	1	Total Mg 1 1	0	0
9	E	1	Total Mg 1 1	0	0
9	b	1	Total Mg 1 1	0	0
9	A	1	Total Mg 1 1	0	0
9	n	1	Total Mg 1 1	0	0
9	M	1	Total Mg 1 1	0	0
9	j	1	Total Mg 1 1	0	0
9	D	1	Total Mg 1 1	0	0
9	e	1	Total Mg 1 1	0	0
9	I	1	Total Mg 1 1	0	0
9	a	1	Total Mg 1 1	0	0


Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	L	1	Total	Mg	0	0
			1	1		
9	m	1	Total	Mg	0	0
			1	1		
9	G	1	Total	Mg	0	0
			1	1		
9	d	1	Total	Mg	0	0
			1	1		
9	H	1	Total	Mg	0	0
			1	1		
9	i	1	Total	Mg	0	0
			1	1		
9	C	1	Total	Mg	0	0
			1	1		
9	O	1	Total	Mg	0	0
			1	1		
9	l	1	Total	Mg	0	0
			1	1		
9	F	1	Total	Mg	0	0
			1	1		

- Molecule 10 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	F	1	Total	C	N	O P	0	0
			27	10	5	10 2		

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	H	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	G	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	N	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	P	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	O	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	M	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	J	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	L	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	I	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	K	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	f	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	h	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	g	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	e	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	b	1	Total 27	C 10	N 5	O 10	P 2	0	0
10	d	1	Total 27	C 10	N 5	O 10	P 2	0	0


*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	a	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	c	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	n	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	p	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	o	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	m	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	j	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	l	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	i	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
10	k	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 11 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	F	1	Total	Be	F	0	0
			4	1	3		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	H	1	Total 4	Be 1	F 3	0	0
11	G	1	Total 4	Be 1	F 3	0	0
11	E	1	Total 4	Be 1	F 3	0	0
11	B	1	Total 4	Be 1	F 3	0	0
11	D	1	Total 4	Be 1	F 3	0	0
11	A	1	Total 4	Be 1	F 3	0	0
11	C	1	Total 4	Be 1	F 3	0	0
11	N	1	Total 4	Be 1	F 3	0	0
11	P	1	Total 4	Be 1	F 3	0	0
11	O	1	Total 4	Be 1	F 3	0	0
11	M	1	Total 4	Be 1	F 3	0	0
11	J	1	Total 4	Be 1	F 3	0	0
11	L	1	Total 4	Be 1	F 3	0	0
11	I	1	Total 4	Be 1	F 3	0	0
11	K	1	Total 4	Be 1	F 3	0	0
11	f	1	Total 4	Be 1	F 3	0	0
11	h	1	Total 4	Be 1	F 3	0	0
11	g	1	Total 4	Be 1	F 3	0	0
11	e	1	Total 4	Be 1	F 3	0	0
11	b	1	Total 4	Be 1	F 3	0	0
11	d	1	Total 4	Be 1	F 3	0	0

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	a	1	Total 4	Be 1	F 3	0	0
11	c	1	Total 4	Be 1	F 3	0	0
11	n	1	Total 4	Be 1	F 3	0	0
11	p	1	Total 4	Be 1	F 3	0	0
11	o	1	Total 4	Be 1	F 3	0	0
11	m	1	Total 4	Be 1	F 3	0	0
11	j	1	Total 4	Be 1	F 3	0	0
11	l	1	Total 4	Be 1	F 3	0	0
11	i	1	Total 4	Be 1	F 3	0	0
11	k	1	Total 4	Be 1	F 3	0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: T-complex protein 1 subunit zeta




- Molecule 1: T-complex protein 1 subunit zeta









- Molecule 1: T-complex protein 1 subunit zeta



- Molecule 1: T-complex protein 1 subunit zeta




- Molecule 2: T-complex protein 1 subunit theta




- Molecule 2: T-complex protein 1 subunit theta






• Molecule 2: T-complex protein 1 subunit theta




• Molecule 2: T-complex protein 1 subunit theta




• Molecule 3: T-complex protein 1 subunit eta







• Molecule 3: T-complex protein 1 subunit eta




• Molecule 3: T-complex protein 1 subunit eta









• Molecule 3: T-complex protein 1 subunit eta




• Molecule 4: T-complex protein 1 subunit epsilon



• Molecule 4: T-complex protein 1 subunit epsilon









• Molecule 4: T-complex protein 1 subunit epsilon

Chain e: 87% 9% 5%




• Molecule 4: T-complex protein 1 subunit epsilon

Chain m: 87% 8% 5%



• Molecule 5: T-complex protein 1 subunit beta

Chain B: 58% 33% 7%


















• Molecule 6: T-complex protein 1 subunit delta



• Molecule 6: T-complex protein 1 subunit delta




• Molecule 7: T-complex protein 1 subunit alpha





• Molecule 7: T-complex protein 1 subunit alpha










• Molecule 7: T-complex protein 1 subunit alpha




• Molecule 7: T-complex protein 1 subunit alpha




• Molecule 8: T-complex protein 1 subunit gamma









• Molecule 8: T-complex protein 1 subunit gamma




• Molecule 8: T-complex protein 1 subunit gamma







● Molecule 8: T-complex protein 1 subunit gamma





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	159.10Å 162.54Å 268.10Å 85.23° 81.15° 61.17°	Depositor
Resolution (Å)	30.00 – 3.80 30.01 – 3.80	Depositor EDS
% Data completeness (in resolution range)	91.6 (30.00-3.80) 91.2 (30.01-3.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.14 (at 3.75Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.257 , 0.305 0.286 , 0.324	Depositor DCC
$R_{free}$ test set	10463 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	116.0	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 70.4	EDS
Estimated twinning fraction	0.024 for -h,-h+k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 209266 reflections	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	120080	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	138.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BEF, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	F	0.35	0/3886	0.55	0/5318
1	N	0.34	0/3886	0.53	0/5318
1	f	0.34	0/3886	0.52	1/5318 (0.0%)
1	n	0.35	0/3886	0.54	0/5318
2	H	0.35	0/3661	0.55	0/5005
2	P	0.36	0/3661	0.54	0/5005
2	h	0.35	0/3661	0.52	0/5005
2	p	0.36	0/3661	0.54	0/5005
3	G	0.36	0/3803	0.53	0/5194
3	O	0.36	0/3803	0.51	0/5194
3	g	0.37	0/3803	0.53	0/5194
3	o	0.38	0/3803	0.53	0/5194
4	E	0.34	0/3849	0.52	0/5252
4	M	0.34	0/3849	0.52	0/5252
4	e	0.36	0/3849	0.51	0/5252
4	m	0.36	0/3849	0.53	0/5252
5	B	0.36	0/3726	0.56	0/5077
5	J	0.35	0/3726	0.54	0/5077
5	b	0.35	0/3726	0.54	0/5077
5	j	0.40	1/3726 (0.0%)	0.55	0/5077
6	D	0.36	0/3723	0.56	0/5089
6	L	0.34	0/3723	0.52	0/5089
6	d	0.35	0/3723	0.53	0/5089
6	l	0.36	0/3723	0.54	0/5089
7	A	0.36	0/3805	0.54	0/5196
7	I	0.35	0/3805	0.53	0/5196
7	a	0.35	0/3805	0.53	0/5196
7	i	0.35	0/3805	0.53	0/5196
8	C	0.38	0/3657	0.57	0/5003
8	K	0.35	0/3657	0.55	0/5003
8	c	0.35	0/3657	0.55	0/5003
8	k	0.34	0/3657	0.56	1/5003 (0.0%)



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	0.36	1/120440 (0.0%)	0.54	2/164536 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1
6	d	0	1
6	l	0	1
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	j	452	SER	CB-OG	7.94	1.52	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	k	79	LEU	CA-CB-CG	5.19	127.24	115.30
1	f	434	LEU	CA-CB-CG	5.12	127.07	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	194	VAL	Peptide
6	d	243	PRO	Peptide
6	l	243	PRO	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3836	0	3618	149	0
1	N	3836	0	3618	133	0
1	f	3836	0	3618	0	0
1	n	3836	0	3618	0	0
2	H	3619	0	3425	139	0
2	P	3619	0	3425	137	0
2	h	3619	0	3425	0	0
2	p	3619	0	3425	0	0
3	G	3752	0	3581	169	0
3	O	3752	0	3581	151	0
3	g	3752	0	3581	0	0
3	o	3752	0	3581	0	0
4	E	3798	0	3576	140	0
4	M	3798	0	3576	136	0
4	e	3798	0	3576	0	0
4	m	3798	0	3576	0	0
5	B	3689	0	3546	176	0
5	J	3689	0	3546	167	0
5	b	3689	0	3546	0	0
5	j	3689	0	3546	0	0
6	D	3685	0	3540	165	0
6	L	3685	0	3540	143	0
6	d	3685	0	3540	0	0
6	l	3685	0	3540	0	0
7	A	3770	0	3626	163	0
7	I	3770	0	3626	156	0
7	a	3770	0	3626	0	0
7	i	3770	0	3626	0	0
8	C	3615	0	3455	168	0
8	K	3615	0	3455	147	0
8	c	3615	0	3455	0	0
8	k	3615	0	3455	0	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
9	C	1	0	0	0	0
9	D	1	0	0	0	0
9	E	1	0	0	0	0
9	F	1	0	0	0	0
9	G	1	0	0	0	0
9	H	1	0	0	0	0
9	I	1	0	0	0	0
9	J	1	0	0	0	0
9	K	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	L	1	0	0	0	0
9	M	1	0	0	0	0
9	N	1	0	0	0	0
9	O	1	0	0	0	0
9	P	1	0	0	0	0
9	a	1	0	0	0	0
9	b	1	0	0	0	0
9	c	1	0	0	0	0
9	d	1	0	0	0	0
9	e	1	0	0	0	0
9	f	1	0	0	0	0
9	g	1	0	0	0	0
9	h	1	0	0	0	0
9	i	1	0	0	0	0
9	j	1	0	0	0	0
9	k	1	0	0	0	0
9	l	1	0	0	0	0
9	m	1	0	0	0	0
9	n	1	0	0	0	0
9	o	1	0	0	0	0
9	p	1	0	0	0	0
10	A	27	0	12	1	0
10	B	27	0	12	3	0
10	C	27	0	12	5	0
10	D	27	0	12	1	0
10	E	27	0	12	1	0
10	F	27	0	12	0	0
10	G	27	0	12	0	0
10	H	27	0	12	0	0
10	I	27	0	12	1	0
10	J	27	0	12	2	0
10	K	27	0	12	1	0
10	L	27	0	12	0	0
10	M	27	0	12	1	0
10	N	27	0	12	0	0
10	O	27	0	12	0	0
10	P	27	0	12	0	0
10	a	27	0	12	0	0
10	b	27	0	12	0	0
10	c	27	0	12	0	0
10	d	27	0	12	0	0
10	e	27	0	12	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	f	27	0	12	0	0
10	g	27	0	12	0	0
10	h	27	0	12	0	0
10	i	27	0	12	0	0
10	j	27	0	12	0	0
10	k	27	0	12	0	0
10	l	27	0	12	0	0
10	m	27	0	12	0	0
10	n	27	0	12	0	0
10	o	27	0	12	0	0
10	p	27	0	12	0	0
11	A	4	0	0	0	0
11	B	4	0	0	2	0
11	C	4	0	0	2	0
11	D	4	0	0	1	0
11	E	4	0	0	1	0
11	F	4	0	0	0	0
11	G	4	0	0	1	0
11	H	4	0	0	0	0
11	I	4	0	0	0	0
11	J	4	0	0	1	0
11	K	4	0	0	1	0
11	L	4	0	0	0	0
11	M	4	0	0	1	0
11	N	4	0	0	0	0
11	O	4	0	0	1	0
11	P	4	0	0	0	0
11	a	4	0	0	0	0
11	b	4	0	0	0	0
11	c	4	0	0	0	0
11	d	4	0	0	0	0
11	e	4	0	0	0	0
11	f	4	0	0	0	0
11	g	4	0	0	0	0
11	h	4	0	0	0	0
11	i	4	0	0	0	0
11	j	4	0	0	0	0
11	k	4	0	0	0	0
11	l	4	0	0	0	0
11	m	4	0	0	0	0
11	n	4	0	0	0	0
11	o	4	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	p	4	0	0	0	0
All	All	120080	0	113852	2215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 2215 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:27:GLN:HE21	2:H:544:ILE:HD11	1.02	1.15
3:G:107:GLU:HG2	3:G:448:VAL:HG21	1.24	1.11
3:G:147:ILE:HD11	3:G:409:ILE:HB	1.67	1.11
7:I:26:ARG:HG3	7:I:26:ARG:HH11	1.20	1.09
6:D:520:ARG:HH21	6:D:520:ARG:HG3	1.41	1.08

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	536/546 (98%)	477 (89%)	56 (10%)	3 (1%)	30	74
1	N	536/546 (98%)	483 (90%)	51 (10%)	2 (0%)	39	80
1	f	536/546 (98%)	484 (90%)	49 (9%)	3 (1%)	30	74
1	n	536/546 (98%)	486 (91%)	48 (9%)	2 (0%)	39	80
2	H	513/568 (90%)	445 (87%)	57 (11%)	11 (2%)	9	53
2	P	513/568 (90%)	458 (89%)	47 (9%)	8 (2%)	12	58
2	h	513/568 (90%)	460 (90%)	46 (9%)	7 (1%)	14	59
2	p	513/568 (90%)	450 (88%)	53 (10%)	10 (2%)	10	54

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	G	524/550 (95%)	467 (89%)	48 (9%)	9 (2%)	11	56
3	O	524/550 (95%)	479 (91%)	36 (7%)	9 (2%)	11	56
3	g	524/550 (95%)	477 (91%)	38 (7%)	9 (2%)	11	56
3	o	524/550 (95%)	472 (90%)	41 (8%)	11 (2%)	9	53
4	E	533/562 (95%)	482 (90%)	45 (8%)	6 (1%)	17	65
4	M	533/562 (95%)	494 (93%)	31 (6%)	8 (2%)	13	59
4	e	533/562 (95%)	500 (94%)	27 (5%)	6 (1%)	17	65
4	m	533/562 (95%)	492 (92%)	33 (6%)	8 (2%)	13	59
5	B	516/527 (98%)	452 (88%)	48 (9%)	16 (3%)	5	45
5	J	516/527 (98%)	460 (89%)	42 (8%)	14 (3%)	6	48
5	b	516/527 (98%)	461 (89%)	41 (8%)	14 (3%)	6	48
5	j	516/527 (98%)	459 (89%)	47 (9%)	10 (2%)	10	54
6	D	521/528 (99%)	457 (88%)	46 (9%)	18 (4%)	4	42
6	L	521/528 (99%)	474 (91%)	33 (6%)	14 (3%)	6	48
6	d	521/528 (99%)	473 (91%)	34 (6%)	14 (3%)	6	48
6	l	521/528 (99%)	469 (90%)	41 (8%)	11 (2%)	9	53
7	A	533/559 (95%)	470 (88%)	50 (9%)	13 (2%)	7	50
7	I	533/559 (95%)	483 (91%)	36 (7%)	14 (3%)	7	48
7	a	533/559 (95%)	482 (90%)	43 (8%)	8 (2%)	13	59
7	i	533/559 (95%)	484 (91%)	37 (7%)	12 (2%)	8	51
8	C	507/590 (86%)	445 (88%)	54 (11%)	8 (2%)	12	58
8	K	507/590 (86%)	454 (90%)	43 (8%)	10 (2%)	9	54
8	c	507/590 (86%)	456 (90%)	44 (9%)	7 (1%)	14	59
8	k	507/590 (86%)	448 (88%)	50 (10%)	9 (2%)	11	55
All	All	16732/17720 (94%)	15033 (90%)	1395 (8%)	304 (2%)	11	55

5 of 304 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	323	VAL
2	H	442	PRO
2	H	502	ASP
3	G	8	PRO
4	E	389	LYS



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	380/463 (82%)	342 (90%)	38 (10%)	9	43
1	N	380/463 (82%)	352 (93%)	28 (7%)	17	57
1	f	380/463 (82%)	354 (93%)	26 (7%)	20	61
1	n	380/463 (82%)	353 (93%)	27 (7%)	18	59
2	H	352/473 (74%)	314 (89%)	38 (11%)	8	41
2	P	352/473 (74%)	323 (92%)	29 (8%)	14	53
2	h	352/473 (74%)	320 (91%)	32 (9%)	12	48
2	p	352/473 (74%)	315 (90%)	37 (10%)	8	41
3	G	373/454 (82%)	332 (89%)	41 (11%)	8	39
3	O	373/454 (82%)	340 (91%)	33 (9%)	12	50
3	g	373/454 (82%)	334 (90%)	39 (10%)	8	41
3	o	373/454 (82%)	340 (91%)	33 (9%)	12	50
4	E	382/483 (79%)	340 (89%)	42 (11%)	8	39
4	M	382/483 (79%)	346 (91%)	36 (9%)	11	47
4	e	382/483 (79%)	340 (89%)	42 (11%)	8	39
4	m	382/483 (79%)	346 (91%)	36 (9%)	11	47
5	B	374/441 (85%)	325 (87%)	49 (13%)	5	31
5	J	374/441 (85%)	340 (91%)	34 (9%)	12	48
5	b	374/441 (85%)	330 (88%)	44 (12%)	6	35
5	j	374/441 (85%)	339 (91%)	35 (9%)	11	47
6	D	374/454 (82%)	340 (91%)	34 (9%)	12	48
6	L	374/454 (82%)	344 (92%)	30 (8%)	15	54
6	d	374/454 (82%)	342 (91%)	32 (9%)	13	51
6	l	374/454 (82%)	341 (91%)	33 (9%)	12	50
7	A	375/471 (80%)	335 (89%)	40 (11%)	8	41
7	I	375/471 (80%)	341 (91%)	34 (9%)	12	48

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	a	375/471 (80%)	347 (92%)	28 (8%)	17	57
7	i	375/471 (80%)	348 (93%)	27 (7%)	18	58
8	C	359/497 (72%)	312 (87%)	47 (13%)	5	31
8	K	359/497 (72%)	318 (89%)	41 (11%)	7	37
8	c	359/497 (72%)	325 (90%)	34 (10%)	11	46
8	k	359/497 (72%)	320 (89%)	39 (11%)	8	40
All	All	11876/14944 (80%)	10738 (90%)	1138 (10%)	10	46

5 of 1138 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	L	482	ILE
2	h	333	CYS
6	l	218	THR
7	I	90	GLN
8	K	310	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 228 such sidechains are listed below:

Mol	Chain	Res	Type
7	I	6	ASN
1	f	430	ASN
6	l	125	GLN
7	I	77	HIS
8	K	237	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 5.6 Ligand geometry

Of 96 ligands modelled in this entry, 32 are monoatomic - leaving 64 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	ADP	A	602	9,11	22,29,29	1.06	1 (4%)	27,45,45	1.92	4 (14%)
11	BEF	A	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	B	602	11,9	22,29,29	0.99	1 (4%)	27,45,45	1.76	4 (14%)
11	BEF	B	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	C	1102	11,9	22,29,29	1.06	1 (4%)	27,45,45	1.92	4 (14%)
11	BEF	C	1103	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	D	602	11,9	22,29,29	1.01	1 (4%)	27,45,45	1.86	3 (11%)
11	BEF	D	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	E	602	9,11	22,29,29	1.02	1 (4%)	27,45,45	2.03	6 (22%)
11	BEF	E	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	F	602	11,9	22,29,29	1.01	1 (4%)	27,45,45	1.73	2 (7%)
11	BEF	F	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	G	602	9	22,29,29	1.02	1 (4%)	27,45,45	1.91	4 (14%)
11	BEF	G	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	H	602	9	22,29,29	1.01	1 (4%)	27,45,45	1.81	3 (11%)
11	BEF	H	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	I	602	9,11	22,29,29	1.03	2 (9%)	27,45,45	1.96	4 (14%)
11	BEF	I	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	J	602	11,9	22,29,29	1.04	1 (4%)	27,45,45	1.81	3 (11%)
11	BEF	J	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	K	1102	11,9	22,29,29	1.01	1 (4%)	27,45,45	1.97	6 (22%)
11	BEF	K	1103	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	L	602	11,9	22,29,29	1.02	1 (4%)	27,45,45	1.89	5 (18%)
11	BEF	L	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	M	602	11,9	22,29,29	1.01	1 (4%)	27,45,45	1.93	4 (14%)
11	BEF	M	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	N	602	9,11	22,29,29	1.04	1 (4%)	27,45,45	1.85	3 (11%)
11	BEF	N	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	O	602	9	22,29,29	1.02	1 (4%)	27,45,45	1.87	4 (14%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
11	BEF	O	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	P	602	9	22,29,29	1.01	1 (4%)	27,45,45	1.85	4 (14%)
11	BEF	P	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	a	602	9,11	22,29,29	1.04	1 (4%)	27,45,45	1.95	4 (14%)
11	BEF	a	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	b	602	11,9	22,29,29	1.06	1 (4%)	27,45,45	1.75	4 (14%)
11	BEF	b	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	c	1102	11,9	22,29,29	1.01	1 (4%)	27,45,45	1.82	4 (14%)
11	BEF	c	1103	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	d	602	11,9	22,29,29	0.97	1 (4%)	27,45,45	1.84	4 (14%)
11	BEF	d	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	e	602	11,9	22,29,29	1.02	1 (4%)	27,45,45	1.88	5 (18%)
11	BEF	e	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	f	602	11,9	22,29,29	1.14	2 (9%)	27,45,45	1.86	5 (18%)
11	BEF	f	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	g	602	9	22,29,29	1.06	2 (9%)	27,45,45	1.88	5 (18%)
11	BEF	g	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	h	602	9	22,29,29	1.02	1 (4%)	27,45,45	1.81	3 (11%)
11	BEF	h	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	i	602	11,9	22,29,29	1.08	2 (9%)	27,45,45	1.86	3 (11%)
11	BEF	i	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	j	602	11,9	22,29,29	1.07	1 (4%)	27,45,45	1.85	4 (14%)
11	BEF	j	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	k	1102	11,9	22,29,29	1.07	1 (4%)	27,45,45	1.97	4 (14%)
11	BEF	k	1103	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	l	602	11,9	22,29,29	1.05	1 (4%)	27,45,45	1.89	5 (18%)
11	BEF	l	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	m	602	9,11	22,29,29	1.09	2 (9%)	27,45,45	1.87	4 (14%)
11	BEF	m	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	n	602	11,9	22,29,29	1.07	1 (4%)	27,45,45	1.84	3 (11%)
11	BEF	n	603	10	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	o	602	9	22,29,29	1.08	2 (9%)	27,45,45	1.97	5 (18%)
11	BEF	o	603	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ADP	p	602	9	22,29,29	1.03	1 (4%)	27,45,45	1.92	4 (14%)
11	BEF	p	603	-	0,3,3	0.00	-	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means



no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	ADP	A	602	9,11	-	0/12/32/32	0/3/3/3
11	BEF	A	603	10	-	0/0/0/0	0/0/0/0
10	ADP	B	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	B	603	10	-	0/0/0/0	0/0/0/0
10	ADP	C	1102	11,9	-	0/12/32/32	0/3/3/3
11	BEF	C	1103	10	-	0/0/0/0	0/0/0/0
10	ADP	D	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	D	603	10	-	0/0/0/0	0/0/0/0
10	ADP	E	602	9,11	-	0/12/32/32	0/3/3/3
11	BEF	E	603	10	-	0/0/0/0	0/0/0/0
10	ADP	F	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	F	603	10	-	0/0/0/0	0/0/0/0
10	ADP	G	602	9	-	0/12/32/32	0/3/3/3
11	BEF	G	603	-	-	0/0/0/0	0/0/0/0
10	ADP	H	602	9	-	0/12/32/32	0/3/3/3
11	BEF	H	603	-	-	0/0/0/0	0/0/0/0
10	ADP	I	602	9,11	-	0/12/32/32	0/3/3/3
11	BEF	I	603	10	-	0/0/0/0	0/0/0/0
10	ADP	J	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	J	603	10	-	0/0/0/0	0/0/0/0
10	ADP	K	1102	11,9	-	0/12/32/32	0/3/3/3
11	BEF	K	1103	10	-	0/0/0/0	0/0/0/0
10	ADP	L	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	L	603	10	-	0/0/0/0	0/0/0/0
10	ADP	M	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	M	603	10	-	0/0/0/0	0/0/0/0
10	ADP	N	602	9,11	-	0/12/32/32	0/3/3/3
11	BEF	N	603	10	-	0/0/0/0	0/0/0/0
10	ADP	O	602	9	-	0/12/32/32	0/3/3/3
11	BEF	O	603	-	-	0/0/0/0	0/0/0/0
10	ADP	P	602	9	-	0/12/32/32	0/3/3/3
11	BEF	P	603	-	-	0/0/0/0	0/0/0/0
10	ADP	a	602	9,11	-	0/12/32/32	0/3/3/3
11	BEF	a	603	10	-	0/0/0/0	0/0/0/0
10	ADP	b	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	b	603	10	-	0/0/0/0	0/0/0/0
10	ADP	c	1102	11,9	-	0/12/32/32	0/3/3/3
11	BEF	c	1103	10	-	0/0/0/0	0/0/0/0
10	ADP	d	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	d	603	10	-	0/0/0/0	0/0/0/0
10	ADP	e	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	e	603	10	-	0/0/0/0	0/0/0/0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	ADP	f	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	f	603	10	-	0/0/0/0	0/0/0/0
10	ADP	g	602	9	-	0/12/32/32	0/3/3/3
11	BEF	g	603	-	-	0/0/0/0	0/0/0/0
10	ADP	h	602	9	-	0/12/32/32	0/3/3/3
11	BEF	h	603	-	-	0/0/0/0	0/0/0/0
10	ADP	i	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	i	603	10	-	0/0/0/0	0/0/0/0
10	ADP	j	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	j	603	10	-	0/0/0/0	0/0/0/0
10	ADP	k	1102	11,9	-	0/12/32/32	0/3/3/3
11	BEF	k	1103	10	-	0/0/0/0	0/0/0/0
10	ADP	l	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	l	603	10	-	0/0/0/0	0/0/0/0
10	ADP	m	602	9,11	-	0/12/32/32	0/3/3/3
11	BEF	m	603	10	-	0/0/0/0	0/0/0/0
10	ADP	n	602	11,9	-	0/12/32/32	0/3/3/3
11	BEF	n	603	10	-	0/0/0/0	0/0/0/0
10	ADP	o	602	9	-	0/12/32/32	0/3/3/3
11	BEF	o	603	-	-	0/0/0/0	0/0/0/0
10	ADP	p	602	9	-	0/12/32/32	0/3/3/3
11	BEF	p	603	-	-	0/0/0/0	0/0/0/0

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	g	602	ADP	O4'-C1'	2.00	1.43	1.41
10	m	602	ADP	C2-N3	2.01	1.35	1.32
10	I	602	ADP	O4'-C1'	2.08	1.43	1.41
10	i	602	ADP	O4'-C1'	2.23	1.44	1.41
10	f	602	ADP	O4'-C1'	2.23	1.44	1.41

The worst 5 of 129 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	M	602	ADP	N3-C2-N1	-7.62	123.06	128.89
10	E	602	ADP	N3-C2-N1	-7.51	123.14	128.89
10	h	602	ADP	N3-C2-N1	-7.50	123.15	128.89
10	p	602	ADP	N3-C2-N1	-7.48	123.17	128.89
10	I	602	ADP	N3-C2-N1	-7.43	123.21	128.89

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

18 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	602	ADP	1	0
10	B	602	ADP	3	0
11	B	603	BEF	2	0
10	C	1102	ADP	5	0
11	C	1103	BEF	2	0
10	D	602	ADP	1	0
11	D	603	BEF	1	0
10	E	602	ADP	1	0
11	E	603	BEF	1	0
11	G	603	BEF	1	0
10	I	602	ADP	1	0
10	J	602	ADP	2	0
11	J	603	BEF	1	0
10	K	1102	ADP	1	0
11	K	1103	BEF	1	0
10	M	602	ADP	1	0
11	M	603	BEF	1	0
11	O	603	BEF	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	F	538/546 (98%)	-0.36	3 (0%) 90 82	94, 122, 163, 189	0
1	N	538/546 (98%)	0.07	14 (2%) 59 43	111, 164, 220, 255	0
1	f	538/546 (98%)	0.09	14 (2%) 59 43	132, 160, 198, 229	0
1	n	538/546 (98%)	-0.12	9 (1%) 73 58	112, 129, 161, 201	0
2	H	521/568 (91%)	-0.32	0 100 100	94, 131, 172, 189	0
2	P	521/568 (91%)	0.01	12 (2%) 64 48	119, 171, 234, 265	0
2	h	521/568 (91%)	-0.00	10 (1%) 70 54	133, 160, 194, 273	0
2	p	521/568 (91%)	-0.16	5 (0%) 84 72	101, 140, 177, 203	0
3	G	526/550 (95%)	-0.30	6 (1%) 82 69	95, 137, 174, 196	0
3	O	526/550 (95%)	0.01	13 (2%) 61 44	106, 157, 253, 338	0
3	g	526/550 (95%)	-0.08	7 (1%) 79 65	115, 141, 181, 238	0
3	o	526/550 (95%)	-0.22	6 (1%) 82 69	99, 128, 174, 247	0
4	E	535/562 (95%)	-0.33	2 (0%) 93 87	88, 130, 172, 189	0
4	M	535/562 (95%)	-0.05	9 (1%) 73 58	106, 140, 233, 319	0
4	e	535/562 (95%)	-0.20	2 (0%) 93 87	100, 124, 173, 249	0
4	m	535/562 (95%)	-0.30	3 (0%) 90 82	94, 113, 161, 235	0
5	B	518/527 (98%)	-0.45	0 100 100	75, 100, 146, 172	0
5	J	518/527 (98%)	-0.14	3 (0%) 90 82	101, 127, 198, 249	0
5	b	518/527 (98%)	-0.24	3 (0%) 90 82	100, 116, 141, 176	0
5	j	518/527 (98%)	-0.25	0 100 100	90, 110, 131, 155	0
6	D	523/528 (99%)	-0.40	4 (0%) 87 77	78, 119, 153, 183	0
6	L	523/528 (99%)	0.09	11 (2%) 67 51	118, 160, 239, 313	0
6	d	523/528 (99%)	-0.10	8 (1%) 76 62	112, 136, 166, 182	0
6	l	523/528 (99%)	-0.23	6 (1%) 82 69	103, 129, 170, 196	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
7	A	539/559 (96%)	-0.34	5 (0%) 85 74	88, 120, 160, 203	0
7	I	539/559 (96%)	0.01	13 (2%) 62 46	107, 144, 223, 317	0
7	a	539/559 (96%)	-0.09	9 (1%) 73 58	112, 135, 177, 208	0
7	i	539/559 (96%)	-0.18	8 (1%) 76 62	101, 132, 185, 212	0
8	C	513/590 (86%)	-0.30	4 (0%) 87 77	91, 121, 154, 181	0
8	K	513/590 (86%)	-0.07	12 (2%) 64 48	103, 150, 238, 312	0
8	c	513/590 (86%)	0.01	15 (2%) 55 38	121, 143, 186, 223	0
8	k	513/590 (86%)	-0.13	10 (1%) 70 54	114, 131, 176, 246	0
All	All	16852/17720 (95%)	-0.16	226 (1%) 79 65	75, 134, 194, 338	0

The worst 5 of 226 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	N	292	GLY	6.1
8	K	1055	SER	6.1
1	f	142	ASN	5.7
8	K	264	GLU	5.7
4	M	289	ILE	5.4

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
9	MG	K	1101	1/1	0.96	0.38	4.96	126,126,126,126	0
11	BEF	l	603	4/4	0.98	0.46	3.46	107,110,111,111	0
11	BEF	e	603	4/4	0.95	0.40	3.27	114,114,116,118	0
11	BEF	C	1103	4/4	0.98	0.42	2.58	91,92,93,94	0
11	BEF	K	1103	4/4	0.95	0.36	2.35	118,120,120,123	0
11	BEF	k	1103	4/4	0.96	0.50	2.21	110,111,111,112	0
11	BEF	B	603	4/4	0.99	0.40	2.11	76,77,77,78	0
11	BEF	G	603	4/4	0.98	0.45	1.93	110,110,112,116	0
11	BEF	c	1103	4/4	0.95	0.42	1.84	126,127,127,129	0
11	BEF	A	603	4/4	0.98	0.38	1.79	91,91,92,95	0
11	BEF	a	603	4/4	0.98	0.40	1.76	118,120,121,121	0
11	BEF	O	603	4/4	0.96	0.46	1.69	117,118,119,120	0
10	ADP	l	602	27/27	0.94	0.37	1.68	117,129,144,145	0
11	BEF	D	603	4/4	0.98	0.29	1.47	89,89,91,94	0
11	BEF	E	603	4/4	0.97	0.42	1.43	98,98,100,102	0
11	BEF	j	603	4/4	0.98	0.37	1.42	93,94,94,96	0
11	BEF	g	603	4/4	0.96	0.45	1.32	128,132,132,134	0
11	BEF	J	603	4/4	0.97	0.41	1.32	110,112,113,114	0
10	ADP	j	602	27/27	0.94	0.36	1.27	94,100,106,107	0
9	MG	c	1101	1/1	0.93	0.38	1.23	129,129,129,129	0
9	MG	A	601	1/1	0.99	0.37	1.22	102,102,102,102	0
10	ADP	e	602	27/27	0.94	0.34	1.21	117,124,127,128	0
11	BEF	m	603	4/4	0.97	0.33	1.16	99,100,101,103	0
11	BEF	d	603	4/4	0.98	0.43	1.14	116,120,121,121	0
11	BEF	i	603	4/4	0.97	0.30	0.94	104,105,105,106	0
9	MG	I	601	1/1	0.99	0.37	0.94	121,121,121,121	0
10	ADP	N	602	27/27	0.90	0.39	0.90	133,145,153,154	0
10	ADP	A	602	27/27	0.94	0.30	0.87	98,113,126,127	0
11	BEF	F	603	4/4	0.98	0.22	0.80	99,101,101,102	0
11	BEF	b	603	4/4	0.98	0.37	0.80	103,105,105,107	0
11	BEF	I	603	4/4	0.97	0.34	0.79	119,119,120,122	0
10	ADP	d	602	27/27	0.94	0.36	0.76	125,135,149,151	0
10	ADP	b	602	27/27	0.93	0.36	0.76	104,109,115,115	0
10	ADP	p	602	27/27	0.94	0.34	0.71	133,145,154,156	0
10	ADP	G	602	27/27	0.96	0.33	0.71	111,127,140,142	0
10	ADP	C	1102	27/27	0.90	0.31	0.69	100,111,118,119	0
11	BEF	H	603	4/4	0.98	0.29	0.61	105,106,106,108	0
11	BEF	N	603	4/4	0.95	0.30	0.60	132,135,135,137	0
10	ADP	B	602	27/27	0.94	0.29	0.59	78,83,86,87	0
11	BEF	L	603	4/4	0.93	0.31	0.57	135,138,138,141	0
10	ADP	O	602	27/27	0.94	0.34	0.54	109,115,120,121	0
10	ADP	M	602	27/27	0.93	0.30	0.51	104,111,114,115	0
10	ADP	F	602	27/27	0.94	0.24	0.50	97,105,112,113	0

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
10	ADP	k	1102	27/27	0.89	0.33	0.50	115,117,120,121	0
10	ADP	K	1102	27/27	0.94	0.28	0.48	122,131,144,147	0
10	ADP	i	602	27/27	0.94	0.29	0.47	113,121,126,127	0
10	ADP	o	602	27/27	0.95	0.33	0.45	119,128,133,134	0
10	ADP	c	1102	27/27	0.85	0.35	0.43	134,138,142,143	0
11	BEF	o	603	4/4	0.96	0.31	0.40	116,118,119,119	0
10	ADP	g	602	27/27	0.93	0.36	0.32	132,141,149,150	0
11	BEF	M	603	4/4	0.98	0.26	0.29	111,113,114,116	0
11	BEF	P	603	4/4	0.98	0.24	0.29	140,141,142,145	0
10	ADP	D	602	27/27	0.95	0.24	0.28	95,106,120,123	0
10	ADP	P	602	27/27	0.93	0.28	0.26	136,143,148,149	0
10	ADP	J	602	27/27	0.91	0.29	0.21	104,108,113,113	0
10	ADP	h	602	27/27	0.94	0.32	0.20	152,159,166,167	0
10	ADP	a	602	27/27	0.94	0.33	0.16	126,139,146,148	0
10	ADP	m	602	27/27	0.93	0.26	0.13	102,106,108,109	0
10	ADP	E	602	27/27	0.95	0.27	0.09	102,115,123,124	0
11	BEF	n	603	4/4	0.97	0.21	0.02	115,115,116,118	0
10	ADP	H	602	27/27	0.95	0.25	0.02	106,117,128,130	0
10	ADP	I	602	27/27	0.94	0.28	0.00	121,126,133,135	0
10	ADP	L	602	27/27	0.90	0.28	-0.19	135,138,144,147	0
11	BEF	p	603	4/4	0.96	0.26	-0.24	130,132,133,133	0
9	MG	p	601	1/1	0.98	0.26	-0.29	131,131,131,131	0
10	ADP	f	602	27/27	0.93	0.27	-0.32	149,154,159,160	0
10	ADP	n	602	27/27	0.94	0.20	-0.55	112,116,123,124	0
11	BEF	f	603	4/4	0.96	0.23	-0.67	152,152,154,156	0
9	MG	P	601	1/1	0.99	0.20	-1.05	140,140,140,140	0
9	MG	h	601	1/1	0.82	0.22	-1.13	151,151,151,151	0
11	BEF	h	603	4/4	0.91	0.17	-1.82	55,55,55,55	0
9	MG	C	1101	1/1	0.99	0.28	-	99,99,99,99	0
9	MG	M	601	1/1	0.99	0.25	-	96,96,96,96	0
9	MG	d	601	1/1	0.97	0.59	-	115,115,115,115	0
9	MG	f	601	1/1	0.99	0.35	-	143,143,143,143	0
9	MG	J	601	1/1	0.99	0.31	-	101,101,101,101	0
9	MG	B	601	1/1	0.99	0.21	-	70,70,70,70	0
9	MG	k	1101	1/1	0.99	0.38	-	111,111,111,111	0
9	MG	l	601	1/1	0.98	0.49	-	107,107,107,107	0
9	MG	G	601	1/1	0.99	0.30	-	113,113,113,113	0
9	MG	O	601	1/1	0.96	0.32	-	113,113,113,113	0
9	MG	j	601	1/1	0.99	0.40	-	88,88,88,88	0
9	MG	e	601	1/1	0.99	0.41	-	102,102,102,102	0
9	MG	b	601	1/1	0.99	0.56	-	97,97,97,97	0
9	MG	E	601	1/1	0.99	0.33	-	91,91,91,91	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
9	MG	F	601	1/1	0.98	0.25	-	94,94,94,94	0
9	MG	m	601	1/1	0.98	0.32	-	84,84,84,84	0
9	MG	n	601	1/1	0.98	0.15	-	108,108,108,108	0
9	MG	L	601	1/1	0.95	0.40	-	124,124,124,124	0
9	MG	g	601	1/1	0.97	0.45	-	129,129,129,129	0
9	MG	a	601	1/1	0.98	0.45	-	126,126,126,126	0
9	MG	N	601	1/1	0.92	0.70	-	132,132,132,132	0
9	MG	D	601	1/1	1.00	0.26	-	89,89,89,89	0
9	MG	i	601	1/1	0.98	0.29	-	111,111,111,111	0
9	MG	o	601	1/1	0.93	0.35	-	115,115,115,115	0
9	MG	H	601	1/1	1.00	0.20	-	109,109,109,109	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.