



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 06:00 AM GMT

PDB ID : 2VCV
Title : Glutathione transferase A3-3 in complex with glutathione and delta-4- androstene-3-17-dione
Authors : Tars, K.; Olin, B.; Mannervik, B.
Deposited on : 2007-09-27
Resolution : 1.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4533 (1.80-1.80)
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)
RSRZ outliers	91569	4547 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	<div> <div></div> <div>89% 9% ..</div> </div>
1	B	222	<div> <div></div> <div>85% 13% ..</div> </div>
1	C	222	<div> <div>6%</div> <div>82% 15% ..</div> </div>
1	D	222	<div> <div>%</div> <div>90% 7% ..</div> </div>
1	E	222	<div> <div>2%</div> <div>89% 9% ..</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	222	
1	G	222	
1	H	222	
1	I	222	
1	J	222	
1	K	222	
1	L	222	
1	M	222	
1	N	222	
1	O	222	
1	P	222	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GSH	A	1223	X	-	-	-
2	GSH	B	1223	X	-	-	X
2	GSH	C	1223	X	-	-	-
2	GSH	D	1223	X	-	-	-
2	GSH	E	1223	X	-	-	-
2	GSH	F	1223	X	-	-	-
2	GSH	G	1223	X	-	-	X
2	GSH	H	1223	X	-	-	-
2	GSH	I	1223	X	-	-	X
2	GSH	J	1223	X	-	-	-
2	GSH	K	1223	X	-	-	-
2	GSH	L	1223	X	-	-	X
2	GSH	M	1223	X	-	-	-
2	GSH	N	1223	X	-	-	-
2	GSH	O	1223	X	-	-	-
2	GSH	P	1223	X	-	-	-
3	ASD	D	1224	-	-	-	X
3	ASD	G	1224	-	-	-	X

2 Entry composition


There are 4 unique types of molecules in this entry. The entry contains 32159 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTATHIONE S-TRANSFERASE A3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	2	0
			1768	1142	299	319	8			
1	B	219	Total	C	N	O	S	0	3	0
			1771	1145	299	319	8			
1	C	219	Total	C	N	O	S	0	3	0
			1771	1145	299	319	8			
1	D	219	Total	C	N	O	S	0	2	0
			1768	1141	300	319	8			
1	E	219	Total	C	N	O	S	0	2	0
			1768	1141	300	319	8			
1	F	219	Total	C	N	O	S	0	3	0
			1771	1144	300	319	8			
1	G	219	Total	C	N	O	S	0	3	0
			1771	1144	299	319	9			
1	H	219	Total	C	N	O	S	0	3	0
			1771	1145	299	319	8			
1	I	219	Total	C	N	O	S	0	3	0
			1771	1144	300	319	8			
1	J	219	Total	C	N	O	S	0	2	0
			1768	1142	299	319	8			
1	K	219	Total	C	N	O	S	0	4	0
			1774	1147	300	319	8			
1	L	219	Total	C	N	O	S	0	5	0
			1777	1148	301	319	9			
1	M	219	Total	C	N	O	S	0	1	0
			1765	1139	299	319	8			
1	N	219	Total	C	N	O	S	0	5	0
			1779	1150	301	320	8			
1	O	219	Total	C	N	O	S	0	4	0
			1777	1148	300	321	8			
1	P	219	Total	C	N	O	S	0	3	0
			1775	1146	302	319	8			

- Molecule 2 is GLUTATHIONE (three-letter code: GSH) (formula: $\text{C}_{10}\text{H}_{17}\text{N}_3\text{O}_6\text{S}$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	B	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	C	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	D	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	E	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	F	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	G	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	H	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	I	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	J	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	K	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	L	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	M	1	Total 20	C 10	N 3	O 6	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	N	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	O	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	P	1	Total	C	N	O	S	0	0
			20	10	3	6	1		

- Molecule 3 is 4-ANDROSTENE-3-17-DIONE (three-letter code: ASD) (formula: C₁₉H₂₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	19	2		
3	B	1	Total	C	O	0	0
			21	19	2		
3	D	1	Total	C	O	0	0
			21	19	2		
3	E	1	Total	C	O	0	0
			21	19	2		
3	F	1	Total	C	O	0	0
			21	19	2		
3	G	1	Total	C	O	0	0
			21	19	2		
3	H	1	Total	C	O	0	0
			21	19	2		
3	I	1	Total	C	O	0	0
			21	19	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	K	1	Total	C	O	0	0
			21	19	2		
3	L	1	Total	C	O	0	0
			21	19	2		
3	P	1	Total	C	O	0	0
			21	19	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	208	Total	O	0	0
			208	208		
4	B	215	Total	O	0	0
			215	215		
4	C	171	Total	O	0	0
			171	171		
4	D	179	Total	O	0	0
			179	179		
4	E	188	Total	O	0	0
			188	188		
4	F	215	Total	O	0	0
			215	215		
4	G	230	Total	O	0	0
			230	230		
4	H	194	Total	O	0	0
			194	194		
4	I	209	Total	O	0	0
			209	209		
4	J	187	Total	O	0	0
			187	187		
4	K	199	Total	O	0	0
			199	199		
4	L	228	Total	O	0	0
			228	228		
4	M	224	Total	O	0	0
			224	224		
4	N	213	Total	O	0	0
			213	213		
4	O	199	Total	O	0	0
			199	199		
4	P	204	Total	O	0	0
			204	204		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GLUTATHIONE S-TRANSFERASE A3

Chain A: 





• Molecule 1: GLUTATHIONE S-TRANSFERASE A3

Chain B: 




• Molecule 1: GLUTATHIONE S-TRANSFERASE A3

Chain C: 





• Molecule 1: GLUTATHIONE S-TRANSFERASE A3

Chain D: 




• Molecule 1: GLUTATHIONE S-TRANSFERASE A3

Chain E: 





- Molecule 1: GLUTATHIONE S-TRANSFERASE A3





- Molecule 1: GLUTATHIONE S-TRANSFERASE A3





- Molecule 1: GLUTATHIONE S-TRANSFERASE A3




- Molecule 1: GLUTATHIONE S-TRANSFERASE A3



- Molecule 1: GLUTATHIONE S-TRANSFERASE A3




- Molecule 1: GLUTATHIONE S-TRANSFERASE A3







• Molecule 1: GLUTATHIONE S-TRANSFERASE A3





• Molecule 1: GLUTATHIONE S-TRANSFERASE A3





• Molecule 1: GLUTATHIONE S-TRANSFERASE A3



• Molecule 1: GLUTATHIONE S-TRANSFERASE A3



• Molecule 1: GLUTATHIONE S-TRANSFERASE A3



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	90.18Å 92.06Å 113.54Å 89.76° 89.72° 89.73°	Depositor
Resolution (Å)	20.00 – 1.80 19.99 – 1.80	Depositor EDS
% Data completeness (in resolution range)	94.9 (20.00-1.80) 93.2 (19.99-1.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.223 , 0.267 0.225 , 0.269	Depositor DCC
R_{free} test set	16208 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	16.7	Xtriage
Anisotropy	0.152	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 26.9	EDS
Estimated twinning fraction	0.000 for k,-h,l 0.000 for -k,h,l 0.387 for h,-k,-l 0.158 for -h,k,-l 0.149 for -h,-k,l 0.000 for k,h,-l 0.000 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 321082 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	32159	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.31 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.2348e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GSH, ASD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	1/1811 (0.1%)	0.60	0/2433
1	B	0.46	0/1818	0.60	0/2443
1	C	0.44	0/1818	0.57	0/2443
1	D	0.46	0/1812	0.58	0/2433
1	E	0.45	0/1812	0.70	1/2433 (0.0%)
1	F	0.45	0/1820	0.59	0/2444
1	G	0.48	0/1819	0.60	0/2443
1	H	0.45	0/1818	0.60	0/2443
1	I	0.46	0/1820	0.60	0/2444
1	J	0.44	0/1811	0.59	0/2433
1	K	0.46	0/1827	0.61	0/2454
1	L	0.46	0/1837	0.59	0/2465
1	M	0.47	0/1803	0.60	0/2422
1	N	0.47	0/1836	0.60	0/2466
1	O	0.46	0/1829	0.61	0/2456
1	P	0.47	0/1822	0.61	0/2447
All	All	0.46	1/29113 (0.0%)	0.60	1/39102 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	112	CYS	CB-SG	5.90	1.92	1.82

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	222	PHE	CA-C-O	-17.36	83.64	120.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1768	0	1838	14	0
1	B	1771	0	1843	25	0
1	C	1771	0	1843	23	0
1	D	1768	0	1836	13	0
1	E	1768	0	1836	19	0
1	F	1771	0	1843	22	0
1	G	1771	0	1843	11	0
1	H	1771	0	1843	27	0
1	I	1771	0	1843	25	0
1	J	1768	0	1838	30	0
1	K	1774	0	1848	17	0
1	L	1777	0	1853	12	0
1	M	1765	0	1831	26	0
1	N	1779	0	1852	27	0
1	O	1777	0	1849	22	0
1	P	1775	0	1847	32	0
2	A	20	0	15	2	0
2	B	20	0	15	0	0
2	C	20	0	15	1	0
2	D	20	0	15	1	0
2	E	20	0	15	0	0
2	F	20	0	15	3	0
2	G	20	0	15	2	0
2	H	20	0	15	0	0
2	I	20	0	15	1	0
2	J	20	0	15	1	0
2	K	20	0	15	1	0
2	L	20	0	15	1	0
2	M	20	0	15	1	0
2	N	20	0	15	1	0
2	O	20	0	15	0	0
2	P	20	0	15	0	0
3	A	21	0	26	1	0
3	B	21	0	26	4	0
3	D	21	0	26	1	0
3	E	21	0	26	0	0
3	F	21	0	26	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	21	0	26	0	0
3	H	21	0	26	1	0
3	I	21	0	26	0	0
3	K	21	0	26	0	0
3	L	21	0	26	0	0
3	P	21	0	26	1	0
4	A	208	0	0	2	0
4	B	215	0	0	4	0
4	C	171	0	0	1	0
4	D	179	0	0	2	0
4	E	188	0	0	4	0
4	F	215	0	0	3	0
4	G	230	0	0	1	0
4	H	194	0	0	9	0
4	I	209	0	0	1	0
4	J	187	0	0	3	0
4	K	199	0	0	7	0
4	L	228	0	0	2	0
4	M	224	0	0	4	0
4	N	213	0	0	4	0
4	O	199	0	0	4	0
4	P	204	0	0	6	0
All	All	32159	0	30012	293	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 293 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:94:MET:CE	1:J:66:VAL:HG22	1.72	1.20
1:I:94:MET:HE2	1:J:66:VAL:HG22	1.16	1.10
1:G:64:LYS:HE3	1:J:46:ASN:HD21	1.20	1.04
1:I:94:MET:HE2	1:J:66:VAL:CG2	1.99	0.93
1:E:187:ARG:HD2	4:E:2127:HOH:O	1.70	0.92

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	219/222 (99%)	215 (98%)	4 (2%)	0	100	100
1	B	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
1	C	220/222 (99%)	214 (97%)	5 (2%)	1 (0%)	34	17
1	D	219/222 (99%)	213 (97%)	6 (3%)	0	100	100
1	E	219/222 (99%)	213 (97%)	6 (3%)	0	100	100
1	F	220/222 (99%)	213 (97%)	7 (3%)	0	100	100
1	G	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
1	H	220/222 (99%)	213 (97%)	7 (3%)	0	100	100
1	I	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
1	J	219/222 (99%)	214 (98%)	5 (2%)	0	100	100
1	K	221/222 (100%)	216 (98%)	5 (2%)	0	100	100
1	L	222/222 (100%)	218 (98%)	4 (2%)	0	100	100
1	M	218/222 (98%)	214 (98%)	4 (2%)	0	100	100
1	N	222/222 (100%)	214 (96%)	8 (4%)	0	100	100
1	O	221/222 (100%)	215 (97%)	5 (2%)	1 (0%)	34	17
1	P	220/222 (99%)	210 (96%)	9 (4%)	1 (0%)	34	17
All	All	3520/3552 (99%)	3428 (97%)	89 (2%)	3 (0%)	56	38

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	O	13	ARG
1	C	13	ARG
1	P	13	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/191 (100%)	183 (95%)	9 (5%)	32	14
1	B	193/191 (101%)	189 (98%)	4 (2%)	61	47
1	C	193/191 (101%)	184 (95%)	9 (5%)	32	14
1	D	192/191 (100%)	186 (97%)	6 (3%)	47	30
1	E	192/191 (100%)	186 (97%)	6 (3%)	47	30
1	F	193/191 (101%)	188 (97%)	5 (3%)	54	37
1	G	193/191 (101%)	187 (97%)	6 (3%)	47	30
1	H	193/191 (101%)	188 (97%)	5 (3%)	54	37
1	I	193/191 (101%)	188 (97%)	5 (3%)	54	37
1	J	192/191 (100%)	188 (98%)	4 (2%)	61	47
1	K	194/191 (102%)	189 (97%)	5 (3%)	54	37
1	L	195/191 (102%)	188 (96%)	7 (4%)	42	24
1	M	191/191 (100%)	183 (96%)	8 (4%)	36	18
1	N	195/191 (102%)	187 (96%)	8 (4%)	37	19
1	O	194/191 (102%)	186 (96%)	8 (4%)	37	19
1	P	193/191 (101%)	187 (97%)	6 (3%)	47	30
All	All	3088/3056 (101%)	2987 (97%)	101 (3%)	45	27

5 of 101 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	53	GLN
1	J	82	TYR
1	O	126[B]	GLU
1	H	82	TYR
1	I	53	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 49 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	80	ASN
1	H	80	ASN
1	M	190	ASN
1	G	190	ASN
1	H	145	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GSH	A	1223	-	13,19,19	3.47	2 (15%)	15,24,24	0.90	0
3	ASD	A	1224	-	24,24,24	0.57	0	39,39,39	1.71	7 (17%)
2	GSH	B	1223	-	13,19,19	3.65	2 (15%)	15,24,24	0.75	0
3	ASD	B	1224	-	24,24,24	0.57	0	39,39,39	1.66	7 (17%)
2	GSH	C	1223	-	13,19,19	3.58	2 (15%)	15,24,24	0.85	0
2	GSH	D	1223	-	13,19,19	3.54	2 (15%)	15,24,24	0.77	0
3	ASD	D	1224	-	24,24,24	1.51	3 (12%)	39,39,39	1.99	7 (17%)
2	GSH	E	1223	-	13,19,19	3.54	2 (15%)	15,24,24	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ASD	E	1224	-	24,24,24	0.96	1 (4%)	39,39,39	1.84	9 (23%)
2	GSH	F	1223	-	13,19,19	3.38	2 (15%)	15,24,24	0.72	0
3	ASD	F	1224	-	24,24,24	0.98	1 (4%)	39,39,39	1.99	10 (25%)
2	GSH	G	1223	-	13,19,19	3.46	2 (15%)	15,24,24	0.91	0
3	ASD	G	1224	-	24,24,24	0.69	0	39,39,39	1.66	7 (17%)
2	GSH	H	1223	-	13,19,19	3.49	2 (15%)	15,24,24	0.80	0
3	ASD	H	1224	-	24,24,24	0.62	0	39,39,39	1.59	9 (23%)
2	GSH	I	1223	-	13,19,19	3.53	2 (15%)	15,24,24	1.01	1 (6%)
3	ASD	I	1224	-	24,24,24	0.58	0	39,39,39	1.60	10 (25%)
2	GSH	J	1223	-	13,19,19	3.61	2 (15%)	15,24,24	0.79	0
2	GSH	K	1223	-	13,19,19	3.43	2 (15%)	15,24,24	0.80	0
3	ASD	K	1224	-	24,24,24	0.61	0	39,39,39	1.60	7 (17%)
2	GSH	L	1223	-	13,19,19	3.57	2 (15%)	15,24,24	0.79	0
3	ASD	L	1224	-	24,24,24	0.60	0	39,39,39	1.50	9 (23%)
2	GSH	M	1223	-	13,19,19	3.58	2 (15%)	15,24,24	1.05	1 (6%)
2	GSH	N	1223	-	13,19,19	3.58	2 (15%)	15,24,24	0.85	1 (6%)
2	GSH	O	1223	-	13,19,19	3.55	2 (15%)	15,24,24	0.97	0
2	GSH	P	1223	-	13,19,19	3.50	2 (15%)	15,24,24	1.04	1 (6%)
3	ASD	P	1224	-	24,24,24	0.88	1 (4%)	39,39,39	1.62	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GSH	A	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	A	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	B	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	B	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	C	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	D	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	D	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	E	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	E	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	F	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	F	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	G	1223	-	1/1/6/8	0/18/24/24	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ASD	G	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	H	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	H	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	I	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	I	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	J	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	K	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	K	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	L	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	L	1224	-	-	0/0/58/58	0/4/4/4
2	GSH	M	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	N	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	O	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	P	1223	-	1/1/6/8	0/18/24/24	0/0/0/0
3	ASD	P	1224	-	-	0/0/58/58	0/4/4/4

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1224	ASD	O2-C17	2.19	1.25	1.21
3	P	1224	ASD	C15-C16	2.38	1.58	1.53
3	E	1224	ASD	C15-C16	3.05	1.60	1.53
3	F	1224	ASD	C15-C16	3.40	1.61	1.53
3	D	1224	ASD	C16-C17	3.81	1.58	1.51

The worst 5 of 91 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1224	ASD	C15-C16-C17	-8.11	97.22	105.65
3	P	1224	ASD	C15-C16-C17	-4.75	100.71	105.65
3	A	1224	ASD	C6-C5-C4	-4.75	114.86	120.89
3	E	1224	ASD	C15-C16-C17	-4.53	100.94	105.65
3	K	1224	ASD	C6-C5-C4	-4.10	115.69	120.89

5 of 16 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	I	1223	GSH	CA1
2	F	1223	GSH	CA1
2	C	1223	GSH	CA1
2	P	1223	GSH	CA1
2	K	1223	GSH	CA1

There are no torsion outliers.

There are no ring outliers.

17 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1223	GSH	2	0
3	A	1224	ASD	1	0
3	B	1224	ASD	4	0
2	C	1223	GSH	1	0
2	D	1223	GSH	1	0
3	D	1224	ASD	1	0
2	F	1223	GSH	3	0
3	F	1224	ASD	2	0
2	G	1223	GSH	2	0
3	H	1224	ASD	1	0
2	I	1223	GSH	1	0
2	J	1223	GSH	1	0
2	K	1223	GSH	1	0
2	L	1223	GSH	1	0
2	M	1223	GSH	1	0
2	N	1223	GSH	1	0
3	P	1224	ASD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/222 (98%)	-0.16	1 (0%) 91 90	8, 18, 32, 45	0
1	B	219/222 (98%)	-0.25	1 (0%) 91 90	8, 16, 35, 45	0
1	C	219/222 (98%)	0.36	13 (5%) 26 21	11, 20, 50, 62	0
1	D	219/222 (98%)	-0.13	2 (0%) 85 83	10, 19, 35, 48	0
1	E	219/222 (98%)	0.05	5 (2%) 64 59	11, 20, 44, 54	0
1	F	219/222 (98%)	-0.14	2 (0%) 85 83	10, 18, 29, 47	0
1	G	219/222 (98%)	-0.19	1 (0%) 91 90	8, 16, 29, 45	0
1	H	219/222 (98%)	-0.03	5 (2%) 64 59	7, 19, 43, 56	0
1	I	219/222 (98%)	-0.21	0 100 100	9, 17, 33, 38	0
1	J	219/222 (98%)	0.02	3 (1%) 78 74	10, 17, 38, 53	0
1	K	219/222 (98%)	-0.13	2 (0%) 85 83	9, 19, 32, 48	0
1	L	219/222 (98%)	-0.25	2 (0%) 85 83	7, 16, 33, 42	0
1	M	219/222 (98%)	-0.16	3 (1%) 78 74	8, 17, 33, 51	0
1	N	219/222 (98%)	-0.05	4 (1%) 71 67	7, 17, 41, 54	0
1	O	219/222 (98%)	-0.11	2 (0%) 85 83	7, 17, 35, 53	0
1	P	219/222 (98%)	-0.11	4 (1%) 71 67	8, 17, 40, 57	0
All	All	3504/3552 (98%)	-0.09	50 (1%) 78 74	7, 18, 37, 62	0

The worst 5 of 50 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	111	LEU	4.5
1	C	220	PHE	4.2
1	P	221	ARG	4.2
1	C	110	PRO	4.1
1	C	219	ILE	3.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GSH	G	1223	20/20	0.88	0.17	3.88	16,24,32,33	0
2	GSH	L	1223	20/20	0.86	0.17	2.24	23,28,29,31	0
3	ASD	D	1224	21/21	0.72	0.22	2.24	57,58,59,59	0
2	GSH	B	1223	20/20	0.79	0.17	2.12	30,33,35,36	0
2	GSH	I	1223	20/20	0.75	0.18	2.05	32,37,38,39	0
3	ASD	G	1224	21/21	0.80	0.19	2.01	40,42,44,45	0
3	ASD	I	1224	21/21	0.82	0.16	1.67	38,39,39,40	0
3	ASD	K	1224	21/21	0.80	0.17	1.44	38,39,40,41	0
3	ASD	H	1224	21/21	0.68	0.20	1.30	49,51,53,53	0
2	GSH	A	1223	20/20	0.90	0.14	1.17	22,28,30,30	0
2	GSH	K	1223	20/20	0.90	0.13	1.15	18,27,31,31	0
3	ASD	A	1224	21/21	0.80	0.16	1.13	34,35,36,37	0
3	ASD	E	1224	21/21	0.75	0.18	1.11	50,51,52,53	0
3	ASD	F	1224	21/21	0.80	0.16	1.02	39,41,42,42	0
3	ASD	B	1224	21/21	0.82	0.16	0.99	31,33,35,36	0
2	GSH	M	1223	20/20	0.86	0.14	0.99	22,25,33,33	0
2	GSH	H	1223	20/20	0.82	0.15	0.94	28,32,36,37	0
2	GSH	F	1223	20/20	0.89	0.13	0.76	25,27,33,33	0
2	GSH	N	1223	20/20	0.89	0.13	0.70	22,26,33,33	0
3	ASD	P	1224	21/21	0.80	0.16	0.63	43,46,48,48	0
2	GSH	P	1223	20/20	0.89	0.14	0.54	21,26,35,35	0
2	GSH	O	1223	20/20	0.80	0.14	0.47	28,32,38,38	0
2	GSH	D	1223	20/20	0.81	0.16	0.44	30,34,39,39	0
3	ASD	L	1224	21/21	0.86	0.14	0.41	32,34,36,36	0
2	GSH	E	1223	20/20	0.86	0.13	0.41	33,35,36,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GSH	C	1223	20/20	0.85	0.13	0.23	23,32,35,39	0
2	GSH	J	1223	20/20	0.86	0.12	0.16	21,27,31,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.