



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:51 PM GMT

PDB ID : 1VH3
Title : Crystal structure of CMP-KDO synthetase
Authors : Structural GenomiX
Deposited on : 2003-12-01
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	262	<div> <div>2%</div> <div> <div></div> <div>53%</div> <div>26%</div> <div>•</div> <div>19%</div> </div> </div>
1	B	262	<div> <div>4%</div> <div> <div></div> <div>60%</div> <div>32%</div> <div>•</div> <div>6%</div> </div> </div>
1	C	262	<div> <div>6%</div> <div> <div></div> <div>61%</div> <div>28%</div> <div>•</div> <div>9%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CMK	B	263[A]	-	-	-	X
2	CMK	B	263[B]	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5485 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-deoxy-manno-octulosonate cytidyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	Se	0	0	0
			1653	1056	281	311	1	4			
1	B	246	Total	C	N	O	S	Se	0	0	0
			1864	1187	320	352	1	4			
1	C	238	Total	C	N	O	S	Se	0	1	0
			1766	1129	300	333	1	3			

There are 39 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	-	cloning artifact	UNP P44490
A	29	MSE	MET	modified residue	UNP P44490
A	67	MSE	MET	modified residue	UNP P44490
A	123	MSE	MET	modified residue	UNP P44490
A	168	MSE	MET	modified residue	UNP P44490
A	255	GLY	-	cloning artifact	UNP P44490
A	256	SER	-	cloning artifact	UNP P44490
A	257	HIS	-	cloning artifact	UNP P44490
A	258	HIS	-	cloning artifact	UNP P44490
A	259	HIS	-	cloning artifact	UNP P44490
A	260	HIS	-	cloning artifact	UNP P44490
A	261	HIS	-	cloning artifact	UNP P44490
A	262	HIS	-	cloning artifact	UNP P44490
B	1	MSE	-	cloning artifact	UNP P44490
B	29	MSE	MET	modified residue	UNP P44490
B	67	MSE	MET	modified residue	UNP P44490
B	123	MSE	MET	modified residue	UNP P44490
B	168	MSE	MET	modified residue	UNP P44490
B	255	GLY	-	cloning artifact	UNP P44490
B	256	SER	-	cloning artifact	UNP P44490
B	257	HIS	-	cloning artifact	UNP P44490
B	258	HIS	-	cloning artifact	UNP P44490
B	259	HIS	-	cloning artifact	UNP P44490

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	260	HIS	-	cloning artifact	UNP P44490
B	261	HIS	-	cloning artifact	UNP P44490
B	262	HIS	-	cloning artifact	UNP P44490
C	1	MSE	-	cloning artifact	UNP P44490
C	29	MSE	MET	modified residue	UNP P44490
C	67	MSE	MET	modified residue	UNP P44490
C	123	MSE	MET	modified residue	UNP P44490
C	168	MSE	MET	modified residue	UNP P44490
C	255	GLY	-	cloning artifact	UNP P44490
C	256	SER	-	cloning artifact	UNP P44490
C	257	HIS	-	cloning artifact	UNP P44490
C	258	HIS	-	cloning artifact	UNP P44490
C	259	HIS	-	cloning artifact	UNP P44490
C	260	HIS	-	cloning artifact	UNP P44490
C	261	HIS	-	cloning artifact	UNP P44490
C	262	HIS	-	cloning artifact	UNP P44490

- Molecule 2 is CYTIDINE 5'-MONOPHOSPHATE 3-DEOXY-BETA-D-GULO-OCT-2-UL O-PYRANOSONIC ACID (three-letter code: CMK) (formula: C₁₇H₂₆N₃O₁₅P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	17	3	15	1		
2	B	1	Total	C	N	O	P	0	1
			72	34	6	30	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	45	Total 45	O 45	0	0
3	B	29	Total 29	O 29	0	0
3	C	20	Total 20	O 20	0	0

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
-
- 2% 53% 26% 19%
- MSE S2 F3 T4 I7 P8 A9 R10 PHE ALA SER SER ARG LEU PRO GLY LYS PRO LEU ALA ASP ILE GLY LYS P28 M29 Q39 R44 V45 I46 I47 A48 N51 E52 E53 A58 R59 S60 F61 L79 E83 L86 A87 I88 N91 E92 I93 I94 V95 G99 D100 E101 P102 I103 I104 P105 P106 V107 I108 V109 V112 M123 L126 K129 I130 H131 L136 P139 V142 L145 T146 V152 I153 Y154 F155 S156 V159 R164 F167 M168 I169 L170 Q171 D172 K175 L178 D179 I180 A181 Y182 I183 I186 V187 I188

- [illegible]

- Chain C:
-
- 6% 61% 28% 9%
- MSE S2 I7 P8 A9 R10 F11 A12 R15 G18 K19 P20 L21 I24 K27 P28 M29 I30 Q31 V33 S40 I46 T49 D50 D56 V57 A58 F61 V70 H71 H72 H73 S74 L79 L86 A87 L88 P89 E92 I93 N96 I97 P98
- E101 I108 V109 F110 Q111 V112 L116 V121 M122 M123 A124 S125 L126 A127 V128 A129 I130 H131 D132 A133 E134 E135 L136 F137 H138 P139 K143 L153 R157 S158 V159 I160 D165 Q166 F167 A168 A169 S170 ASN A171 LEU G172 GLN ASP VAL GLN LYS L175 V176 GLN L178 S179 D180 L183 G187



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	177.48 Å 48.28 Å 96.49 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.95 – 2.70 19.95 – 2.70	Depositor EDS
% Data completeness (in resolution range)	(Not available) (19.95-2.70) 96.6 (19.95-2.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.27 (at 2.71 Å)	Xtriage
Refinement program	REFMAC 4	Depositor
R, R_{free}	0.256 , 0.307 0.235 , 0.283	Depositor DCC
R_{free} test set	1162 reflections (5.39%)	DCC
Wilson B-factor (Å ²)	35.2	Xtriage
Anisotropy	0.287	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 55.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 22724 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	5485	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CMK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.52	0/1679	0.93	1/2277 (0.0%)
1	B	0.48	0/1894	0.82	0/2567
1	C	0.45	0/1801	0.82	2/2453 (0.1%)
All	All	0.48	0/5374	0.86	3/7297 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	103	LEU	CA-CB-CG	6.69	130.68	115.30
1	C	12	ALA	CA-C-N	-5.44	105.24	117.20
1	C	56	ASP	CB-CG-OD1	5.07	122.86	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1653	0	1637	54	0
1	B	1864	0	1817	76	0
1	C	1766	0	1709	60	0
2	A	36	0	24	2	0
2	B	72	0	48	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	45	0	0	3	0
3	B	29	0	0	1	0
3	C	20	0	0	0	0
All	All	5485	0	5235	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:123:MSE:HE1	1:C:218:VAL:HG21	1.31	1.09
1:A:172:ASP:HB3	1:A:175:LYS:HG3	1.51	0.92
1:B:157:ARG:HH22	2:B:263[B]:CMK:H7	1.42	0.83
1:A:139:PRO:HB2	1:B:168:MSE:HE2	1.59	0.83
1:C:123:MSE:HE2	1:C:195:PHE:HE2	1.44	0.82
1:A:105:PRO:HD2	1:A:108:ILE:HD13	1.63	0.80
1:B:8:PRO:HB2	2:B:263[B]:CMK:H1'	1.64	0.80
1:A:8:PRO:HB2	2:A:263:CMK:H1'	1.66	0.77
1:C:128:VAL:HG21	1:C:233:VAL:HG22	1.67	0.77
1:B:8:PRO:HB2	2:B:263[A]:CMK:H1'	1.69	0.75
1:A:4:THR:HG23	1:A:44:ARG:HB3	1.69	0.75
1:A:104:ILE:HG23	1:A:108:ILE:HD11	1.67	0.75
1:C:93:ILE:HG23	1:C:116:LEU:HD22	1.69	0.73
1:C:123:MSE:HE2	1:C:195:PHE:CE2	2.26	0.69
2:B:263[B]:CMK:O1Y	2:B:263[B]:CMK:H6	1.94	0.67
1:C:205:THR:HG22	1:C:208:GLU:H	1.60	0.67
1:C:143:LYS:H	1:C:143:LYS:HD2	1.59	0.66
1:C:79:LEU:HD21	1:C:96:ASN:ND2	2.10	0.66
1:B:164:ARG:HG2	1:B:168:MSE:HE3	1.78	0.66
1:C:19:LYS:HE3	1:C:238:VAL:O	1.96	0.65
1:B:167:PHE:HA	1:B:170:LEU:HD22	1.78	0.64
1:C:123:MSE:HE1	1:C:218:VAL:CG2	2.19	0.64
1:A:105:PRO:O	1:A:108:ILE:HG12	1.98	0.64
1:A:112:VAL:CG1	1:A:126:LEU:HD13	2.28	0.64
1:B:19:LYS:HG2	1:B:20:PRO:HD3	1.79	0.63
3:A:265:HOH:O	1:B:168:MSE:HE1	1.97	0.63
1:C:139:PRO:O	1:C:157:ARG:HD2	1.98	0.63
1:B:166:GLN:O	1:B:170:LEU:HB3	1.99	0.62
1:C:208:GLU:HG3	1:C:214:GLU:HA	1.81	0.62
1:B:83:VAL:HG11	1:B:193:ALA:HB1	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:11:PHE:HD2	1:C:20:PRO:HG2	1.65	0.62
1:B:58:ALA:HA	1:B:61:PHE:CE1	2.35	0.61
1:A:104:ILE:HD11	1:A:188:ILE:HD11	1.81	0.61
1:B:172:ASP:HB3	1:B:175:LYS:HB2	1.81	0.61
1:C:143:LYS:N	1:C:143:LYS:HD2	2.16	0.60
1:A:136:LEU:HD11	1:A:182:TYR:CG	2.36	0.60
1:A:211:GLU:HG2	1:B:162:TYR:O	2.01	0.60
1:B:9:ALA:HB2	1:B:30:ILE:HD13	1.85	0.58
1:B:232:GLU:O	1:B:234:PRO:HD3	2.04	0.57
1:B:112:VAL:HG13	1:B:126:LEU:HD22	1.86	0.57
1:C:11:PHE:HA	1:C:20:PRO:CG	2.35	0.57
1:B:178:LEU:HD22	1:B:182:TYR:CE1	2.40	0.56
1:A:108:ILE:HB	1:A:126:LEU:HD21	1.88	0.56
1:A:145:LEU:HD12	1:A:146:THR:N	2.21	0.56
1:C:58:ALA:HA	1:C:61:PHE:CE1	2.41	0.55
1:B:146:THR:CG2	1:B:150:GLY:HA2	2.36	0.55
1:B:154:TYR:CE2	1:B:156:SER:HB2	2.41	0.55
1:A:46:ILE:HD13	1:A:86:LEU:HD12	1.88	0.55
1:B:186:ILE:HD13	1:B:234:PRO:HG2	1.89	0.55
1:B:194:GLY:HA2	1:B:197:LYS:HE2	1.89	0.54
1:C:9:ALA:HB3	1:C:49:THR:HB	1.90	0.54
1:C:123:MSE:CE	1:C:218:VAL:HG11	2.38	0.54
1:C:123:MSE:HE3	1:C:218:VAL:HG11	1.90	0.54
1:A:186:ILE:HG22	1:A:188:ILE:HD12	1.90	0.54
1:B:111:GLN:HG3	1:B:231:LYS:HE3	1.91	0.53
1:C:203:ALA:HB1	1:C:204:PRO:HD2	1.89	0.53
1:A:167:PHE:HA	1:A:170:LEU:HB2	1.91	0.53
1:B:19:LYS:N	1:B:20:PRO:CD	2.71	0.53
1:A:164:ARG:HH22	2:B:263[B]:CMK:H6	1.73	0.53
1:C:108:ILE:O	1:C:112:VAL:HG23	2.09	0.53
1:A:95:VAL:HG11	1:A:109:VAL:HG13	1.91	0.53
1:C:93:ILE:HG12	1:C:116:LEU:HD23	1.91	0.52
1:B:185:HIS:ND1	2:B:263[A]:CMK:C7	2.73	0.52
1:C:21:LEU:HD22	1:C:57:VAL:HG21	1.92	0.52
1:A:101:GLU:OE2	1:A:102:PRO:HD2	2.10	0.52
1:B:137:PHE:HE2	1:B:173:VAL:HG13	1.73	0.51
1:A:123:MSE:HE2	1:A:191:TYR:CE1	2.45	0.51
1:C:27:LYS:HD3	1:C:31:GLN:NE2	2.25	0.51
1:C:19:LYS:HE2	1:C:100:ASP:HB3	1.93	0.51
1:B:173:VAL:HA	1:B:176:VAL:HG23	1.91	0.51
1:A:104:ILE:CD1	1:A:188:ILE:HD11	2.39	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:ASP:O	1:B:102:PRO:HD3	2.11	0.51
2:B:263[B]:CMK:O1Y	2:B:263[B]:CMK:C6	2.57	0.51
1:B:98:GLN:CG	2:B:263[B]:CMK:H4'	2.41	0.50
1:C:238:VAL:HG21	1:C:247:VAL:HG21	1.94	0.50
1:B:146:THR:HG21	1:B:150:GLY:HA2	1.94	0.50
1:C:11:PHE:HA	1:C:20:PRO:CD	2.42	0.50
1:B:170:LEU:CD1	1:B:176:VAL:HG22	2.41	0.50
1:B:16:LEU:O	1:B:19:LYS:HB3	2.12	0.50
1:B:130:ILE:HG12	1:B:135:GLU:OE2	2.11	0.50
1:B:211:GLU:HB3	1:B:213:LEU:HD22	1.94	0.50
1:A:7:ILE:HD12	1:A:47:ILE:CD1	2.42	0.50
1:B:83:VAL:CG1	1:B:193:ALA:HB1	2.41	0.50
1:C:88:ILE:HG23	1:C:89:PRO:HD2	1.93	0.50
1:B:29:MSE:HE3	1:B:99:GLY:O	2.11	0.50
1:C:11:PHE:HA	1:C:20:PRO:HG2	1.94	0.50
1:C:243:ASP:O	1:C:247:VAL:HG23	2.11	0.50
1:C:238:VAL:CG2	1:C:247:VAL:HG21	2.41	0.50
1:B:4:THR:HG23	1:B:44:ARG:HB3	1.94	0.50
1:C:108:ILE:HA	1:C:111:GLN:HB3	1.94	0.49
1:B:213:LEU:HD12	2:B:263[A]:CMK:H4	1.94	0.49
1:C:229:LEU:HD13	1:C:230:ALA:O	2.12	0.49
1:C:40:SER:HB2	1:C:109:VAL:HB	1.94	0.49
1:A:139:PRO:CB	1:B:168:MSE:HE2	2.37	0.48
1:C:125:SER:OG	1:C:126:LEU:N	2.46	0.48
1:A:152:VAL:HG11	1:A:155:PHE:CE1	2.47	0.48
1:C:24:ILE:CD1	1:C:29:MSE:HG3	2.43	0.48
1:B:185:HIS:ND1	2:B:263[A]:CMK:O7	2.36	0.48
1:C:137:PHE:O	1:C:139:PRO:HD3	2.12	0.48
1:A:136:LEU:HG	1:A:159:VAL:HG23	1.95	0.48
1:A:112:VAL:HG12	1:A:126:LEU:HD13	1.95	0.48
1:B:29:MSE:O	1:B:32:HIS:HB2	2.14	0.48
1:C:24:ILE:HB	1:C:32:HIS:NE2	2.28	0.48
1:A:92:GLU:O	1:A:192:ARG:HA	2.14	0.48
1:B:6:ILE:HB	1:B:79:LEU:HD13	1.95	0.47
1:B:112:VAL:HG22	1:B:126:LEU:CD2	2.43	0.47
1:C:122:ASN:OD1	1:C:192:ARG:HG3	2.15	0.47
1:B:172:ASP:CB	1:B:175:LYS:HB2	2.44	0.47
1:C:11:PHE:CE2	1:C:18:GLY:HA2	2.49	0.47
1:A:136:LEU:HD11	1:A:182:TYR:CD2	2.49	0.47
1:B:98:GLN:HG2	2:B:263[B]:CMK:H4'	1.96	0.47
1:A:192:ARG:HG3	3:A:272:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:ASN:HB3	1:B:224:ARG:HH21	1.80	0.47
1:A:154:TYR:CE2	1:A:156:SER:HB2	2.50	0.47
1:A:79:LEU:O	1:A:83:VAL:HG13	2.15	0.46
1:C:15:ARG:HB3	1:C:240:THR:HG22	1.97	0.46
1:A:126:LEU:HD12	1:A:228:GLU:HB3	1.97	0.46
1:C:24:ILE:HB	1:C:32:HIS:CD2	2.51	0.46
1:C:58:ALA:HA	1:C:61:PHE:CZ	2.50	0.46
1:C:46:ILE:HD13	1:C:86:LEU:HD23	1.98	0.46
1:A:46:ILE:HD13	1:A:86:LEU:CD1	2.46	0.46
1:C:160:ILE:O	1:C:160:ILE:HG13	2.15	0.46
1:B:183:LEU:HG	3:B:275:HOH:O	2.16	0.46
1:B:52:GLU:O	1:B:53:ASN:C	2.54	0.46
1:C:97:ILE:HD11	1:C:109:VAL:HG11	1.96	0.46
1:C:203:ALA:HB1	1:C:204:PRO:CD	2.46	0.46
1:A:123:MSE:HE2	1:A:191:TYR:HE1	1.81	0.46
1:A:101:GLU:HA	1:A:102:PRO:HD2	1.62	0.45
1:A:105:PRO:HD2	1:A:108:ILE:CD1	2.42	0.45
1:A:58:ALA:HA	1:A:61:PHE:CE1	2.52	0.45
1:C:89:PRO:O	1:C:193:ALA:HB3	2.17	0.45
1:B:211:GLU:O	1:B:212:LYS:HB2	2.17	0.45
1:A:9:ALA:N	1:A:48:ALA:O	2.45	0.45
1:C:19:LYS:N	1:C:20:PRO:HD2	2.32	0.45
1:B:75:GLY:O	1:B:79:LEU:HG	2.16	0.45
1:B:7:ILE:HA	1:B:8:PRO:HD3	1.81	0.44
1:B:118:LYS:HE2	1:B:119:PHE:CE1	2.52	0.44
1:B:66:CYS:SG	1:B:85:LYS:HD3	2.57	0.44
1:B:112:VAL:CG1	1:B:126:LEU:HD22	2.47	0.44
1:C:24:ILE:HD11	1:C:29:MSE:HG3	1.99	0.44
2:B:263[B]:CMK:H6C	2:B:263[B]:CMK:H5'2	1.99	0.44
2:B:263[A]:CMK:H4	2:B:263[A]:CMK:O1Y	2.17	0.44
1:C:89:PRO:HG2	1:C:92:GLU:HB2	1.99	0.44
1:A:51:ASN:OD1	1:A:53:ASN:HB2	2.18	0.44
1:A:39:GLN:HB3	1:A:106:PRO:HG2	1.98	0.44
1:B:19:LYS:N	1:B:20:PRO:HD2	2.33	0.44
1:B:19:LYS:CG	1:B:20:PRO:HD3	2.47	0.43
1:B:152:VAL:HG11	1:B:155:PHE:CE1	2.54	0.43
1:C:46:ILE:HD13	1:C:86:LEU:CD2	2.49	0.43
1:A:205:THR:HG22	1:A:206:GLN:N	2.33	0.43
1:B:54:VAL:O	1:B:55:ALA:C	2.57	0.43
1:B:185:HIS:ND1	2:B:263[A]:CMK:H7	2.34	0.43
1:C:19:LYS:N	1:C:20:PRO:CD	2.82	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:ALA:HB2	1:B:82:VAL:HG21	2.00	0.43
1:C:7:ILE:HD13	1:C:33:VAL:HG12	2.01	0.43
2:B:263[B]:CMK:H6C	2:B:263[B]:CMK:C5'	2.49	0.42
1:A:126:LEU:CD1	1:A:228:GLU:HB3	2.49	0.42
1:A:88:ILE:HG21	1:A:94:ILE:HD11	2.01	0.42
1:A:218:VAL:CG1	1:A:223:GLU:HB3	2.49	0.42
1:A:199:TYR:HA	1:A:202:TRP:CE3	2.54	0.42
1:B:128:VAL:CG1	1:B:234:PRO:HD2	2.49	0.42
2:A:263:CMK:H6C	2:A:263:CMK:H5'1	2.00	0.42
1:B:125:SER:O	1:B:126:LEU:HD13	2.20	0.42
1:A:142:VAL:HG21	1:A:213:LEU:HD11	2.02	0.42
1:B:108:ILE:HD13	1:B:234:PRO:HG3	2.01	0.42
1:B:146:THR:HG23	1:B:150:GLY:HA2	2.00	0.42
1:A:7:ILE:HB	1:A:47:ILE:HD12	2.02	0.42
1:A:29:MSE:HB3	3:A:282:HOH:O	2.20	0.42
1:A:91:ASN:HD21	1:A:192:ARG:NH1	2.17	0.42
1:C:123:MSE:HA	1:C:190:ALA:O	2.20	0.42
1:B:157:ARG:NH2	2:B:263[B]:CMK:H5	2.35	0.42
1:B:146:THR:HG22	1:B:147:ASP:O	2.20	0.42
1:B:123:MSE:SE	1:B:218:VAL:HG21	2.70	0.42
1:B:21:LEU:HD22	1:B:57:VAL:HG11	2.02	0.42
1:B:36:LYS:HD2	1:B:102:PRO:O	2.20	0.42
1:C:101:GLU:HG2	1:C:237:GLY:HA2	2.01	0.42
1:C:143:LYS:NZ	1:C:157:ARG:O	2.48	0.41
1:A:145:LEU:HD12	1:A:146:THR:H	1.84	0.41
1:B:128:VAL:HG11	1:B:234:PRO:HD2	2.01	0.41
1:B:123:MSE:HE3	1:B:191:TYR:HE1	1.84	0.41
1:B:218:VAL:HB	1:B:225:ILE:HD11	2.02	0.41
1:B:185:HIS:CE1	2:B:263[A]:CMK:H7	2.55	0.41
1:C:136:LEU:O	1:C:143:LYS:NZ	2.43	0.41
1:A:136:LEU:HD11	1:A:182:TYR:CB	2.51	0.41
1:B:146:THR:HG23	1:B:150:GLY:CA	2.51	0.41
1:C:136:LEU:O	1:C:159:VAL:HG13	2.21	0.41
1:B:34:PHE:HD1	1:B:47:ILE:HD11	1.86	0.40
1:C:133:ALA:O	1:C:134:GLU:C	2.58	0.40
1:B:98:GLN:CG	2:B:263[A]:CMK:H4'	2.50	0.40
1:A:126:LEU:HA	1:A:126:LEU:HD12	1.93	0.40
1:B:172:ASP:HB3	1:B:175:LYS:H	1.87	0.40
1:A:136:LEU:HA	1:A:136:LEU:HD12	1.93	0.40
1:A:129:LYS:HB3	1:A:131:HIS:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/262 (79%)	193 (93%)	13 (6%)	1 (0%)	34	63
1	B	242/262 (92%)	218 (90%)	23 (10%)	1 (0%)	39	69
1	C	235/262 (90%)	219 (93%)	14 (6%)	2 (1%)	21	49
All	All	684/786 (87%)	630 (92%)	50 (7%)	4 (1%)	30	59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	166	GLN
1	C	187	GLY
1	A	99	GLY
1	B	24	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/218 (82%)	168 (94%)	10 (6%)	26	54
1	B	193/218 (88%)	180 (93%)	13 (7%)	20	44
1	C	179/218 (82%)	165 (92%)	14 (8%)	16	35
All	All	550/654 (84%)	513 (93%)	37 (7%)	20	44

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	59	LYS
1	A	83	VAL
1	A	103	LEU
1	A	178	LEU
1	A	183	LEU
1	A	191	TYR
1	A	200	VAL
1	A	224	ARG
1	A	228	GLU
1	B	10	ARG
1	B	40	SER
1	B	112	VAL
1	B	126	LEU
1	B	145	LEU
1	B	164	ARG
1	B	170	LEU
1	B	172	ASP
1	B	191	TYR
1	B	198	GLN
1	B	213	LEU
1	B	242	GLU
1	B	244	LEU
1	C	15	ARG
1	C	30	ILE
1	C	50	ASP
1	C	112	VAL
1	C	121	VAL
1	C	128	VAL
1	C	143	LYS
1	C	153	LEU
1	C	159	VAL
1	C	183	LEU
1	C	198	GLN
1	C	199	TYR
1	C	208	GLU
1	C	213	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	ASN
1	A	122	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	131	HIS
1	A	169	ASN
1	A	177	GLN
1	A	198	GLN
1	B	98	GLN
1	B	140	ASN
1	C	53	ASN
1	C	96	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CMK	A	263	-	28,38,38	1.72	6 (21%)	35,58,58	2.24	8 (22%)
2	CMK	B	263[A]	-	28,38,38	1.36	2 (7%)	35,58,58	2.22	8 (22%)
2	CMK	B	263[B]	-	28,38,38	1.49	3 (10%)	35,58,58	2.90	10 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CMK	A	263	-	-	0/15/62/62	0/3/3/3
2	CMK	B	263[A]	-	-	0/15/62/62	0/3/3/3
2	CMK	B	263[B]	-	-	0/15/62/62	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	263	CMK	C4-C5	-5.96	1.44	1.52
2	B	263[B]	CMK	PA-O2	-4.12	1.49	1.60
2	B	263[A]	CMK	PA-O2	-4.03	1.49	1.60
2	A	263	CMK	PA-O2	-3.83	1.50	1.60
2	B	263[B]	CMK	PA-O5'	-3.83	1.41	1.59
2	B	263[A]	CMK	PA-O5'	-3.25	1.44	1.59
2	A	263	CMK	PA-O5'	-2.69	1.46	1.59
2	A	263	CMK	C3-C4	-2.19	1.49	1.53
2	A	263	CMK	C5-C6	2.05	1.58	1.52
2	A	263	CMK	O6-C6	2.10	1.47	1.44
2	B	263[B]	CMK	C5-C6	2.82	1.60	1.52

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	263[B]	CMK	C3-C4-C5	-9.77	101.86	110.84
2	B	263[B]	CMK	O4'-C1'-N1C	-8.97	89.17	108.08
2	B	263[A]	CMK	O4'-C1'-N1C	-8.61	89.94	108.08
2	A	263	CMK	O4'-C1'-N1C	-7.64	91.98	108.08
2	B	263[B]	CMK	O5-C5-C4	-6.14	98.91	110.00
2	B	263[A]	CMK	C3-C4-C5	-5.21	106.05	110.84
2	B	263[A]	CMK	O5-C5-C4	-3.64	103.42	110.00
2	B	263[B]	CMK	O6-C6-C5	-3.35	104.19	108.56
2	A	263	CMK	C6C-N1C-C2C	-3.12	116.23	121.28
2	B	263[B]	CMK	C4-C5-C6	-3.01	104.32	110.56
2	B	263[A]	CMK	C6C-N1C-C2C	-2.82	116.71	121.28
2	A	263	CMK	C5'-C4'-C3'	-2.80	104.09	115.21
2	B	263[B]	CMK	O3'-C3'-C4'	-2.77	102.76	111.05
2	B	263[B]	CMK	C6C-N1C-C2C	-2.75	116.82	121.28
2	B	263[A]	CMK	O3'-C3'-C4'	-2.71	102.93	111.05
2	B	263[B]	CMK	C5'-C4'-C3'	-2.65	104.69	115.21
2	B	263[A]	CMK	C5'-C4'-C3'	-2.64	104.72	115.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	263[B]	CMK	O4-C4-C5	-2.03	106.03	110.12
2	A	263	CMK	O5'-PA-O2A	-2.03	101.75	109.62
2	A	263	CMK	C8-C7-C6	2.13	116.70	112.26
2	B	263[A]	CMK	O7-C7-C6	2.20	114.21	109.10
2	B	263[A]	CMK	C2C-N3C-C4C	2.32	118.89	115.61
2	B	263[B]	CMK	C2C-N3C-C4C	2.62	119.31	115.61
2	A	263	CMK	C2C-N3C-C4C	2.88	119.67	115.61
2	A	263	CMK	C2-C3-C4	4.58	121.16	110.81
2	A	263	CMK	C3-C4-C5	5.71	116.09	110.84

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	263	CMK	2	0
2	B	263[A]	CMK	8	0
2	B	263[B]	CMK	10	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	207/262 (79%)	-0.10	6 (2%) 55 55	24, 39, 65, 73	0
1	B	242/262 (92%)	0.20	10 (4%) 41 41	25, 46, 91, 105	0
1	C	235/262 (89%)	0.51	16 (6%) 20 19	35, 60, 85, 97	0
All	All	684/786 (87%)	0.21	32 (4%) 35 34	24, 50, 85, 105	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	102	PRO	6.5
1	C	73	ASN	5.7
1	C	12	ALA	4.6
1	C	71	ASN	3.6
1	C	131	HIS	3.6
1	C	165	ASP	3.6
1	C	72	HIS	3.5
1	A	169	ASN	3.4
1	C	139	PRO	3.4
1	B	17	PRO	3.3
1	C	178	LEU	3.2
1	C	130	ILE	3.0
1	B	241	ALA	3.0
1	B	58	ALA	2.9
1	B	172	ASP	2.8
1	C	180	ASP	2.7
1	C	74	SER	2.7
1	C	201	GLN	2.6
1	A	53	ASN	2.6
1	A	180	ASP	2.6
1	C	70	VAL	2.5
1	B	117	ALA	2.4
1	B	242	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	30	ILE	2.3
1	A	131	HIS	2.2
1	B	11	PHE	2.2
1	B	16	LEU	2.1
1	C	179	SER	2.1
1	B	53	ASN	2.0
1	A	104	ILE	2.0
1	B	26	GLY	2.0
1	C	11	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CMK	B	263[A]	36/36	0.66	0.52	7.63	37,41,44,45	36
2	CMK	B	263[B]	36/36	0.66	0.52	7.42	33,37,39,39	36
2	CMK	A	263	36/36	0.88	0.25	1.32	38,42,46,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.