



# Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 06:05 AM GMT

PDB ID : 2VXC  
Title : STRUCTURE OF THE CRB2-BRCT2 DOMAIN COMPLEX WITH PHOSPHOPEPTIDE.  
Authors : Kilkenny, M.L.; Roe, S.M.; Pearl, L.H.  
Deposited on : 2008-07-03  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	1114 (3.14-3.06)
Clashscore	102246	1222 (3.14-3.06)
Ramachandran outliers	100387	1174 (3.14-3.06)
Sidechain outliers	100360	1174 (3.14-3.06)
RSRZ outliers	91569	1119 (3.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 3560 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA REPAIR PROTEIN RHP9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	223	1713	1097	293	316	7	0	0	0
1	B	231	1767	1133	300	325	9	0	0	0

- Molecule 2 is a protein called H2A1 PEPTIDE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	4	37	19	5	12	1	0	0	0

- Molecule 3 is PRASEODYMIUM ION (three-letter code: PR) (formula: Pr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Pr	0	0
3	A	2	Total	Pr	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	18	Total	O	0	0
4	B	20	Total	O	0	0
4	C	1	Total	O	0	0
			18	18		
			20	20		
			1	1		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA REPAIR PROTEIN RHP9



- Molecule 1: DNA REPAIR PROTEIN RHP9



- Molecule 2: H2A1 PEPTIDE



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.36 Å    140.41 Å    56.88 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	65.00 – 3.10 65.02 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.9 (65.00-3.10) 99.7 (65.02-3.10)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	3.10 (at 3.13 Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
$R$ , $R_{free}$	0.195 , 0.244 0.195 , 0.239	Depositor DCC
$R_{free}$ test set	532 reflections (4.77%)	DCC
Wilson B-factor (Å <sup>2</sup> )	54.6	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 70.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.47$ , $< L^2 > = 0.30$	Xtriage
Outliers	0 of 11164 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	3560	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PR, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.38	0/1752	0.51	0/2383
1	B	0.38	0/1809	0.56	0/2467
2	C	0.33	0/26	0.72	0/32
All	All	0.38	0/3587	0.53	0/4882

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1713	0	1637	75	1
1	B	1767	0	1684	86	0
2	C	37	0	30	9	0
3	A	2	0	0	0	0
3	B	2	0	0	0	1
4	A	18	0	0	1	0
4	B	20	0	0	3	0
4	C	1	0	0	0	0
All	All	3560	0	3351	163	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 24.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:590:LYS:HA	1:A:591:LYS:CB	1.84	1.08
1:B:752:ILE:HG21	1:B:760:VAL:HG11	1.41	1.01
1:B:756:THR:HG23	1:B:757:ASN:HA	1.45	0.96
1:A:697:ILE:HD11	1:A:747:THR:HG22	1.48	0.95
1:B:697:ILE:HD11	1:B:747:THR:HG22	1.51	0.92
1:B:697:ILE:HD13	1:B:697:ILE:H	1.43	0.82
1:A:697:ILE:HD13	1:A:697:ILE:H	1.45	0.80
2:C:139:SEP:O	2:C:140:GLN:HB2	1.83	0.79
1:B:753:VAL:HB	1:B:754:ASP:HA	1.66	0.77
1:B:571:LEU:HD22	1:B:604:TRP:CZ2	2.20	0.76
1:A:571:LEU:HD22	1:A:604:TRP:CZ2	2.22	0.74
2:C:140:GLN:HE21	2:C:140:GLN:HA	1.54	0.72
1:B:696:PHE:CE1	1:B:746:LEU:HD12	2.24	0.72
1:A:768:GLU:HB3	1:A:776:ILE:HD13	1.73	0.70
2:C:141:GLU:O	2:C:142:LEU:HD12	1.90	0.70
1:B:756:THR:CG2	1:B:757:ASN:HA	2.22	0.70
1:A:627:ASN:HA	4:A:2012:HOH:O	1.90	0.70
1:B:768:GLU:HB3	1:B:776:ILE:HD13	1.72	0.69
1:A:581:PHE:HZ	1:A:682:LEU:HD22	1.58	0.69
1:B:752:ILE:CG2	1:B:760:VAL:HG11	2.21	0.68
1:B:581:PHE:HZ	1:B:682:LEU:HD22	1.57	0.68
1:B:659:HIS:CE1	4:B:2014:HOH:O	2.46	0.68
1:B:659:HIS:NE2	4:B:2014:HOH:O	2.27	0.68
1:A:609:VAL:HG21	1:A:623:ALA:HB2	1.75	0.68
1:A:668:ARG:NH2	1:A:772:SER:O	2.28	0.67
1:B:685:ARG:HH11	1:B:685:ARG:HG3	1.59	0.66
1:A:666:SER:HB3	1:B:666:SER:HB3	1.76	0.66
1:B:753:VAL:HB	1:B:754:ASP:CA	2.25	0.65
1:A:564:VAL:HG11	1:A:640:LEU:HD11	1.78	0.65
1:A:685:ARG:HG3	1:A:685:ARG:HH11	1.61	0.65
1:B:668:ARG:NH2	1:B:772:SER:O	2.30	0.65
1:B:690:PHE:HA	1:B:728:GLY:O	1.97	0.64
1:B:564:VAL:HG11	1:B:640:LEU:HD11	1.78	0.64
1:A:690:PHE:HA	1:A:728:GLY:O	1.97	0.64
1:B:697:ILE:HD13	1:B:697:ILE:N	2.14	0.63
1:B:752:ILE:HG12	1:B:760:VAL:HG21	1.80	0.63
1:A:599:LYS:HG3	1:A:602:LYS:HZ2	1.63	0.63
1:B:609:VAL:HG21	1:B:623:ALA:HB2	1.81	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:689:LEU:HB3	1:B:729:ALA:HB2	1.82	0.62
1:B:630:CYS:H	1:B:667:GLN:HE22	1.48	0.62
1:B:697:ILE:HD11	1:B:747:THR:CG2	2.29	0.61
1:B:753:VAL:N	1:B:754:ASP:HB2	2.15	0.61
1:B:600:ARG:HG2	1:B:604:TRP:CZ3	2.36	0.61
1:B:581:PHE:CZ	1:B:682:LEU:HD22	2.36	0.60
1:A:595:LEU:HD12	1:A:626:PHE:HE1	1.65	0.60
1:A:600:ARG:HG2	1:A:604:TRP:CZ3	2.36	0.60
1:A:697:ILE:HD13	1:A:697:ILE:N	2.17	0.59
1:B:594:HIS:HA	1:B:725:LEU:HD22	1.84	0.59
1:A:654:ALA:HB1	1:A:665:LEU:O	2.03	0.59
1:A:697:ILE:HD11	1:A:747:THR:CG2	2.27	0.59
1:A:617:LYS:HZ3	2:C:141:GLU:HG2	1.68	0.59
1:A:689:LEU:HB3	1:A:729:ALA:HB2	1.83	0.59
2:C:140:GLN:NE2	2:C:140:GLN:HA	2.18	0.59
1:A:594:HIS:HA	1:A:725:LEU:HD22	1.85	0.59
1:A:578:ARG:N	1:A:579:PRO:HD2	2.17	0.58
1:B:578:ARG:N	1:B:579:PRO:HD2	2.19	0.57
1:B:586:LYS:N	1:B:587:SER:CB	2.68	0.57
1:A:590:LYS:CA	1:A:591:LYS:CB	2.70	0.57
2:C:140:GLN:O	2:C:141:GLU:HB2	2.05	0.56
1:B:649:SER:HB2	1:B:650:PRO:HD3	1.88	0.56
1:A:539:ILE:HD11	1:A:643:ASN:ND2	2.21	0.56
1:B:595:LEU:HD12	1:B:626:PHE:HE1	1.69	0.55
1:A:632:HIS:CG	1:A:633:PRO:HD2	2.42	0.55
1:B:539:ILE:HD11	1:B:643:ASN:ND2	2.20	0.55
1:A:762:ASP:HB2	1:A:763:PRO:HD2	1.88	0.55
1:A:581:PHE:CZ	1:A:682:LEU:HD22	2.39	0.55
1:A:599:LYS:HG3	1:A:602:LYS:NZ	2.21	0.55
1:A:571:LEU:HD21	1:A:573:LEU:HD21	1.89	0.55
1:B:632:HIS:CG	1:B:633:PRO:HD2	2.41	0.55
1:A:630:CYS:H	1:A:667:GLN:HE22	1.54	0.55
1:B:571:LEU:HD21	1:B:573:LEU:HD21	1.89	0.54
1:A:649:SER:HB2	1:A:650:PRO:HD3	1.90	0.54
1:B:627:ASN:HD21	1:B:669:ILE:HA	1.73	0.53
1:A:732:GLU:OE2	1:A:734:ARG:NH1	2.41	0.53
1:A:614:PHE:CD1	1:A:656:GLY:HA2	2.44	0.52
1:B:597:PRO:HG2	1:B:683:LEU:HB2	1.91	0.52
1:A:697:ILE:HA	1:A:734:ARG:O	2.09	0.52
1:A:617:LYS:HZ3	2:C:141:GLU:CG	2.22	0.52
1:A:685:ARG:NH1	1:A:685:ARG:HG3	2.25	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:614:PHE:HA	1:B:620:TYR:CZ	2.45	0.52
1:B:654:ALA:HB1	1:B:665:LEU:O	2.10	0.52
1:A:652:LEU:HD11	1:A:669:ILE:CD1	2.40	0.51
1:A:614:PHE:HA	1:A:620:TYR:CZ	2.45	0.51
1:B:753:VAL:HB	1:B:754:ASP:CB	2.41	0.51
1:A:597:PRO:HG2	1:A:683:LEU:HB2	1.93	0.51
1:B:753:VAL:CB	1:B:754:ASP:HA	2.38	0.51
1:A:697:ILE:CD1	1:A:747:THR:HG22	2.31	0.51
1:A:600:ARG:HD2	1:A:604:TRP:HH2	1.75	0.51
1:B:762:ASP:HB2	1:B:763:PRO:HD2	1.92	0.51
1:B:600:ARG:HD2	1:B:604:TRP:HH2	1.76	0.50
1:B:652:LEU:HD11	1:B:669:ILE:CD1	2.42	0.50
1:A:768:GLU:CB	1:A:776:ILE:HD13	2.42	0.50
1:A:627:ASN:HD21	1:A:669:ILE:HA	1.76	0.50
1:B:644:ARG:HH11	1:B:644:ARG:HG2	1.75	0.50
1:B:644:ARG:HG2	1:B:644:ARG:NH1	2.28	0.49
1:A:611:SER:O	1:A:633:PRO:HD3	2.13	0.49
1:A:644:ARG:HG2	1:A:644:ARG:HH11	1.78	0.49
1:B:685:ARG:NH1	1:B:685:ARG:HG3	2.24	0.49
1:B:611:SER:O	1:B:633:PRO:HD3	2.12	0.49
1:B:768:GLU:CB	1:B:776:ILE:HD13	2.40	0.48
1:B:697:ILE:HA	1:B:734:ARG:O	2.13	0.48
1:B:538:LEU:HB3	1:B:568:HIS:O	2.13	0.48
1:A:761:VAL:HG22	1:A:762:ASP:H	1.78	0.48
1:A:599:LYS:HE2	1:A:602:LYS:HZ2	1.78	0.48
1:B:697:ILE:CD1	1:B:747:THR:HG22	2.33	0.46
1:A:629:PRO:HG3	1:A:669:ILE:HG21	1.97	0.46
1:A:668:ARG:NH2	1:A:773:GLN:HB2	2.31	0.46
1:A:644:ARG:HG2	1:A:644:ARG:NH1	2.30	0.46
1:B:614:PHE:CD1	1:B:656:GLY:HA2	2.51	0.45
1:B:750:GLY:O	1:B:751:ASN:CB	2.64	0.45
1:A:578:ARG:N	1:A:579:PRO:CD	2.78	0.45
1:B:752:ILE:HG21	1:B:760:VAL:CG1	2.28	0.45
1:A:652:LEU:HD21	1:A:669:ILE:HD12	1.98	0.45
1:B:753:VAL:CB	1:B:754:ASP:CA	2.92	0.45
1:B:745:ILE:HB	1:B:760:VAL:HG22	1.98	0.45
1:A:745:ILE:HB	1:A:760:VAL:HG22	1.98	0.45
1:B:550:PRO:HB3	1:B:555:ALA:HB3	1.99	0.45
1:B:629:PRO:HG3	1:B:669:ILE:HG21	1.98	0.44
1:B:538:LEU:HB3	1:B:568:HIS:C	2.38	0.44
1:B:756:THR:CB	1:B:757:ASN:HA	2.47	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:761:VAL:HG22	1:B:762:ASP:H	1.81	0.44
1:B:742:CYS:O	1:B:758:CYS:SG	2.76	0.44
1:A:614:PHE:HA	1:A:620:TYR:CE2	2.53	0.43
1:B:753:VAL:HB	1:B:754:ASP:CG	2.39	0.43
1:B:614:PHE:HA	1:B:620:TYR:CE2	2.54	0.43
1:A:538:LEU:HB3	1:A:568:HIS:O	2.19	0.43
1:A:587:SER:O	1:A:589:GLN:N	2.48	0.43
1:B:751:ASN:HB3	1:B:752:ILE:H	1.45	0.43
1:B:544:VAL:HG22	1:B:571:LEU:HD23	1.99	0.43
1:A:618:VAL:HG12	2:C:139:SEP:HB3	2.00	0.42
1:A:566:GLN:HB2	1:A:566:GLN:HE21	1.65	0.42
1:B:550:PRO:HG3	1:B:556:TYR:CD1	2.55	0.42
1:A:720:HIS:CE1	1:A:763:PRO:HB3	2.55	0.42
1:B:720:HIS:CE1	4:B:2018:HOH:O	2.72	0.42
1:A:557:ASP:HB3	1:A:560:ALA:HB3	2.00	0.42
1:A:762:ASP:HB2	1:A:763:PRO:CD	2.49	0.42
1:B:560:ALA:O	1:B:563:THR:HB	2.20	0.42
1:A:561:LEU:HD23	1:A:561:LEU:HA	1.79	0.42
1:A:668:ARG:CD	1:B:649:SER:HB3	2.49	0.42
1:B:549:GLY:HA3	1:B:550:PRO:C	2.40	0.42
1:B:750:GLY:O	1:B:751:ASN:HB2	2.18	0.42
1:B:668:ARG:NH2	1:B:773:GLN:HB2	2.35	0.42
1:B:578:ARG:N	1:B:579:PRO:CD	2.82	0.42
1:B:652:LEU:HD21	1:B:669:ILE:HD12	2.02	0.42
1:B:602:LYS:HG3	1:B:679:TYR:CG	2.54	0.42
1:B:614:PHE:CD1	1:B:614:PHE:C	2.93	0.42
1:B:720:HIS:CE1	1:B:763:PRO:HB3	2.55	0.41
1:B:551:VAL:CG2	1:B:615:SER:HB3	2.49	0.41
1:B:561:LEU:HD23	1:B:561:LEU:HA	1.80	0.41
1:A:734:ARG:HG3	1:A:740:LEU:CD1	2.51	0.41
1:A:602:LYS:HG3	1:A:679:TYR:CG	2.56	0.41
1:A:745:ILE:HD12	1:A:760:VAL:HG22	2.03	0.41
1:A:660:ARG:HD3	1:A:776:ILE:HD12	2.03	0.41
1:A:564:VAL:CG1	1:A:640:LEU:HD11	2.50	0.41
1:A:668:ARG:CZ	1:B:649:SER:HB3	2.51	0.41
1:A:560:ALA:O	1:A:563:THR:HB	2.21	0.40
1:B:698:ILE:HA	1:B:699:PRO:HD3	1.78	0.40
1:A:714:GLY:O	1:A:718:LEU:HG	2.21	0.40
1:B:566:GLN:HB2	1:B:566:GLN:HE21	1.68	0.40
1:A:619:LYS:HB2	2:C:139:SEP:O3P	2.22	0.40
1:A:538:LEU:HB3	1:A:568:HIS:C	2.42	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:714:GLY:O	1:B:718:LEU:HG	2.22	0.40
1:A:549:GLY:HA3	1:A:550:PRO:C	2.41	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:553:GLU:OE1	3:B:1779:PR:PR[1_556]	2.19	0.01

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	217/242 (90%)	196 (90%)	16 (7%)	5 (2%)	8 35
1	B	227/242 (94%)	197 (87%)	18 (8%)	12 (5%)	2 14
2	C	2/4 (50%)	0	1 (50%)	1 (50%)	0 0
All	All	446/488 (91%)	393 (88%)	35 (8%)	18 (4%)	4 21

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	591	LYS
1	B	587	SER
1	B	588	LYS
1	B	589	GLN
1	B	751	ASN
1	B	753	VAL
2	C	140	GLN
1	B	752	ILE
1	B	754	ASP
1	A	588	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	758	CYS
1	A	586	LYS
1	A	712	GLU
1	A	749	ASP
1	B	712	GLU
1	B	756	THR
1	B	586	LYS
1	B	759	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	180/217 (83%)	173 (96%)	7 (4%)	39 75
1	B	187/217 (86%)	176 (94%)	11 (6%)	24 60
2	C	3/3 (100%)	2 (67%)	1 (33%)	0 0
All	All	370/437 (85%)	351 (95%)	19 (5%)	29 66

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	577	LEU
1	A	624	LEU
1	A	683	LEU
1	A	697	ILE
1	A	739	HIS
1	A	741	GLU
1	A	746	LEU
1	B	577	LEU
1	B	592	LEU
1	B	624	LEU
1	B	644	ARG
1	B	683	LEU
1	B	697	ILE
1	B	739	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	746	LEU
1	B	752	ILE
1	B	756	THR
1	B	758	CYS
2	C	140	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	566	GLN
1	A	643	ASN
1	A	667	GLN
1	A	773	GLN
1	B	566	GLN
1	B	568	HIS
1	B	627	ASN
1	B	643	ASN
1	B	667	GLN
1	B	773	GLN
2	C	140	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SEP	C	139	2	8,9,10	1.60	1 (12%)	8,12,14	1.55	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	C	139	2	-	0/6/8/10	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	139	SEP	P-O1P	3.50	1.62	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	139	SEP	OG-CB-CA	3.79	111.50	108.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	139	SEP	3	0

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	223/242 (92%)	-0.01	8 (3%) 46 23	17, 47, 124, 151	4 (1%)
1	B	231/242 (95%)	-0.29	2 (0%) 85 72	17, 52, 127, 154	1 (0%)
2	C	3/4 (75%)	2.14	2 (66%) 0 0	104, 104, 117, 128	0
All	All	457/488 (93%)	-0.14	12 (2%) 59 35	17, 50, 126, 154	5 (1%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	749	ASP	4.1
1	A	759	PRO	3.2
1	B	699	PRO	2.8
1	A	594	HIS	2.7
1	A	761	VAL	2.6
1	A	735	PRO	2.6
2	C	141	GLU	2.4
1	A	739	HIS	2.3
2	C	140	GLN	2.3
1	A	760	VAL	2.2
1	A	591	LYS	2.1
1	A	737	VAL	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SEP	C	139	10/11	0.90	0.26	-	31,112,149,161	0

### 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	PR	B	1780	1/1	0.95	0.13	-	108,108,108,108	0
3	PR	A	1780	1/1	0.94	0.07	-	140,140,140,140	0
3	PR	B	1779	1/1	0.99	0.14	-	64,64,64,64	0
3	PR	A	1779	1/1	0.99	0.17	-	36,36,36,36	0

### 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.