



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:07 PM GMT

PDB ID : 3W7F  
Title : Crystal structure of the C(30) carotenoid dehydrosqualene synthase from staphylococcus aureus complexed with farnesyl thiopyrophosphate  
Authors : Liu, C.I.; Jeng, W.Y.; Wang, A.H.; Oldfield, E.  
Deposited on : 2013-02-28  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	293	<div> <div>3%</div> <div>64%</div> <div>31%</div> <div>• •</div> </div>
1	B	293	<div> <div>5%</div> <div>67%</div> <div>26%</div> <div>• •</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5240 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dehydrosqualene synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	284	Total	C	N	O	S	0	0	0
			2392	1536	400	444	12			
1	B	284	Total	C	N	O	S	0	0	0
			2392	1536	400	444	12			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	ALA	-	EXPRESSION TAG	UNP A9JQL9
A	-4	ALA	-	EXPRESSION TAG	UNP A9JQL9
A	-3	ALA	-	EXPRESSION TAG	UNP A9JQL9
A	-2	ALA	-	EXPRESSION TAG	UNP A9JQL9
A	-1	ALA	-	EXPRESSION TAG	UNP A9JQL9
A	0	ALA	-	EXPRESSION TAG	UNP A9JQL9
B	-5	ALA	-	EXPRESSION TAG	UNP A9JQL9
B	-4	ALA	-	EXPRESSION TAG	UNP A9JQL9
B	-3	ALA	-	EXPRESSION TAG	UNP A9JQL9
B	-2	ALA	-	EXPRESSION TAG	UNP A9JQL9
B	-1	ALA	-	EXPRESSION TAG	UNP A9JQL9
B	0	ALA	-	EXPRESSION TAG	UNP A9JQL9

- Molecule 2 is S-[(2E,6E)-3,7,11-TRIMETHYLDODECA-2,6,10-TRIENYL] TRIHYDRO-GEN THIODIPHOSPHATE (three-letter code: FPS) (formula: C<sub>15</sub>H<sub>28</sub>O<sub>6</sub>P<sub>2</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	O	P	S	0	0
			24	15	6	2	1		
2	A	1	Total	C	O	P	S	0	0
			24	15	6	2	1		
2	B	1	Total	C	O	P	S	0	0
			24	15	6	2	1		
2	B	1	Total	C	O	P	S	0	0
			24	15	6	2	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mg	0	0
			3	3		
3	A	3	Total	Mg	0	0
			3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	174	Total	O	0	0
			174	174		
4	B	180	Total	O	0	0
			180	180		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Dehydrosqualene synthase



#### • Molecule 1: Dehydrosqualene synthase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	80.06Å 80.06Å 183.12Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.25 27.93 – 2.25	Depositor EDS
% Data completeness (in resolution range)	93.1 (30.00-2.25) 93.1 (27.93-2.25)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.13 (at 2.24Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.206 , 0.265 0.205 , 0.227	Depositor DCC
$R_{free}$ test set	1527 reflections (4.96%)	DCC
Wilson B-factor (Å <sup>2</sup> )	38.0	Xtriage
Anisotropy	0.513	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 50.3	EDS
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 30826 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5240	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 75.52 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.2442e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, FPS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.86	4/2448 (0.2%)	0.85	2/3301 (0.1%)
1	B	0.86	1/2448 (0.0%)	0.82	2/3301 (0.1%)
All	All	0.86	5/4896 (0.1%)	0.83	4/6602 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	269	GLU	CD-OE2	9.88	1.36	1.25
1	A	269	GLU	CD-OE1	8.15	1.34	1.25
1	A	269	GLU	CB-CG	7.34	1.66	1.52
1	B	269	GLU	CD-OE1	6.87	1.33	1.25
1	A	10	TYR	CD2-CE2	-5.17	1.31	1.39

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	45	ARG	NE-CZ-NH2	-7.97	116.31	120.30
1	B	29	LEU	CA-CB-CG	5.81	128.66	115.30
1	A	45	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	B	22	PHE	N-CA-C	5.46	125.74	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	131	TYR	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2392	0	2321	71	0
1	B	2392	0	2321	76	0
2	A	48	0	50	3	0
2	B	48	0	50	3	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	174	0	0	4	1
4	B	180	0	0	3	1
All	All	5240	0	4742	150	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:TYR:O	1:B:76:GLU:HG2	1.76	0.86
1:A:187:GLN:O	1:A:190:LYS:HG2	1.76	0.85
1:B:85:ARG:NH2	4:B:560:HOH:O	2.09	0.84
1:A:13:LYS:NZ	4:A:480:HOH:O	2.11	0.81
1:A:181:ARG:HH11	1:A:181:ARG:HG2	1.45	0.81
1:B:194:VAL:HG21	1:B:211:LEU:HD22	1.63	0.80
1:A:73:TYR:HB3	1:A:76:GLU:HG2	1.67	0.77
2:A:301:FPS:H42	2:A:302:FPS:H42	1.70	0.73
1:B:85:ARG:HG2	1:B:85:ARG:HH11	1.51	0.73
1:A:57:ILE:O	1:A:57:ILE:HD12	1.89	0.70
1:B:77:TYR:OH	1:B:84:ARG:NH2	2.25	0.68
1:A:216:ALA:O	1:A:220:GLU:HG3	1.93	0.67
1:B:194:VAL:HG21	1:B:211:LEU:CD2	2.24	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:LYS:NZ	4:A:535:HOH:O	2.17	0.67
1:A:152:GLN:NE2	1:A:229:GLN:OE1	2.27	0.67
1:B:275:LYS:O	1:B:279:GLU:HG3	1.96	0.66
1:A:156:VAL:HG13	1:A:226:VAL:HB	1.80	0.63
1:A:251:ILE:HD12	1:A:268:VAL:HG23	1.81	0.63
1:B:16:LYS:NZ	1:B:16:LYS:HB3	2.14	0.62
1:B:189:LEU:CD2	1:B:194:VAL:HG23	2.30	0.62
1:B:275:LYS:HE2	1:B:279:GLU:OE2	1.98	0.62
1:B:189:LEU:HD23	1:B:194:VAL:HG23	1.82	0.62
1:A:190:LYS:CG	1:A:191:GLN:N	2.63	0.62
2:B:301:FPS:H142	2:B:302:FPS:H93	1.81	0.62
1:A:54:TYR:C	1:A:56:ASP:H	2.04	0.62
1:A:190:LYS:HG3	1:A:191:GLN:N	2.15	0.61
1:A:181:ARG:HG2	1:A:181:ARG:NH1	2.16	0.60
1:A:158:ARG:O	1:A:162:GLU:HG3	2.02	0.60
1:B:281:ASN:C	1:B:283:LYS:H	2.04	0.60
1:B:238:GLN:HB2	1:B:239:PRO:HD3	1.83	0.59
1:B:186:LYS:O	1:B:190:LYS:HG3	2.03	0.59
1:B:123:ASP:OD2	1:B:188:ARG:NH1	2.35	0.59
1:A:279:GLU:O	1:A:282:SER:HB3	2.02	0.59
1:A:198:GLU:OE2	1:A:202:ASN:ND2	2.35	0.58
1:A:251:ILE:HD12	1:A:268:VAL:CG2	2.34	0.58
1:B:12:HIS:HB2	1:B:38:TRP:CE3	2.39	0.58
1:B:85:ARG:HG2	1:B:85:ARG:NH1	2.16	0.58
1:A:205:ASN:OD1	1:A:207:HIS:N	2.37	0.58
1:B:10:TYR:CG	1:B:85:ARG:NH1	2.72	0.58
1:A:251:ILE:CD1	1:A:268:VAL:HG23	2.34	0.57
1:B:22:PHE:HE2	2:B:302:FPS:H12A	1.67	0.57
1:B:242:GLU:OE2	1:B:246:ARG:NH1	2.38	0.57
1:A:141:LEU:HD11	2:A:301:FPS:H143	1.87	0.57
1:B:1:MET:HG3	1:B:5:ASP:HB2	1.87	0.56
1:A:185:SER:O	1:A:189:LEU:HB2	2.04	0.56
1:B:189:LEU:HD23	1:B:194:VAL:CG2	2.35	0.56
1:A:200:TYR:CE1	1:A:263:HIS:CE1	2.94	0.56
1:A:242:GLU:HG2	1:A:280:ILE:HD13	1.87	0.56
1:A:281:ASN:HA	1:A:284:TYR:HB2	1.88	0.55
1:B:75:TYR:O	1:B:76:GLU:CG	2.54	0.55
1:A:116:HIS:HE1	4:A:566:HOH:O	1.88	0.54
1:B:242:GLU:HB3	1:B:280:ILE:HD13	1.90	0.54
1:A:204:VAL:HG22	1:A:205:ASN:N	2.22	0.54
1:A:251:ILE:O	1:A:255:VAL:HG23	2.08	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3:MET:HA	1:B:3:MET:CE	2.39	0.53
1:B:10:TYR:HB2	1:B:85:ARG:NH1	2.24	0.52
1:A:3:MET:O	1:A:6:MET:HB2	2.09	0.52
1:A:275:LYS:O	1:A:279:GLU:HG3	2.09	0.52
1:B:43:VAL:HG22	1:B:86:ILE:HG22	1.91	0.52
1:B:152:GLN:NE2	1:B:229:GLN:OE1	2.42	0.52
1:A:7:ASN:OD1	1:A:85:ARG:HG2	2.09	0.52
1:B:151:HIS:O	1:B:155:ASP:HB2	2.10	0.52
1:A:160:LEU:HD13	1:A:226:VAL:HG21	1.92	0.52
1:A:29:LEU:HB2	1:A:34:ARG:HB3	1.92	0.52
1:A:200:TYR:HA	1:A:262:LEU:HD22	1.91	0.52
1:B:80:PHE:HE2	1:B:88:MET:HE3	1.75	0.51
1:A:31:GLU:OE2	1:A:34:ARG:NH2	2.43	0.51
1:A:206:ASN:O	1:A:210:ASP:OD2	2.28	0.51
1:B:280:ILE:O	1:B:283:LYS:HB2	2.11	0.51
1:A:230:ILE:HG13	1:A:230:ILE:O	2.10	0.51
1:B:54:TYR:N	1:B:54:TYR:CD2	2.77	0.51
1:A:12:HIS:HB2	1:A:38:TRP:CE3	2.45	0.50
1:A:174:GLY:O	1:A:178:GLU:HG3	2.11	0.50
1:B:85:ARG:CG	1:B:85:ARG:HH11	2.23	0.50
1:B:22:PHE:CE2	2:B:302:FPS:H12A	2.46	0.50
1:A:57:ILE:HD11	1:A:61:ASN:HD21	1.77	0.50
1:B:18:HIS:CG	1:B:45:ARG:HD3	2.48	0.49
1:A:242:GLU:HG2	1:A:280:ILE:CD1	2.41	0.49
1:B:14:ILE:O	1:B:18:HIS:HD2	1.94	0.49
1:B:56:ASP:OD2	1:B:58:GLN:N	2.42	0.49
1:B:263:HIS:HE1	4:B:426:HOH:O	1.96	0.48
1:A:114:ASP:O	1:A:114:ASP:OD1	2.30	0.48
1:B:10:TYR:HB2	1:B:85:ARG:HH12	1.77	0.48
1:B:123:ASP:HB3	1:B:127:PHE:CE2	2.48	0.47
1:A:236:GLU:OE1	1:A:236:GLU:N	2.45	0.47
1:B:58:GLN:O	1:B:62:GLN:HG3	2.14	0.47
1:B:73:TYR:HB3	1:B:76:GLU:HG3	1.97	0.47
1:B:10:TYR:CD2	1:B:85:ARG:HB2	2.48	0.47
1:B:188:ARG:HH11	1:B:188:ARG:CG	2.27	0.47
1:B:35:LYS:HB3	1:B:35:LYS:NZ	2.29	0.47
1:A:187:GLN:HG2	1:A:190:LYS:HE2	1.97	0.47
1:B:16:LYS:HZ3	1:B:16:LYS:HB3	1.80	0.47
1:A:227:MET:HE2	1:A:227:MET:HA	1.95	0.47
1:B:109:ASP:O	1:B:113:LYS:HG3	2.15	0.46
1:B:181:ARG:HH11	1:B:181:ARG:CG	2.28	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:SER:O	1:A:238:GLN:HG3	2.16	0.46
1:B:96:HIS:O	1:B:97:LYS:HD2	2.14	0.46
1:A:1:MET:HG3	1:A:5:ASP:CB	2.45	0.46
1:B:159:ARG:HG2	1:B:159:ARG:HH11	1.79	0.46
1:A:222:ASP:O	1:A:226:VAL:HG13	2.16	0.46
1:B:48:ASP:O	1:B:52:ASP:HB2	2.16	0.46
1:B:97:LYS:HG3	1:B:144:ILE:CD1	2.46	0.45
1:A:45:ARG:O	1:A:45:ARG:HD3	2.17	0.45
1:B:227:MET:SD	1:B:242:GLU:HG3	2.56	0.45
1:A:246:ARG:HG2	1:A:246:ARG:HH11	1.82	0.45
1:B:142:THR:HB	1:B:143:PRO:HD3	1.99	0.45
1:A:205:ASN:O	1:A:209:ILE:HG13	2.17	0.44
1:B:174:GLY:HA3	1:B:262:LEU:O	2.17	0.44
1:A:49:ASP:O	1:A:50:SER:C	2.55	0.44
1:B:204:VAL:HG22	1:B:205:ASN:N	2.33	0.44
1:A:221:LYS:C	1:A:221:LYS:HD3	2.37	0.44
1:B:10:TYR:CB	1:B:85:ARG:NH1	2.81	0.44
1:A:177:PHE:CZ	1:A:197:ALA:HA	2.52	0.44
1:B:199:VAL:HG23	1:B:262:LEU:HD22	2.00	0.44
1:B:90:LEU:O	1:B:90:LEU:HG	2.18	0.43
1:A:117:PHE:CD2	1:A:181:ARG:HD3	2.53	0.43
1:B:204:VAL:HG11	1:B:259:ASN:HD21	1.83	0.43
1:A:181:ARG:CG	1:A:181:ARG:NH1	2.81	0.43
1:A:221:LYS:HZ1	1:A:225:ASP:CG	2.22	0.43
1:B:79:HIS:O	1:B:80:PHE:C	2.57	0.43
1:B:189:LEU:HD22	1:B:194:VAL:HG23	2.01	0.43
1:A:1:MET:HG3	1:A:5:ASP:HB2	1.99	0.43
1:A:1:MET:N	4:A:433:HOH:O	2.52	0.43
1:B:142:THR:HG23	1:B:153:THR:HG22	2.01	0.42
1:A:58:GLN:O	1:A:62:GLN:HG3	2.19	0.42
1:A:110:THR:HG21	1:A:133:VAL:HG13	2.01	0.42
1:B:116:HIS:H	1:B:116:HIS:CD2	2.35	0.42
1:B:12:HIS:HB2	1:B:38:TRP:CD2	2.53	0.42
1:B:65:GLU:OE1	1:B:81:GLN:NE2	2.52	0.42
1:B:153:THR:HA	1:B:232:VAL:HG21	2.02	0.42
1:A:238:GLN:HB3	1:A:284:TYR:OH	2.19	0.42
1:B:263:HIS:CE1	4:B:426:HOH:O	2.70	0.42
1:B:188:ARG:CG	1:B:188:ARG:NH1	2.83	0.41
1:B:158:ARG:O	1:B:162:GLU:HG3	2.19	0.41
1:B:19:SER:HB2	1:B:41:TYR:CZ	2.56	0.41
1:A:197:ALA:O	1:A:200:TYR:HB3	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:80:PHE:CD2	1:B:87:MET:HB2	2.55	0.41
1:B:275:LYS:CE	1:B:279:GLU:OE2	2.67	0.41
1:B:72:LYS:C	1:B:74:PRO:HD3	2.41	0.41
1:A:204:VAL:CG2	1:A:205:ASN:N	2.84	0.41
1:A:91:GLN:O	1:A:95:GLN:HG3	2.20	0.41
1:B:248:TYR:CD2	1:B:251:ILE:HD12	2.55	0.41
1:A:47:ILE:HG13	1:A:63:ILE:HG21	2.03	0.41
1:A:54:TYR:CD2	1:A:54:TYR:N	2.89	0.41
1:A:235:ILE:HG22	1:A:236:GLU:OE1	2.21	0.40
2:A:301:FPS:PB	2:A:301:FPS:H12A	2.61	0.40
1:A:54:TYR:O	1:A:56:ASP:N	2.53	0.40
1:B:255:VAL:HG12	1:B:260:TYR:HA	2.03	0.40
1:A:3:MET:HA	1:A:6:MET:CE	2.52	0.40
1:A:64:LYS:O	1:A:68:GLN:HG3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:410:HOH:O	4:B:429:HOH:O[4_545]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/293 (96%)	269 (95%)	11 (4%)	2 (1%)	26	26
1	B	282/293 (96%)	264 (94%)	18 (6%)	0	100	100
All	All	564/586 (96%)	533 (94%)	29 (5%)	2 (0%)	39	43

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	56	ASP
1	A	55	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/260 (99%)	245 (95%)	12 (5%)	32	36
1	B	257/260 (99%)	243 (95%)	14 (5%)	27	29
All	All	514/520 (99%)	488 (95%)	26 (5%)	29	32

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	ASP
1	A	54	TYR
1	A	57	ILE
1	A	98	ASN
1	A	118	THR
1	A	121	GLU
1	A	195	ASP
1	A	248	TYR
1	A	251	ILE
1	A	269	GLU
1	A	272	LYS
1	A	282	SER
1	B	3	MET
1	B	54	TYR
1	B	57	ILE
1	B	79	HIS
1	B	85	ARG
1	B	88	MET
1	B	181	ARG
1	B	188	ARG
1	B	199	VAL
1	B	246	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	248	TYR
1	B	249	ILE
1	B	253	ASP
1	B	275	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	61	ASN
1	A	68	GLN
1	A	115	GLN
1	A	165	GLN
1	A	263	HIS
1	B	18	HIS
1	B	61	ASN
1	B	92	HIS
1	B	96	HIS
1	B	116	HIS
1	B	259	ASN
1	B	263	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	FPS	A	301	3	18,23,23	2.29	8 (44%)	25,31,31	1.30	3 (12%)
2	FPS	A	302	3	18,23,23	2.30	7 (38%)	25,31,31	1.38	4 (16%)
2	FPS	B	301	3	18,23,23	2.35	7 (38%)	25,31,31	1.71	6 (24%)
2	FPS	B	302	3	18,23,23	2.29	7 (38%)	25,31,31	1.35	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FPS	A	301	3	-	0/19/25/25	0/0/0/0
2	FPS	A	302	3	-	0/19/25/25	0/0/0/0
2	FPS	B	301	3	-	0/19/25/25	0/0/0/0
2	FPS	B	302	3	-	0/19/25/25	0/0/0/0

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	FPS	C6-C7	-4.11	1.39	1.50
2	B	302	FPS	C11-C12	-3.98	1.39	1.50
2	A	302	FPS	C11-C12	-3.94	1.39	1.50
2	A	301	FPS	C11-C12	-3.91	1.39	1.50
2	B	302	FPS	C6-C7	-3.90	1.39	1.50
2	A	302	FPS	C6-C7	-3.89	1.39	1.50
2	B	301	FPS	C11-C12	-3.88	1.39	1.50
2	A	301	FPS	C6-C7	-3.87	1.39	1.50
2	A	302	FPS	PA-O2A	-3.19	1.48	1.56
2	B	302	FPS	PA-O2A	-3.08	1.48	1.56
2	B	301	FPS	PA-O2A	-3.04	1.48	1.56
2	A	301	FPS	PA-O2A	-3.04	1.48	1.56
2	A	301	FPS	C1-C2	-2.01	1.39	1.48
2	A	302	FPS	C12-C13	2.32	1.39	1.32
2	A	301	FPS	C12-C13	2.38	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	302	FPS	C12-C13	2.40	1.39	1.32
2	B	301	FPS	C12-C13	2.56	1.40	1.32
2	B	301	FPS	PB-O2B	2.67	1.60	1.51
2	A	302	FPS	PB-O2B	3.06	1.61	1.51
2	B	302	FPS	PB-O2B	3.07	1.61	1.51
2	A	301	FPS	PB-O2B	3.13	1.61	1.51
2	B	302	FPS	C2-C3	3.31	1.39	1.33
2	B	302	FPS	C7-C8	3.33	1.39	1.33
2	A	302	FPS	C7-C8	3.34	1.39	1.33
2	A	302	FPS	C2-C3	3.34	1.39	1.33
2	A	301	FPS	C2-C3	3.35	1.39	1.33
2	A	301	FPS	C7-C8	3.36	1.39	1.33
2	B	301	FPS	C7-C8	3.51	1.39	1.33
2	B	301	FPS	C2-C3	3.74	1.40	1.33

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	FPS	C9-C8-C7	-4.42	114.83	123.50
2	A	302	FPS	PB-O3A-PA	-2.83	123.17	132.67
2	B	302	FPS	PB-O3A-PA	-2.43	124.52	132.67
2	A	301	FPS	PB-O3A-PA	-2.16	125.43	132.67
2	A	302	FPS	C15-C13-C14	2.15	119.94	114.64
2	B	302	FPS	C9-C8-C10	2.29	118.91	115.41
2	B	301	FPS	C10-C8-C7	2.37	125.54	121.05
2	A	302	FPS	C9-C8-C10	2.38	119.04	115.41
2	A	301	FPS	C4-C3-C5	2.62	119.41	115.41
2	B	301	FPS	C9-C8-C10	2.72	119.55	115.41
2	B	301	FPS	O3B-PB-O1B	2.73	117.77	107.38
2	B	301	FPS	O1B-PB-O3A	2.79	117.74	105.09
2	A	301	FPS	C9-C8-C10	2.90	119.84	115.41
2	B	302	FPS	C4-C3-C5	3.03	120.03	115.41
2	A	302	FPS	C4-C3-C5	3.11	120.16	115.41
2	B	301	FPS	C6-C7-C8	3.61	135.61	127.76

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	FPS	3	0
2	A	302	FPS	1	0
2	B	301	FPS	1	0
2	B	302	FPS	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	284/293 (96%)	-0.06	9 (3%) 51 56	24, 42, 64, 93	0
1	B	284/293 (96%)	0.04	15 (5%) 30 33	24, 43, 65, 82	0
All	All	568/586 (96%)	-0.01	24 (4%) 40 44	24, 43, 65, 93	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	284	TYR	6.3
1	B	282	SER	3.8
1	B	134	ALA	3.7
1	B	137	VAL	3.2
1	B	112	TYR	3.1
1	B	73	TYR	3.0
1	B	133	VAL	2.8
1	A	282	SER	2.7
1	A	40	ILE	2.7
1	B	138	GLY	2.6
1	A	137	VAL	2.5
1	A	134	ALA	2.4
1	B	284	TYR	2.4
1	B	135	GLY	2.3
1	B	40	ILE	2.2
1	A	43	VAL	2.2
1	A	283	LYS	2.2
1	B	161	GLY	2.2
1	B	55	GLY	2.2
1	A	135	GLY	2.1
1	B	130	CYS	2.1
1	A	138	GLY	2.0
1	B	13	LYS	2.0
1	B	283	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	FPS	A	302	24/24	0.97	0.19	0.61	33,40,47,48	0
2	FPS	B	302	24/24	0.97	0.20	0.46	37,44,52,52	0
2	FPS	A	301	24/24	0.95	0.15	-0.05	35,44,50,52	0
2	FPS	B	301	24/24	0.96	0.18	-0.10	45,55,61,63	0
3	MG	B	303	1/1	0.98	0.16	-	42,42,42,42	0
3	MG	A	304	1/1	0.97	0.03	-	37,37,37,37	0
3	MG	B	304	1/1	0.90	0.05	-	45,45,45,45	0
3	MG	A	305	1/1	0.95	0.11	-	45,45,45,45	0
3	MG	B	305	1/1	0.80	0.12	-	62,62,62,62	0
3	MG	A	303	1/1	0.95	0.09	-	34,34,34,34	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.