



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 09:47 PM GMT

PDB ID : 4W7P
Title : Crystal Structure of ROCK 1 bound to YB-15-QD37
Authors : Sprague, E.R.
Deposited on : 2014-08-22
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12769 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Rho-associated protein kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			3178	2037	528	592	21			
1	B	387	Total	C	N	O	S	0	0	0
			3163	2027	520	595	21			
1	C	383	Total	C	N	O	S	0	0	0
			3128	2008	516	583	21			
1	D	387	Total	C	N	O	S	0	0	0
			3164	2027	524	592	21			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q13464
A	1	ALA	-	expression tag	UNP Q13464
B	0	GLY	-	expression tag	UNP Q13464
B	1	ALA	-	expression tag	UNP Q13464
C	0	GLY	-	expression tag	UNP Q13464
C	1	ALA	-	expression tag	UNP Q13464
D	0	GLY	-	expression tag	UNP Q13464
D	1	ALA	-	expression tag	UNP Q13464

- Molecule 2 is N 1 -[2-(1H-indazol-5-yl)pyrido[3,4-d]pyrimidin-4-yl]-2-methylpropane-1,2-diamine (three-letter code: 3J7) (formula: C₁₈H₁₉N₇).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N 25 18 7	0	0
2	B	1	Total C N 25 18 7	0	0
2	C	1	Total C N 25 18 7	0	0
2	D	1	Total C N 25 18 7	0	0



- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	5	Total O 5 5	0	0
3	B	8	Total O 8 8	0	0
3	C	11	Total O 11 11	0	0
3	D	12	Total O 12 12	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Rho-associated protein kinase 1




- Molecule 1: Rho-associated protein kinase 1



- Molecule 1: Rho-associated protein kinase 1





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.55Å 179.66Å 89.27Å 90.00° 104.59° 90.00°	Depositor
Resolution (Å)	86.39 – 2.80 86.39 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.6 (86.39-2.80) 99.6 (86.39-2.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.55 (at 2.82Å)	Xtriage
Refinement program	BUSTER 2.11.2	Depositor
R , R_{free}	0.206 , 0.246 0.212 , 0.254	Depositor DCC
R_{free} test set	2294 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 60.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.30$	Xtriage
Outliers	2 of 45876 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	12769	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
3J7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/3253	0.73	0/4391
1	B	0.50	0/3237	0.72	0/4370
1	C	0.52	0/3202	0.73	0/4323
1	D	0.51	0/3238	0.72	0/4371
All	All	0.51	0/12930	0.73	0/17455

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3178	0	3091	37	0
1	B	3163	0	3068	33	0
1	C	3128	0	3046	39	0
1	D	3164	0	3075	33	0
2	A	25	0	19	1	0
2	B	25	0	19	2	0
2	C	25	0	19	2	0
2	D	25	0	19	1	0
3	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	8	0	0	0	0
3	C	11	0	0	0	0
3	D	12	0	0	0	0
All	All	12769	0	12356	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:343:TRP:HB3	1:C:351:THR:HG21	1.55	0.88
1:C:344:ALA:H	1:C:347:THR:HG22	1.42	0.84
1:A:66:ILE:HD11	1:B:25:VAL:HG21	1.59	0.84
1:B:344:ALA:H	1:B:347:THR:HG22	1.49	0.77
1:C:37:LEU:HD13	1:D:37:LEU:HD13	1.67	0.75
1:C:25:VAL:HG21	1:D:66:ILE:HD11	1.69	0.74
1:D:402:ASN:H	1:D:402:ASN:HD22	1.36	0.73
1:B:346:GLU:HG3	1:D:247:LYS:HG2	1.70	0.73
1:C:240:TYR:OH	1:C:270:GLU:OE2	2.06	0.73
1:A:266:VAL:HG13	1:A:277:PRO:HD2	1.71	0.73
1:A:137:VAL:HG11	2:A:501:3J7:H15	1.71	0.73
1:C:30:LEU:HB3	1:D:30:LEU:HB3	1.72	0.72
1:D:137:VAL:HG11	2:D:501:3J7:H15	1.72	0.71
1:C:266:VAL:HG13	1:C:277:PRO:HD2	1.73	0.70
1:B:316:PHE:O	1:B:323:ARG:HD2	1.91	0.70
1:D:266:VAL:HG13	1:D:277:PRO:HD2	1.74	0.70
1:A:316:PHE:O	1:A:323:ARG:HD2	1.91	0.69
1:C:137:VAL:HG11	2:C:501:3J7:H15	1.74	0.69
1:C:316:PHE:O	1:C:323:ARG:HD2	1.93	0.69
1:A:37:LEU:HD13	1:B:37:LEU:HD13	1.75	0.69
1:B:266:VAL:HG13	1:B:277:PRO:HD2	1.74	0.68
1:D:316:PHE:O	1:D:323:ARG:HD2	1.94	0.68
1:B:240:TYR:OH	1:B:270:GLU:OE2	2.08	0.68
1:D:240:TYR:OH	1:D:270:GLU:OE2	2.12	0.68
1:D:72:LYS:HG3	1:D:74:GLU:HG2	1.75	0.67
1:A:240:TYR:OH	1:A:270:GLU:OE2	2.12	0.65
1:D:138:GLN:HE22	1:D:403:ARG:HD3	1.59	0.65
1:B:343:TRP:HB3	1:B:351:THR:HG21	1.79	0.65
1:A:344:ALA:HB3	1:A:347:THR:HG22	1.79	0.64
1:B:72:LYS:HG3	1:B:74:GLU:HG2	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:72:LYS:HG3	1:C:74:GLU:HG2	1.81	0.62
1:A:72:LYS:HG3	1:A:74:GLU:HG2	1.81	0.61
1:D:343:TRP:HB3	1:D:351:THR:HG21	1.85	0.58
1:C:66:ILE:HD11	1:D:25:VAL:HG21	1.87	0.57
1:A:30:LEU:HB3	1:B:30:LEU:HB3	1.86	0.57
1:C:230:ARG:HG2	1:C:254:TYR:HD1	1.71	0.56
1:D:230:ARG:HG2	1:D:254:TYR:HD1	1.71	0.56
1:B:351:THR:HA	1:D:284:VAL:HG11	1.88	0.55
1:B:230:ARG:HG2	1:B:254:TYR:HD1	1.70	0.55
1:A:230:ARG:HG2	1:A:254:TYR:HD1	1.71	0.54
1:C:107:LEU:HD13	1:C:112:MET:HE1	1.91	0.53
1:C:280:ALA:HB2	1:C:289:LYS:HE3	1.90	0.52
1:C:230:ARG:HG2	1:C:254:TYR:CD1	2.45	0.52
1:D:230:ARG:HG2	1:D:254:TYR:CD1	2.45	0.52
1:B:314:CYS:O	1:B:318:THR:HG23	2.10	0.52
1:D:293:HIS:O	1:D:297:LEU:HB2	2.11	0.51
1:C:314:CYS:O	1:C:318:THR:HG23	2.10	0.51
1:A:230:ARG:HG2	1:A:254:TYR:CD1	2.45	0.51
1:B:230:ARG:HG2	1:B:254:TYR:CD1	2.45	0.51
1:A:287:TYR:O	1:A:291:MET:HG2	2.10	0.51
1:A:314:CYS:O	1:A:318:THR:HG23	2.11	0.50
1:B:84:ARG:HH21	1:B:371:LEU:HB3	1.76	0.50
1:C:172:GLU:OE1	1:C:305:ILE:HA	2.11	0.50
1:D:314:CYS:O	1:D:318:THR:HG23	2.12	0.50
1:A:138:GLN:HE22	1:A:403:ARG:HD3	1.77	0.50
1:A:84:ARG:HH22	1:A:372:GLU:HG3	1.77	0.49
1:A:66:ILE:HD12	1:B:14:MET:SD	2.53	0.49
1:C:172:GLU:HG2	1:C:272:LEU:HD22	1.94	0.49
1:B:162:VAL:HG23	1:B:201:PRO:HB2	1.94	0.49
1:D:174:TRP:CD1	1:D:354:PRO:HB3	2.48	0.49
1:C:246:LEU:HD23	1:C:291:MET:SD	2.53	0.49
1:C:20:ASP:HB3	1:C:23:SER:HB2	1.94	0.49
1:A:402:ASN:O	1:C:382:PRO:HB3	2.12	0.48
1:A:113:ILE:HD11	1:A:393:PRO:HG2	1.95	0.48
1:C:174:TRP:CD1	1:C:354:PRO:HB3	2.48	0.48
1:C:82:ILE:HD12	2:C:501:3J7:H9	1.94	0.48
1:B:372:GLU:O	1:B:373:GLU:HB2	2.13	0.48
1:A:127:ILE:O	1:A:131:ALA:HB2	2.14	0.48
1:A:20:ASP:HB3	1:A:23:SER:HB2	1.96	0.48
1:C:84:ARG:HG3	1:C:89:GLU:HG2	1.96	0.47
1:A:190:HIS:CE1	1:A:257:ARG:HB2	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:156:MET:SD	1:C:213:LYS:HD2	2.55	0.47
1:B:20:ASP:HB3	1:B:23:SER:HB2	1.95	0.47
1:C:14:MET:SD	1:D:66:ILE:HD12	2.55	0.46
1:B:82:ILE:HD12	2:B:501:3J7:HB13	1.97	0.46
1:B:174:TRP:CD1	1:B:354:PRO:HB3	2.50	0.46
1:A:84:ARG:HG21	1:A:371:LEU:HB3	1.81	0.46
1:A:69:LEU:HB2	1:B:14:MET:HE1	1.97	0.46
1:A:174:TRP:CD1	1:A:354:PRO:HB3	2.50	0.46
1:B:137:VAL:HG11	2:B:501:3J7:HB15	1.99	0.45
1:B:127:ILE:O	1:B:131:ALA:HB2	2.16	0.45
1:A:18:LEU:HA	1:A:26:ASN:HA	1.98	0.45
1:B:156:MET:SD	1:B:213:LYS:HD2	2.56	0.45
1:C:343:TRP:CD2	1:C:348:LEU:HD13	2.52	0.45
1:C:127:ILE:O	1:C:131:ALA:HB2	2.17	0.45
1:A:176:ARG:HG2	1:A:343:TRP:HZ2	1.82	0.44
1:C:18:LEU:HA	1:C:26:ASN:HA	1.99	0.44
1:C:84:ARG:NH2	1:C:372:GLU:HG3	2.32	0.44
1:B:184:LEU:HD12	1:B:348:LEU:HD23	2.00	0.44
1:A:159:GLY:HA2	1:A:368:PHE:CZ	2.53	0.44
1:D:384:PRO:HB3	1:D:388:VAL:CG1	2.48	0.44
1:A:294:LYS:H	1:A:294:LYS:HD2	1.84	0.43
1:A:112:MET:CE	1:A:120:PHE:HZ	2.31	0.43
1:C:294:LYS:HD2	1:C:294:LYS:H	1.83	0.43
1:B:18:LEU:HA	1:B:26:ASN:HA	2.01	0.43
1:B:278:PHE:HB3	1:B:289:LYS:HB3	2.00	0.43
1:B:84:ARG:HG3	1:B:89:GLU:HG2	2.01	0.43
1:B:159:GLY:HA2	1:B:368:PHE:CZ	2.54	0.43
1:D:18:LEU:HA	1:D:26:ASN:HA	2.01	0.43
1:D:238:PRO:O	1:D:241:ILE:HG22	2.18	0.43
1:A:278:PHE:HB3	1:A:289:LYS:HB3	2.01	0.42
1:C:172:GLU:HG2	1:C:272:LEU:CD2	2.48	0.42
1:C:17:LEU:HD21	1:D:65:LYS:HE3	2.01	0.42
1:A:69:LEU:HB2	1:B:14:MET:CE	2.50	0.42
1:A:171:PRO:HB2	1:A:173:LYS:HE3	2.01	0.42
1:C:159:GLY:HA2	1:C:368:PHE:CZ	2.53	0.42
1:D:20:ASP:HB3	1:D:23:SER:HB2	2.02	0.42
1:D:127:ILE:O	1:D:131:ALA:HB2	2.19	0.42
1:D:87:PHE:HD1	1:D:111:GLU:HB3	1.84	0.42
1:D:159:GLY:HA2	1:D:368:PHE:CZ	2.54	0.42
1:C:162:VAL:HG23	1:C:201:PRO:HB2	2.02	0.42
1:C:238:PRO:O	1:C:241:ILE:HG22	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:184:LEU:HD12	1:C:348:LEU:HD23	2.02	0.41
1:D:184:LEU:HD12	1:D:348:LEU:HD23	2.02	0.41
1:B:107:LEU:HD13	1:B:112:MET:HE1	2.00	0.41
1:C:66:ILE:HD12	1:D:14:MET:SD	2.60	0.41
1:A:140:PHE:O	1:A:401:SER:HB2	2.21	0.41
1:D:156:MET:SD	1:D:213:LYS:HD2	2.61	0.41
1:A:100:LYS:HD3	1:A:102:TYR:CZ	2.56	0.41
1:A:184:LEU:HD12	1:A:348:LEU:HD23	2.02	0.41
1:A:238:PRO:O	1:A:241:ILE:HG22	2.20	0.41
1:B:238:PRO:O	1:B:241:ILE:HG22	2.21	0.41
1:A:173:LYS:HG3	1:A:173:LYS:H	1.52	0.41
1:D:162:VAL:HG23	1:D:201:PRO:HB2	2.03	0.40
1:C:237:THR:HA	1:C:238:PRO:HD2	1.95	0.40
1:D:344:ALA:HB3	1:D:347:THR:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	380/411 (92%)	364 (96%)	16 (4%)	0	100 100
1	B	379/411 (92%)	363 (96%)	14 (4%)	2 (0%)	34 69
1	C	375/411 (91%)	360 (96%)	13 (4%)	2 (0%)	34 69
1	D	379/411 (92%)	366 (97%)	12 (3%)	1 (0%)	46 79
All	All	1513/1644 (92%)	1453 (96%)	55 (4%)	5 (0%)	46 79

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	372	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	285	GLY
1	D	96	LYS
1	B	115	ARG
1	C	216	ASP

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	348/363 (96%)	325 (93%)	23 (7%)	21 51
1	B	347/363 (96%)	325 (94%)	22 (6%)	22 53
1	C	343/363 (94%)	316 (92%)	27 (8%)	15 40
1	D	347/363 (96%)	327 (94%)	20 (6%)	25 57
All	All	1385/1452 (95%)	1293 (93%)	92 (7%)	21 51

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ASP
1	A	18	LEU
1	A	62	THR
1	A	92	LEU
1	A	111	GLU
1	A	113	ILE
1	A	126	ASP
1	A	173	LYS
1	A	229	VAL
1	A	232	ASP
1	A	258	GLU
1	A	268	LEU
1	A	283	LEU
1	A	294	LYS
1	A	297	LEU
1	A	312	LEU
1	A	322	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	329	VAL
1	A	342	GLN
1	A	347	THR
1	A	372	GLU
1	A	402	ASN
1	A	403	ARG
1	B	17	LEU
1	B	92	LEU
1	B	111	GLU
1	B	113	ILE
1	B	126	ASP
1	B	139	LEU
1	B	229	VAL
1	B	232	ASP
1	B	258	GLU
1	B	268	LEU
1	B	281	ASP
1	B	283	LEU
1	B	284	VAL
1	B	294	LYS
1	B	297	LEU
1	B	301	ASP
1	B	312	LEU
1	B	322	VAL
1	B	329	VAL
1	B	347	THR
1	B	372	GLU
1	B	373	GLU
1	C	17	LEU
1	C	19	ARG
1	C	50	LYS
1	C	62	THR
1	C	92	LEU
1	C	111	GLU
1	C	113	ILE
1	C	115	ARG
1	C	120	PHE
1	C	126	ASP
1	C	173	LYS
1	C	219	THR
1	C	229	VAL
1	C	232	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	258	GLU
1	C	268	LEU
1	C	281	ASP
1	C	294	LYS
1	C	297	LEU
1	C	304	ASP
1	C	312	LEU
1	C	322	VAL
1	C	329	VAL
1	C	341	ASP
1	C	342	GLN
1	C	347	THR
1	C	388	VAL
1	D	15	ASP
1	D	17	LEU
1	D	62	THR
1	D	92	LEU
1	D	126	ASP
1	D	173	LYS
1	D	229	VAL
1	D	232	ASP
1	D	258	GLU
1	D	268	LEU
1	D	275	ASP
1	D	297	LEU
1	D	312	LEU
1	D	322	VAL
1	D	329	VAL
1	D	342	GLN
1	D	347	THR
1	D	388	VAL
1	D	402	ASN
1	D	403	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	54	ASN
1	A	167	ASN
1	A	342	GLN
1	A	402	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	54	ASN
1	B	167	ASN
1	B	293	HIS
1	B	295	ASN
1	C	54	ASN
1	C	293	HIS
1	D	54	ASN
1	D	167	ASN
1	D	402	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	3J7	A	501	-	23,28,28	1.64	5 (21%)	33,41,41	1.49	6 (18%)
2	3J7	B	501	-	23,28,28	1.40	3 (13%)	33,41,41	1.34	7 (21%)
2	3J7	C	501	-	23,28,28	1.44	4 (17%)	33,41,41	1.58	9 (27%)
2	3J7	D	501	-	23,28,28	1.43	3 (13%)	33,41,41	1.71	9 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3J7	A	501	-	-	0/10/10/10	0/4/4/4
2	3J7	B	501	-	-	0/10/10/10	0/4/4/4
2	3J7	C	501	-	-	0/10/10/10	0/4/4/4
2	3J7	D	501	-	-	0/10/10/10	0/4/4/4

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	3J7	C16-N7	-2.19	1.43	1.50
2	C	501	3J7	C9-C8	2.02	1.43	1.38
2	A	501	3J7	C11-C8	2.22	1.44	1.39
2	C	501	3J7	C10-C11	2.23	1.41	1.36
2	D	501	3J7	C9-C8	2.26	1.43	1.38
2	B	501	3J7	C9-C8	2.28	1.43	1.38
2	D	501	3J7	C10-C11	2.38	1.41	1.36
2	A	501	3J7	C9-C8	2.46	1.44	1.38
2	A	501	3J7	C3-N1	2.53	1.36	1.32
2	B	501	3J7	C10-C11	2.75	1.42	1.36
2	A	501	3J7	C10-C11	2.92	1.42	1.36
2	B	501	3J7	C2-C1	3.38	1.40	1.36
2	C	501	3J7	C2-C1	3.64	1.41	1.36
2	D	501	3J7	C2-C1	3.77	1.41	1.36
2	A	501	3J7	C2-C1	4.10	1.41	1.36

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	3J7	N3-C7-N2	-4.48	123.31	126.20
2	C	501	3J7	C1-C2-C5	-3.38	116.60	119.80
2	A	501	3J7	N3-C7-N2	-3.34	124.05	126.20
2	B	501	3J7	C1-C2-C5	-2.79	117.15	119.80
2	B	501	3J7	C11-C10-C12	-2.47	118.19	120.88
2	C	501	3J7	C15-N6-C6	-2.33	120.84	123.34
2	D	501	3J7	C9-C13-C12	-2.19	116.88	119.89
2	D	501	3J7	C1-C2-C5	-2.15	117.76	119.80
2	C	501	3J7	C9-C8-C7	-2.11	117.30	120.23
2	A	501	3J7	C11-C10-C12	-2.10	118.60	120.88
2	C	501	3J7	N3-C7-N2	-2.02	124.90	126.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	3J7	N3-C7-N2	-2.02	124.90	126.20
2	B	501	3J7	C7-N3-C4	2.03	117.59	116.21
2	C	501	3J7	C2-C5-C4	2.04	120.41	118.33
2	C	501	3J7	C17-C16-C15	2.08	113.04	110.03
2	B	501	3J7	C17-C16-C15	2.17	113.17	110.03
2	B	501	3J7	C10-C12-N5	2.20	133.93	130.22
2	C	501	3J7	C10-C12-N5	2.24	134.00	130.22
2	A	501	3J7	C10-C12-N5	2.25	134.01	130.22
2	D	501	3J7	C10-C12-N5	2.25	134.01	130.22
2	D	501	3J7	C17-C16-C15	2.25	113.29	110.03
2	A	501	3J7	C7-N3-C4	2.28	117.76	116.21
2	D	501	3J7	C8-C7-N3	2.30	120.90	116.31
2	C	501	3J7	C6-N2-C7	2.55	119.95	116.81
2	B	501	3J7	C6-N2-C7	2.57	119.98	116.81
2	C	501	3J7	C18-C16-C15	2.78	114.06	110.03
2	A	501	3J7	C6-N2-C7	2.91	120.40	116.81
2	D	501	3J7	C16-C15-N6	2.94	116.34	113.46
2	D	501	3J7	C7-N3-C4	3.01	118.26	116.21
2	D	501	3J7	C6-N2-C7	3.32	120.90	116.81
2	A	501	3J7	C17-C16-C15	3.47	115.06	110.03

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	3J7	1	0
2	B	501	3J7	2	0
2	C	501	3J7	2	0
2	D	501	3J7	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/411 (94%)	0.29	12 (3%) 52 40	25, 49, 81, 98	0
1	B	387/411 (94%)	0.41	21 (5%) 29 19	31, 52, 92, 114	0
1	C	383/411 (93%)	0.22	15 (3%) 43 31	24, 46, 77, 101	0
1	D	387/411 (94%)	0.23	7 (1%) 71 61	26, 46, 76, 104	0
All	All	1545/1644 (93%)	0.29	55 (3%) 46 34	24, 48, 85, 114	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	363	ILE	4.5
1	A	295	ASN	4.4
1	A	232	ASP	4.2
1	D	227	GLY	3.6
1	D	11	PHE	3.5
1	B	100	LYS	3.4
1	A	11	PHE	3.3
1	B	303	ASN	3.3
1	A	97	SER	3.2
1	A	362	ASP	3.2
1	B	326	ARG	3.0
1	B	252	ASP	2.9
1	C	362	ASP	2.9
1	B	9	THR	2.9
1	B	295	ASN	2.8
1	A	252	ASP	2.8
1	C	301	ASP	2.8
1	C	226	GLU	2.8
1	C	282	SER	2.7
1	A	279	TYR	2.7
1	B	327	ASN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	98	THR	2.7
1	B	284	VAL	2.6
1	B	15	ASP	2.6
1	B	115	ARG	2.6
1	C	326	ARG	2.5
1	A	358	ASP	2.5
1	D	97	SER	2.5
1	C	286	THR	2.5
1	A	231	CYS	2.5
1	B	400	TYR	2.4
1	C	255	TYR	2.4
1	C	284	VAL	2.4
1	D	255	TYR	2.4
1	D	6	SER	2.4
1	B	279	TYR	2.4
1	B	377	GLU	2.3
1	C	235	VAL	2.3
1	B	245	VAL	2.3
1	D	284	VAL	2.3
1	C	281	ASP	2.2
1	B	235	VAL	2.2
1	B	282	SER	2.1
1	A	341	ASP	2.1
1	B	285	GLY	2.1
1	C	8	GLU	2.1
1	A	233	THR	2.1
1	B	342	GLN	2.1
1	C	225	LYS	2.0
1	C	327	ASN	2.0
1	C	254	TYR	2.0
1	C	400	TYR	2.0
1	B	84	ARG	2.0
1	B	301	ASP	2.0
1	B	318	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	3J7	A	501	25/25	0.94	0.24	0.60	38,44,46,47	0
2	3J7	D	501	25/25	0.96	0.22	0.55	38,44,50,50	0
2	3J7	B	501	25/25	0.96	0.23	0.41	35,50,54,54	0
2	3J7	C	501	25/25	0.95	0.20	0.32	32,38,42,43	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.