



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:10 PM GMT

PDB ID : 3WDJ  
Title : Crystal structure of Pullulanase complexed with maltotetraose from *Anoxybacillus* sp. LM18-11  
Authors : Xu, J.; Ren, F.; Huang, C.H.; Zheng, Y.; Zhen, J.; Ko, T.P.; Chen, C.C.; Chan, H.C.; Guo, R.T.; Ma, Y.; Song, H.  
Deposited on : 2013-06-18  
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*


The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4405 (2.24-2.20)
Clashscore	102246	5146 (2.24-2.20)
Ramachandran outliers	100387	5065 (2.24-2.20)
Sidechain outliers	100360	5066 (2.24-2.20)
RSRZ outliers	91569	4414 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	710	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MTT	A	804	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CA	A	805	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6412 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Type I pullulanase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	683	5572	3587	934	1028	23	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	EXPRESSION TAG	UNP K9L0H1
A	2	MET	-	EXPRESSION TAG	UNP K9L0H1
A	3	ALA	-	EXPRESSION TAG	UNP K9L0H1
A	4	ASP	-	EXPRESSION TAG	UNP K9L0H1
A	5	SER	-	EXPRESSION TAG	UNP K9L0H1

- Molecule 2 is MALTOTETRAOSE (three-letter code: MTT) (formula:  $C_{24}H_{42}O_{21}$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	45	24	21	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			45	24	21		
2	A	1	Total	C	O	0	0
			45	24	21		
2	A	1	Total	C	O	0	0
			45	24	21		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	659	Total	O	0	0
			659	659		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Type I pullulanase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	139.97Å 65.93Å 90.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.22 24.94 – 2.22	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-2.22) 95.7 (24.94-2.22)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.83 (at 2.22Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.181 , 0.217 0.182 , 0.217	Depositor DCC
$R_{free}$ test set	2031 reflections (5.01%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.6	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 53.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 40601 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6412	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	2/5713 (0.0%)	0.64	0/7742

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	35	PRO	C-O	-5.93	1.11	1.23
1	A	36	ILE	C-O	-5.47	1.12	1.23

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5572	0	5471	128	0
2	A	180	0	168	9	0
3	A	1	0	0	0	0
4	A	659	0	0	14	1
All	All	6412	0	5639	135	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.



All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:502:ILE:HB	4:A:1177:HOH:O	1.62	0.97
1:A:369:ARG:HD3	1:A:369:ARG:H	1.27	0.96
1:A:281:GLN:HE22	1:A:344:VAL:H	0.99	0.94
1:A:609:LYS:HG2	1:A:682:PHE:HD1	1.33	0.93
1:A:91:VAL:H	1:A:177:ASN:HD21	1.14	0.92
1:A:466:ARG:HD2	4:A:1507:HOH:O	1.77	0.83
1:A:41:ASP:OD1	1:A:43:LYS:HG2	1.79	0.81
1:A:281:GLN:NE2	1:A:344:VAL:H	1.76	0.81
1:A:218:SER:OG	1:A:623:LEU:HD21	1.83	0.79
1:A:609:LYS:HG2	1:A:682:PHE:CD1	2.18	0.76
1:A:663:HIS:NE2	1:A:665:GLU:HG2	2.04	0.72
1:A:348:VAL:H	1:A:381:ASN:HD21	1.38	0.72
1:A:509:ILE:HD13	4:A:1538:HOH:O	1.90	0.71
1:A:369:ARG:HH12	1:A:370:ASN:ND2	1.88	0.70
1:A:346:ASN:HD21	1:A:347:HIS:HD2	1.40	0.70
2:A:801:MTT:H261	2:A:801:MTT:H151	1.74	0.70
1:A:346:ASN:ND2	1:A:347:HIS:HD2	1.90	0.69
1:A:689:LEU:HD23	1:A:690:GLY:N	2.10	0.67
1:A:123:LYS:HG2	1:A:158:THR:HG22	1.75	0.67
1:A:677:LYS:HD2	1:A:677:LYS:O	1.94	0.66
1:A:44:LYS:N	1:A:44:LYS:HD3	2.11	0.65
2:A:801:MTT:H261	2:A:801:MTT:C15	2.25	0.65
2:A:803:MTT:O33	2:A:803:MTT:H211	1.98	0.64
1:A:633:LYS:HB3	4:A:1410:HOH:O	1.97	0.64
1:A:138:HIS:HD2	1:A:141:THR:H	1.46	0.63
1:A:35:PRO:O	1:A:36:ILE:HD13	2.00	0.61
1:A:598:SER:O	1:A:601:GLU:HG3	2.00	0.61
1:A:631:HIS:HD2	1:A:647:VAL:O	1.84	0.60
1:A:430:ILE:HD12	1:A:439:ILE:HD11	1.83	0.60
1:A:369:ARG:HD3	1:A:369:ARG:N	2.09	0.60
1:A:228:HIS:CD2	1:A:230:ARG:H	2.21	0.59
1:A:413:ASP:OD1	2:A:802:MTT:H411	2.01	0.59
2:A:804:MTT:C25	2:A:804:MTT:H361	2.32	0.59
1:A:509:ILE:CD1	4:A:1538:HOH:O	2.49	0.59
1:A:505:ILE:HG22	1:A:632:MET:CE	2.32	0.58
1:A:219:MET:HE3	4:A:1508:HOH:O	2.03	0.57
1:A:369:ARG:HH12	1:A:370:ASN:HD22	1.53	0.57
1:A:465:PRO:O	1:A:466:ARG:HB2	2.05	0.57
1:A:505:ILE:HG22	1:A:632:MET:HE3	1.87	0.56
1:A:665:GLU:HG3	1:A:667:LYS:HB2	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:ILE:O	1:A:333:GLN:HG3	2.06	0.56
1:A:252:ARG:HH22	1:A:334:GLN:NE2	2.05	0.55
1:A:281:GLN:HE22	1:A:344:VAL:N	1.84	0.55
1:A:138:HIS:CD2	1:A:140:THR:H	2.25	0.55
1:A:241:ARG:HH11	1:A:241:ARG:HB2	1.72	0.55
1:A:252:ARG:HH22	1:A:334:GLN:HE21	1.55	0.54
1:A:276:GLN:NE2	1:A:411:ARG:HG3	2.22	0.54
1:A:631:HIS:HE1	4:A:1539:HOH:O	1.91	0.54
1:A:516:ARG:HD3	1:A:623:LEU:HD22	1.90	0.54
1:A:228:HIS:CD2	1:A:230:ARG:HB3	2.43	0.53
1:A:554:THR:HG21	1:A:607:ILE:HD12	1.90	0.53
1:A:138:HIS:CD2	1:A:141:THR:H	2.24	0.53
1:A:409:GLY:HA2	1:A:437:VAL:HG13	1.92	0.52
1:A:619:ALA:HB1	1:A:646:LEU:HD13	1.91	0.52
1:A:708:ILE:C	1:A:708:ILE:HD12	2.30	0.52
1:A:558:LEU:O	1:A:614:ARG:HD2	2.09	0.52
1:A:300:ASN:HB3	1:A:349:TYR:CD1	2.45	0.52
1:A:377:THR:HG22	1:A:417:ILE:HG13	1.91	0.51
1:A:282:ASP:OD2	1:A:303:HIS:HD2	1.94	0.50
1:A:552:LEU:O	1:A:556:ILE:HG13	2.11	0.50
2:A:803:MTT:H451	2:A:804:MTT:H311	1.93	0.50
1:A:73:LEU:HD22	1:A:100:PHE:HE1	1.76	0.50
1:A:278:MET:HB3	1:A:279:PRO:HD2	1.94	0.49
1:A:669:ALA:HB3	1:A:699:ILE:HG13	1.94	0.49
1:A:346:ASN:ND2	1:A:347:HIS:CD2	2.77	0.48
1:A:138:HIS:HD2	1:A:140:THR:H	1.60	0.48
1:A:342:ASP:HA	1:A:411:ARG:HB3	1.95	0.48
1:A:242:GLN:HE21	1:A:242:GLN:HA	1.78	0.48
1:A:80:TYR:HA	1:A:86:GLN:HA	1.95	0.48
1:A:502:ILE:CG2	4:A:1177:HOH:O	2.60	0.48
1:A:474:PHE:CD2	1:A:504:ALA:HB1	2.48	0.48
1:A:262:THR:HG22	1:A:594:TRP:CE3	2.49	0.48
1:A:369:ARG:CD	1:A:369:ARG:H	2.10	0.48
1:A:413:ASP:OD1	2:A:802:MTT:C41	2.61	0.48
1:A:166:GLU:O	1:A:167:ARG:HB2	2.13	0.48
1:A:236:HIS:CD2	1:A:237:GLU:HG3	2.48	0.47
1:A:228:HIS:HD2	1:A:230:ARG:H	1.62	0.47
1:A:297:TRP:CD2	1:A:583:TYR:HA	2.48	0.47
1:A:305:ASN:HD21	1:A:397:SER:HA	1.79	0.47
1:A:346:ASN:HD21	1:A:347:HIS:CD2	2.28	0.47
1:A:527:ASN:HA	1:A:580:GLU:O	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:403:LYS:HG3	1:A:433:ILE:HD13	1.96	0.47
1:A:349:TYR:CD2	1:A:350:VAL:HG23	2.49	0.46
1:A:252:ARG:NH2	1:A:334:GLN:HE21	2.12	0.46
1:A:521:TYR:HB3	1:A:565:PHE:HB3	1.98	0.46
1:A:241:ARG:HB2	1:A:241:ARG:NH1	2.31	0.46
1:A:36:ILE:HG22	1:A:36:ILE:O	2.15	0.46
1:A:657:GLN:HB2	1:A:709:GLN:HB3	1.98	0.46
2:A:802:MTT:O43	2:A:802:MTT:H311	2.16	0.46
1:A:98:LYS:HD2	4:A:1464:HOH:O	2.15	0.46
1:A:78:VAL:CG1	1:A:86:GLN:HG3	2.46	0.46
1:A:603:ASP:O	1:A:606:GLU:HB2	2.16	0.46
1:A:115:TYR:CG	1:A:116:ASP:N	2.84	0.45
1:A:239:GLY:HA3	1:A:255:THR:O	2.16	0.45
1:A:295:TYR:CD1	1:A:295:TYR:C	2.89	0.45
1:A:330:ARG:O	1:A:334:GLN:HG3	2.15	0.45
1:A:462:LYS:HG2	4:A:1068:HOH:O	2.16	0.45
1:A:282:ASP:HB3	1:A:303:HIS:HB2	1.99	0.45
1:A:502:ILE:CB	4:A:1177:HOH:O	2.40	0.44
1:A:516:ARG:CD	1:A:623:LEU:HD22	2.48	0.44
1:A:230:ARG:NE	4:A:1488:HOH:O	2.50	0.44
2:A:804:MTT:H361	2:A:804:MTT:H251	2.00	0.44
1:A:666:GLU:HA	1:A:666:GLU:OE1	2.17	0.44
1:A:477:TYR:CD2	1:A:500:ALA:HB1	2.53	0.44
1:A:465:PRO:O	1:A:466:ARG:CB	2.66	0.43
1:A:435:PRO:O	1:A:466:ARG:NH2	2.50	0.43
1:A:689:LEU:HD23	1:A:690:GLY:HA3	2.00	0.43
1:A:451:PRO:HB2	1:A:453:GLU:OE2	2.18	0.43
1:A:619:ALA:CB	1:A:646:LEU:HD13	2.49	0.43
1:A:133:LEU:HB2	1:A:173:MET:HB2	2.01	0.43
1:A:628:VAL:O	1:A:632:MET:HB2	2.19	0.43
1:A:290:GLN:HB2	1:A:293:LYS:HE2	2.01	0.43
1:A:689:LEU:HD23	1:A:690:GLY:CA	2.48	0.43
1:A:643:ALA:HA	1:A:660:VAL:O	2.18	0.42
1:A:295:TYR:CD1	1:A:296:ASN:N	2.88	0.42
1:A:369:ARG:HH11	1:A:369:ARG:HG2	1.85	0.42
1:A:43:LYS:HG3	1:A:45:THR:OG1	2.19	0.42
1:A:280:VAL:O	1:A:307:PRO:HA	2.20	0.42
1:A:651:VAL:HG22	4:A:1104:HOH:O	2.19	0.42
1:A:502:ILE:O	1:A:506:ARG:HG3	2.20	0.41
1:A:470:PHE:HA	1:A:519:VAL:HB	2.03	0.41
1:A:550:GLN:HB2	1:A:550:GLN:HE21	1.65	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:LEU:HD11	1:A:161:VAL:HG21	2.01	0.41
1:A:502:ILE:HG23	1:A:634:PHE:CE1	2.56	0.41
1:A:86:GLN:HE21	1:A:86:GLN:HB2	1.73	0.41
1:A:479:LYS:HG3	1:A:530:LEU:CD1	2.51	0.41
1:A:424:ASN:HD21	1:A:464:THR:HA	1.86	0.41
1:A:238:SER:OG	1:A:243:LYS:HE3	2.21	0.40
1:A:52:ARG:O	1:A:53:SER:HB3	2.21	0.40
1:A:564:PRO:HG2	1:A:614:ARG:NE	2.36	0.40
1:A:38:PHE:HB2	1:A:80:TYR:CE1	2.56	0.40
1:A:399:THR:O	1:A:403:LYS:HD3	2.22	0.40
1:A:513:PHE:HD1	4:A:1543:HOH:O	2.05	0.40
1:A:153:LYS:HB3	1:A:153:LYS:HE2	1.85	0.40
1:A:40:ARG:NH1	1:A:44:LYS:O	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1017:HOH:O	4:A:1017:HOH:O[2_555]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	673/710 (95%)	644 (96%)	27 (4%)	2 (0%)	46 50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	PRO
1	A	675	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	602/625 (96%)	586 (97%)	16 (3%)	52 64

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ILE
1	A	55	GLU
1	A	82	GLU
1	A	242	GLN
1	A	369	ARG
1	A	383	LEU
1	A	387	ARG
1	A	550	GLN
1	A	566	LEU
1	A	580	GLU
1	A	609	LYS
1	A	632	MET
1	A	633	LYS
1	A	667	LYS
1	A	670	MET
1	A	677	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	GLN
1	A	138	HIS
1	A	177	ASN
1	A	228	HIS
1	A	242	GLN
1	A	276	GLN
1	A	281	GLN
1	A	305	ASN
1	A	334	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	346	ASN
1	A	347	HIS
1	A	381	ASN
1	A	424	ASN
1	A	517	GLN
1	A	527	ASN
1	A	550	GLN
1	A	581	ASN
1	A	595	ASN
1	A	631	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	MTT	A	801	-	48,48,48	0.46	0	71,71,71	0.96	3 (4%)
2	MTT	A	802	-	48,48,48	0.46	0	71,71,71	0.95	3 (4%)
2	MTT	A	803	-	48,48,48	0.45	0	71,71,71	0.93	3 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	MTT	A	804	-	48,48,48	0.44	0	71,71,71	0.95	6 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MTT	A	801	-	-	0/20/100/100	0/4/4/4
2	MTT	A	802	-	-	0/20/100/100	0/4/4/4
2	MTT	A	803	-	-	0/20/100/100	0/4/4/4
2	MTT	A	804	-	-	0/20/100/100	0/4/4/4

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	MTT	C11-O24-C24	-3.62	108.54	118.01
2	A	802	MTT	C11-O24-C24	-3.19	109.67	118.01
2	A	803	MTT	C11-O24-C24	-3.09	109.93	118.01
2	A	802	MTT	C21-O34-C34	-2.99	110.19	118.01
2	A	803	MTT	C21-O34-C34	-2.74	110.85	118.01
2	A	804	MTT	C21-O34-C34	-2.74	110.86	118.01
2	A	804	MTT	C11-O24-C24	-2.73	110.86	118.01
2	A	802	MTT	C31-O44-C44	-2.63	111.12	118.01
2	A	803	MTT	C31-O44-C44	-2.59	111.23	118.01
2	A	804	MTT	C31-O44-C44	-2.59	111.23	118.01
2	A	801	MTT	C21-O34-C34	-2.49	111.51	118.01
2	A	801	MTT	C31-O44-C44	-2.46	111.57	118.01
2	A	804	MTT	C31-O35-C35	-2.32	109.24	113.75
2	A	804	MTT	C11-O15-C15	-2.07	109.73	113.75
2	A	804	MTT	C21-O25-C25	-2.01	109.84	113.75

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	MTT	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	802	MTT	3	0
2	A	803	MTT	2	0
2	A	804	MTT	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	683/710 (96%)	-0.29	14 (2%) 68 67	16, 29, 53, 71	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	689	LEU	6.2
1	A	60	PHE	4.5
1	A	83	GLU	4.3
1	A	369	ARG	3.1
1	A	61	ILE	3.0
1	A	510	HIS	2.8
1	A	670	MET	2.7
1	A	40	ARG	2.6
1	A	668	LYS	2.5
1	A	513	PHE	2.4
1	A	82	GLU	2.4
1	A	236	HIS	2.3
1	A	696	PHE	2.3
1	A	675	ASP	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MTT	A	804	45/45	0.79	0.29	2.97	54,62,66,68	0
3	CA	A	805	1/1	0.98	0.12	2.85	28,28,28,28	0
2	MTT	A	801	45/45	0.85	0.19	1.73	31,41,60,62	0
2	MTT	A	802	45/45	0.90	0.12	0.89	23,30,41,42	0
2	MTT	A	803	45/45	0.89	0.14	0.34	31,40,52,57	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.