



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:15 AM GMT

PDB ID : 2WIG
Title : NONAGED FORM OF HUMAN BUTYRYLCHOLINESTERASE INHIBITED BY TABUN ANALOGUE TA4
Authors : Carletti, E.; Aurbek, N.; Gillon, E.; Loiodice, M.; Nicolet, Y.; Fontecilla, J.; Masson, P.; Thiermann, H.; Nachon, F.; Worek, F.
Deposited on : 2009-05-11
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1045 (2.16-2.16)
Clashscore	102246	1152 (2.16-2.16)
Ramachandran outliers	100387	1131 (2.16-2.16)
Sidechain outliers	100360	1131 (2.16-2.16)
RSRZ outliers	91569	1050 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	<div> <div>4%</div> <div>76%</div> <div>20%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CL	A	1534	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NAG	A	1547	-	-	X	-
7	FUL	A	1542	-	-	-	X
8	NAG	A	1544	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 4733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	527	Total	C	N	O	S	5	3	0
			4226	2729	710	772	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	ENGINEERED MUTATION	UNP P06276
A	53	THR	SER	CONFLICT	UNP P06276
A	455	GLN	ASN	ENGINEERED MUTATION	UNP P06276
A	481	GLN	ASN	ENGINEERED MUTATION	UNP P06276

- Molecule 2 is ETHYL HYDROGEN METHYLAMIDOPHOSPHATE (three-letter code: TC3) (formula: $C_3H_{10}NO_3P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			7	3	1	2	1		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	4	Total	Cl	0	0
			4	4		


- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	3	Total	C	N	O	0	0
			38	22	2	14		
6	A	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 8 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	343	Total	O	0	0
			343	343		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CHOLINESTERASE



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	155.01Å 155.01Å 126.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.09 – 2.15 49.08 – 2.15	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.09-2.15) 99.6 (49.08-2.15)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.11 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, R_{free}	0.189 , 0.253 0.189 , 0.254	Depositor DCC
R_{free} test set	1258 reflections (3.09%)	DCC
Wilson B-factor (Å ²)	29.5	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 67.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 41917 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4733	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CL, NA, TC3, SO4, FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	1/4351 (0.0%)	0.84	1/5904 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	497	GLU	CD-OE2	5.29	1.31	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	361	VAL	N-CA-C	5.56	126.00	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	361	VAL	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	360	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4226	0	4119	146	0
2	A	7	0	9	0	0
3	A	1	0	0	0	0
4	A	10	0	0	1	0
5	A	4	0	0	5	0
6	A	76	0	68	11	0
7	A	24	0	22	2	0
8	A	42	0	39	0	0
9	A	343	0	0	10	0
All	All	4733	0	4257	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:THR:N	1:A:54:ASP:HB2	1.14	1.42
1:A:528:LYS:CB	1:A:528:LYS:C	1.96	1.32
6:A:1547:NAG:H83	6:A:1547:NAG:O3	1.29	1.25
1:A:528:LYS:N	1:A:528:LYS:CB	2.04	1.21
1:A:4:ILE:N	1:A:4:ILE:HD12	1.53	1.18
1:A:53:THR:N	1:A:54:ASP:CB	2.06	1.18
1:A:52:TRP:O	1:A:53:THR:CG2	1.91	1.18
1:A:53:THR:CA	1:A:54:ASP:HB2	1.74	1.17
1:A:52:TRP:O	1:A:53:THR:HG22	1.44	1.15
1:A:256:ASN:HB3	1:A:259:GLU:HG3	1.22	1.11
1:A:528:LYS:N	1:A:528:LYS:C	2.04	1.10
1:A:53:THR:H	1:A:54:ASP:CB	1.66	1.08
1:A:52:TRP:HD1	1:A:54:ASP:HB3	1.17	1.07
1:A:4:ILE:H	1:A:4:ILE:HD12	0.91	1.07
1:A:52:TRP:C	1:A:53:THR:HG23	1.83	0.98
1:A:4:ILE:H	1:A:4:ILE:CD1	1.74	0.97
6:A:1547:NAG:C8	6:A:1547:NAG:O3	2.12	0.97
1:A:377:VAL:O	1:A:377:VAL:HG23	1.67	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:518:GLN:H	1:A:518:GLN:HE21	1.06	0.95
1:A:255:GLU:CD	1:A:255:GLU:H	1.72	0.93
1:A:52:TRP:C	1:A:53:THR:CG2	2.36	0.93
1:A:380:GLN:HB2	5:A:1534:CL:CL	2.06	0.92
1:A:52:TRP:CD1	1:A:54:ASP:HB3	2.07	0.87
6:A:1547:NAG:H83	6:A:1547:NAG:HO3	1.35	0.86
1:A:256:ASN:HB3	1:A:259:GLU:CG	2.05	0.86
1:A:4:ILE:N	1:A:4:ILE:CD1	2.29	0.84
1:A:156:LEU:CD2	1:A:261:ILE:HD11	2.09	0.81
1:A:52:TRP:O	1:A:53:THR:HG23	1.79	0.77
1:A:495:SER:HA	9:A:2294:HOH:O	1.84	0.77
1:A:253:SER:O	1:A:254:ARG:HD3	1.86	0.74
1:A:509:ARG:NH2	9:A:2305:HOH:O	2.13	0.73
1:A:53:THR:H	1:A:54:ASP:HB2	0.92	0.73
1:A:496:THR:N	9:A:2294:HOH:O	2.12	0.72
1:A:518:GLN:H	1:A:518:GLN:NE2	1.85	0.72
1:A:156:LEU:HD22	1:A:261:ILE:HD11	1.72	0.70
1:A:156:LEU:HD23	1:A:261:ILE:HD11	1.74	0.69
1:A:383:GLU:O	1:A:387:GLU:HG3	1.92	0.69
1:A:495:SER:O	1:A:496:THR:OG1	2.09	0.69
4:A:1532:SO4:O4	9:A:2328:HOH:O	2.10	0.68
1:A:428:LEU:CD1	1:A:430:TRP:HB2	2.23	0.68
1:A:378:ASP:O	1:A:380:GLN:N	2.27	0.67
1:A:377:VAL:CG2	1:A:377:VAL:O	2.41	0.66
1:A:495:SER:CA	9:A:2294:HOH:O	2.42	0.66
1:A:320:GLY:HA3	1:A:419:TYR:CE1	2.31	0.66
1:A:106:ASN:N	9:A:2092:HOH:O	2.09	0.66
1:A:255:GLU:CD	1:A:255:GLU:N	2.47	0.65
1:A:267:LYS:HE3	1:A:271:GLU:OE1	1.96	0.65
6:A:1546:NAG:C6	6:A:1548:FUL:O2	2.45	0.64
1:A:282:TYR:CD2	1:A:359:PRO:HB3	2.33	0.63
1:A:320:GLY:HA3	1:A:419:TYR:CZ	2.34	0.63
1:A:378:ASP:C	1:A:380:GLN:H	2.03	0.62
1:A:380:GLN:CB	5:A:1534:CL:CL	2.84	0.62
1:A:254:ARG:HB2	1:A:260:ILE:HG12	1.80	0.62
1:A:188:ASN:ND2	7:A:1542:FUL:H63	2.14	0.61
1:A:176[B]:GLN:NE2	1:A:180:LYS:NZ	2.48	0.61
1:A:528:LYS:CB	1:A:528:LYS:O	2.48	0.61
1:A:361:VAL:O	1:A:366:LYS:NZ	2.34	0.61
1:A:17:GLN:NE2	1:A:24:THR:HG21	2.16	0.60
1:A:176[B]:GLN:HG3	1:A:180:LYS:HZ2	1.65	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1546:NAG:H62	6:A:1547:NAG:C1	2.32	0.59
1:A:494:LYS:NZ	9:A:2292:HOH:O	2.36	0.57
1:A:209:LEU:HD22	1:A:312:PHE:HB3	1.86	0.57
1:A:358:PHE:N	1:A:359:PRO:CD	2.68	0.56
1:A:276:GLU:O	1:A:279:VAL:HG22	2.05	0.56
1:A:53:THR:CA	1:A:54:ASP:CB	2.58	0.55
1:A:378:ASP:O	5:A:1534:CL:CL	2.62	0.55
1:A:227:PHE:C	1:A:227:PHE:CD2	2.79	0.55
1:A:347:ARG:HB2	1:A:385:TYR:CZ	2.41	0.54
1:A:176[B]:GLN:HE21	1:A:180:LYS:NZ	2.05	0.53
6:A:1546:NAG:H62	6:A:1548:FUL:O2	2.08	0.53
1:A:198:SER:HA	1:A:224:SER:O	2.09	0.53
1:A:518:GLN:HE21	1:A:518:GLN:N	1.90	0.53
1:A:448:LEU:N	1:A:449:PRO:CD	2.72	0.53
1:A:500:TYR:CZ	1:A:511:MET:HB2	2.44	0.53
1:A:414:ASN:HB2	9:A:2244:HOH:O	2.09	0.53
1:A:268:ASP:O	1:A:269:PRO:C	2.47	0.53
1:A:428:LEU:HD12	1:A:430:TRP:HB2	1.90	0.53
1:A:378:ASP:CG	1:A:379:ASP:H	2.12	0.52
1:A:17:GLN:HE21	1:A:24:THR:HG21	1.74	0.52
1:A:377:VAL:N	1:A:378:ASP:HA	2.25	0.51
1:A:53:THR:H	1:A:54:ASP:CG	2.11	0.51
1:A:310:GLY:HA2	1:A:312:PHE:CE2	2.46	0.51
1:A:319:VAL:O	1:A:418:PHE:HA	2.11	0.50
1:A:452:ARG:C	1:A:454:ASP:H	2.14	0.50
1:A:156:LEU:HD13	1:A:243:THR:HG21	1.93	0.50
1:A:383:GLU:CD	1:A:383:GLU:H	2.15	0.50
1:A:55:ILE:O	1:A:55:ILE:HG22	2.10	0.50
1:A:4:ILE:HG12	1:A:17:GLN:OE1	2.12	0.50
1:A:502:THR:O	1:A:508:THR:HB	2.10	0.50
1:A:500:TYR:CE1	1:A:511:MET:HB2	2.47	0.50
1:A:525:PHE:CZ	1:A:529:VAL:CG1	2.96	0.49
1:A:278:PHE:C	1:A:280:VAL:H	2.15	0.49
1:A:380:GLN:HG3	5:A:1534:CL:CL	2.49	0.48
1:A:204:VAL:CG1	1:A:220:ALA:HB1	2.43	0.48
1:A:495:SER:O	1:A:496:THR:CB	2.60	0.48
1:A:24:THR:O	1:A:101:ALA:HB3	2.14	0.48
1:A:176[B]:GLN:HE21	1:A:180:LYS:HZ2	1.62	0.48
6:A:1546:NAG:C5	6:A:1547:NAG:HN2	2.26	0.47
1:A:422:GLU:HG3	1:A:504:ASN:HB3	1.96	0.47
1:A:176[B]:GLN:HE21	1:A:180:LYS:HG3	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:VAL:HB	1:A:192:VAL:HG22	1.95	0.47
1:A:274:LEU:HA	1:A:274:LEU:HD12	1.62	0.47
1:A:53:THR:HG21	9:A:2043:HOH:O	2.15	0.46
1:A:380:GLN:CG	5:A:1534:CL:CL	3.00	0.46
1:A:176[B]:GLN:CG	1:A:180:LYS:HZ2	2.29	0.46
1:A:310:GLY:HA3	1:A:412:TRP:CE2	2.51	0.46
1:A:42:ARG:HH22	1:A:269:PRO:HD3	1.80	0.46
1:A:154:LEU:HD23	1:A:162:ALA:HB1	1.96	0.46
1:A:10:ASN:O	1:A:51:LYS:HA	2.16	0.46
1:A:528:LYS:N	1:A:529:VAL:N	2.62	0.46
1:A:428:LEU:HD11	1:A:437:MET:SD	2.56	0.45
1:A:176[B]:GLN:NE2	1:A:180:LYS:HZ1	2.15	0.45
1:A:254:ARG:CG	1:A:259:GLU:HB2	2.47	0.45
1:A:236:LEU:HD12	1:A:236:LEU:HA	1.58	0.45
1:A:341:ASN:ND2	6:A:1538:NAG:H83	2.32	0.45
1:A:267:LYS:HD2	1:A:267:LYS:HA	1.84	0.44
1:A:101:ALA:HA	1:A:102:PRO:C	2.37	0.44
1:A:334:ALA:HA	1:A:335:PRO:HD3	1.83	0.44
1:A:312:PHE:CE1	1:A:314:LYS:HE3	2.53	0.44
1:A:320:GLY:HA3	1:A:419:TYR:CD1	2.53	0.44
1:A:509:ARG:HE	1:A:509:ARG:HB3	1.29	0.43
1:A:21:PHE:O	1:A:135:ARG:NH2	2.42	0.43
1:A:42:ARG:NH2	1:A:269:PRO:HD3	2.34	0.43
1:A:195:PHE:CB	1:A:221:ILE:HB	2.48	0.43
1:A:352:GLU:HA	1:A:355:LYS:HE3	2.01	0.43
1:A:282:TYR:CE2	1:A:359:PRO:HB3	2.53	0.43
1:A:454:ASP:O	1:A:455:GLN:HB2	2.17	0.43
1:A:176[B]:GLN:NE2	1:A:180:LYS:HZ2	2.17	0.43
1:A:451:GLU:O	1:A:454:ASP:HB2	2.18	0.43
1:A:156:LEU:HA	1:A:156:LEU:HD12	1.70	0.43
1:A:525:PHE:CZ	1:A:529:VAL:HG12	2.54	0.42
1:A:452:ARG:C	1:A:454:ASP:N	2.72	0.42
1:A:117:GLY:O	1:A:288:VAL:HG22	2.19	0.42
6:A:1546:NAG:C6	6:A:1547:NAG:HN2	2.31	0.42
1:A:358:PHE:N	1:A:359:PRO:HD3	2.34	0.42
1:A:528:LYS:N	1:A:528:LYS:CG	2.78	0.42
1:A:339:LYS:O	1:A:431:PRO:HG3	2.19	0.42
1:A:380:GLN:HB3	1:A:380:GLN:HE21	1.72	0.42
1:A:278:PHE:C	1:A:280:VAL:N	2.74	0.42
1:A:56:TRP:CD1	1:A:56:TRP:C	2.93	0.41
1:A:497:GLU:H	1:A:497:GLU:HG3	1.67	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:ASN:HD22	7:A:1542:FUL:H63	1.85	0.41
1:A:378:ASP:C	1:A:380:GLN:N	2.70	0.41
1:A:284:THR:HG22	1:A:356:ILE:O	2.21	0.41
1:A:382:PRO:HD2	1:A:383:GLU:OE1	2.20	0.41
1:A:378:ASP:OD1	1:A:379:ASP:OD1	2.38	0.40
6:A:1546:NAG:H5	6:A:1547:NAG:HN2	1.86	0.40
1:A:381:ARG:NH2	1:A:383:GLU:HG2	2.36	0.40
1:A:250:THR:HB	1:A:267:LYS:HE2	2.03	0.40
1:A:366:LYS:HZ3	1:A:366:LYS:HG3	1.76	0.40
1:A:452:ARG:O	1:A:454:ASP:N	2.55	0.40
1:A:314:LYS:HD3	1:A:314:LYS:HA	1.93	0.40
1:A:159:ASN:HB2	9:A:2120:HOH:O	2.20	0.40
1:A:96:ASN:O	1:A:142:VAL:HA	2.21	0.40
1:A:249:LEU:HG	6:A:1548:FUL:H62	2.03	0.40
1:A:132:PHE:CE2	1:A:448:LEU:HD22	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	527/529 (100%)	497 (94%)	22 (4%)	8 (2%)	13 6

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	496	THR
1	A	53	THR
1	A	54	ASP
1	A	379	ASP
1	A	506	GLU
1	A	359	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	361	VAL
1	A	360	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	454/454 (100%)	427 (94%)	27 (6%)	24	18

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	40	ARG
1	A	54	ASP
1	A	69	ILE
1	A	105	LYS
1	A	154	LEU
1	A	156	LEU
1	A	195	PHE
1	A	236	LEU
1	A	255	GLU
1	A	262	LYS
1	A	268	ASP
1	A	274	LEU
1	A	280	VAL
1	A	299	LEU
1	A	359	PRO
1	A	361	VAL
1	A	370	LEU
1	A	371[A]	PHE
1	A	371[B]	PHE
1	A	383	GLU
1	A	428	LEU
1	A	454	ASP
1	A	471	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	507	SER
1	A	509	ARG
1	A	518	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	172	GLN
1	A	275	ASN
1	A	289	ASN
1	A	380	GLN
1	A	517	GLN
1	A	518	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	1538	1,6	14,14,15	1.02	0	15,19,21	1.49	3 (20%)
6	NAG	A	1539	6	14,14,15	0.67	0	15,19,21	1.91	2 (13%)
6	FUL	A	1540	6	10,10,11	0.88	0	14,14,16	3.41	6 (42%)
7	NAG	A	1541	1,7	14,14,15	0.64	0	15,19,21	1.16	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	FUL	A	1542	7	10,10,11	0.77	0	14,14,16	3.08	6 (42%)
6	NAG	A	1546	1,6	14,14,15	0.49	0	15,19,21	2.09	4 (26%)
6	NAG	A	1547	6	14,14,15	0.57	0	15,19,21	2.27	3 (20%)
6	FUL	A	1548	6	10,10,11	0.76	0	14,14,16	2.91	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	1538	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	1539	6	-	0/6/23/26	0/1/1/1
6	FUL	A	1540	6	-	0/0/17/20	0/1/1/1
7	NAG	A	1541	1,7	-	0/6/23/26	0/1/1/1
7	FUL	A	1542	7	-	0/0/17/20	0/1/1/1
6	NAG	A	1546	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	1547	6	-	2/6/23/26	0/1/1/1
6	FUL	A	1548	6	-	0/0/17/20	0/1/1/1

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1540	FUL	C1-C2-C3	-8.83	99.09	109.54
6	A	1548	FUL	C1-C2-C3	-7.63	100.51	109.54
6	A	1547	NAG	C4-C3-C2	-7.23	99.99	111.23
6	A	1539	NAG	C1-O5-C5	-6.40	104.12	112.25
6	A	1548	FUL	C1-O5-C5	-5.99	103.12	112.38
6	A	1540	FUL	C1-O5-C5	-5.38	104.07	112.38
6	A	1540	FUL	O5-C1-C2	-5.19	102.44	110.86
6	A	1546	NAG	C6-C5-C4	-3.76	103.73	113.02
6	A	1546	NAG	C2-N2-C7	-3.69	118.30	123.04
6	A	1538	NAG	C3-C2-N2	-3.22	102.84	110.56
6	A	1548	FUL	O5-C1-C2	-2.78	106.34	110.86
7	A	1541	NAG	C3-C4-C5	-2.36	106.09	110.20
6	A	1538	NAG	O4-C4-C3	-2.32	105.11	110.34
6	A	1546	NAG	O4-C4-C3	-2.24	105.29	110.34
6	A	1539	NAG	O6-C6-C5	-2.16	104.21	111.33
6	A	1538	NAG	C2-N2-C7	2.34	126.05	123.04
6	A	1540	FUL	C3-C4-C5	2.35	113.68	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1548	FUL	O5-C5-C6	2.38	110.06	106.13
6	A	1547	NAG	C1-O5-C5	2.40	115.30	112.25
7	A	1542	FUL	O5-C5-C4	2.62	114.07	109.53
6	A	1548	FUL	C3-C4-C5	2.62	114.14	109.72
6	A	1540	FUL	O2-C2-C3	2.65	115.45	110.12
7	A	1542	FUL	C3-C4-C5	2.84	114.51	109.72
6	A	1547	NAG	O3-C3-C4	2.86	116.79	110.34
6	A	1540	FUL	O5-C5-C6	2.87	110.87	106.13
7	A	1542	FUL	O5-C1-C2	3.23	116.10	110.86
7	A	1542	FUL	C2-C3-C4	4.51	118.70	111.04
6	A	1546	NAG	C1-O5-C5	4.85	118.41	112.25
7	A	1542	FUL	C1-O5-C5	5.00	120.10	112.38
7	A	1542	FUL	C1-C2-C3	7.12	117.97	109.54

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1547	NAG	C8-C7-N2-C2
6	A	1547	NAG	O7-C7-N2-C2

There are no ring outliers.

5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1538	NAG	1	0
7	A	1542	FUL	2	0
6	A	1546	NAG	6	0
6	A	1547	NAG	7	0
6	A	1548	FUL	3	0

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is

the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TC3	A	1530	1	2,6,7	1.77	1 (50%)	1,6,9	0.95	0
4	SO4	A	1532	-	4,4,4	0.47	0	6,6,6	0.47	0
4	SO4	A	1536	-	4,4,4	0.30	0	6,6,6	0.34	0
8	NAG	A	1543	1	14,14,15	0.64	0	15,19,21	1.44	4 (26%)
8	NAG	A	1544	1	14,14,15	0.62	0	15,19,21	1.41	2 (13%)
8	NAG	A	1545	1	14,14,15	0.50	0	15,19,21	1.36	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TC3	A	1530	1	-	0/1/5/7	0/0/0/0
4	SO4	A	1532	-	-	0/0/0/0	0/0/0/0
4	SO4	A	1536	-	-	0/0/0/0	0/0/0/0
8	NAG	A	1543	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1544	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1545	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1530	TC3	C3-N	2.36	1.49	1.45

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1544	NAG	C2-N2-C7	-3.63	118.37	123.04
8	A	1543	NAG	C2-N2-C7	-2.91	119.30	123.04
8	A	1543	NAG	C3-C4-C5	-2.62	105.62	110.20
8	A	1545	NAG	O7-C7-C8	-2.34	117.77	122.06
8	A	1543	NAG	C1-O5-C5	2.06	114.86	112.25
8	A	1543	NAG	O5-C5-C6	2.61	112.99	107.35
8	A	1544	NAG	O5-C5-C6	2.77	113.33	107.35
8	A	1545	NAG	C2-N2-C7	3.31	127.30	123.04

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1532	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	527/529 (99%)	-0.03	23 (4%)	38 49	17, 31, 55, 69	8 (1%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	53	THR	4.8
1	A	54	ASP	4.5
1	A	3	ASP	4.4
1	A	52	TRP	4.2
1	A	380	GLN	3.8
1	A	377	VAL	3.6
1	A	255	GLU	3.3
1	A	50	THR	3.3
1	A	378	ASP	3.2
1	A	453	ARG	3.1
1	A	282	TYR	2.7
1	A	22	GLY	2.5
1	A	259	GLU	2.5
1	A	455	GLN	2.4
1	A	452	ARG	2.4
1	A	55	ILE	2.4
1	A	379	ASP	2.3
1	A	237	TYR	2.2
1	A	348	LYS	2.2
1	A	256	ASN	2.2
1	A	248	LYS	2.1
1	A	49	LEU	2.1
1	A	4	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	FUL	A	1542	10/11	0.82	0.35	18.74	76,78,79,79	0
6	FUL	A	1548	10/11	0.95	0.21	0.70	67,68,69,69	0
6	NAG	A	1538	14/15	0.94	0.13	0.16	44,50,59,61	0
6	NAG	A	1546	14/15	0.88	0.19	-	67,74,78,81	0
6	FUL	A	1540	10/11	0.80	0.18	-	64,68,69,72	0
6	NAG	A	1539	14/15	0.83	0.18	-	64,68,71,73	0
6	NAG	A	1547	14/15	0.69	0.35	-	73,79,81,82	0
7	NAG	A	1541	14/15	0.77	0.21	-	58,63,68,72	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	NAG	A	1544	14/15	0.67	0.23	10.36	52,67,71,71	0
2	TC3	A	1530	7/8	0.99	0.17	1.08	26,27,29,30	0
4	SO4	A	1532	5/5	0.98	0.09	-0.36	47,48,49,51	5
5	CL	A	1534	1/1	0.89	0.18	-0.74	73,73,73,73	0
5	CL	A	1533	1/1	0.48	0.15	-	75,75,75,75	0
5	CL	A	1537	1/1	0.93	0.12	-	63,63,63,63	0
8	NAG	A	1543	14/15	0.46	0.33	-	75,80,83,83	0
8	NAG	A	1545	14/15	0.74	0.38	-	83,87,88,89	0
5	CL	A	1535	1/1	0.90	0.10	-	71,71,71,71	0
3	NA	A	1531	1/1	0.90	0.33	-	64,64,64,64	1
4	SO4	A	1536	5/5	0.98	0.08	-	33,33,37,38	5

6.5 Other polymers [i](#)

There are no such residues in this entry.