



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:17 AM GMT

PDB ID : 2WJU
Title : Glutathione transferase A2-2 in complex with glutathione
Authors : Tars, K.; Olin, B.; Mannervik, B.
Deposited on : 2009-05-29
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	<div> <div>2%</div> <div>86%</div> <div>12%</div> <div>.</div> </div>
1	B	222	<div> <div>%</div> <div>85%</div> <div>14%</div> <div>.</div> </div>
1	C	222	<div> <div>%</div> <div>83%</div> <div>14%</div> <div>.</div> </div>
1	D	222	<div> <div>2%</div> <div>84%</div> <div>15%</div> <div>.</div> </div>
1	E	222	<div> <div>%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
1	F	222	<div> <div>5%</div> <div>85%</div> <div>14%</div> <div>.</div> </div>
1	G	222	<div> <div>6%</div> <div>89%</div> <div>10%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	H	222	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GSH	A	230	X	-	-	-
2	GSH	B	230	X	-	-	X
2	GSH	C	230	X	-	-	-
2	GSH	D	230	X	-	-	-
2	GSH	E	230	X	-	-	-
2	GSH	F	230	X	-	-	-
2	GSH	G	230	X	-	-	-
2	GSH	H	230	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15117 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GLUTATHIONE-S-TRANSFERASE A2-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	B	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	C	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	D	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	E	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	F	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	G	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			
1	H	221	Total	C	N	O	S	0	0	0
			1800	1164	299	330	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	112	THR	SER	SEE REMARK 999	UNP P09210
B	112	THR	SER	SEE REMARK 999	UNP P09210
C	112	THR	SER	SEE REMARK 999	UNP P09210
D	112	THR	SER	SEE REMARK 999	UNP P09210
E	112	THR	SER	SEE REMARK 999	UNP P09210
F	112	THR	SER	SEE REMARK 999	UNP P09210
G	112	THR	SER	SEE REMARK 999	UNP P09210
H	112	THR	SER	SEE REMARK 999	UNP P09210

- Molecule 2 is GLUTATHIONE (three-letter code: GSH) (formula: C₁₀H₁₇N₃O₆S).




Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	93	Total 93	O 93	0	0
3	F	57	Total 57	O 57	0	0
3	G	39	Total 39	O 39	0	0
3	H	47	Total 47	O 47	0	0

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
-
- 86% 12%
- 2%
- 12%
- 0.10
0.08
0.06
0.04
0.02
0.00
- 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200
- Met A2 E3 K4 P5 K6 R15 M16 E17 R20 E31 E32 K33 R45 L50 Q53 V66 Q67 A76 Y82 G83 R84 D85 I86 K89 D101 L102 P114 F115 E116 A119 T128 F133 H143 R155 L163 E168 K185 F200
- F222


- Chain B:
-
- | Category | Color |
|----------|--------|
| MET | Grey |
| A2 | Red |
| E3 | Green |
| K4 | Yellow |
| R13 | Yellow |
| G14 | Green |
| R15 | Yellow |
| S18 | Yellow |
| A24 | Yellow |
| E31 | Yellow |
| R45 | Yellow |
| V66 | Yellow |
| Q67 | Yellow |
| A76 | Yellow |
| S77 | Green |
| K78 | Yellow |
| Y79 | Yellow |
| Y82 | Yellow |
| I99 | Yellow |
| L102 | Yellow |
| M105 | Yellow |
| T112 | Yellow |
| E116 | Yellow |
| K120 | Yellow |
| I124 | Yellow |
| K127 | Yellow |
| T128 | Yellow |
| K129 | Yellow |
| M130 | Green |
| R131 | Yellow |
| Y132 | Green |
| F133 | Yellow |
| F136 | Yellow |
| R155 | Yellow |
| L163 | Yellow |
| R187 | Yellow |
| T193 | Yellow |
| D200 | Yellow |
- Legend: L213 (Yellow), R221 (Orange), F222 (Green)

- Chain C: 



- Chain D:
-
- | Category | Percentage |
|--------------|------------|
| Red (2%) | 2% |
| Green (84%) | 84% |
| Yellow (15%) | 15% |





- Molecule 1: GLUTATHIONE-S-TRANSFERASE A2-2





- Molecule 1: GLUTATHIONE-S-TRANSFERASE A2-2



- Molecule 1: GLUTATHIONE-S-TRANSFERASE A2-2



- Molecule 1: GLUTATHIONE-S-TRANSFERASE A2-2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	54.16 Å 85.50 Å 113.42 Å 96.00° 101.78° 97.46°	Depositor
Resolution (Å)	42.00 – 2.30 42.04 – 2.30	Depositor EDS
% Data completeness (in resolution range)	92.0 (42.00-2.30) 89.0 (42.04-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.29 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.246 , 0.297 0.247 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.101	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 36.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 79974 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	15117	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GSH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/1835	0.58	0/2465
1	B	0.46	0/1835	0.60	0/2465
1	C	0.42	0/1835	0.57	0/2465
1	D	0.44	0/1835	0.59	0/2465
1	E	0.42	0/1835	0.56	0/2465
1	F	0.41	0/1835	0.55	0/2465
1	G	0.41	0/1835	0.55	0/2465
1	H	0.40	0/1835	0.55	0/2465
All	All	0.43	0/14680	0.57	0/19720

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1800	0	1858	18	0
1	B	1800	0	1858	18	0
1	C	1800	0	1858	21	0
1	D	1800	0	1858	19	0
1	E	1800	0	1858	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1800	0	1858	17	0
1	G	1800	0	1858	11	0
1	H	1800	0	1858	24	0
2	A	20	0	15	2	0
2	B	20	0	15	2	0
2	C	20	0	15	0	0
2	D	20	0	15	0	0
2	E	20	0	15	1	0
2	F	20	0	15	3	0
2	G	20	0	15	1	0
2	H	20	0	15	1	0
3	A	80	0	0	1	0
3	B	91	0	0	1	0
3	C	72	0	0	3	0
3	D	78	0	0	1	0
3	E	93	0	0	4	0
3	F	57	0	0	0	0
3	G	39	0	0	0	0
3	H	47	0	0	1	0
All	All	15117	0	14984	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:LEU:HD23	1:B:163:LEU:HD21	1.71	0.72
1:E:112:THR:HG22	1:E:116:GLU:HB2	1.72	0.72
1:H:114:PRO:HA	1:H:117:GLN:HG3	1.74	0.69
1:A:86:ILE:HG22	3:A:2036:HOH:O	1.93	0.67
1:F:15:ARG:HD2	2:F:230:GSH:HG13	1.77	0.66
1:D:50:LEU:HB2	1:D:53:GLN:HA	1.81	0.61
1:F:133:PHE:CZ	1:F:167:VAL:HG11	2.36	0.60
1:H:128:THR:O	1:H:133:PHE:HB2	2.02	0.60
1:F:179:PRO:HA	1:F:182:LYS:HE3	1.84	0.60
1:G:44:LEU:HA	1:G:49:TYR:HD2	1.67	0.60
1:A:66:VAL:O	1:A:67:GLN:HB2	2.01	0.59
1:D:209:ASP:O	1:D:213:LEU:HB2	2.03	0.58
1:E:112:THR:CG2	1:E:116:GLU:HB2	2.33	0.58
1:H:72:LEU:HB3	1:H:155:ARG:NH2	2.18	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:129:LYS:HE3	1:F:174:LEU:HD23	1.86	0.56
1:C:45:ARG:HE	1:C:53:GLN:HB3	1.69	0.56
1:E:6:LYS:HB2	3:E:2001:HOH:O	2.05	0.56
1:C:102:LEU:HD23	1:C:163:LEU:HD21	1.87	0.55
1:H:160:LEU:O	1:H:164:LEU:HG	2.07	0.55
1:H:15:ARG:HD2	2:H:230:GSH:HG13	1.89	0.55
1:H:76:ALA:HB1	1:H:155:ARG:HD2	1.89	0.55
1:C:112:THR:HG23	1:C:116:GLU:HB2	1.89	0.54
1:E:190:ASN:ND2	3:E:2073:HOH:O	2.39	0.54
1:A:15:ARG:HD2	2:A:230:GSH:HG13	1.89	0.54
1:C:87:LYS:NZ	1:D:61:ASP:O	2.29	0.53
1:E:66:VAL:O	1:E:67:GLN:HB2	2.09	0.53
1:D:63:MET:HE1	1:D:74:TYR:CZ	2.43	0.53
1:E:85:ASP:HA	3:E:2034:HOH:O	2.10	0.52
1:A:128:THR:O	1:A:133:PHE:HB2	2.09	0.51
1:A:6:LYS:HZ2	1:A:33:LYS:HB2	1.75	0.51
1:C:38:ALA:HB1	1:C:221:ARG:HH11	1.74	0.51
1:C:210:GLU:HA	1:C:213:LEU:HB2	1.93	0.51
1:H:76:ALA:CB	1:H:155:ARG:HD2	2.41	0.51
1:C:109:LEU:O	1:C:112:THR:HB	2.10	0.51
1:E:35:ILE:HG23	1:E:40:ASP:HB2	1.94	0.50
1:H:140:LEU:HA	1:H:143:HIS:CE1	2.47	0.50
1:B:45:ARG:NH1	1:B:221:ARG:HH21	2.10	0.50
1:B:187:ARG:NH2	3:B:2077:HOH:O	2.31	0.50
1:G:99:ILE:HG13	1:G:136:PHE:CZ	2.46	0.50
1:B:76:ALA:HB1	1:B:155:ARG:HD2	1.94	0.50
1:D:168:GLU:OE1	1:D:185:LYS:NZ	2.42	0.49
1:H:129:LYS:HE3	1:H:174:LEU:HD23	1.95	0.49
1:H:84:LYS:HG2	1:H:88:GLU:OE1	2.11	0.49
1:G:82:TYR:O	1:G:89:LYS:HG2	2.13	0.49
1:D:21:TRP:CE2	1:D:162:GLU:HG3	2.47	0.49
1:G:164:LEU:HD21	1:G:181:LEU:HD22	1.93	0.49
1:C:11:ASN:OD1	1:C:205:LYS:HE3	2.13	0.49
1:B:78:LYS:HD3	1:B:79:TYR:CZ	2.48	0.49
1:F:66:VAL:O	1:F:67:GLN:HB2	2.13	0.48
1:H:35:ILE:HG23	1:H:40:ASP:HB2	1.93	0.48
1:C:24:ALA:O	1:C:193:THR:HB	2.13	0.48
1:G:69:ARG:HD2	1:H:97:GLU:OE1	2.13	0.48
1:F:133:PHE:HZ	1:F:167:VAL:HG11	1.79	0.48
1:B:76:ALA:CB	1:B:155:ARG:HD2	2.44	0.48
1:F:99:ILE:HG13	1:F:136:PHE:CZ	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:168:GLU:HG3	1:H:172:SER:HB3	1.95	0.48
1:E:59:GLU:HA	1:E:63:MET:O	2.13	0.48
1:H:38:ALA:HB2	1:H:218:LYS:O	2.14	0.47
1:H:179:PRO:HA	1:H:182:LYS:HD2	1.95	0.47
1:A:45:ARG:HE	1:A:53:GLN:HB3	1.79	0.47
1:B:24:ALA:O	1:B:193:THR:HB	2.15	0.47
1:A:45:ARG:HG3	1:A:50:LEU:HD12	1.95	0.47
1:H:49:TYR:HD2	1:H:57:MET:CE	2.27	0.47
1:A:15:ARG:CD	2:A:230:GSH:HG13	2.45	0.47
1:B:127:LYS:HE3	1:B:131:ARG:NH1	2.30	0.47
1:A:168:GLU:OE1	1:A:185:LYS:NZ	2.43	0.47
1:B:209:ASP:O	1:B:213:LEU:HB2	2.16	0.46
1:G:140:LEU:HA	1:G:143:HIS:CE1	2.50	0.46
1:C:96:ILE:HD12	3:C:2038:HOH:O	2.15	0.46
1:B:15:ARG:HD2	2:B:230:GSH:HG13	1.96	0.46
1:F:123:LEU:HA	1:F:126:GLU:HB3	1.95	0.46
1:H:214:GLU:OE2	1:H:218:LYS:HE2	2.14	0.46
1:H:176:SER:HA	1:H:182:LYS:HE2	1.98	0.46
1:D:25:ALA:HB1	1:D:158:ILE:HD12	1.97	0.46
1:C:128:THR:O	1:C:133:PHE:HB2	2.15	0.46
1:F:210:GLU:HA	1:F:213:LEU:HB3	1.98	0.46
1:E:55:VAL:O	2:E:230:GSH:N2	2.48	0.46
1:F:55:VAL:O	2:F:230:GSH:HG12	2.16	0.45
1:A:82:TYR:O	1:A:89:LYS:HG2	2.16	0.45
1:B:99:ILE:HG13	1:B:136:PHE:CZ	2.52	0.45
1:D:7:LEU:HD22	1:D:58:VAL:HG22	1.98	0.45
1:B:4:LYS:HB2	1:B:31:GLU:HG3	1.99	0.45
1:C:66:VAL:O	1:C:67:GLN:HB2	2.17	0.45
1:F:109:LEU:N	1:F:110:PRO:HD2	2.32	0.45
1:D:135:ALA:O	1:D:139:VAL:HG23	2.17	0.45
1:D:59:GLU:HA	1:D:63:MET:O	2.17	0.44
1:A:102:LEU:HD23	1:A:163:LEU:HD21	1.98	0.44
1:C:140:LEU:HA	1:C:143:HIS:CE1	2.53	0.44
1:H:10:SER:OG	1:H:12:ILE:HG12	2.17	0.44
1:B:66:VAL:O	1:B:67:GLN:HB2	2.18	0.44
1:G:65:LEU:HD13	1:G:71:ILE:HA	2.00	0.44
1:C:82:TYR:O	1:C:89:LYS:HG2	2.17	0.44
1:D:109:LEU:HB3	1:D:110:PRO:HD3	2.00	0.43
1:H:66:VAL:O	1:H:67:GLN:HB2	2.18	0.43
1:H:218:LYS:HD3	1:H:218:LYS:HA	1.70	0.43
1:A:4:LYS:HD2	1:A:31:GLU:HG3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:146:ASP:HB3	1:D:187:ARG:NE	2.32	0.43
1:G:135:ALA:O	1:G:139:VAL:HG23	2.18	0.43
1:E:168:GLU:HG3	3:E:2067:HOH:O	2.17	0.43
1:D:52:PHE:O	1:D:53:GLN:HG2	2.19	0.43
1:C:4:LYS:HB3	1:C:30:PHE:HA	2.01	0.43
1:F:7:LEU:HD22	1:F:58:VAL:HG22	2.00	0.43
1:E:165:TYR:O	1:E:169:GLU:HG3	2.18	0.43
1:A:84:LYS:HD3	1:D:46:ASN:O	2.18	0.43
1:E:208:MET:HE2	1:E:213:LEU:HD23	1.99	0.43
1:F:218:LYS:HD3	1:F:218:LYS:HA	1.92	0.43
1:A:17:GLU:OE1	1:A:20:ARG:HD2	2.18	0.43
1:F:39:GLU:HA	1:F:42:ASP:HB2	2.01	0.43
1:E:168:GLU:OE1	1:E:185:LYS:NZ	2.51	0.42
1:D:25:ALA:CB	1:D:158:ILE:HD12	2.49	0.42
1:B:112:THR:HG21	1:B:120:LYS:HG3	2.00	0.42
1:G:24:ALA:O	1:G:193:THR:HB	2.19	0.42
1:D:99:ILE:HG23	1:D:163:LEU:HD22	2.00	0.42
1:C:38:ALA:HB1	1:C:221:ARG:NH1	2.35	0.42
1:C:140:LEU:HA	1:C:143:HIS:HE1	1.85	0.42
1:G:220:PHE:CE1	2:G:230:GSH:HB22	2.55	0.42
1:E:127:LYS:O	1:E:131:ARG:HB3	2.19	0.42
1:B:127:LYS:O	1:B:131:ARG:HB3	2.20	0.42
1:B:128:THR:O	1:B:133:PHE:HB2	2.20	0.42
1:C:168:GLU:HB2	3:C:2063:HOH:O	2.19	0.42
1:F:82:TYR:O	1:F:89:LYS:HG2	2.20	0.42
1:C:70:ALA:HA	1:D:93:ASP:HB3	2.02	0.41
1:A:101:ASP:OD2	2:B:230:GSH:N1	2.50	0.41
1:G:21:TRP:CE2	1:G:162:GLU:HG3	2.55	0.41
1:C:9:TYR:O	1:C:34:PHE:HA	2.20	0.41
1:E:6:LYS:HD3	1:E:8:HIS:NE2	2.36	0.41
1:A:6:LYS:NZ	1:A:33:LYS:HB2	2.35	0.41
1:B:112:THR:CG2	1:B:116:GLU:HB3	2.51	0.41
1:D:161:VAL:HG21	1:D:188:ILE:HB	2.02	0.41
1:F:15:ARG:CD	2:F:230:GSH:HG13	2.45	0.41
1:E:90:ALA:HB1	1:F:65:LEU:HD21	2.02	0.41
1:C:33:LYS:N	3:C:2016:HOH:O	2.53	0.41
1:H:21:TRP:CE2	1:H:162:GLU:HG3	2.55	0.41
1:A:76:ALA:CB	1:A:155:ARG:HD2	2.51	0.41
1:D:90:ALA:HA	3:D:2036:HOH:O	2.20	0.41
1:H:118:ASP:HB2	3:H:2024:HOH:O	2.20	0.40
1:H:137:GLU:OE1	1:H:180:LEU:HB2	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:MET:HE2	1:B:124:ILE:HG13	2.04	0.40
1:A:66:VAL:O	1:A:67:GLN:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	219/222 (99%)	209 (95%)	8 (4%)	2 (1%)	21	24
1	B	219/222 (99%)	210 (96%)	8 (4%)	1 (0%)	34	41
1	C	219/222 (99%)	212 (97%)	7 (3%)	0	100	100
1	D	219/222 (99%)	207 (94%)	12 (6%)	0	100	100
1	E	219/222 (99%)	212 (97%)	6 (3%)	1 (0%)	34	41
1	F	219/222 (99%)	209 (95%)	8 (4%)	2 (1%)	21	24
1	G	219/222 (99%)	203 (93%)	16 (7%)	0	100	100
1	H	219/222 (99%)	206 (94%)	11 (5%)	2 (1%)	21	24
All	All	1752/1776 (99%)	1668 (95%)	76 (4%)	8 (0%)	34	41

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	67	GLN
1	F	13	ARG
1	B	13	ARG
1	F	11	ASN
1	H	151	ASN
1	A	114	PRO
1	E	67	GLN
1	H	114	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/198 (100%)	193 (98%)	4 (2%)	63	79
1	B	197/198 (100%)	193 (98%)	4 (2%)	63	79
1	C	197/198 (100%)	187 (95%)	10 (5%)	29	39
1	D	197/198 (100%)	190 (96%)	7 (4%)	42	57
1	E	197/198 (100%)	190 (96%)	7 (4%)	42	57
1	F	197/198 (100%)	191 (97%)	6 (3%)	48	65
1	G	197/198 (100%)	191 (97%)	6 (3%)	48	65
1	H	197/198 (100%)	193 (98%)	4 (2%)	63	79
All	All	1576/1584 (100%)	1528 (97%)	48 (3%)	48	65

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	TYR
1	A	116	GLU
1	A	143	HIS
1	A	210	GLU
1	B	18	SER
1	B	82	TYR
1	B	129	LYS
1	B	221	ARG
1	C	3	GLU
1	C	40	ASP
1	C	82	TYR
1	C	112	THR
1	C	117	GLN
1	C	143	HIS
1	C	170	LEU
1	C	195	LYS
1	C	210	GLU
1	C	213	LEU
1	D	43	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	53	GLN
1	D	82	TYR
1	D	170	LEU
1	D	213	LEU
1	D	215	GLU
1	D	221	ARG
1	E	82	TYR
1	E	107	LEU
1	E	115	GLU
1	E	126	GLU
1	E	143	HIS
1	E	170	LEU
1	E	187	ARG
1	F	36	LYS
1	F	82	TYR
1	F	123	LEU
1	F	143	HIS
1	F	170	LEU
1	F	221	ARG
1	G	42	ASP
1	G	55	VAL
1	G	65	LEU
1	G	82	TYR
1	G	116	GLU
1	G	170	LEU
1	H	40	ASP
1	H	82	TYR
1	H	177	SER
1	H	221	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	130	ASN
1	C	54	GLN
1	C	117	GLN
1	D	117	GLN
1	E	54	GLN
1	F	130	ASN
1	G	54	GLN
1	G	113	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GSH	A	230	-	13,19,19	3.55	2 (15%)	15,24,24	0.89	1 (6%)
2	GSH	B	230	-	13,19,19	3.73	2 (15%)	15,24,24	0.68	0
2	GSH	C	230	-	13,19,19	3.59	2 (15%)	15,24,24	1.12	1 (6%)
2	GSH	D	230	-	13,19,19	3.64	2 (15%)	15,24,24	0.65	0
2	GSH	E	230	-	13,19,19	3.58	2 (15%)	15,24,24	0.78	0
2	GSH	F	230	-	13,19,19	3.60	2 (15%)	15,24,24	0.81	0
2	GSH	G	230	-	13,19,19	3.56	2 (15%)	15,24,24	0.60	0
2	GSH	H	230	-	13,19,19	3.57	2 (15%)	15,24,24	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GSH	A	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	B	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	C	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	D	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	E	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	F	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	G	230	-	1/1/6/8	0/18/24/24	0/0/0/0
2	GSH	H	230	-	1/1/6/8	0/18/24/24	0/0/0/0

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	230	GSH	OE1-CD1	8.60	1.41	1.23
2	A	230	GSH	OE1-CD1	8.69	1.41	1.23
2	C	230	GSH	OE1-CD1	8.72	1.41	1.23
2	F	230	GSH	OE1-CD1	8.76	1.41	1.23
2	H	230	GSH	OE1-CD1	8.77	1.41	1.23
2	G	230	GSH	OE1-CD1	8.81	1.41	1.23
2	D	230	GSH	OE1-CD1	8.85	1.41	1.23
2	B	230	GSH	OE1-CD1	8.92	1.42	1.23
2	G	230	GSH	O2-C2	9.25	1.41	1.23
2	H	230	GSH	O2-C2	9.32	1.41	1.23
2	A	230	GSH	O2-C2	9.32	1.41	1.23
2	F	230	GSH	O2-C2	9.48	1.42	1.23
2	C	230	GSH	O2-C2	9.48	1.42	1.23
2	E	230	GSH	O2-C2	9.57	1.42	1.23
2	D	230	GSH	O2-C2	9.62	1.42	1.23
2	B	230	GSH	O2-C2	9.99	1.43	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	230	GSH	CA2-CB2-SG2	-3.29	110.11	114.16
2	A	230	GSH	CA2-CB2-SG2	2.61	117.37	114.16

All (8) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	230	GSH	CA1
2	G	230	GSH	CA1
2	B	230	GSH	CA1
2	E	230	GSH	CA1
2	C	230	GSH	CA1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
2	A	230	GSH	CA1
2	H	230	GSH	CA1
2	F	230	GSH	CA1

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	230	GSH	2	0
2	B	230	GSH	2	0
2	E	230	GSH	1	0
2	F	230	GSH	3	0
2	G	230	GSH	1	0
2	H	230	GSH	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/222 (99%)	0.06	5 (2%) 64 72	15, 27, 52, 63	0
1	B	221/222 (99%)	-0.06	2 (0%) 85 89	16, 28, 43, 50	0
1	C	221/222 (99%)	0.15	3 (1%) 78 83	24, 33, 48, 62	0
1	D	221/222 (99%)	0.17	4 (1%) 71 78	21, 35, 45, 54	0
1	E	221/222 (99%)	0.10	2 (0%) 85 89	23, 33, 49, 57	0
1	F	221/222 (99%)	0.51	11 (4%) 32 41	25, 41, 65, 71	0
1	G	221/222 (99%)	0.57	13 (5%) 26 34	30, 44, 61, 71	0
1	H	221/222 (99%)	0.58	9 (4%) 41 50	27, 47, 59, 64	0
All	All	1768/1776 (99%)	0.26	49 (2%) 56 66	15, 35, 58, 71	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	7.9
1	A	2	ALA	5.8
1	H	2	ALA	4.9
1	C	222	PHE	4.8
1	D	2	ALA	4.6
1	H	222	PHE	4.3
1	B	222	PHE	4.1
1	A	222	PHE	4.0
1	G	222	PHE	3.9
1	F	38	ALA	3.7
1	H	49	TYR	3.7
1	D	222	PHE	3.7
1	G	46	ASN	3.6
1	E	2	ALA	3.4
1	A	3	GLU	3.4
1	G	144	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	119	ALA	3.3
1	G	49	TYR	3.2
1	G	221	ARG	3.2
1	F	222	PHE	3.1
1	G	86	ILE	3.0
1	G	219	ILE	2.8
1	F	213	LEU	2.8
1	H	133	PHE	2.6
1	F	37	SER	2.6
1	H	46	ASN	2.6
1	A	114	PRO	2.5
1	C	2	ALA	2.5
1	G	147	TYR	2.5
1	H	62	GLY	2.5
1	D	113	GLN	2.5
1	G	143	HIS	2.4
1	F	2	ALA	2.4
1	F	113	GLN	2.4
1	F	214	GLU	2.4
1	F	217	ARG	2.3
1	G	145	GLN	2.3
1	G	4	LYS	2.2
1	H	86	ILE	2.2
1	H	147	TYR	2.2
1	F	114	PRO	2.2
1	C	113	GLN	2.2
1	E	222	PHE	2.1
1	G	133	PHE	2.1
1	G	2	ALA	2.1
1	F	116	GLU	2.1
1	F	219	ILE	2.1
1	D	140	LEU	2.0
1	H	116	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GSH	B	230	20/20	0.89	0.22	2.59	28,32,38,44	0
2	GSH	C	230	20/20	0.74	0.21	1.94	55,57,58,59	0
2	GSH	G	230	20/20	0.80	0.22	1.85	62,63,64,65	0
2	GSH	D	230	20/20	0.91	0.17	1.43	35,38,41,43	0
2	GSH	E	230	20/20	0.84	0.17	0.77	34,41,45,45	0
2	GSH	F	230	20/20	0.79	0.20	0.63	41,45,49,50	0
2	GSH	A	230	20/20	0.87	0.15	0.59	51,53,54,56	0
2	GSH	H	230	20/20	0.86	0.17	0.15	51,55,57,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.