



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 07:41 PM GMT

PDB ID : 4WL5  
Title : Structure of D456A mutant of the nicking endonuclease Nt.BspD6I.  
Authors : Kachalova, G.S.; Popov, A.N.; Yunusova, A.K.; Artyukh, R.I.; Perevyazova, T.A.; Zheleznaya, L.A.; Bartunik, H.D.  
Deposited on : 2014-10-06  
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : unknown  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026982  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20026982


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*


The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1112 (3.20-3.12)
Clashscore	102246	1249 (3.20-3.12)
Ramachandran outliers	100387	1222 (3.20-3.12)
Sidechain outliers	100360	1221 (3.20-3.12)
RSRZ outliers	91569	1117 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	610	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heterodimeric restriction endonuclease R.BspD6I large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	594	4916	3162	829	909	16	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	expression tag	UNP A3FEV7
A	-4	HIS	-	expression tag	UNP A3FEV7
A	-3	HIS	-	expression tag	UNP A3FEV7
A	-2	HIS	-	expression tag	UNP A3FEV7
A	-1	HIS	-	expression tag	UNP A3FEV7
A	0	HIS	-	expression tag	UNP A3FEV7
A	456	ALA	ASP	engineered mutation	UNP A3FEV7


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	38	Total	O	0	0
			38	38		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Heterodimeric restriction endonuclease R.BspD6I large subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.90 Å 87.80 Å 118.96 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	18.96 – 3.15 18.92 – 3.15	Depositor EDS
% Data completeness (in resolution range)	97.8 (18.96-3.15) 97.9 (18.92-3.15)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.74 (at 3.15 Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.218 , 0.287 0.217 , 0.284	Depositor DCC
$R_{free}$ test set	553 reflections (5.35%)	DCC
Wilson B-factor (Å <sup>2</sup> )	65.2	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 59.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 10908 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4954	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.57	1/5015 (0.0%)	0.62	3/6751 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	ALA	CA-CB	8.87	1.71	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	39	GLY	N-CA-C	-8.99	90.62	113.10
1	A	65	ALA	CB-CA-C	-5.18	102.33	110.10
1	A	452	GLY	N-CA-C	-5.04	100.51	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	476	ALA	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4916	0	4969	259	0
2	A	38	0	0	0	0
All	All	4954	0	4969	259	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (259) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:ALA:CB	1:A:3:LYS:HB2	1.23	1.61
1:A:56:PHE:CD1	1:A:61:TYR:CZ	1.84	1.58
1:A:2:ALA:HB3	1:A:3:LYS:CB	1.01	1.47
1:A:477:THR:HG23	1:A:480:LYS:CB	1.49	1.40
1:A:56:PHE:CD1	1:A:61:TYR:OH	1.66	1.39
1:A:40:TYR:CD2	1:A:43:GLN:HB3	1.59	1.36
1:A:2:ALA:HB3	1:A:3:LYS:CG	1.60	1.28
1:A:64:GLU:HB3	1:A:65:ALA:CB	1.61	1.28
1:A:477:THR:HA	1:A:478:GLN:NE2	1.49	1.25
1:A:479:PHE:CB	1:A:480:LYS:HA	1.51	1.24
1:A:2:ALA:CB	1:A:3:LYS:CG	2.13	1.24
1:A:477:THR:O	1:A:480:LYS:HB2	1.36	1.22
1:A:40:TYR:CB	1:A:43:GLN:H	1.52	1.21
1:A:602:VAL:CG2	1:A:603:ARG:H	1.49	1.20
1:A:64:GLU:CG	1:A:65:ALA:HA	1.73	1.18
1:A:56:PHE:CE1	1:A:61:TYR:CZ	2.33	1.16
1:A:602:VAL:HG22	1:A:603:ARG:N	1.50	1.15
1:A:56:PHE:CG	1:A:61:TYR:OH	2.00	1.13
1:A:40:TYR:CD2	1:A:43:GLN:CB	2.29	1.13
1:A:40:TYR:HD2	1:A:43:GLN:CB	1.59	1.13
1:A:56:PHE:CE1	1:A:61:TYR:CE2	2.35	1.12
1:A:60:THR:HB	1:A:452:GLY:N	1.64	1.12
1:A:477:THR:HG23	1:A:480:LYS:HB2	1.13	1.11
1:A:40:TYR:HB2	1:A:43:GLN:H	1.13	1.10
1:A:479:PHE:HB2	1:A:480:LYS:CA	1.82	1.09

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:GLU:HG3	1:A:65:ALA:HA	1.29	1.09
1:A:600:LYS:O	1:A:601:GLU:HG2	1.51	1.08
1:A:477:THR:CG2	1:A:480:LYS:CB	2.32	1.07
1:A:64:GLU:HB3	1:A:65:ALA:HB2	1.10	1.07
1:A:56:PHE:HD1	1:A:61:TYR:CE1	1.73	1.05
1:A:2:ALA:CA	1:A:3:LYS:HB2	1.85	1.05
1:A:477:THR:CG2	1:A:480:LYS:HB3	1.86	1.04
1:A:60:THR:OG1	1:A:451:ALA:HA	1.59	1.01
1:A:56:PHE:HA	1:A:61:TYR:OH	1.63	0.98
1:A:477:THR:HG23	1:A:480:LYS:HB3	1.40	0.97
1:A:2:ALA:CB	1:A:3:LYS:CD	2.42	0.97
1:A:2:ALA:CB	1:A:3:LYS:HD2	1.95	0.96
1:A:479:PHE:CB	1:A:480:LYS:CA	2.38	0.95
1:A:477:THR:HA	1:A:478:GLN:HE22	1.16	0.95
1:A:64:GLU:CB	1:A:65:ALA:HB2	1.96	0.95
1:A:2:ALA:HB1	1:A:3:LYS:CG	1.93	0.95
1:A:56:PHE:HD1	1:A:61:TYR:CZ	1.45	0.94
1:A:64:GLU:HB3	1:A:65:ALA:CA	1.97	0.93
1:A:56:PHE:CA	1:A:61:TYR:OH	2.16	0.93
1:A:41:LYS:HG2	1:A:42:ALA:N	1.83	0.93
1:A:601:GLU:O	1:A:602:VAL:HB	1.67	0.93
1:A:40:TYR:CB	1:A:43:GLN:N	2.31	0.93
1:A:2:ALA:HB1	1:A:3:LYS:HG3	1.48	0.93
1:A:477:THR:CA	1:A:478:GLN:NE2	2.31	0.92
1:A:600:LYS:O	1:A:601:GLU:CG	2.17	0.92
1:A:2:ALA:CB	1:A:3:LYS:CB	1.92	0.92
1:A:40:TYR:CD1	1:A:40:TYR:N	2.33	0.92
1:A:37:VAL:CG2	1:A:38:LYS:N	2.31	0.91
1:A:56:PHE:CD1	1:A:61:TYR:CE2	2.59	0.90
1:A:64:GLU:CB	1:A:65:ALA:CA	2.50	0.89
1:A:61:TYR:HB3	1:A:63:LYS:O	1.72	0.89
1:A:37:VAL:HG22	1:A:38:LYS:N	1.87	0.89
1:A:37:VAL:CG2	1:A:38:LYS:H	1.87	0.88
1:A:40:TYR:HB2	1:A:43:GLN:N	1.87	0.88
1:A:56:PHE:CD1	1:A:61:TYR:CE1	2.52	0.87
1:A:479:PHE:HB2	1:A:480:LYS:HA	0.89	0.87
1:A:38:LYS:O	1:A:40:TYR:N	2.09	0.86
1:A:60:THR:CB	1:A:452:GLY:N	2.38	0.84
1:A:476:ALA:C	1:A:478:GLN:H	1.79	0.84
1:A:478:GLN:O	1:A:479:PHE:CD1	2.30	0.84
1:A:2:ALA:CB	1:A:3:LYS:HG3	2.05	0.84

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:GLU:HG3	1:A:65:ALA:CA	2.07	0.84
1:A:478:GLN:O	1:A:479:PHE:CG	2.32	0.83
1:A:64:GLU:CG	1:A:65:ALA:CA	2.56	0.83
1:A:40:TYR:HD2	1:A:43:GLN:HB3	0.71	0.83
1:A:61:TYR:CB	1:A:63:LYS:O	2.26	0.83
1:A:61:TYR:HB2	1:A:62:LYS:HA	1.57	0.83
1:A:37:VAL:HG23	1:A:38:LYS:H	1.43	0.83
1:A:483:SER:H	1:A:485:PRO:HD2	1.42	0.82
1:A:602:VAL:HG22	1:A:603:ARG:H	0.67	0.82
1:A:600:LYS:C	1:A:601:GLU:HG2	1.99	0.82
1:A:61:TYR:N	1:A:62:LYS:HB3	1.93	0.82
1:A:40:TYR:HB2	1:A:41:LYS:C	2.00	0.81
1:A:601:GLU:O	1:A:602:VAL:CB	2.29	0.80
1:A:478:GLN:C	1:A:479:PHE:CD1	2.54	0.80
1:A:40:TYR:CB	1:A:42:ALA:N	2.44	0.80
1:A:476:ALA:C	1:A:478:GLN:N	2.31	0.79
1:A:40:TYR:HB3	1:A:42:ALA:CA	2.13	0.79
1:A:602:VAL:HG22	1:A:604:PHE:H	1.48	0.78
1:A:40:TYR:CB	1:A:41:LYS:C	2.52	0.77
1:A:60:THR:CB	1:A:452:GLY:H	1.98	0.77
1:A:64:GLU:CB	1:A:65:ALA:CB	2.55	0.77
1:A:41:LYS:HG2	1:A:42:ALA:H	1.47	0.77
1:A:56:PHE:CB	1:A:61:TYR:OH	2.33	0.76
1:A:453:ASN:C	1:A:453:ASN:OD1	2.21	0.76
1:A:40:TYR:HD1	1:A:40:TYR:N	1.83	0.76
1:A:61:TYR:HB3	1:A:64:GLU:HB2	1.67	0.75
1:A:602:VAL:HG22	1:A:604:PHE:N	2.01	0.75
1:A:480:LYS:HG2	1:A:481:MET:H	1.49	0.75
1:A:60:THR:HB	1:A:452:GLY:H	1.49	0.75
1:A:188:GLY:HA3	1:A:191:LYS:HD3	1.68	0.74
1:A:38:LYS:O	1:A:39:GLY:C	2.23	0.74
1:A:3:LYS:O	1:A:5:VAL:N	2.21	0.74
1:A:40:TYR:HA	1:A:42:ALA:N	2.02	0.74
1:A:479:PHE:HB3	1:A:480:LYS:HA	1.65	0.73
1:A:40:TYR:CD2	1:A:43:GLN:HB2	2.23	0.73
1:A:476:ALA:HB1	1:A:478:GLN:OE1	1.88	0.73
1:A:63:LYS:HG2	1:A:65:ALA:CB	2.20	0.72
1:A:64:GLU:CB	1:A:65:ALA:HA	2.15	0.72
1:A:477:THR:O	1:A:477:THR:HG23	1.88	0.72
1:A:2:ALA:HB3	1:A:3:LYS:CD	2.11	0.71
1:A:30:GLU:HG2	1:A:92:ILE:HG12	1.71	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:TYR:HB3	1:A:42:ALA:HB3	1.70	0.71
1:A:38:LYS:O	1:A:40:TYR:C	2.29	0.71
1:A:59:THR:O	1:A:60:THR:HG22	1.89	0.71
1:A:3:LYS:O	1:A:4:LYS:C	2.29	0.71
1:A:475:GLY:O	1:A:476:ALA:CB	2.38	0.70
1:A:480:LYS:HG2	1:A:481:MET:N	2.06	0.70
1:A:63:LYS:O	1:A:64:GLU:HB2	1.92	0.70
1:A:450:ALA:O	1:A:451:ALA:HB2	1.93	0.69
1:A:2:ALA:HB2	1:A:3:LYS:HD2	1.74	0.69
1:A:450:ALA:O	1:A:451:ALA:CB	2.40	0.69
1:A:604:PHE:CD2	1:A:604:PHE:O	2.46	0.69
1:A:61:TYR:CB	1:A:62:LYS:HA	2.23	0.68
1:A:40:TYR:HB3	1:A:43:GLN:N	2.09	0.67
1:A:63:LYS:HG2	1:A:65:ALA:HB2	1.75	0.67
1:A:40:TYR:HB3	1:A:42:ALA:N	2.09	0.67
1:A:478:GLN:O	1:A:479:PHE:CB	2.42	0.67
1:A:41:LYS:O	1:A:44:GLU:N	2.28	0.67
1:A:61:TYR:H	1:A:62:LYS:HB3	1.57	0.67
1:A:38:LYS:O	1:A:40:TYR:CA	2.43	0.67
1:A:40:TYR:HA	1:A:41:LYS:HB3	1.78	0.66
1:A:119:PRO:HB3	1:A:123:HIS:O	1.96	0.66
1:A:40:TYR:CA	1:A:42:ALA:N	2.59	0.66
1:A:480:LYS:O	1:A:481:MET:HB2	1.95	0.65
1:A:602:VAL:CG2	1:A:604:PHE:H	2.08	0.65
1:A:60:THR:HB	1:A:452:GLY:CA	2.26	0.65
1:A:59:THR:HG21	1:A:481:MET:O	1.97	0.64
1:A:40:TYR:HB3	1:A:42:ALA:CB	2.26	0.64
1:A:175:GLU:OE2	1:A:203:ARG:NH1	2.30	0.64
1:A:476:ALA:O	1:A:478:GLN:N	2.31	0.63
1:A:63:LYS:O	1:A:64:GLU:CB	2.45	0.63
1:A:19:ILE:HD12	1:A:109:PHE:HZ	1.62	0.63
1:A:41:LYS:O	1:A:43:GLN:N	2.31	0.62
1:A:232:ARG:HG3	1:A:235:ARG:HH21	1.65	0.62
1:A:1:MET:HB3	1:A:4:LYS:HD3	1.83	0.61
1:A:478:GLN:C	1:A:479:PHE:HD1	2.00	0.60
1:A:40:TYR:CA	1:A:41:LYS:C	2.69	0.60
1:A:60:THR:OG1	1:A:451:ALA:CA	2.41	0.60
1:A:40:TYR:HA	1:A:42:ALA:H	1.65	0.60
1:A:526:TYR:CD2	1:A:530:GLN:HG3	2.37	0.59
1:A:482:GLU:HB3	1:A:486:VAL:HG23	1.84	0.59
1:A:243:ARG:NH1	1:A:448:THR:HG23	2.17	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:GLN:O	1:A:44:GLU:C	2.41	0.59
1:A:602:VAL:CG2	1:A:603:ARG:N	2.26	0.58
1:A:477:THR:HG23	1:A:480:LYS:CG	2.29	0.58
1:A:477:THR:HG21	1:A:480:LYS:CD	2.33	0.58
1:A:474:LYS:H	1:A:474:LYS:HD3	1.69	0.58
1:A:2:ALA:HB1	1:A:3:LYS:CD	2.26	0.58
1:A:583:THR:HA	1:A:586:LYS:HB3	1.86	0.57
1:A:2:ALA:HB3	1:A:3:LYS:HB2	0.57	0.57
1:A:477:THR:CG2	1:A:480:LYS:HB2	2.08	0.57
1:A:40:TYR:HB2	1:A:41:LYS:O	2.04	0.57
1:A:2:ALA:N	1:A:3:LYS:HB2	2.18	0.57
1:A:252:VAL:HB	1:A:443:GLU:HG3	1.86	0.57
1:A:79:TYR:O	1:A:112:GLN:NE2	2.34	0.56
1:A:56:PHE:HE1	1:A:61:TYR:CE2	2.19	0.56
1:A:60:THR:CG2	1:A:452:GLY:H	2.19	0.56
1:A:473:SER:C	1:A:475:GLY:H	2.08	0.56
1:A:15:SER:HB2	1:A:448:THR:HG21	1.89	0.55
1:A:425:PHE:CZ	1:A:509:LEU:HD12	2.41	0.54
1:A:374:LEU:HD11	1:A:444:LEU:HD23	1.89	0.54
1:A:126:LYS:HD3	1:A:126:LYS:H	1.72	0.54
1:A:477:THR:O	1:A:478:GLN:C	2.45	0.54
1:A:512:ALA:HB3	1:A:515:ILE:HG12	1.89	0.54
1:A:545:LEU:HD21	1:A:593:LEU:HD11	1.90	0.54
1:A:204:PHE:HB3	1:A:227:ILE:HD11	1.90	0.54
1:A:478:GLN:O	1:A:479:PHE:HB2	2.07	0.53
1:A:482:GLU:HG2	1:A:485:PRO:HB2	1.88	0.53
1:A:477:THR:HG22	1:A:480:LYS:HB3	1.86	0.53
1:A:36:GLY:C	1:A:37:VAL:O	2.46	0.53
1:A:479:PHE:N	1:A:479:PHE:HD1	2.07	0.52
1:A:63:LYS:HD2	1:A:64:GLU:H	1.74	0.52
1:A:475:GLY:O	1:A:476:ALA:HB2	2.08	0.52
1:A:43:GLN:O	1:A:46:PHE:N	2.42	0.52
1:A:63:LYS:HG2	1:A:65:ALA:HB3	1.91	0.52
1:A:36:GLY:O	1:A:37:VAL:O	2.28	0.52
1:A:453:ASN:O	1:A:454:GLN:HG3	2.10	0.52
1:A:61:TYR:HB2	1:A:63:LYS:O	2.07	0.52
1:A:43:GLN:NE2	1:A:44:GLU:HA	2.24	0.52
1:A:63:LYS:HD2	1:A:64:GLU:N	2.26	0.51
1:A:121:PHE:CZ	1:A:284:VAL:HB	2.46	0.51
1:A:1:MET:SD	1:A:4:LYS:NZ	2.79	0.51
1:A:479:PHE:N	1:A:479:PHE:CD1	2.76	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:LYS:HA	1:A:63:LYS:C	2.31	0.50
1:A:471:THR:OG1	1:A:480:LYS:O	2.28	0.50
1:A:604:PHE:CG	1:A:604:PHE:O	2.64	0.50
1:A:600:LYS:O	1:A:601:GLU:O	2.30	0.50
1:A:41:LYS:CG	1:A:42:ALA:N	2.52	0.50
1:A:41:LYS:O	1:A:42:ALA:C	2.49	0.50
1:A:599:ASP:O	1:A:599:ASP:OD1	2.30	0.49
1:A:600:LYS:C	1:A:601:GLU:CG	2.71	0.49
1:A:115:LYS:NZ	1:A:293:ASN:O	2.43	0.49
1:A:34:TRP:O	1:A:40:TYR:HE1	1.96	0.48
1:A:165:ASN:OD1	1:A:166:ASN:N	2.46	0.48
1:A:476:ALA:O	1:A:477:THR:C	2.50	0.48
1:A:537:LEU:HD21	1:A:571:LEU:HD13	1.96	0.47
1:A:477:THR:O	1:A:478:GLN:O	2.32	0.47
1:A:478:GLN:N	1:A:478:GLN:CD	2.66	0.47
1:A:479:PHE:CD1	1:A:483:SER:HB3	2.50	0.47
1:A:64:GLU:HG3	1:A:65:ALA:N	2.29	0.47
1:A:38:LYS:O	1:A:40:TYR:O	2.33	0.47
1:A:601:GLU:O	1:A:602:VAL:CG1	2.61	0.47
1:A:477:THR:CG2	1:A:480:LYS:CD	2.93	0.47
1:A:477:THR:O	1:A:477:THR:CG2	2.60	0.47
1:A:482:GLU:HB3	1:A:486:VAL:CG2	2.44	0.46
1:A:581:LYS:HB2	1:A:584:GLN:CG	2.45	0.46
1:A:425:PHE:HZ	1:A:509:LEU:HD12	1.80	0.46
1:A:13:PRO:HG2	1:A:19:ILE:HG12	1.96	0.46
1:A:475:GLY:O	1:A:476:ALA:HB3	2.15	0.46
1:A:429:GLY:HA2	1:A:434:TYR:OH	2.16	0.46
1:A:484:GLU:HB3	1:A:485:PRO:HD3	1.97	0.45
1:A:40:TYR:HA	1:A:41:LYS:CB	2.38	0.45
1:A:60:THR:HG21	1:A:452:GLY:H	1.81	0.45
1:A:464:PHE:HA	1:A:504:LYS:HB3	1.98	0.45
1:A:40:TYR:HB3	1:A:42:ALA:C	2.37	0.45
1:A:140:PHE:HZ	1:A:172:ILE:HD12	1.80	0.45
1:A:397:LYS:HE3	1:A:397:LYS:HB2	1.75	0.45
1:A:202:LYS:HA	1:A:205:GLU:HB3	1.98	0.45
1:A:39:GLY:HA2	1:A:41:LYS:HB3	1.99	0.44
1:A:477:THR:C	1:A:478:GLN:NE2	2.71	0.44
1:A:479:PHE:CE1	1:A:483:SER:HB3	2.52	0.44
1:A:477:THR:HG21	1:A:480:LYS:HD2	1.99	0.44
1:A:473:SER:C	1:A:475:GLY:N	2.70	0.44
1:A:61:TYR:CB	1:A:62:LYS:CA	2.94	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:TYR:CE2	1:A:43:GLN:CB	2.94	0.44
1:A:331:ASN:HD21	1:A:375:GLN:HE22	1.65	0.44
1:A:26:LEU:HD23	1:A:82:VAL:HG11	1.99	0.44
1:A:40:TYR:CE2	1:A:43:GLN:HB2	2.51	0.43
1:A:494:LYS:O	1:A:498:GLU:HG3	2.18	0.43
1:A:480:LYS:O	1:A:481:MET:CB	2.64	0.43
1:A:64:GLU:HG2	1:A:65:ALA:HA	1.84	0.43
1:A:59:THR:HG22	1:A:60:THR:H	1.83	0.43
1:A:469:GLU:HG3	1:A:486:VAL:HG13	2.01	0.43
1:A:224:LYS:O	1:A:228:GLU:HB2	2.19	0.43
1:A:602:VAL:CG2	1:A:604:PHE:N	2.73	0.42
1:A:53:LEU:HD12	1:A:54:PRO:HD2	2.02	0.42
1:A:59:THR:OG1	1:A:485:PRO:HG3	2.20	0.42
1:A:464:PHE:CE1	1:A:565:LYS:HB2	2.54	0.42
1:A:581:LYS:HB2	1:A:584:GLN:HG3	2.00	0.42
1:A:60:THR:N	1:A:62:LYS:HD3	2.35	0.41
1:A:39:GLY:HA2	1:A:40:TYR:HA	1.61	0.41
1:A:201:PHE:HD1	1:A:202:LYS:HD3	1.84	0.41
1:A:463:ASP:OD1	1:A:463:ASP:N	2.54	0.41
1:A:59:THR:O	1:A:60:THR:CG2	2.63	0.41
1:A:430:ASN:ND2	1:A:559:LEU:O	2.40	0.41
1:A:557:ARG:NH2	1:A:602:VAL:HG11	2.36	0.41
1:A:65:ALA:O	1:A:67:PHE:N	2.44	0.41
1:A:36:GLY:O	1:A:37:VAL:C	2.58	0.41
1:A:601:GLU:O	1:A:602:VAL:HG12	2.21	0.40
1:A:251:PHE:HB3	1:A:258:LEU:HD11	2.02	0.40
1:A:4:LYS:O	1:A:133:TRP:HZ2	2.05	0.40
1:A:63:LYS:CG	1:A:65:ALA:HB3	2.51	0.40
1:A:199:TYR:O	1:A:203:ARG:HB3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	590/610 (97%)	529 (90%)	40 (7%)	21 (4%)	4	28

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	38	LYS
1	A	42	ALA
1	A	64	GLU
1	A	65	ALA
1	A	451	ALA
1	A	476	ALA
1	A	477	THR
1	A	479	PHE
1	A	481	MET
1	A	602	VAL
1	A	4	LYS
1	A	37	VAL
1	A	603	ARG
1	A	59	THR
1	A	60	THR
1	A	209	GLY
1	A	66	ALA
1	A	483	SER
1	A	10	SER
1	A	601	GLU
1	A	12	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	539/553 (98%)	519 (96%)	20 (4%)	41	78

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	VAL
1	A	40	TYR
1	A	43	GLN
1	A	59	THR
1	A	63	LYS
1	A	126	LYS
1	A	147	LYS
1	A	169	VAL
1	A	191	LYS
1	A	200	PHE
1	A	203	ARG
1	A	205	GLU
1	A	286	GLU
1	A	290	TYR
1	A	305	GLU
1	A	349	LYS
1	A	453	ASN
1	A	474	LYS
1	A	484	GLU
1	A	496	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	GLN
1	A	366	GLN
1	A	478	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	594/610 (97%)	-0.10	16 (2%) 58 42	31, 56, 86, 107	18 (3%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	602	VAL	3.8
1	A	481	MET	3.5
1	A	1	MET	3.4
1	A	604	PHE	3.4
1	A	66	ALA	3.0
1	A	52	ALA	2.9
1	A	451	ALA	2.8
1	A	348	LYS	2.7
1	A	480	LYS	2.7
1	A	211	VAL	2.6
1	A	328	HIS	2.5
1	A	478	GLN	2.4
1	A	71	ASP	2.2
1	A	57	LEU	2.2
1	A	477	THR	2.0
1	A	601	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.