



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:01 PM GMT

PDB ID : 4WNV  
Title : Human Cytochrome P450 2D6 Quinine Complex  
Authors : Wang, A.; Stout, C.D.; Johnson, E.F.  
Deposited on : 2014-10-14  
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1352 (2.38-2.34)
Clashscore	102246	1456 (2.38-2.34)
Ramachandran outliers	100387	1435 (2.38-2.34)
Sidechain outliers	100360	1436 (2.38-2.34)
RSRZ outliers	91569	1358 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	<div> <div>6%</div> <div>87%</div> <div>10%</div> <div>.</div> </div>
1	B	479	<div> <div>9%</div> <div>84%</div> <div>11%</div> <div>5%</div> </div>
1	C	479	<div> <div>7%</div> <div>86%</div> <div>9%</div> <div>5%</div> </div>
1	D	479	<div> <div>8%</div> <div>85%</div> <div>9%</div> <div>5%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	604	-	-	-	X
6	NA	B	606	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2D6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	464	Total	C	N	O	S	0	0	0
			3665	2352	649	650	14			
1	B	455	Total	C	N	O	S	0	0	0
			3606	2313	639	640	14			
1	C	454	Total	C	N	O	S	0	0	0
			3590	2301	637	638	14			
1	D	453	Total	C	N	O	S	0	0	0
			3588	2299	637	638	14			

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	initiating methionine	UNP P10635
A	24	ALA	-	expression tag	UNP P10635
A	25	LYS	-	expression tag	UNP P10635
A	26	LYS	-	expression tag	UNP P10635
A	27	THR	-	expression tag	UNP P10635
A	28	SER	-	expression tag	UNP P10635
A	29	SER	-	expression tag	UNP P10635
A	30	LYS	-	expression tag	UNP P10635
A	31	GLY	-	expression tag	UNP P10635
A	32	LYS	-	expression tag	UNP P10635
A	33	LEU	-	expression tag	UNP P10635
A	34	PRO	-	expression tag	UNP P10635
A	35	PRO	-	expression tag	UNP P10635
A	36	GLY	-	expression tag	UNP P10635
A	37	PRO	-	expression tag	UNP P10635
A	38	LEU	-	expression tag	UNP P10635
A	39	PRO	-	expression tag	UNP P10635
A	40	LEU	-	expression tag	UNP P10635
A	41	PRO	-	expression tag	UNP P10635
A	42	GLY	-	expression tag	UNP P10635
A	43	LEU	-	expression tag	UNP P10635

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	44	GLY	-	expression tag	UNP P10635
A	45	ASN	-	expression tag	UNP P10635
A	46	LEU	-	expression tag	UNP P10635
A	47	LEU	-	expression tag	UNP P10635
A	498	HIS	-	expression tag	UNP P10635
A	499	HIS	-	expression tag	UNP P10635
A	500	HIS	-	expression tag	UNP P10635
A	501	HIS	-	expression tag	UNP P10635
B	23	MET	-	initiating methionine	UNP P10635
B	24	ALA	-	expression tag	UNP P10635
B	25	LYS	-	expression tag	UNP P10635
B	26	LYS	-	expression tag	UNP P10635
B	27	THR	-	expression tag	UNP P10635
B	28	SER	-	expression tag	UNP P10635
B	29	SER	-	expression tag	UNP P10635
B	30	LYS	-	expression tag	UNP P10635
B	31	GLY	-	expression tag	UNP P10635
B	32	LYS	-	expression tag	UNP P10635
B	33	LEU	-	expression tag	UNP P10635
B	34	PRO	-	expression tag	UNP P10635
B	35	PRO	-	expression tag	UNP P10635
B	36	GLY	-	expression tag	UNP P10635
B	37	PRO	-	expression tag	UNP P10635
B	38	LEU	-	expression tag	UNP P10635
B	39	PRO	-	expression tag	UNP P10635
B	40	LEU	-	expression tag	UNP P10635
B	41	PRO	-	expression tag	UNP P10635
B	42	GLY	-	expression tag	UNP P10635
B	43	LEU	-	expression tag	UNP P10635
B	44	GLY	-	expression tag	UNP P10635
B	45	ASN	-	expression tag	UNP P10635
B	46	LEU	-	expression tag	UNP P10635
B	47	LEU	-	expression tag	UNP P10635
B	498	HIS	-	expression tag	UNP P10635
B	499	HIS	-	expression tag	UNP P10635
B	500	HIS	-	expression tag	UNP P10635
B	501	HIS	-	expression tag	UNP P10635
C	23	MET	-	initiating methionine	UNP P10635
C	24	ALA	-	expression tag	UNP P10635
C	25	LYS	-	expression tag	UNP P10635
C	26	LYS	-	expression tag	UNP P10635
C	27	THR	-	expression tag	UNP P10635

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	28	SER	-	expression tag	UNP P10635
C	29	SER	-	expression tag	UNP P10635
C	30	LYS	-	expression tag	UNP P10635
C	31	GLY	-	expression tag	UNP P10635
C	32	LYS	-	expression tag	UNP P10635
C	33	LEU	-	expression tag	UNP P10635
C	34	PRO	-	expression tag	UNP P10635
C	35	PRO	-	expression tag	UNP P10635
C	36	GLY	-	expression tag	UNP P10635
C	37	PRO	-	expression tag	UNP P10635
C	38	LEU	-	expression tag	UNP P10635
C	39	PRO	-	expression tag	UNP P10635
C	40	LEU	-	expression tag	UNP P10635
C	41	PRO	-	expression tag	UNP P10635
C	42	GLY	-	expression tag	UNP P10635
C	43	LEU	-	expression tag	UNP P10635
C	44	GLY	-	expression tag	UNP P10635
C	45	ASN	-	expression tag	UNP P10635
C	46	LEU	-	expression tag	UNP P10635
C	47	LEU	-	expression tag	UNP P10635
C	498	HIS	-	expression tag	UNP P10635
C	499	HIS	-	expression tag	UNP P10635
C	500	HIS	-	expression tag	UNP P10635
C	501	HIS	-	expression tag	UNP P10635
D	23	MET	-	initiating methionine	UNP P10635
D	24	ALA	-	expression tag	UNP P10635
D	25	LYS	-	expression tag	UNP P10635
D	26	LYS	-	expression tag	UNP P10635
D	27	THR	-	expression tag	UNP P10635
D	28	SER	-	expression tag	UNP P10635
D	29	SER	-	expression tag	UNP P10635
D	30	LYS	-	expression tag	UNP P10635
D	31	GLY	-	expression tag	UNP P10635
D	32	LYS	-	expression tag	UNP P10635
D	33	LEU	-	expression tag	UNP P10635
D	34	PRO	-	expression tag	UNP P10635
D	35	PRO	-	expression tag	UNP P10635
D	36	GLY	-	expression tag	UNP P10635
D	37	PRO	-	expression tag	UNP P10635
D	38	LEU	-	expression tag	UNP P10635
D	39	PRO	-	expression tag	UNP P10635
D	40	LEU	-	expression tag	UNP P10635


*Continued on next page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	41	PRO	-	expression tag	UNP P10635
D	42	GLY	-	expression tag	UNP P10635
D	43	LEU	-	expression tag	UNP P10635
D	44	GLY	-	expression tag	UNP P10635
D	45	ASN	-	expression tag	UNP P10635
D	46	LEU	-	expression tag	UNP P10635
D	47	LEU	-	expression tag	UNP P10635
D	498	HIS	-	expression tag	UNP P10635
D	499	HIS	-	expression tag	UNP P10635
D	500	HIS	-	expression tag	UNP P10635
D	501	HIS	-	expression tag	UNP P10635

- 
- Chemical structure of HEM (Heme) showing a central iron atom coordinated by four nitrogen atoms in a porphyrin-like ring, with various side chains and a central heme group.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- 



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			24	20	2	2		
3	B	1	Total	C	N	O	0	0
			24	20	2	2		
3	C	1	Total	C	N	O	0	0
			24	20	2	2		
3	D	1	Total	C	N	O	0	0
			24	20	2	2		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Zn 1 1	0	0
5	A	3	Total Zn 3 3	0	0
5	D	1	Total Zn 1 1	0	0
5	C	2	Total Zn 2 2	0	0

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total Na 1 1	0	0
6	D	1	Total Na 1 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	96	Total O 96 96	0	0
7	B	65	Total O 65 65	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	79	Total	O	0	0
			79	79		
7	D	56	Total	O	0	0
			56	56		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Cytochrome P450 2D6



#### • Molecule 1: Cytochrome P450 2D6





#### • Molecule 1: Cytochrome P450 2D6





● Molecule 1: Cytochrome P450 2D6



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.57Å 192.70Å 249.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.43 – 2.35 38.19 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.4 (35.43-2.35) 98.3 (38.19-2.35)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.30 (at 2.34Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.202 , 0.238 0.217 , 0.252	Depositor DCC
$R_{free}$ test set	5762 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	26.5	Xtriage
Anisotropy	0.874	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 44.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	2 of 114846 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	15064	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.65 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.7150e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, QI9, HEM, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/3763	0.54	1/5116 (0.0%)
1	B	0.39	0/3703	0.51	0/5034
1	C	0.41	0/3686	0.53	1/5011 (0.0%)
1	D	0.38	0/3683	0.50	0/5006
All	All	0.40	0/14835	0.52	2/20167 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	441	ARG	NE-CZ-NH2	-6.40	117.10	120.30
1	C	441	ARG	NE-CZ-NH2	-5.98	117.31	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3665	0	3658	29	0
1	B	3606	0	3592	38	0
1	C	3590	0	3578	28	0
1	D	3588	0	3576	28	0
2	A	43	0	30	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	43	0	30	4	0
2	C	43	0	30	4	0
2	D	43	0	30	4	0
3	A	24	0	24	2	0
3	B	24	0	24	3	0
3	C	24	0	24	1	0
3	D	24	0	24	3	0
4	A	12	0	16	1	0
4	B	12	0	16	0	0
4	C	12	0	16	1	0
4	D	6	0	8	0	0
5	A	3	0	0	0	0
5	B	1	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
7	A	96	0	0	1	0
7	B	65	0	0	3	0
7	C	79	0	0	1	0
7	D	56	0	0	2	0
All	All	15064	0	14676	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:224:LEU:HG	1:D:240:VAL:HG11	1.62	0.80
1:C:324:HIS:HE1	1:C:477:HIS:HE1	1.37	0.72
1:D:201:ARG:HD3	1:D:254:LEU:HD21	1.73	0.70
1:B:122:ALA:O	1:B:441:ARG:NH2	2.23	0.69
1:B:166:ASN:O	1:B:170:ARG:NH2	2.30	0.63
1:D:276:LEU:HD23	1:D:279:MET:HE3	1.78	0.63
1:D:369:ILE:HG13	1:D:370:VAL:HG23	1.80	0.63
1:A:46:LEU:HD21	1:A:74:ALA:H	1.66	0.60
1:A:369:ILE:HG13	1:A:370:VAL:HG23	1.83	0.59
1:D:483:PHE:HB3	3:D:602:Q19:H24	1.85	0.59
1:D:480:VAL:O	7:D:710:HOH:O	2.17	0.58
2:C:601:HEM:HMB2	2:C:601:HEM:HBB2	1.84	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:324:HIS:CE1	1:C:477:HIS:HE1	2.20	0.57
1:C:443:CYS:HB2	2:C:601:HEM:NA	2.19	0.57
1:A:89:GLU:OE2	7:A:701:HOH:O	2.17	0.56
1:B:307:MET:HB3	7:B:713:HOH:O	2.06	0.56
1:A:356:THR:HG21	1:A:458:THR:HG22	1.88	0.56
1:B:472:GLN:O	7:B:701:HOH:O	2.17	0.56
1:A:222:GLU:OE2	4:A:603:GOL:H12	2.05	0.56
1:D:445:GLY:HA3	2:D:601:HEM:C3C	2.42	0.55
1:B:266:GLN:HG3	1:B:267:PRO:HD2	1.89	0.55
2:D:601:HEM:HBB2	2:D:601:HEM:HMB2	1.88	0.55
1:A:53:ASN:ND2	1:D:64:ARG:HH21	2.07	0.54
1:B:369:ILE:HG13	1:B:370:VAL:HG23	1.90	0.53
1:B:167:HIS:HA	1:B:170:ARG:NH2	2.23	0.53
1:C:324:HIS:HE1	1:C:477:HIS:CE1	2.22	0.53
1:A:38:LEU:HD12	1:A:39:PRO:HD2	1.91	0.52
1:B:32:LYS:HG3	1:B:388:ARG:HB2	1.91	0.52
1:D:91:LEU:HD11	1:D:397:THR:HG21	1.91	0.52
1:D:120:PHE:CD2	3:D:602:QI9:H12	2.45	0.52
1:B:227:VAL:HG12	1:B:229:VAL:HG12	1.93	0.51
1:D:227:VAL:HG12	1:D:229:VAL:HG12	1.91	0.51
1:B:448:LEU:HD23	2:B:601:HEM:HBC2	1.91	0.51
1:A:211:GLU:OE2	1:A:214:LYS:NZ	2.42	0.51
1:B:91:LEU:HD11	1:B:397:THR:HG21	1.93	0.50
1:A:326:ASP:N	1:A:326:ASP:OD1	2.45	0.50
1:A:316:TRP:CD1	1:A:487:PRO:HD3	2.47	0.49
1:B:59:ASP:O	1:B:63:ARG:HG2	2.13	0.49
1:C:109:ILE:HD11	1:C:231:LEU:HD22	1.94	0.49
1:C:316:TRP:CD1	1:C:487:PRO:HD3	2.48	0.49
1:B:120:PHE:CD2	3:B:602:QI9:H12	2.48	0.49
2:A:601:HEM:HMB1	2:A:601:HEM:HBB2	1.94	0.48
1:A:339:ILE:HA	1:A:343:ARG:HH12	1.77	0.48
1:A:91:LEU:HD11	1:A:397:THR:HG21	1.95	0.48
1:B:483:PHE:HB3	3:B:602:QI9:H24	1.95	0.48
1:C:64:ARG:HD2	1:C:65:PHE:CE1	2.48	0.48
1:C:323:LEU:HD13	1:C:477:HIS:CD2	2.49	0.48
1:B:424:GLN:O	1:D:424:GLN:HG3	2.13	0.47
1:C:180:LYS:HE2	1:C:203:LEU:HD21	1.95	0.47
1:D:216:GLU:O	1:D:221:ARG:HD3	2.14	0.47
1:D:316:TRP:CD1	1:D:487:PRO:HD3	2.49	0.47
1:A:381:ASP:OD1	1:A:391:LYS:N	2.38	0.47
1:A:64:ARG:HD2	1:A:65:PHE:CE1	2.50	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:324:HIS:CE1	1:C:477:HIS:CE1	3.02	0.47
1:C:436:PHE:HB3	1:C:443:CYS:HB3	1.97	0.46
1:B:224:LEU:HD12	1:B:240:VAL:HG11	1.97	0.46
1:D:144:LEU:HD12	1:D:145:GLY:N	2.30	0.46
1:C:448:LEU:HD23	2:C:601:HEM:HBC2	1.97	0.46
1:B:224:LEU:CD1	1:B:240:VAL:HG11	2.45	0.46
1:A:152:TRP:CD2	1:A:188:SER:HB3	2.50	0.46
4:C:603:GOL:O2	4:C:604:GOL:H11	2.16	0.46
1:A:120:PHE:HE2	1:A:374:VAL:HG11	1.81	0.46
1:B:56:TYR:CD1	1:C:60:GLN:HG3	2.51	0.46
1:B:173:ARG:NH1	1:B:489:PRO:HB3	2.31	0.45
1:D:97:ASP:OD2	1:D:380:ARG:HD3	2.16	0.45
1:D:110:LEU:HD21	1:D:241:LEU:HD13	1.97	0.45
1:D:60:GLN:HB3	1:D:64:ARG:NH2	2.32	0.45
1:B:445:GLY:HA3	2:B:601:HEM:C3C	2.51	0.45
1:A:448:LEU:HD23	2:A:601:HEM:HBC2	1.99	0.45
1:B:236:LEU:O	1:B:240:VAL:HG13	2.16	0.45
1:C:369:ILE:HG13	1:C:370:VAL:HG23	1.99	0.45
1:A:227:VAL:HG12	1:A:229:VAL:HG22	1.99	0.45
1:A:219:PHE:O	1:A:222:GLU:HB2	2.17	0.45
1:D:409:TRP:O	1:D:412:PRO:HD3	2.17	0.45
1:A:445:GLY:HA3	2:A:601:HEM:C3C	2.52	0.44
1:D:307:MET:HB3	7:D:707:HOH:O	2.17	0.44
1:B:437:SER:HB3	2:B:601:HEM:HBA1	1.99	0.44
1:A:437:SER:HB3	2:A:601:HEM:HBA1	1.99	0.44
1:D:52:GLN:OE1	1:D:481:PHE:HB3	2.18	0.44
1:C:91:LEU:HD11	1:C:397:THR:HG21	1.98	0.44
1:B:406:GLU:O	7:B:746:HOH:O	2.20	0.44
1:C:339:ILE:HD13	1:C:345:PRO:HB3	2.00	0.44
1:C:356:THR:HG21	1:C:458:THR:HG22	1.99	0.44
1:A:270:ASP:OD1	1:A:273:GLU:HG3	2.18	0.44
1:B:106:ILE:HG22	1:B:231:LEU:HD21	1.98	0.44
1:C:193:ARG:NH1	7:C:702:HOH:O	2.48	0.44
1:B:224:LEU:HD13	1:B:231:LEU:HD23	2.00	0.43
1:B:54:THR:HB	1:B:55:PRO:HD3	2.00	0.43
1:C:445:GLY:HA3	2:C:601:HEM:C3C	2.53	0.43
1:D:446:GLU:HB3	1:D:447:PRO:HD3	1.99	0.43
1:A:220:LEU:HD23	1:A:220:LEU:HA	1.75	0.43
1:C:199:ASP:HA	1:C:200:PRO:HD3	1.88	0.43
1:A:120:PHE:CD2	3:A:602:QI9:H12	2.53	0.43
1:C:262:TRP:O	1:C:264:PRO:HD3	2.18	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:THR:HB	1:A:112:PHE:CD2	2.54	0.42
1:C:270:ASP:OD1	1:C:273:GLU:HG3	2.19	0.42
1:A:275:PHE:CD2	1:A:295:LEU:HD13	2.53	0.42
1:B:56:TYR:HD1	1:C:60:GLN:HG3	1.84	0.42
1:A:422:ASP:CB	1:C:424:GLN:HG3	2.49	0.42
1:B:204:ARG:CZ	1:B:208:LEU:HD11	2.50	0.42
1:D:276:LEU:HA	1:D:279:MET:HE3	2.00	0.42
2:D:601:HEM:HMC2	2:D:601:HEM:HBC2	2.02	0.42
1:B:355:TYR:O	1:B:359:VAL:HG23	2.19	0.42
3:A:602:QI9:H10	3:A:602:QI9:H13	1.83	0.42
1:D:221:ARG:HA	1:D:224:LEU:HB2	2.02	0.42
1:B:140:ARG:O	1:B:144:LEU:HD13	2.19	0.42
1:D:448:LEU:HD23	2:D:601:HEM:HBC2	2.01	0.42
3:D:602:QI9:H10	3:D:602:QI9:H13	1.92	0.41
1:B:100:ASP:HA	1:B:124:TYR:HB2	2.02	0.41
1:D:152:TRP:CD2	1:D:188:SER:HB3	2.56	0.41
1:B:283:LYS:HE2	1:B:283:LYS:HB3	1.85	0.41
1:D:495:VAL:HA	1:D:496:PRO:HD3	1.91	0.41
3:C:602:QI9:H13	3:C:602:QI9:H10	1.79	0.41
1:A:275:PHE:CE2	1:A:279:MET:HE2	2.56	0.41
1:A:167:HIS:HE1	1:A:177:LEU:HD11	1.86	0.41
1:C:152:TRP:CD2	1:C:188:SER:HB3	2.55	0.41
1:B:220:LEU:O	1:B:224:LEU:HG	2.21	0.41
1:B:483:PHE:CG	3:B:602:QI9:H24	2.56	0.41
1:B:319:LEU:O	1:B:322:ILE:HG12	2.20	0.41
1:B:356:THR:HG21	1:B:458:THR:HG22	2.02	0.41
1:B:443:CYS:HB2	2:B:601:HEM:NA	2.35	0.40
1:C:106:ILE:HD13	1:C:221:ARG:HG3	2.03	0.40
1:B:167:HIS:HA	1:B:170:ARG:HH21	1.86	0.40
1:C:267:PRO:HA	1:C:268:PRO:HD3	1.95	0.40
1:C:149:LEU:HD23	1:C:152:TRP:HE3	1.87	0.40
1:D:468:VAL:HA	1:D:469:PRO:HD3	1.94	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/479 (96%)	448 (97%)	12 (3%)	0	100	100
1	B	451/479 (94%)	443 (98%)	8 (2%)	0	100	100
1	C	450/479 (94%)	438 (97%)	12 (3%)	0	100	100
1	D	449/479 (94%)	440 (98%)	9 (2%)	0	100	100
All	All	1810/1916 (94%)	1769 (98%)	41 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/409 (97%)	392 (99%)	3 (1%)	86	94
1	B	389/409 (95%)	386 (99%)	3 (1%)	86	94
1	C	387/409 (95%)	383 (99%)	4 (1%)	82	91
1	D	387/409 (95%)	385 (100%)	2 (0%)	92	97
All	All	1558/1636 (95%)	1546 (99%)	12 (1%)	86	94

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	148	SER
1	A	341	GLN
1	A	484	LEU
1	B	239	LYS
1	B	461	LEU
1	B	492	LEU
1	C	148	SER
1	C	341	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	342	VAL
1	C	492	LEU
1	D	120	PHE
1	D	148	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	333	GLN
1	B	108	GLN
1	C	324	HIS
1	C	477	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 9 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	601	1,7	30,50,50	2.35	8 (26%)	24,82,82	2.35	8 (33%)
3	QI9	A	602	-	27,27,27	0.21	0	39,39,39	0.40	0
4	GOL	A	603	-	5,5,5	0.32	0	5,5,5	0.53	0
4	GOL	A	604	-	5,5,5	0.27	0	5,5,5	0.43	0
2	HEM	B	601	1,7	30,50,50	2.47	8 (26%)	24,82,82	2.41	8 (33%)
3	QI9	B	602	-	27,27,27	0.27	0	39,39,39	0.52	0
4	GOL	B	603	-	5,5,5	0.32	0	5,5,5	0.19	0
4	GOL	B	604	-	5,5,5	0.27	0	5,5,5	0.30	0
2	HEM	C	601	1,7	30,50,50	2.33	8 (26%)	24,82,82	2.47	9 (37%)
3	QI9	C	602	-	27,27,27	0.22	0	39,39,39	0.48	0
4	GOL	C	603	-	5,5,5	0.30	0	5,5,5	0.38	0
4	GOL	C	604	-	5,5,5	0.37	0	5,5,5	0.34	0
2	HEM	D	601	1,7	30,50,50	2.47	8 (26%)	24,82,82	2.49	11 (45%)
3	QI9	D	602	-	27,27,27	0.22	0	39,39,39	0.41	0
4	GOL	D	603	-	5,5,5	0.36	0	5,5,5	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1,7	-	0/10/54/54	0/0/8/8
3	QI9	A	602	-	-	0/12/33/33	0/2/4/4
4	GOL	A	603	-	-	0/4/4/4	0/0/0/0
4	GOL	A	604	-	-	0/4/4/4	0/0/0/0
2	HEM	B	601	1,7	-	0/10/54/54	0/0/8/8
3	QI9	B	602	-	-	0/12/33/33	0/2/4/4
4	GOL	B	603	-	-	0/4/4/4	0/0/0/0
4	GOL	B	604	-	-	0/4/4/4	0/0/0/0
2	HEM	C	601	1,7	-	0/10/54/54	0/0/8/8
3	QI9	C	602	-	-	0/12/33/33	0/2/4/4
4	GOL	C	603	-	-	0/4/4/4	0/0/0/0
4	GOL	C	604	-	-	0/4/4/4	0/0/0/0
2	HEM	D	601	1,7	-	0/10/54/54	0/0/8/8
3	QI9	D	602	-	-	0/12/33/33	0/2/4/4
4	GOL	D	603	-	-	0/4/4/4	0/0/0/0

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	HEM	C3B-C4B	-7.90	1.44	1.51
2	B	601	HEM	C3B-C4B	-7.60	1.45	1.51
2	C	601	HEM	C2D-C3D	-6.80	1.34	1.54
2	D	601	HEM	C2D-C3D	-6.78	1.34	1.54
2	B	601	HEM	C2D-C3D	-6.62	1.34	1.54
2	A	601	HEM	C3B-C4B	-6.43	1.46	1.51
2	A	601	HEM	C2D-C3D	-6.36	1.35	1.54
2	C	601	HEM	C3B-C4B	-6.34	1.46	1.51
2	A	601	HEM	C3D-C4D	-5.06	1.45	1.51
2	C	601	HEM	C3D-C4D	-4.63	1.45	1.51
2	B	601	HEM	C3D-C4D	-4.59	1.45	1.51
2	D	601	HEM	C3D-C4D	-4.50	1.45	1.51
2	A	601	HEM	C2C-C1C	-3.66	1.45	1.52
2	B	601	HEM	C2C-C1C	-3.49	1.45	1.52
2	D	601	HEM	C2C-C1C	-3.44	1.46	1.52
2	C	601	HEM	C2C-C1C	-3.27	1.46	1.52
2	B	601	HEM	C2D-C1D	-2.17	1.44	1.51
2	D	601	HEM	C2D-C1D	-2.13	1.44	1.51
2	A	601	HEM	C2D-C1D	-2.01	1.45	1.51
2	C	601	HEM	C3C-CAC	2.00	1.55	1.51
2	D	601	HEM	FE-ND	2.04	2.08	1.97
2	A	601	HEM	C3C-CAC	2.05	1.55	1.51
2	C	601	HEM	CAA-C2A	2.11	1.55	1.52
2	C	601	HEM	C3B-CAB	2.16	1.55	1.51
2	D	601	HEM	C3C-CAC	2.18	1.55	1.51
2	B	601	HEM	C4C-NC	2.19	1.38	1.36
2	B	601	HEM	C1C-NC	2.26	1.38	1.36
2	A	601	HEM	C3B-CAB	2.36	1.55	1.51
2	D	601	HEM	FE-NC	2.55	2.05	1.95
2	B	601	HEM	FE-NC	2.67	2.06	1.95
2	A	601	HEM	FE-NC	2.79	2.06	1.95
2	C	601	HEM	FE-NC	3.17	2.08	1.95

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	HEM	CAA-CBA-CGA	-3.55	106.23	112.75
2	D	601	HEM	CBD-CAD-C3D	-2.58	106.05	113.55
2	B	601	HEM	CBD-CAD-C3D	-2.52	106.21	113.55
2	A	601	HEM	CBD-CAD-C3D	-2.50	106.29	113.55
2	A	601	HEM	CAA-CBA-CGA	-2.48	108.21	112.75
2	C	601	HEM	CAA-CBA-CGA	-2.47	108.21	112.75
2	D	601	HEM	CAA-C2A-C1A	-2.47	124.32	127.01

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	HEM	CMA-C3A-C4A	-2.35	124.48	128.36
2	B	601	HEM	CAA-CBA-CGA	-2.18	108.75	112.75
2	D	601	HEM	C3B-C4B-NB	-2.02	107.76	111.63
2	D	601	HEM	C2C-C1C-CHC	2.02	126.75	123.68
2	D	601	HEM	CMD-C2D-C3D	2.71	126.35	114.35
2	C	601	HEM	C3B-C4B-CHC	2.72	126.99	123.16
2	A	601	HEM	CMD-C2D-C3D	2.81	126.80	114.35
2	B	601	HEM	CMD-C2D-C3D	2.84	126.91	114.35
2	C	601	HEM	CMD-C2D-C3D	2.94	127.37	114.35
2	C	601	HEM	CAD-C3D-C4D	3.45	124.64	112.47
2	A	601	HEM	CAD-C3D-C4D	3.68	125.44	112.47
2	B	601	HEM	CAD-C3D-C4D	3.69	125.48	112.47
2	C	601	HEM	C2D-C3D-C4D	3.74	107.85	101.50
2	B	601	HEM	C2D-C3D-C4D	3.78	107.91	101.50
2	D	601	HEM	CAD-C3D-C4D	3.86	126.07	112.47
2	D	601	HEM	C2D-C3D-C4D	3.86	108.04	101.50
2	A	601	HEM	C2D-C3D-C4D	4.22	108.66	101.50
2	A	601	HEM	CMC-C2C-C3C	4.38	127.46	116.53
2	D	601	HEM	CAD-C3D-C2D	4.40	125.86	113.22
2	A	601	HEM	CAD-C3D-C2D	4.41	125.90	113.22
2	C	601	HEM	CMC-C2C-C3C	4.56	127.92	116.53
2	B	601	HEM	CAD-C3D-C2D	4.64	126.55	113.22
2	D	601	HEM	CMC-C2C-C3C	4.73	128.35	116.53
2	B	601	HEM	CMC-C2C-C3C	4.76	128.41	116.53
2	A	601	HEM	CMB-C2B-C3B	4.81	128.54	116.53
2	C	601	HEM	CAD-C3D-C2D	4.97	127.51	113.22
2	D	601	HEM	CMB-C2B-C3B	5.16	129.42	116.53
2	B	601	HEM	CMB-C2B-C3B	5.28	129.70	116.53
2	C	601	HEM	CMB-C2B-C3B	5.57	130.44	116.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	4	0
3	A	602	QI9	2	0
4	A	603	GOL	1	0
2	B	601	HEM	4	0
3	B	602	QI9	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	601	HEM	4	0
3	C	602	QI9	1	0
4	C	603	GOL	1	0
4	C	604	GOL	1	0
2	D	601	HEM	4	0
3	D	602	QI9	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	464/479 (96%)	0.32	31 (6%) 21 31	11, 29, 66, 88	0
1	B	455/479 (94%)	0.48	41 (9%) 12 18	16, 33, 70, 95	0
1	C	454/479 (94%)	0.34	33 (7%) 18 27	12, 30, 66, 92	0
1	D	453/479 (94%)	0.50	40 (8%) 12 20	16, 36, 73, 90	0
All	All	1826/1916 (95%)	0.41	145 (7%) 15 24	11, 32, 69, 95	0

All (145) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	75	TRP	8.2
1	D	144	LEU	8.1
1	D	75	TRP	7.7
1	A	41	PRO	7.5
1	D	235	ALA	7.4
1	B	219	PHE	7.2
1	B	38	LEU	7.2
1	D	240	VAL	7.1
1	C	219	PHE	6.8
1	C	145	GLY	6.7
1	D	219	PHE	6.6
1	A	38	LEU	6.6
1	A	40	LEU	6.5
1	D	145	GLY	6.1
1	A	47	LEU	5.8
1	B	144	LEU	5.8
1	B	169	GLY	5.7
1	A	43	LEU	5.6
1	B	145	GLY	5.4
1	A	75	TRP	5.3
1	C	75	TRP	5.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	45	ASN	5.1
1	C	235	ALA	5.1
1	B	53	ASN	5.0
1	C	38	LEU	4.8
1	C	229	VAL	4.8
1	D	229	VAL	4.8
1	D	226	ALA	4.6
1	A	229	VAL	4.5
1	B	64	ARG	4.4
1	D	239	LYS	4.3
1	A	39	PRO	4.2
1	D	236	LEU	4.2
1	A	46	LEU	4.1
1	C	236	LEU	4.1
1	A	219	PHE	4.1
1	D	241	LEU	4.1
1	A	342	VAL	4.0
1	D	231	LEU	4.0
1	D	342	VAL	4.0
1	B	39	PRO	3.9
1	B	234	PRO	3.9
1	C	240	VAL	3.9
1	C	231	LEU	3.8
1	A	44	GLY	3.8
1	D	38	LEU	3.8
1	D	63	ARG	3.7
1	B	74	ALA	3.7
1	B	235	ALA	3.7
1	B	37	PRO	3.6
1	B	342	VAL	3.6
1	D	64	ARG	3.6
1	D	380	ARG	3.6
1	D	65	PHE	3.6
1	A	145	GLY	3.5
1	D	234	PRO	3.5
1	C	232	HIS	3.5
1	A	143	GLY	3.5
1	B	33	LEU	3.4
1	B	63	ARG	3.4
1	C	220	LEU	3.4
1	B	239	LYS	3.4
1	C	226	ALA	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	228	PRO	3.3
1	C	56	TYR	3.2
1	A	220	LEU	3.1
1	B	240	VAL	3.1
1	B	480	VAL	3.1
1	B	73	LEU	3.0
1	B	237	ALA	3.0
1	C	144	LEU	3.0
1	A	56	TYR	2.9
1	B	473	PRO	2.9
1	D	232	HIS	2.9
1	D	233	ILE	2.9
1	D	220	LEU	2.9
1	B	220	LEU	2.9
1	C	33	LEU	2.9
1	A	73	LEU	2.8
1	B	341	GLN	2.8
1	C	39	PRO	2.8
1	B	424	GLN	2.8
1	C	218	GLY	2.8
1	C	228	PRO	2.8
1	A	234	PRO	2.7
1	B	470	THR	2.7
1	C	223	VAL	2.7
1	D	37	PRO	2.7
1	A	238	GLY	2.7
1	A	240	VAL	2.7
1	A	33	LEU	2.6
1	D	33	LEU	2.6
1	D	60	GLN	2.6
1	A	309	THR	2.6
1	C	380	ARG	2.6
1	B	423	ALA	2.6
1	C	73	LEU	2.6
1	B	232	HIS	2.6
1	A	74	ALA	2.6
1	D	423	ALA	2.6
1	B	72	GLN	2.5
1	D	238	GLY	2.5
1	B	32	LYS	2.5
1	D	73	LEU	2.5
1	B	229	VAL	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	231	LEU	2.4
1	C	239	LYS	2.4
1	B	233	ILE	2.4
1	C	32	LYS	2.4
1	B	380	ARG	2.4
1	D	472	GLN	2.4
1	B	56	TYR	2.4
1	A	42	GLY	2.4
1	C	237	ALA	2.4
1	C	234	PRO	2.3
1	A	144	LEU	2.3
1	D	147	LYS	2.3
1	C	53	ASN	2.3
1	C	146	LYS	2.3
1	D	218	GLY	2.3
1	D	341	GLN	2.2
1	A	32	LYS	2.2
1	B	231	LEU	2.2
1	D	32	LYS	2.2
1	C	342	VAL	2.2
1	B	65	PHE	2.2
1	C	241	LEU	2.2
1	D	74	ALA	2.2
1	D	246	ALA	2.2
1	D	237	ALA	2.1
1	B	238	GLY	2.1
1	C	233	ILE	2.1
1	D	424	GLN	2.1
1	A	232	HIS	2.1
1	C	227	VAL	2.1
1	A	237	ALA	2.1
1	B	168	SER	2.1
1	B	228	PRO	2.1
1	D	383	GLU	2.0
1	D	53	ASN	2.0
1	B	236	LEU	2.0
1	A	236	LEU	2.0
1	B	34	PRO	2.0
1	C	224	LEU	2.0
1	C	305	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	NA	B	606	1/1	0.94	0.20	3.32	55,55,55,55	0
4	GOL	A	604	6/6	0.46	0.35	3.02	58,60,61,62	0
4	GOL	C	604	6/6	0.80	0.23	1.12	63,64,65,65	0
4	GOL	A	603	6/6	0.80	0.25	1.02	55,58,61,63	0
4	GOL	B	604	6/6	0.80	0.22	0.69	55,58,59,59	0
2	HEM	A	601	43/43	0.98	0.18	0.52	8,11,15,20	0
2	HEM	C	601	43/43	0.98	0.18	0.33	9,12,16,19	0
3	QI9	A	602	24/24	0.93	0.19	0.32	32,36,41,42	0
4	GOL	C	603	6/6	0.83	0.19	0.31	64,66,68,70	0
2	HEM	B	601	43/43	0.99	0.17	0.24	13,16,20,26	0
3	QI9	D	602	24/24	0.91	0.18	0.20	35,39,45,49	0
3	QI9	B	602	24/24	0.89	0.18	0.19	33,36,43,48	0
3	QI9	C	602	24/24	0.94	0.18	-0.05	22,27,30,36	0
2	HEM	D	601	43/43	0.98	0.15	-0.21	15,19,20,24	0
4	GOL	B	603	6/6	0.89	0.13	-0.80	61,63,66,66	0
4	GOL	D	603	6/6	0.89	0.13	-0.95	62,62,64,64	0
5	ZN	A	605	1/1	1.00	0.08	-1.63	24,24,24,24	0
6	NA	D	605	1/1	0.99	0.12	-2.03	30,30,30,30	0
5	ZN	A	607	1/1	1.00	0.06	-2.34	28,28,28,28	0
5	ZN	D	604	1/1	0.99	0.07	-2.64	28,28,28,28	0
5	ZN	C	605	1/1	0.99	0.07	-3.26	27,27,27,27	0
5	ZN	B	605	1/1	0.99	0.09	-3.70	28,28,28,28	0
5	ZN	C	606	1/1	0.94	0.06	-	55,55,55,55	0
5	ZN	A	606	1/1	0.98	0.05	-	53,53,53,53	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.