



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:13 PM GMT

PDB ID : 4X1I  
Title : Discovery of cytotoxic Dolastatin 10 analogs with N-terminal modifications  
Authors : Parris, K.D.  
Deposited on : 2014-11-24  
Resolution : 3.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1112 (3.16-3.08)
Clashscore	102246	1218 (3.16-3.08)
Ramachandran outliers	100387	1175 (3.16-3.08)
Sidechain outliers	100360	1175 (3.16-3.08)
RSRZ outliers	91569	1114 (3.16-3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	<div> <div>6%</div> <div>67% 25% 5%</div> </div>
1	C	451	<div> <div>%</div> <div>67% 23% 5% 5%</div> </div>
2	B	445	<div> <div>3%</div> <div>67% 25% . .</div> </div>
2	D	445	<div> <div></div> <div>66% 27% . .</div> </div>
3	E	142	<div> <div>15%</div> <div>63% 18% 5% 13%</div> </div>

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 14720 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	429	Total	C	N	O	S	0	0	0
			3363	2132	572	638	21			
1	C	430	Total	C	N	O	S	0	3	0
			3354	2126	569	635	24			

- Molecule 2 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	428	Total	C	N	O	S	0	0	0
			3342	2100	568	649	25			
2	D	430	Total	C	N	O	S	0	1	0
			3369	2112	578	655	24			


- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	0	0
			1008	626	184	195	3			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	4	ALA	-	expression tag	UNP P63043
E	14	ALA	CYS	engineered mutation	UNP P63043
E	20	TRP	PHE	engineered mutation	UNP P63043

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	C	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0

- Molecule 6 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$ ).



- 


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			29	22	1	6		



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	D	1	Total	C	N	O	0	0
			29	22	1	6		

- Molecule 8 is 2-methyl-L-alanyl-N-[(3R,4S,5S)-3-methoxy-1-{(2S)-2-[(1R,2R)-1-methoxy-2-methyl-3-oxo-3-{[(1S)-2-phenyl-1-(1,3-thiazol-2-yl)ethyl]amino}propyl]pyrrolidin-1-yl}-5-methyl-1-oxoheptan-4-yl]-N-methyl-L-valinamide (three-letter code: 3WD) (formula: C<sub>39</sub>H<sub>62</sub>N<sub>6</sub>O<sub>6</sub>S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	N	O	S	0	0
			52	39	6	6	1		
8	D	1	Total	C	N	O	S	0	0
			52	39	6	6	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Tubulin alpha chain




#### • Molecule 1: Tubulin alpha chain




#### • Molecule 2: Tubulin beta chain



- Molecule 2: Tubulin beta chain



- Molecule 3: Stathmin-4





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.14Å 128.21Å 255.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.30 – 3.11 40.36 – 3.11	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.30-3.11) 99.9 (40.36-3.11)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 3.12Å)	Xtriage
Refinement program	BUSTER 2.11.5	Depositor
R, $R_{free}$	0.191 , 0.253 0.194 , 0.276	Depositor DCC
$R_{free}$ test set	1998 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	90.9	Xtriage
Anisotropy	0.633	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 84.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	3 of 39936 reflections (0.008%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	14720	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	116.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, LOC, MG, GDP, 3WD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/3440	0.74	0/4671
1	C	0.52	0/3438	0.76	0/4670
2	B	0.53	0/3417	0.80	1/4634 (0.0%)
2	D	0.57	0/3446	0.81	3/4670 (0.1%)
3	E	0.53	0/1019	0.76	0/1355
All	All	0.53	0/14760	0.78	4/20000 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	249	ASN	C-N-CA	6.40	137.70	121.70
2	B	98	GLY	N-CA-C	6.29	128.83	113.10
2	D	247	GLN	C-N-CA	5.55	135.57	121.70
2	D	248	LEU	C-N-CA	5.36	135.09	121.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3363	0	3274	59	0
1	C	3354	0	3263	61	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3342	0	3198	60	0
2	D	3369	0	3237	66	0
3	E	1008	0	1022	17	0
4	A	32	0	12	0	0
4	C	32	0	12	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
6	B	28	0	12	1	0
6	D	28	0	12	2	0
7	B	29	0	25	1	0
7	D	29	0	25	0	0
8	B	52	0	62	5	0
8	D	52	0	62	2	0
All	All	14720	0	14216	254	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (254) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:252:LEU:HD23	1:C:253:THR:H	1.20	1.06
1:C:241:SER:HA	1:C:250:VAL:HB	1.50	0.91
2:D:133:GLN:HE21	2:D:252:LEU:H	1.16	0.88
1:C:249:ASN:HB2	1:C:355:ILE:H	1.37	0.88
2:D:19:LYS:O	2:D:23:VAL:HG23	1.74	0.88
2:D:6:HIS:HE1	2:D:8:GLN:HE21	1.27	0.83
2:D:295:MET:HG2	2:D:377:PHE:HB2	1.63	0.81
2:B:206:ASN:HD21	6:B:501:GDP:HN22	1.27	0.80
2:D:6:HIS:CE1	2:D:8:GLN:HE21	2.00	0.79
2:D:206:ASN:HD21	6:D:501:GDP:HN22	1.32	0.78
1:C:249:ASN:CB	1:C:355:ILE:H	1.97	0.77
2:D:23:VAL:HG21	2:D:232:SER:HB2	1.65	0.77
2:D:106:GLY:O	2:D:111:GLY:HA3	1.85	0.76
2:B:385:GLN:HB2	2:B:429:VAL:HG13	1.69	0.75
1:C:252:LEU:HD23	1:C:253:THR:N	1.98	0.74
1:C:308:ARG:NE	1:C:340:THR:HG21	2.03	0.74
1:C:308:ARG:CZ	1:C:340:THR:HG21	2.21	0.70
3:E:11:LEU:HB2	3:E:20:TRP:HA	1.72	0.70
1:A:8:HIS:CD2	1:A:17:GLY:HA3	2.27	0.69
2:D:415:GLU:H	2:D:415:GLU:CD	1.96	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:163:ASP:HB2	2:B:164:ARG:HH21	1.58	0.68
2:D:249:ASN:N	2:D:250:ALA:HB2	2.08	0.68
2:D:71:GLU:HG2	2:D:98:GLY:HA2	1.75	0.68
1:A:171:ILE:HG23	1:A:206:ASN:HD21	1.59	0.68
8:D:503:3WD:H34	8:D:503:3WD:H38	1.75	0.67
2:D:205:ASP:HB3	2:D:303:ALA:HA	1.76	0.66
2:B:331:GLN:O	2:B:335:VAL:HG23	1.96	0.66
2:D:249:ASN:H	2:D:250:ALA:HB2	1.62	0.65
2:D:69:ASP:HA	2:D:145:THR:HG21	1.78	0.65
2:B:102:ASN:HB3	2:B:105:LYS:HB2	1.80	0.64
2:D:154:ILE:HG22	2:D:197:ASN:HB3	1.79	0.64
2:D:137:LEU:HB3	2:D:168:THR:HG22	1.80	0.63
2:B:22:GLU:HB2	2:B:83:PHE:CD2	2.33	0.62
1:C:274:PRO:HG2	1:C:371:VAL:HG11	1.80	0.62
2:B:177:VAL:HA	8:B:503:3WD:H23	1.80	0.62
2:D:192:HIS:O	2:D:195:VAL:HG12	1.99	0.61
1:C:271:THR:HG21	1:C:295:CYS:O	2.01	0.60
1:A:172:TYR:OH	1:A:387:ALA:O	2.12	0.60
2:B:407:TRP:CZ2	1:C:257:THR:HA	2.36	0.60
1:C:141:PHE:CE1	1:C:170:SER:HB2	2.36	0.60
2:B:269:MET:HG2	2:B:303:ALA:HB3	1.84	0.60
2:D:147:SER:HB2	2:D:190:SER:OG	2.02	0.59
2:D:6:HIS:HE1	2:D:8:GLN:NE2	1.97	0.59
2:B:206:ASN:HD22	2:B:209:LEU:HD12	1.67	0.59
1:A:286:LEU:HD23	1:A:290:GLU:HB3	1.85	0.58
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.85	0.58
1:A:101:ASN:HD22	2:B:258:ASN:HD21	1.49	0.58
1:A:175:PRO:HA	1:A:179:THR:CG2	2.32	0.58
1:C:172:TYR:HB3	1:C:205:ASP:HA	1.83	0.58
2:D:396:THR:O	2:D:400:ARG:HB2	2.03	0.58
1:A:270:ALA:HB3	1:A:302:MET:HG3	1.86	0.58
2:D:89:PRO:HA	2:D:92:PHE:CD1	2.38	0.57
2:B:6:HIS:CE1	2:B:8:GLN:HE21	2.22	0.57
2:D:213:CYS:HA	2:D:217:LEU:HB2	1.87	0.57
8:B:503:3WD:H18	8:B:503:3WD:H20	1.86	0.57
1:C:308:ARG:CD	1:C:340:THR:HG21	2.35	0.57
1:C:338:LYS:HD3	1:C:340:THR:HB	1.87	0.57
2:D:320:ARG:HG2	2:D:356:CYS:HB3	1.87	0.57
1:C:176:GLN:HE21	1:C:176:GLN:H	1.52	0.57
2:B:179:ASP:HB2	1:C:352:LYS:HG2	1.87	0.56
2:B:213:CYS:HA	2:B:217:LEU:HD12	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:178:SER:O	1:C:179:THR:HG22	2.06	0.56
2:B:287:THR:HG23	2:B:289:PRO:HD2	1.88	0.56
1:C:176:GLN:NE2	1:C:176:GLN:H	2.04	0.56
2:D:44:LEU:HA	2:D:49:ILE:HB	1.88	0.56
1:C:317:LEU:HB2	1:C:353:VAL:HG22	1.88	0.55
1:A:355:ILE:O	3:E:17:GLY:HA2	2.07	0.55
2:B:79:ARG:HH22	2:B:94:PHE:HE2	1.54	0.55
2:D:385:GLN:HB2	2:D:429:VAL:HG13	1.88	0.55
2:B:350:ASN:HD22	2:B:350:ASN:H	1.54	0.54
2:D:253:ARG:O	2:D:257:VAL:HG23	2.07	0.54
2:B:75:MET:HE1	2:B:94:PHE:HB3	1.89	0.54
2:B:16:ILE:HD12	2:B:231:VAL:HG11	1.89	0.54
2:D:12:CYS:SG	2:D:171:VAL:HG11	2.47	0.54
1:C:308:ARG:HD2	1:C:340:THR:HG21	1.89	0.54
2:B:118:VAL:O	2:B:121:VAL:HB	2.08	0.54
2:D:133:GLN:HE21	2:D:252:LEU:N	1.95	0.54
2:B:69:ASP:HA	2:B:145:THR:HG21	1.90	0.54
1:C:34:GLY:HA3	1:C:60:LYS:HG2	1.89	0.53
3:E:11:LEU:HD23	3:E:21:GLU:HB2	1.88	0.53
2:D:213:CYS:HB3	2:D:219:LEU:HD12	1.90	0.53
2:D:70:LEU:HD12	2:D:99:ALA:HB2	1.91	0.53
2:D:123:ARG:O	2:D:127:GLU:HG2	2.09	0.53
1:C:228:ASN:HA	1:C:231:ILE:HD12	1.89	0.53
1:C:75:ILE:HB	1:C:94:THR:CG2	2.39	0.52
1:A:175:PRO:HA	1:A:179:THR:HG22	1.91	0.52
2:D:138:THR:HG22	2:D:169:PHE:HB2	1.92	0.52
2:D:104:ALA:HB2	2:D:413:MET:SD	2.50	0.52
2:D:11:GLN:HA	2:D:74:THR:HG21	1.91	0.52
1:A:269:LEU:HD11	1:A:301:GLN:HG2	1.90	0.52
2:B:290:GLU:O	2:B:294:GLN:HB2	2.10	0.52
1:A:3:GLU:HG3	1:A:129:CYS:HB3	1.92	0.51
1:A:70:LEU:HD22	1:A:110:ILE:HG22	1.91	0.51
1:A:329:ASN:HD21	3:E:20:TRP:HE1	1.56	0.51
2:D:165:ILE:HG21	2:D:252:LEU:HB3	1.92	0.51
1:A:76:ASP:HA	1:A:79:ARG:HG3	1.92	0.51
3:E:13:LYS:HA	3:E:18:GLN:HG2	1.93	0.51
2:D:83:PHE:O	2:D:85:GLN:N	2.44	0.51
2:D:181:VAL:HG21	2:D:404:PHE:CZ	2.46	0.51
2:B:137:LEU:HB3	2:B:168:THR:HG22	1.91	0.51
8:B:503:3WD:O4	8:B:503:3WD:H1	2.10	0.51
2:B:382:THR:HA	2:B:432:TYR:CD2	2.46	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:ASP:OD2	2:B:254:LYS:HE2	2.11	0.50
1:C:205:ASP:HB3	1:C:303:VAL:HA	1.92	0.50
1:C:321:GLY:HA2	1:C:359:PRO:HA	1.93	0.50
1:C:241:SER:HB2	1:C:252:LEU:H	1.76	0.50
2:B:3:GLU:O	2:B:133:GLN:HG3	2.11	0.50
1:A:402:ARG:HG3	1:A:405:VAL:HG21	1.94	0.50
1:C:406:HIS:CD2	2:D:263:PRO:HG3	2.46	0.50
1:A:328:VAL:HG21	1:A:355:ILE:HD11	1.93	0.50
2:D:12:CYS:HB3	2:D:140:SER:HB3	1.92	0.50
2:B:316:ALA:HB3	2:B:378:ILE:HB	1.93	0.50
2:B:98:GLY:C	2:B:100:GLY:H	2.15	0.50
1:A:68:VAL:HG21	1:A:118:VAL:HG13	1.94	0.50
3:E:101:LEU:HD12	3:E:105:MET:HG2	1.94	0.49
1:A:246:GLY:HA2	3:E:17:GLY:HA3	1.94	0.49
2:B:32:PRO:HB3	2:B:83:PHE:HA	1.93	0.49
2:B:390:ARG:O	2:B:394:GLN:HG3	2.12	0.49
1:C:7:ILE:HG21	1:C:153:LEU:HD21	1.94	0.49
2:D:360:PRO:HG2	2:D:371:LEU:HB2	1.95	0.49
1:C:6:SER:HB3	1:C:8:HIS:CE1	2.47	0.49
1:C:204:VAL:HG22	1:C:302:MET:HG2	1.94	0.49
1:A:259:LEU:O	1:A:261:PRO:HD3	2.12	0.49
2:D:50:ASN:O	2:D:64:ARG:NH2	2.46	0.49
2:D:150:GLY:O	2:D:154:ILE:HG13	2.13	0.48
2:B:6:HIS:HE1	2:B:8:GLN:HE21	1.61	0.48
1:A:21:TRP:CE3	1:A:63:PRO:HB3	2.49	0.48
1:C:192:HIS:CG	1:C:421:ALA:HA	2.48	0.48
1:C:217:LEU:HD21	1:C:368:LEU:HG	1.96	0.48
2:B:165:ILE:HG21	2:B:252:LEU:HB3	1.95	0.48
1:C:297:GLU:OE2	1:C:299:ALA:HB3	2.14	0.48
1:C:234:ILE:HG21	1:C:302:MET:SD	2.54	0.47
2:D:55:GLU:HG2	2:D:61:TYR:CE2	2.49	0.47
2:D:44:LEU:HD23	2:D:49:ILE:HD13	1.95	0.47
2:D:151:THR:HA	2:D:154:ILE:HD12	1.95	0.47
2:B:289:PRO:O	2:B:293:GLN:HG2	2.15	0.47
2:B:159:GLU:OE1	3:E:76:ARG:HD2	2.14	0.47
2:B:306:ASP:HB3	2:B:309:HIS:CD2	2.49	0.47
1:C:224:TYR:HA	1:C:227:LEU:HD12	1.96	0.47
2:B:306:ASP:HB3	2:B:309:HIS:HD2	1.80	0.47
2:D:143:GLY:HA3	6:D:501:GDP:O3A	2.15	0.47
1:C:274:PRO:HD3	1:C:374:ALA:HA	1.97	0.47
1:A:21:TRP:CZ3	1:A:63:PRO:HB3	2.49	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:292:THR:HG22	2:D:335:VAL:HG21	1.96	0.47
1:C:278:ALA:HA	1:C:369:ALA:HB2	1.96	0.47
1:A:11:GLN:HG2	1:A:74:VAL:HG21	1.97	0.47
1:A:265:ILE:HG23	1:A:432:TYR:CE2	2.50	0.47
1:C:252:LEU:CD2	1:C:253:THR:H	2.09	0.46
1:A:70:LEU:HB2	1:A:98:ASP:HA	1.97	0.46
1:A:244:PHE:HB2	1:A:356:ASN:HD21	1.80	0.46
2:D:251:ASP:HB3	2:D:254:LYS:HB2	1.97	0.46
2:B:305:CYS:SG	2:B:384:ILE:HA	2.54	0.46
1:A:15:GLN:O	1:A:18:ASN:HB2	2.14	0.46
1:C:404:PHE:CD2	2:D:261:PRO:HA	2.51	0.46
2:B:204:ILE:HG22	2:B:209:LEU:HD11	1.98	0.46
1:A:212:ILE:HG22	1:A:275:VAL:HG11	1.98	0.46
2:B:44:LEU:HD23	2:B:49:ILE:HD13	1.97	0.46
1:A:212:ILE:HG12	1:A:215:ARG:HH12	1.79	0.46
2:B:6:HIS:O	2:B:65:ALA:HA	2.15	0.46
2:B:324:SER:HB3	2:B:327:GLU:HB2	1.98	0.46
1:A:328:VAL:HG11	1:A:353:VAL:HG11	1.98	0.45
2:B:350:ASN:ND2	2:B:350:ASN:H	2.14	0.45
2:D:21:TRP:CZ3	2:D:63:PRO:HB3	2.51	0.45
1:A:175:PRO:HA	1:A:179:THR:HG21	1.97	0.45
2:B:298:SER:OG	2:B:307:PRO:HD2	2.17	0.45
1:A:286:LEU:HD12	1:A:286:LEU:H	1.82	0.45
2:D:263:PRO:O	2:D:266:HIS:HD2	1.99	0.45
1:A:50:ASN:C	1:A:52:PHE:H	2.20	0.45
2:D:119:LEU:HA	2:D:122:VAL:HG22	1.98	0.45
2:D:2:ARG:HB3	2:D:131:CYS:O	2.17	0.45
1:C:141:PHE:HB2	1:C:173:PRO:HD3	1.99	0.45
2:B:7:ILE:HG13	2:B:66:ILE:HD13	1.99	0.45
1:A:205:ASP:HB2	1:A:303:VAL:HG22	1.99	0.45
1:C:276:ILE:HD13	1:C:369:ALA:HB3	1.99	0.45
3:E:132:GLU:HA	3:E:135:LYS:HB3	1.98	0.45
1:C:213:CYS:HB3	1:C:219:ILE:HD12	1.99	0.45
1:A:263:PRO:O	1:A:266:HIS:HD2	2.00	0.45
2:B:69:ASP:O	2:B:94:PHE:HA	2.18	0.44
1:A:21:TRP:CZ2	1:A:65:ALA:HB2	2.52	0.44
1:A:271:THR:O	1:A:377:MET:N	2.50	0.44
1:A:53:PHE:HB3	1:A:61:HIS:HB3	1.99	0.44
3:E:80:ARG:O	3:E:84:GLN:HB2	2.16	0.44
1:C:207:GLU:O	1:C:210:TYR:HB3	2.18	0.44
3:E:9:ILE:HD13	3:E:23:ILE:H	1.83	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:ASN:HA	1:A:332:ILE:HD12	1.98	0.44
1:C:230:LEU:O	1:C:234:ILE:HD12	2.18	0.44
2:D:101:ASN:HD22	2:D:180:THR:HG21	1.82	0.44
2:D:62:VAL:HG23	2:D:86:ILE:O	2.17	0.44
2:B:151:THR:HG21	2:B:190:SER:HA	1.99	0.44
1:C:412:GLY:HA3	3:E:108:ASN:HD22	1.82	0.43
1:A:407:TRP:CE2	2:B:257:VAL:HA	2.52	0.43
1:C:411:GLU:HA	1:C:411:GLU:OE2	2.17	0.43
1:C:308:ARG:HD2	1:C:340:THR:CG2	2.48	0.43
1:A:387:ALA:HA	1:A:390:ARG:HE	1.84	0.43
2:B:346:TRP:HB3	2:B:440:ALA:HB2	2.01	0.43
1:C:71:GLU:HG2	1:C:98:ASP:HB3	2.01	0.43
8:D:503:3WD:H3	8:D:503:3WD:C34	2.49	0.43
1:C:388:TRP:HA	1:C:388:TRP:CE3	2.54	0.43
1:C:21:TRP:CZ3	1:C:63:PRO:HB3	2.53	0.43
1:A:311:LYS:HE2	1:A:344:VAL:HA	2.01	0.43
1:C:52:PHE:CD1	1:C:243:ARG:HG2	2.54	0.42
1:A:224:TYR:HA	1:A:227:LEU:HD12	2.00	0.42
1:A:349:THR:HB	3:E:25:LYS:HB3	2.01	0.42
2:B:181:VAL:HG11	2:B:404:PHE:CE2	2.54	0.42
1:C:317:LEU:HG	1:C:377:MET:HG3	2.00	0.42
1:A:83:TYR:HB3	1:A:86:LEU:HD22	2.00	0.42
1:A:99:ALA:HA	1:A:105:ARG:HG2	2.01	0.42
1:A:172:TYR:CE2	1:A:391:LEU:HD22	2.55	0.42
2:B:352:LYS:HE3	7:B:502:LOC:O5	2.20	0.42
1:C:114:ILE:O	1:C:118:VAL:HG23	2.20	0.42
1:A:329:ASN:HD21	3:E:22:VAL:HG11	1.85	0.42
1:A:33:ASP:HA	1:A:85:GLN:HB2	2.02	0.42
2:D:174:SER:OG	2:D:176:LYS:HB2	2.19	0.42
2:B:275:LEU:HD11	2:B:300:ASN:HA	2.01	0.42
1:A:34:GLY:HA3	1:A:60:LYS:HB2	2.01	0.42
1:A:133:GLN:HE22	1:A:251:ASP:HA	1.85	0.42
2:B:244:PHE:HA	2:B:245:PRO:HD3	1.86	0.42
1:C:346:TRP:HZ2	1:C:435:VAL:HG22	1.85	0.42
2:D:172:MET:HA	2:D:173:PRO:HD3	1.92	0.42
1:C:249:ASN:HB3	1:C:250:VAL:H	1.59	0.42
2:B:139:HIS:CE1	2:B:170:SER:OG	2.73	0.42
3:E:11:LEU:HB2	3:E:20:TRP:CA	2.45	0.41
2:D:133:GLN:NE2	2:D:252:LEU:H	1.98	0.41
1:A:339:ARG:HH21	1:A:341:ILE:HG23	1.85	0.41
2:B:204:ILE:HD13	2:B:270:PRO:HG2	2.01	0.41

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:32:PRO:HB3	2:D:83:PHE:HA	2.02	0.41
2:D:181:VAL:HG23	2:D:182:VAL:N	2.35	0.41
2:B:57:THR:HA	2:B:58:GLY:HA3	1.73	0.41
2:D:14:ASN:HD22	2:D:67:LEU:HD23	1.85	0.41
3:E:10:GLU:HA	3:E:20:TRP:HB2	2.02	0.41
1:A:3:GLU:HG3	1:A:129:CYS:CB	2.50	0.41
2:D:47:GLU:HB3	2:D:245:PRO:HG3	2.02	0.41
1:A:15:GLN:HA	1:A:18:ASN:HD22	1.86	0.41
1:C:4[A]:CYS:SG	1:C:136:LEU:HG	2.61	0.41
8:B:503:3WD:H43	8:B:503:3WD:H2	2.03	0.41
1:C:385:ALA:HA	1:C:388:TRP:CD1	2.55	0.41
2:B:58:GLY:HA3	2:B:59:ASN:C	2.41	0.41
2:B:70:LEU:HD21	2:B:111:GLY:HA2	2.03	0.41
2:B:3:GLU:OE2	2:B:130:ASP:N	2.54	0.41
1:C:6:SER:HB3	1:C:8:HIS:HE1	1.83	0.41
1:A:120:ASP:O	1:A:124:LYS:HD2	2.21	0.41
1:C:187:SER:HB3	1:C:391:LEU:HD21	2.03	0.41
1:A:248:LEU:HB2	3:E:19:SER:HB3	2.03	0.41
2:B:19:LYS:HA	2:B:22:GLU:HG2	2.02	0.41
2:D:269:MET:HE1	2:D:383:ALA:HB3	2.02	0.41
2:D:164:ARG:HH12	2:D:253:ARG:HH11	1.68	0.40
2:D:408:TYR:O	2:D:413:MET:HB2	2.20	0.40
1:A:291:ILE:HD12	1:A:375:VAL:HG12	2.03	0.40
1:A:87:PHE:HB2	1:A:92:LEU:HD11	2.03	0.40
8:B:503:3WD:H44	8:B:503:3WD:H9	1.67	0.40
1:C:328:VAL:HG11	1:C:353:VAL:HG11	2.03	0.40
2:D:12:CYS:SG	2:D:171:VAL:CG1	3.08	0.40
1:C:244:PHE:CE2	1:C:358:GLN:HG3	2.57	0.40
2:B:166:MET:HB3	2:B:198:THR:HA	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	425/451 (94%)	371 (87%)	45 (11%)	9 (2%)	9	38
1	C	429/451 (95%)	383 (89%)	35 (8%)	11 (3%)	7	32
2	B	426/445 (96%)	379 (89%)	35 (8%)	12 (3%)	6	31
2	D	429/445 (96%)	401 (94%)	21 (5%)	7 (2%)	12	45
3	E	119/142 (84%)	109 (92%)	7 (6%)	3 (2%)	7	33
All	All	1828/1934 (94%)	1643 (90%)	143 (8%)	42 (2%)	8	36

All (42) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	73	THR
2	B	57	THR
2	B	60	LYS
2	B	73	GLY
2	B	373	MET
1	C	249	ASN
1	C	283	HIS
2	D	84	GLY
2	D	181	VAL
2	D	248	LEU
2	D	250	ALA
3	E	32	VAL
1	A	59	GLY
1	A	341	ILE
2	B	109	THR
2	B	283	TYR
2	B	284	ARG
1	C	73	THR
1	C	282	TYR
1	C	284	GLU
1	C	299	ALA
2	D	73	GLY
2	D	128	SER
3	E	15	THR
1	A	47	ASP
2	B	84	GLY
1	C	109	THR
1	C	281	ALA
1	A	51	THR
1	A	109	THR
1	A	178	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	32	PRO
2	D	340	SER
1	A	261	PRO
2	B	99	ALA
1	C	250	VAL
1	C	278	ALA
1	A	115	ILE
3	E	31	GLY
1	C	131	GLY
2	B	72	PRO
2	B	98	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	362/378 (96%)	316 (87%)	46 (13%)	5	22
1	C	360/378 (95%)	305 (85%)	55 (15%)	3	14
2	B	364/383 (95%)	314 (86%)	50 (14%)	4	19
2	D	369/383 (96%)	327 (89%)	42 (11%)	7	28
3	E	107/125 (86%)	90 (84%)	17 (16%)	3	13
All	All	1562/1647 (95%)	1352 (87%)	210 (13%)	5	20

All (210) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	6	SER
1	A	11	GLN
1	A	16	ILE
1	A	22	GLU
1	A	26	LEU
1	A	27	GLU
1	A	47	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	79	ARG
1	A	87	PHE
1	A	92	LEU
1	A	105	ARG
1	A	120	ASP
1	A	124	LYS
1	A	125	LEU
1	A	137	VAL
1	A	141	PHE
1	A	150	THR
1	A	164	LYS
1	A	166	LYS
1	A	171	ILE
1	A	181	VAL
1	A	187	SER
1	A	194	THR
1	A	221	ARG
1	A	225	THR
1	A	230	LEU
1	A	242	LEU
1	A	253	THR
1	A	256	GLN
1	A	276	ILE
1	A	284	GLU
1	A	285	GLN
1	A	302	MET
1	A	303	VAL
1	A	308	ARG
1	A	315	CYS
1	A	317	LEU
1	A	320	ARG
1	A	336	LYS
1	A	341	ILE
1	A	367	ASP
1	A	384	ILE
1	A	402	ARG
1	A	414	GLU
1	A	417	GLU
2	B	3	GLU
2	B	19	LYS
2	B	20	PHE
2	B	40	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	42	LEU
2	B	47	GLU
2	B	49	ILE
2	B	57	THR
2	B	62	VAL
2	B	71	GLU
2	B	75	MET
2	B	86	ILE
2	B	90	ASP
2	B	93	VAL
2	B	110	GLU
2	B	122	VAL
2	B	136	GLN
2	B	153	LEU
2	B	163	ASP
2	B	165	ILE
2	B	166	MET
2	B	179	ASP
2	B	180	THR
2	B	190	SER
2	B	204	ILE
2	B	216	THR
2	B	220	THR
2	B	223	THR
2	B	252	LEU
2	B	257	VAL
2	B	269	MET
2	B	277	SER
2	B	283	TYR
2	B	286	LEU
2	B	287	THR
2	B	291	LEU
2	B	293	GLN
2	B	296	PHE
2	B	297	ASP
2	B	323	MET
2	B	325	MET
2	B	341	SER
2	B	349	ASN
2	B	350	ASN
2	B	352	LYS
2	B	371	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	377	PHE
2	B	387	LEU
2	B	422	GLU
2	B	430	SER
1	C	1	MET
1	C	11	GLN
1	C	16	ILE
1	C	22	GLU
1	C	47	ASP
1	C	54	SER
1	C	68	VAL
1	C	71	GLU
1	C	74	VAL
1	C	80	THR
1	C	82	THR
1	C	84	ARG
1	C	109	THR
1	C	112	LYS
1	C	121	ARG
1	C	123	ARG
1	C	125	LEU
1	C	137	VAL
1	C	140	SER
1	C	160	ASP
1	C	170	SER
1	C	171	ILE
1	C	176	GLN
1	C	179	THR
1	C	188	ILE
1	C	203	MET
1	C	218	ASP
1	C	225	THR
1	C	233	GLN
1	C	241	SER
1	C	251	ASP
1	C	252	LEU
1	C	253	THR
1	C	276	ILE
1	C	293	ASN
1	C	297	GLU
1	C	302	MET
1	C	315[A]	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	315[B]	CYS
1	C	317	LEU
1	C	327	ASP
1	C	332	ILE
1	C	338	LYS
1	C	339	ARG
1	C	341	ILE
1	C	352	LYS
1	C	357	TYR
1	C	368	LEU
1	C	370	LYS
1	C	371	VAL
1	C	401	LYS
1	C	402	ARG
1	C	419	SER
1	C	420	GLU
1	C	435	VAL
2	D	11	GLN
2	D	19	LYS
2	D	24	ILE
2	D	26	ASP
2	D	31	ASP
2	D	37	HIS
2	D	41	ASP
2	D	49	ILE
2	D	55	GLU
2	D	57	THR
2	D	60	LYS
2	D	96	GLN
2	D	116	ASP
2	D	117	SER
2	D	122	VAL
2	D	153	LEU
2	D	158	ARG
2	D	164	ARG
2	D	171	VAL
2	D	183	GLU
2	D	206	ASN
2	D	223	THR
2	D	247	GLN
2	D	249	ASN
2	D	254	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	276	THR
2	D	284	ARG
2	D	293	GLN
2	D	323	MET
2	D	325	MET
2	D	326	LYS
2	D	352	LYS
2	D	374	SER
2	D	384	ILE
2	D	400	ARG
2	D	402	LYS
2	D	405	LEU
2	D	414	ASP
2	D	415	GLU
2	D	416	MET
2	D	419	THR
2	D	423	SER
3	E	9	ILE
3	E	11	LEU
3	E	18	GLN
3	E	49	GLU
3	E	52	LYS
3	E	58	GLU
3	E	64	GLN
3	E	82	VAL
3	E	95	LYS
3	E	96	MET
3	E	101	LEU
3	E	108	ASN
3	E	124	GLN
3	E	132	GLU
3	E	134	ARG
3	E	135	LYS
3	E	139	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	A	91	GLN
1	A	139	HIS
1	A	197	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	206	ASN
1	A	249	ASN
1	A	258	ASN
1	A	301	GLN
1	A	329	ASN
2	B	8	GLN
2	B	11	GLN
2	B	14	ASN
2	B	59	ASN
2	B	139	HIS
2	B	206	ASN
2	B	229	HIS
2	B	266	HIS
2	B	309	HIS
2	B	331	GLN
2	B	349	ASN
2	B	350	ASN
2	B	406	HIS
2	B	426	ASN
1	C	8	HIS
1	C	11	GLN
1	C	139	HIS
1	C	176	GLN
1	C	249	ASN
1	C	301	GLN
1	C	406	HIS
2	D	6	HIS
2	D	14	ASN
2	D	101	ASN
2	D	133	GLN
2	D	139	HIS
2	D	206	ASN
2	D	249	ASN
2	D	266	HIS
2	D	281	GLN
2	D	300	ASN
2	D	331	GLN
2	D	339	ASN
2	D	385	GLN
2	D	433	GLN
3	E	18	GLN
3	E	71	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	E	108	ASN
3	E	111	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	GTP	A	600	5	25,34,34	1.00	1 (4%)	34,54,54	2.11	5 (14%)
6	GDP	B	501	-	23,30,30	1.01	2 (8%)	30,47,47	2.19	4 (13%)
7	LOC	B	502	-	29,31,31	1.09	2 (6%)	27,44,44	0.58	0
8	3WD	B	503	-	48,54,54	1.31	4 (8%)	54,76,76	1.46	7 (12%)
4	GTP	C	600	5	25,34,34	1.04	2 (8%)	34,54,54	2.13	5 (14%)
6	GDP	D	501	-	23,30,30	1.04	2 (8%)	30,47,47	2.23	4 (13%)
7	LOC	D	502	-	29,31,31	0.84	1 (3%)	27,44,44	0.62	0
8	3WD	D	503	-	48,54,54	1.16	5 (10%)	54,76,76	1.16	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	A	600	5	-	0/18/38/38	0/3/3/3
6	GDP	B	501	-	-	0/12/32/32	0/3/3/3
7	LOC	B	502	-	-	0/10/25/25	0/3/3/3
8	3WD	B	503	-	-	0/66/82/82	0/3/3/3
4	GTP	C	600	5	-	0/18/38/38	0/3/3/3
6	GDP	D	501	-	-	0/12/32/32	0/3/3/3
7	LOC	D	502	-	-	0/10/25/25	0/3/3/3
8	3WD	D	503	-	-	0/66/82/82	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	501	GDP	C6-C5	2.06	1.45	1.41
6	D	501	GDP	C6-C5	2.20	1.45	1.41
8	D	503	3WD	C16-C12	2.32	1.59	1.55
7	D	502	LOC	C15-C16	2.40	1.44	1.39
4	C	600	GTP	C6-C5	2.46	1.46	1.41
8	B	503	3WD	C16-C12	2.48	1.60	1.55
8	D	503	3WD	C7-C8	2.48	1.57	1.52
7	B	502	LOC	C15-C16	2.56	1.44	1.39
6	B	501	GDP	C6-N1	3.03	1.38	1.33
4	C	600	GTP	C6-N1	3.07	1.38	1.33
6	D	501	GDP	C6-N1	3.18	1.39	1.33
4	A	600	GTP	C6-N1	3.20	1.39	1.33
8	D	503	3WD	C32-C29	3.26	1.55	1.51
8	D	503	3WD	C11-C12	4.20	1.59	1.52
7	B	502	LOC	C14-C11	4.22	1.60	1.52
8	B	503	3WD	C12-N3	4.33	1.56	1.47
8	D	503	3WD	C12-N3	4.70	1.57	1.47
8	B	503	3WD	C32-C29	4.93	1.56	1.51
8	B	503	3WD	C11-C12	5.28	1.61	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	501	GDP	C5-C6-N1	-8.50	111.97	123.59
4	A	600	GTP	C5-C6-N1	-8.40	112.11	123.59
4	C	600	GTP	C5-C6-N1	-8.36	112.16	123.59
6	B	501	GDP	C5-C6-N1	-8.29	112.25	123.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	600	GTP	N3-C2-N1	-2.66	123.40	127.44
4	C	600	GTP	C6-C5-C4	-2.64	117.75	120.90
4	C	600	GTP	N3-C2-N1	-2.62	123.45	127.44
6	D	501	GDP	C6-C5-C4	-2.56	117.83	120.90
6	B	501	GDP	N3-C2-N1	-2.55	123.56	127.44
6	D	501	GDP	N3-C2-N1	-2.48	123.67	127.44
6	B	501	GDP	C6-C5-C4	-2.47	117.94	120.90
4	A	600	GTP	C6-C5-C4	-2.44	117.98	120.90
8	D	503	3WD	O5-C13-C14	-2.30	115.61	120.12
8	D	503	3WD	C23-N3-C13	2.08	129.14	122.29
8	B	503	3WD	C14-C13-N3	2.11	123.14	118.45
4	C	600	GTP	O3A-PA-O5'	2.11	108.54	102.94
4	A	600	GTP	O3A-PA-O5'	2.20	108.78	102.94
8	D	503	3WD	C14-C13-N3	2.25	123.46	118.45
8	B	503	3WD	C6-C7-C8	2.27	113.95	109.74
8	D	503	3WD	C27-C26-C15	2.36	111.71	108.21
8	D	503	3WD	C19-C16-C12	2.51	116.74	109.92
8	D	503	3WD	C38-C39-N6	2.65	116.18	109.36
8	B	503	3WD	C38-C39-N6	2.66	116.22	109.36
8	D	503	3WD	C20-C14-C13	2.76	116.38	110.75
8	D	503	3WD	C2-C1-C6	2.96	118.16	113.82
8	B	503	3WD	C10-C11-C12	3.32	120.24	113.16
8	B	503	3WD	C2-C1-C6	3.45	118.87	113.82
8	B	503	3WD	C19-C16-C12	4.17	121.26	109.92
8	B	503	3WD	C29-N2-C8	4.21	129.98	123.43
4	C	600	GTP	C6-N1-C2	6.76	125.32	115.94
4	A	600	GTP	C6-N1-C2	6.77	125.33	115.94
6	B	501	GDP	C6-N1-C2	6.81	125.39	115.94
6	D	501	GDP	C6-N1-C2	6.93	125.55	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	501	GDP	1	0
7	B	502	LOC	1	0
8	B	503	3WD	5	0
6	D	501	GDP	2	0
8	D	503	3WD	2	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å <sup>2</sup> )	Q < 0.9
1	A	429/451 (95%)	0.23	25 (5%) 26 11	92, 139, 188, 216	0
1	C	430/451 (95%)	-0.06	5 (1%) 81 65	66, 99, 145, 171	0
2	B	428/445 (96%)	0.02	15 (3%) 48 24	83, 114, 160, 187	2 (0%)
2	D	430/445 (96%)	-0.21	0 100 100	62, 90, 130, 166	2 (0%)
3	E	123/142 (86%)	0.57	21 (17%) 2 1	93, 127, 204, 219	0
All	All	1840/1934 (95%)	0.03	66 (3%) 46 23	62, 113, 172, 219	4 (0%)

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	9	ILE	5.7
3	E	16	SER	5.2
3	E	12	ASN	4.7
3	E	31	GLY	4.3
1	A	346	TRP	4.3
1	A	371	VAL	4.2
3	E	24	LEU	4.1
2	B	439	THR	4.1
1	A	347	CYS	4.0
3	E	22	VAL	3.8
3	E	14	ALA	3.8
1	A	338	LYS	3.8
2	B	373	MET	3.7
1	C	253	THR	3.7
2	B	30	ILE	3.5
1	A	372	GLN	3.5
3	E	26	PRO	3.5
1	A	247	ALA	3.4
1	A	201	ALA	3.3
2	B	251	ASP	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	219	ILE	3.0
1	A	323	VAL	3.0
3	E	17	GLY	3.0
3	E	10	GLU	3.0
1	A	170	SER	2.9
2	B	281	GLN	2.9
3	E	13	LYS	2.9
1	A	339	ARG	2.9
1	A	322	ASP	2.9
3	E	11	LEU	2.8
1	A	313	MET	2.8
3	E	80	ARG	2.8
2	B	379	GLY	2.7
2	B	438	ALA	2.7
2	B	440	ALA	2.7
3	E	32	VAL	2.7
1	A	4	CYS	2.6
1	A	337	THR	2.7
3	E	15	THR	2.6
2	B	32	PRO	2.6
2	B	249	ASN	2.6
1	A	370	LYS	2.5
1	C	199	ASP	2.5
2	B	253	ARG	2.5
2	B	254	LYS	2.5
3	E	46	SER	2.4
2	B	412	GLY	2.4
3	E	82	VAL	2.4
1	A	246	GLY	2.4
1	A	283	HIS	2.4
1	A	281	ALA	2.3
1	A	328	VAL	2.3
2	B	280	SER	2.3
1	A	286	LEU	2.3
1	A	37	PRO	2.3
1	C	35	GLN	2.2
3	E	23	ILE	2.2
3	E	33	PRO	2.2
3	E	34	GLU	2.1
1	A	160	ASP	2.1
1	C	252	LEU	2.1
1	C	200	CYS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	61	TYR	2.1
1	A	221	ARG	2.1
1	A	434	GLU	2.1
3	E	49	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	MG	C	601	1/1	0.98	0.33	1.66	37,37,37,37	0
8	3WD	D	503	52/52	0.88	0.30	1.23	118,135,146,148	0
4	GTP	C	600	32/32	0.95	0.28	0.81	73,83,107,109	0
4	GTP	A	600	32/32	0.95	0.32	0.78	108,122,126,127	0
5	MG	A	601	1/1	0.99	0.36	0.43	67,67,67,67	0
6	GDP	B	501	28/28	0.97	0.23	0.33	89,96,101,103	0
7	LOC	D	502	29/29	0.94	0.23	0.20	73,81,88,92	0
6	GDP	D	501	28/28	0.98	0.22	0.20	68,76,85,89	0
7	LOC	B	502	29/29	0.96	0.24	-0.54	92,106,114,115	0
8	3WD	B	503	52/52	0.91	0.21	-0.57	95,112,130,131	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.