



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:28 PM GMT

PDB ID : 1XHB  
Title : The Crystal Structure of UDP-GalNAc: polypeptide alpha-N-acetylgalactosaminyltransferase-T1  
Authors : Fritz, T.A.; Hurley, J.H.; Trinh, L.B.; Shiloach, J.; Tabak, L.A.  
Deposited on : 2004-09-17  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	700	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polypeptide N-acetylgalactosaminyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	447	Total	C	N	O	S	0	0	0
			3616	2279	651	662	24			

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	37	Total	O	0	0
			37	37		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polypeptide N-acetylgalactosaminyltransferase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.61Å 65.61Å 125.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.39 – 2.50 46.39 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.39-2.50) 99.1 (46.39-2.50)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.25 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.218 , 0.255 0.224 , 0.261	Depositor DCC
$R_{free}$ test set	1438 reflections (7.87%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.0	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 35.7	EDS
Estimated twinning fraction	0.058 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 18320 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3695	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.79% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, BMA, NAG, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/3697	0.69	2/5002 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	520	SER	N-CA-C	-6.64	93.08	111.00
1	A	498	HIS	N-CA-C	-5.21	96.93	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3616	0	3562	152	0
2	A	39	0	34	7	0
3	A	1	0	0	0	0
4	A	2	0	0	0	0
5	A	37	0	0	4	0
All	All	3695	0	3596	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:445:ASN:HD22	1:A:447:ALA:H	1.10	0.95
1:A:525:ASP:HB3	1:A:546:GLN:HG2	1.50	0.94
1:A:175:LYS:H	1:A:175:LYS:HD2	1.35	0.92
1:A:291:MET:HG2	1:A:293:GLY:H	1.36	0.91
1:A:445:ASN:ND2	1:A:447:ALA:H	1.77	0.82
1:A:142:ARG:HA	1:A:142:ARG:HE	1.46	0.81
1:A:171:VAL:HG13	1:A:178:VAL:HB	1.69	0.74
1:A:291:MET:HG2	1:A:293:GLY:N	2.03	0.73
1:A:175:LYS:N	1:A:175:LYS:HD2	2.04	0.72
1:A:314:ASP:OD2	1:A:361:ILE:HG23	1.89	0.71
1:A:316:TRP:HB2	1:A:361:ILE:HD13	1.69	0.71
1:A:102:ARG:HD2	1:A:216:ALA:O	1.91	0.71
1:A:291:MET:HE3	1:A:334:LEU:HD11	1.73	0.70
1:A:211:HIS:HB2	1:A:345:VAL:HG22	1.75	0.69
1:A:471:THR:OG1	1:A:475:GLU:HG2	1.94	0.68
1:A:233:VAL:HG21	1:A:327:ILE:HD13	1.76	0.67
1:A:315:ILE:HD13	1:A:315:ILE:H	1.60	0.66
1:A:294:GLY:C	1:A:295:LEU:HD23	2.16	0.66
1:A:151:ILE:HB	1:A:178:VAL:HG22	1.78	0.66
1:A:117:THR:OG1	1:A:149:GLU:HG2	1.95	0.66
1:A:437:VAL:HG21	1:A:547:GLN:HE21	1.62	0.65
1:A:525:ASP:HB3	1:A:546:GLN:CG	2.26	0.64
1:A:203:GLN:O	1:A:300:ARG:HB3	1.98	0.63
1:A:241:ILE:CG2	1:A:345:VAL:HG12	2.29	0.63
1:A:183:MET:HE1	1:A:192:ALA:HA	1.81	0.62
1:A:125:HIS:CG	1:A:186:ARG:HH22	2.16	0.62
1:A:545:SER:HB2	5:A:828:HOH:O	1.98	0.62
1:A:140:ILE:HG13	1:A:141:ASN:N	2.13	0.62
1:A:540:CYS:HA	1:A:546:GLN:HE22	1.63	0.62
1:A:126:ASN:HD21	1:A:159:GLU:H	1.48	0.62
1:A:552:ASN:CG	2:A:700:NAG:C1	2.69	0.61
1:A:150:GLU:HB3	1:A:177:PRO:HG2	1.82	0.60
1:A:244:ASP:OD1	1:A:245:THR:HG23	2.02	0.60
1:A:102:ARG:NH1	1:A:107:LYS:HA	2.17	0.60
1:A:215:THR:HG22	1:A:216:ALA:N	2.17	0.59
1:A:445:ASN:HD22	1:A:447:ALA:N	1.91	0.59
1:A:291:MET:CG	1:A:293:GLY:H	2.12	0.59
1:A:187:SER:O	1:A:315:ILE:HB	2.02	0.58
1:A:242:SER:O	1:A:246:PHE:HA	2.03	0.58
1:A:124:PHE:CZ	1:A:155:ASP:HB2	2.39	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:GLN:NE2	1:A:203:GLN:HA	2.18	0.58
1:A:364:LYS:HG3	1:A:393:TYR:HA	1.86	0.58
1:A:126:ASN:HD21	1:A:159:GLU:N	2.01	0.57
1:A:304:GLN:HA	5:A:804:HOH:O	2.05	0.57
1:A:120:VAL:HG23	1:A:151:ILE:HG23	1.87	0.57
1:A:142:ARG:CA	1:A:142:ARG:HE	2.15	0.56
1:A:265:PHE:O	1:A:266:ARG:HG2	2.06	0.56
1:A:509:ASP:O	1:A:513:LEU:N	2.39	0.55
1:A:325:PHE:HB3	1:A:329:GLN:HE21	1.71	0.55
1:A:140:ILE:HD12	1:A:175:LYS:HD3	1.89	0.55
1:A:444:ASP:HB3	1:A:466:GLN:HG2	1.89	0.55
1:A:379:ASN:O	1:A:383:ILE:HG22	2.07	0.55
1:A:325:PHE:HB3	1:A:329:GLN:NE2	2.21	0.54
1:A:115:LEU:HD22	1:A:115:LEU:H	1.72	0.54
1:A:537:ILE:O	1:A:537:ILE:CG2	2.57	0.53
1:A:552:ASN:OD1	2:A:700:NAG:C1	2.57	0.53
1:A:102:ARG:HH12	1:A:107:LYS:HA	1.72	0.53
1:A:485:VAL:HB	1:A:517:HIS:CE1	2.44	0.53
1:A:450:GLU:O	1:A:451:ASN:HB2	2.10	0.52
1:A:377:PHE:HZ	1:A:426:ARG:HE	1.57	0.52
1:A:129:TRP:HB2	1:A:162:PHE:CD1	2.45	0.52
1:A:411:PHE:O	1:A:415:LEU:HD22	2.09	0.52
1:A:242:SER:HB2	1:A:246:PHE:H	1.73	0.52
1:A:522:GLN:HB3	1:A:538:ARG:O	2.09	0.52
1:A:126:ASN:ND2	1:A:159:GLU:H	2.07	0.51
2:A:700:NAG:O3	2:A:700:NAG:H83	2.10	0.51
1:A:184:GLU:HA	1:A:184:GLU:OE1	2.09	0.51
1:A:134:ARG:HD2	1:A:213:GLU:OE1	2.10	0.51
1:A:437:VAL:HG12	1:A:549:LEU:HG	1.91	0.51
1:A:245:THR:O	1:A:246:PHE:HB2	2.11	0.51
1:A:315:ILE:CD1	1:A:315:ILE:H	2.23	0.51
1:A:533:GLN:NE2	5:A:813:HOH:O	2.43	0.50
1:A:120:VAL:CG2	1:A:151:ILE:HG23	2.42	0.50
1:A:329:GLN:HE22	1:A:373:TRP:HB3	1.76	0.50
1:A:294:GLY:O	1:A:295:LEU:HD23	2.11	0.50
1:A:517:HIS:O	1:A:520:SER:O	2.29	0.50
1:A:437:VAL:HG13	1:A:547:GLN:O	2.11	0.50
1:A:261:TRP:CD2	1:A:479:ASP:HA	2.47	0.50
1:A:476:ILE:CG2	1:A:483:LEU:HD22	2.42	0.50
1:A:231:ARG:HH11	1:A:231:ARG:HG3	1.76	0.50
1:A:437:VAL:HG22	1:A:544:ARG:O	2.11	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:LEU:HD22	1:A:115:LEU:N	2.27	0.50
1:A:149:GLU:HB3	1:A:150:GLU:HG3	1.94	0.50
1:A:115:LEU:HD12	1:A:224:ALA:HA	1.94	0.49
1:A:183:MET:CE	1:A:192:ALA:HA	2.42	0.49
1:A:460:HIS:NE2	1:A:466:GLN:HG3	2.27	0.49
1:A:167:LEU:O	1:A:171:VAL:HG23	2.13	0.49
1:A:529:GLU:C	1:A:531:ASP:H	2.16	0.49
1:A:552:ASN:HD21	2:A:700:NAG:C1	2.23	0.49
1:A:105:GLY:O	1:A:108:THR:HG22	2.13	0.48
1:A:185:GLN:O	1:A:186:ARG:O	2.31	0.48
1:A:115:LEU:HA	1:A:227:LYS:HD2	1.94	0.48
1:A:98:LEU:HB3	1:A:99:PRO:CD	2.44	0.48
1:A:225:ARG:HD3	1:A:285:PRO:HG2	1.96	0.48
1:A:498:HIS:HB2	1:A:500:LEU:CD2	2.44	0.48
2:A:700:NAG:H61	2:A:701:NAG:C1	2.45	0.47
1:A:149:GLU:HG3	1:A:202:GLY:HA2	1.96	0.47
1:A:260:ASN:HB2	1:A:479:ASP:OD2	2.14	0.47
1:A:444:ASP:CB	1:A:466:GLN:HG2	2.43	0.47
1:A:445:ASN:HD22	1:A:445:ASN:C	2.18	0.47
1:A:241:ILE:HG21	1:A:345:VAL:HG12	1.97	0.47
1:A:230:ARG:HB2	1:A:230:ARG:HH21	1.79	0.47
1:A:194:LEU:HA	1:A:194:LEU:HD12	1.80	0.47
1:A:412:SER:O	1:A:416:GLU:HG2	2.16	0.47
1:A:492:VAL:O	1:A:492:VAL:HG22	2.14	0.46
1:A:313:MET:HB3	1:A:365:ASN:OD1	2.15	0.46
1:A:215:THR:CG2	1:A:216:ALA:N	2.78	0.46
1:A:528:THR:HG22	5:A:807:HOH:O	2.14	0.46
1:A:191:ARG:NH2	1:A:311:ALA:O	2.49	0.45
1:A:315:ILE:N	1:A:315:ILE:HD13	2.28	0.45
1:A:300:ARG:HG3	1:A:301:ASP:N	2.31	0.45
1:A:310:ASP:O	1:A:313:MET:HG3	2.16	0.45
1:A:433:GLU:HB2	1:A:442:CYS:SG	2.56	0.45
1:A:233:VAL:HG21	1:A:327:ILE:CD1	2.43	0.45
1:A:230:ARG:HB2	1:A:230:ARG:NH2	2.32	0.45
1:A:225:ARG:HD3	1:A:335:GLU:OE2	2.16	0.45
1:A:476:ILE:HG21	1:A:483:LEU:HD22	1.98	0.44
1:A:135:THR:O	1:A:139:VAL:HG23	2.16	0.44
1:A:291:MET:CE	1:A:334:LEU:HD11	2.46	0.44
1:A:100:ASP:OD2	1:A:102:ARG:HD3	2.19	0.43
1:A:508:TYR:CZ	1:A:550:LEU:HG	2.54	0.43
1:A:317:GLY:HA3	1:A:365:ASN:ND2	2.34	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:524:LEU:HD12	1:A:536:SER:O	2.18	0.43
2:A:700:NAG:H61	2:A:701:NAG:HN2	1.83	0.43
1:A:126:ASN:HD22	1:A:158:SER:HB3	1.83	0.42
1:A:278:ARG:HD2	1:A:284:LEU:HB2	2.01	0.42
1:A:123:VAL:HG21	1:A:189:LEU:HD12	2.01	0.42
1:A:140:ILE:CD1	1:A:175:LYS:HD3	2.49	0.42
1:A:203:GLN:HE21	1:A:203:GLN:HA	1.82	0.42
1:A:129:TRP:O	1:A:133:LEU:HD13	2.20	0.42
1:A:225:ARG:CD	1:A:285:PRO:HG2	2.48	0.42
1:A:441:GLN:HA	1:A:458:ASN:HA	2.00	0.42
1:A:460:HIS:HE2	1:A:466:GLN:HG3	1.83	0.42
1:A:164:LYS:O	1:A:168:GLU:HG3	2.20	0.42
1:A:526:LYS:HG2	1:A:545:SER:OG	2.20	0.42
1:A:164:LYS:HA	1:A:182:ARG:HH11	1.85	0.42
1:A:498:HIS:HB2	1:A:500:LEU:HD22	2.02	0.42
1:A:185:GLN:O	1:A:186:ARG:C	2.58	0.42
1:A:125:HIS:ND1	1:A:186:ARG:NH2	2.68	0.42
1:A:256:TYR:CE1	1:A:289:PRO:HD3	2.55	0.42
1:A:225:ARG:NH1	1:A:335:GLU:OE1	2.53	0.41
1:A:383:ILE:CD1	1:A:553:VAL:HG21	2.50	0.41
1:A:129:TRP:HE3	1:A:162:PHE:HD1	1.68	0.41
1:A:126:ASN:ND2	1:A:158:SER:HB3	2.35	0.41
1:A:383:ILE:HD11	1:A:553:VAL:HG21	2.02	0.41
1:A:221:PRO:HB2	1:A:337:VAL:HG11	2.02	0.41
1:A:471:THR:HG21	1:A:477:ARG:HD3	2.01	0.41
1:A:383:ILE:HG23	1:A:384:ILE:HG23	2.03	0.41
2:A:700:NAG:H61	2:A:701:NAG:N2	2.36	0.41
1:A:498:HIS:O	1:A:498:HIS:ND1	2.54	0.41
1:A:439:THR:OG1	1:A:441:GLN:HG3	2.21	0.41
1:A:220:GLU:H	1:A:220:GLU:CD	2.19	0.41
1:A:451:ASN:HA	1:A:495:LEU:HD12	2.04	0.40
1:A:478:THR:O	1:A:478:THR:HG23	2.21	0.40
1:A:488:LEU:C	1:A:490:GLY:H	2.24	0.40
1:A:239:ASP:OD1	1:A:341:HIS:HB3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/472 (94%)	409 (92%)	30 (7%)	4 (1%)	21	37

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	186	ARG
1	A	164	LYS
1	A	175	LYS
1	A	308	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	402/422 (95%)	370 (92%)	32 (8%)	15	28

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	ARG
1	A	150	GLU
1	A	155	ASP
1	A	160	ARG
1	A	163	LEU
1	A	172	LYS
1	A	174	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	183	MET
1	A	184	GLU
1	A	185	GLN
1	A	187	SER
1	A	194	LEU
1	A	204	VAL
1	A	225	ARG
1	A	230	ARG
1	A	242	SER
1	A	244	ASP
1	A	256	TYR
1	A	295	LEU
1	A	300	ARG
1	A	315	ILE
1	A	389	THR
1	A	415	LEU
1	A	426	ARG
1	A	431	LEU
1	A	445	ASN
1	A	483	LEU
1	A	492	VAL
1	A	500	LEU
1	A	530	GLU
1	A	544	ARG
1	A	545	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	126	ASN
1	A	141	ASN
1	A	185	GLN
1	A	203	GLN
1	A	304	GLN
1	A	320	ASN
1	A	329	GLN
1	A	445	ASN
1	A	451	ASN
1	A	465	ASN
1	A	473	ASN
1	A	504	GLN
1	A	516	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	533	GLN
1	A	546	GLN
1	A	547	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

3 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	700	1,2	14,14,15	0.43	0	15,19,21	0.85	0
2	NAG	A	701	2	14,14,15	0.50	0	15,19,21	0.56	0
2	BMA	A	702	2	11,11,12	0.56	0	14,15,17	0.78	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	700	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	701	2	-	0/6/23/26	0/1/1/1
2	BMA	A	702	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	702	BMA	C1-C2-C3	2.50	112.50	109.54

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	700	NAG	7	0
2	A	701	NAG	3	0

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	447/472 (94%)	0.16	18 (4%)	42 47	21, 36, 70, 88	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	316	TRP	6.2
1	A	187	SER	4.7
1	A	315	ILE	4.5
1	A	162	PHE	4.1
1	A	185	GLN	3.9
1	A	95	ASN	3.1
1	A	161	ASP	2.9
1	A	184	GLU	2.8
1	A	126	ASN	2.7
1	A	163	LEU	2.6
1	A	362	ILE	2.6
1	A	243	ASP	2.3
1	A	183	MET	2.2
1	A	167	LEU	2.2
1	A	530	GLU	2.2
1	A	165	ARG	2.2
1	A	191	ARG	2.1
1	A	155	ASP	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	A	701	14/15	0.94	0.15	-	41,54,59,60	0
2	BMA	A	702	11/12	0.71	0.22	-	65,68,70,73	0
2	NAG	A	700	14/15	0.92	0.18	-	47,48,53,53	0

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	CA	A	601	1/1	0.95	0.14	0.26	36,36,36,36	0
3	MN	A	600	1/1	0.96	0.16	-	46,46,46,46	0
4	CA	A	602	1/1	0.96	0.13	-	55,55,55,55	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.