



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:30 PM GMT

PDB ID : 1XJN  
Title : Structural mechanism of allosteric substrate specificity in a ribonucleotide reductase: dATP-CDP complex  
Authors : Larsson, K.-M.; Jordan, A.; Eliasson, R.; Reichard, P.; Logan, D.T.; Nordlund, P.  
Deposited on : 2004-09-23  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	644	<div> <div>3%</div> <div>80%</div> <div>13%</div> <div>• •</div> </div>
1	B	644	<div> <div>3%</div> <div>74%</div> <div>17%</div> <div>• 5%</div> </div>
1	C	644	<div> <div>3%</div> <div>73%</div> <div>19%</div> <div>• 5%</div> </div>
1	D	644	<div> <div>3%</div> <div>71%</div> <div>20%</div> <div>• 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	B	1009	-	-	X	-
3	CDP	C	1004	-	-	-	X
3	CDP	D	1003	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 20534 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ribonucleotide reductase, B12-dependent.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	618	Total	C	N	O	S	0	0	0
			4958	3181	839	918	20			
1	B	610	Total	C	N	O	S	0	0	0
			4898	3139	834	905	20			
1	C	615	Total	C	N	O	S	0	0	0
			4934	3161	838	915	20			
1	D	607	Total	C	N	O	S	0	0	0
			4874	3129	824	901	20			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	205	SER	TYR	SEE REMARK 999	UNP O33839
B	205	SER	TYR	SEE REMARK 999	UNP O33839
C	205	SER	TYR	SEE REMARK 999	UNP O33839
D	205	SER	TYR	SEE REMARK 999	UNP O33839

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		

- Molecule 3 is CYTIDINE-5'-DIPHOSPHATE (three-letter code: CDP) (formula: C<sub>9</sub>H<sub>15</sub>N<sub>3</sub>O<sub>11</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			25	9	3	11	2		
3	A	1	Total	C	N	O	P	0	0
			25	9	3	11	2		
3	D	1	Total	C	N	O	P	0	0
			25	9	3	11	2		
3	C	1	Total	C	N	O	P	0	0
			25	9	3	11	2		

- Molecule 4 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula:  $C_{10}H_{16}N_5O_{12}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
4	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
4	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
4	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	180	Total	O	0	0
			180	180		
5	B	197	Total	O	0	0
			197	197		
5	C	167	Total	O	0	0
			167	167		
5	D	105	Total	O	0	0
			105	105		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ribonucleotide reductase, B12-dependent




- Molecule 1: ribonucleotide reductase, B12-dependent



- Molecule 1: ribonucleotide reductase, B12-dependent



- Molecule 1: ribonucleotide reductase, B12-dependent





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	105.97Å 123.83Å 117.41Å 90.00° 104.02° 90.00°	Depositor
Resolution (Å)	19.54 – 2.25 19.53 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.5 (19.54-2.25) 99.5 (19.53-2.25)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.69 (at 2.26Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.190 , 0.254 0.190 , 0.252	Depositor DCC
$R_{free}$ test set	6927 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	25.1	Xtriage
Anisotropy	0.575	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 46.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 138333 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	20534	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 68.17 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.5686e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DTP, CDP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.96	2/5053 (0.0%)	0.93	6/6817 (0.1%)
1	B	1.00	1/4994 (0.0%)	0.98	15/6739 (0.2%)
1	C	0.90	1/5031 (0.0%)	0.90	7/6791 (0.1%)
1	D	0.91	1/4971 (0.0%)	0.91	9/6710 (0.1%)
All	All	0.94	5/20049 (0.0%)	0.93	37/27057 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
1	C	0	3
1	D	0	1
All	All	0	8

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	471	GLU	CG-CD	5.42	1.60	1.51
1	A	42	GLU	CB-CG	-5.34	1.42	1.52
1	A	368	VAL	CB-CG1	5.23	1.63	1.52
1	D	468	GLU	CB-CG	-5.16	1.42	1.52
1	B	116	GLU	CG-CD	5.13	1.59	1.51

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	623	ARG	NE-CZ-NH1	14.94	127.77	120.30
1	B	623	ARG	NE-CZ-NH2	-12.12	114.24	120.30
1	C	623	ARG	NE-CZ-NH1	11.61	126.11	120.30
1	C	623	ARG	NE-CZ-NH2	-9.79	115.41	120.30
1	B	629	ARG	NE-CZ-NH2	-8.85	115.88	120.30
1	D	623	ARG	NE-CZ-NH1	8.55	124.58	120.30
1	B	125	ARG	NE-CZ-NH2	-7.96	116.32	120.30
1	B	619	ARG	NE-CZ-NH2	-7.19	116.70	120.30
1	A	629	ARG	NE-CZ-NH2	-7.01	116.80	120.30
1	A	238	LEU	N-CA-C	6.90	129.62	111.00
1	C	257	LEU	CA-CB-CG	6.83	131.02	115.30
1	A	85	ARG	NE-CZ-NH2	-6.73	116.94	120.30
1	B	619	ARG	NE-CZ-NH1	6.57	123.58	120.30
1	D	623	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	A	237	VAL	C-N-CA	6.26	137.35	121.70
1	C	57	LEU	CA-CB-CG	5.99	129.07	115.30
1	B	623	ARG	CD-NE-CZ	5.98	131.98	123.60
1	D	329	ASP	CB-CG-OD1	-5.76	113.12	118.30
1	B	526	LEU	N-CA-C	5.73	126.48	111.00
1	B	629	ARG	NE-CZ-NH1	5.69	123.15	120.30
1	D	413	ARG	NE-CZ-NH1	5.69	123.14	120.30
1	B	526	LEU	C-N-CA	5.47	135.37	121.70
1	D	329	ASP	CB-CG-OD2	5.45	123.21	118.30
1	D	113	MET	CG-SD-CE	-5.36	91.63	100.20
1	A	257	LEU	CA-CB-CG	5.26	127.39	115.30
1	B	69	ASP	CB-CG-OD1	5.23	123.01	118.30
1	C	86	LEU	CA-CB-CG	5.13	127.11	115.30
1	B	363	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	A	629	ARG	NE-CZ-NH1	5.11	122.85	120.30
1	D	403	LEU	CA-CB-CG	5.08	126.99	115.30
1	B	243	LEU	CA-CB-CG	5.08	126.98	115.30
1	B	314	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	C	329	ASP	CB-CG-OD2	5.04	122.84	118.30
1	B	623	ARG	CB-CG-CD	5.03	124.69	111.60
1	D	86	LEU	CA-CB-CG	5.03	126.87	115.30
1	C	619	ARG	NE-CZ-NH2	-5.03	117.79	120.30
1	D	350	ASP	CB-CG-OD2	5.02	122.82	118.30

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	518	LYS	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	241	PHE	Peptide
1	B	525	PRO	Peptide
1	B	63	LYS	Peptide
1	C	182	GLY	Peptide
1	C	241	PHE	Peptide
1	C	526	LEU	Peptide
1	D	540	GLU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4958	0	5014	79	0
1	B	4898	0	4948	91	0
1	C	4934	0	4980	83	0
1	D	4874	0	4920	95	0
2	B	1	0	0	3	0
3	A	25	0	12	1	0
3	B	25	0	12	1	0
3	C	25	0	12	0	0
3	D	25	0	12	1	0
4	A	30	0	12	0	0
4	B	30	0	12	0	0
4	C	60	0	24	0	0
5	A	180	0	0	7	0
5	B	197	0	0	12	0
5	C	167	0	0	4	0
5	D	105	0	0	5	0
All	All	20534	0	19958	346	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (346) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212:MET:HE3	1:D:244:SER:HB2	1.21	1.14
1:A:565:ILE:O	1:A:566:LYS:HB2	1.45	1.12
1:B:565:ILE:O	1:B:566:LYS:CB	1.95	1.09
1:D:212:MET:CE	1:D:244:SER:HB2	1.83	1.07
1:B:565:ILE:O	1:B:566:LYS:HB2	1.49	1.05
1:C:32:LEU:H	1:C:32:LEU:HD12	1.22	1.04
1:A:565:ILE:O	1:A:566:LYS:CB	2.04	1.03
1:D:257:LEU:HD22	1:D:262:GLY:HA3	1.41	1.02
1:D:601:MET:HE1	1:D:610:VAL:HG22	1.44	1.00
1:D:601:MET:CE	1:D:610:VAL:HG22	1.98	0.94
1:B:2:LYS:HE3	5:B:1182:HOH:O	1.67	0.94
1:B:601:MET:HE1	1:B:610:VAL:HG22	1.51	0.93
1:B:63:LYS:HB3	1:B:64:LYS:O	1.66	0.93
1:B:207:ARG:NH1	2:B:1009:CL:CL	2.41	0.90
1:B:601:MET:CE	1:B:610:VAL:HG22	2.02	0.88
1:A:65:ASN:HD22	1:A:65:ASN:H	1.21	0.88
1:C:512:TYR:O	1:C:527:LEU:O	1.93	0.86
1:D:257:LEU:CD2	1:D:262:GLY:HA3	2.04	0.86
1:B:18:ASN:HD21	1:B:514:ARG:HH21	1.22	0.83
1:D:578:MET:HB3	5:D:1061:HOH:O	1.76	0.83
1:A:544:ARG:HH11	1:A:544:ARG:CB	1.92	0.83
1:C:257:LEU:HD22	1:C:262:GLY:HA3	1.60	0.82
1:A:538:ASN:HD21	1:A:540:GLU:HG2	1.44	0.82
1:A:519:GLU:H	1:A:520:ASP:HA	1.44	0.82
5:C:1166:HOH:O	1:D:181:HIS:HE1	1.63	0.81
1:B:210:ALA:O	5:B:1176:HOH:O	1.99	0.80
1:D:514:ARG:O	1:D:526:LEU:HB2	1.79	0.80
1:A:601:MET:CE	1:A:627:VAL:HB	2.13	0.77
1:C:63:LYS:HB2	1:C:66:GLU:HG3	1.66	0.77
1:B:514:ARG:C	1:B:526:LEU:CB	2.53	0.77
1:D:450:ARG:NH1	1:D:477:LYS:O	2.17	0.77
1:B:50:ARG:NH2	1:B:108:LYS:O	2.18	0.76
1:C:31:ASP:OD2	1:C:33:ASP:HB2	1.85	0.76
1:C:338:ILE:HG12	1:C:357:LEU:HD13	1.68	0.76
1:A:180:THR:HG23	1:A:182:GLY:HA3	1.67	0.75
1:B:565:ILE:O	1:B:566:LYS:HB3	1.85	0.75
1:A:544:ARG:HB2	1:A:544:ARG:NH1	2.02	0.75
1:A:65:ASN:ND2	1:A:65:ASN:H	1.84	0.75
1:D:580:HIS:CE1	1:D:600:ASN:HD22	2.05	0.75
1:B:537:LEU:HD13	1:B:565:ILE:HD13	1.68	0.75
1:A:538:ASN:ND2	1:A:540:GLU:HG2	2.03	0.74
1:B:514:ARG:C	1:B:526:LEU:HB2	2.08	0.73

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:ILE:HG12	1:A:211:LEU:HD21	1.69	0.73
1:B:122:TYR:O	1:B:125:ARG:HD3	1.88	0.73
1:A:212:MET:HB2	1:A:321:PRO:HA	1.71	0.73
1:B:514:ARG:NE	5:B:1056:HOH:O	2.22	0.72
1:D:418:ASN:HD21	1:D:464:ASN:HD22	1.36	0.71
1:C:601:MET:HE2	1:C:627:VAL:HB	1.72	0.71
1:C:9:ARG:HH11	1:C:9:ARG:HB3	1.55	0.71
1:C:277:VAL:HG21	1:C:282:LEU:HD22	1.72	0.71
1:A:601:MET:HE2	1:A:627:VAL:HB	1.71	0.70
1:A:519:GLU:H	1:A:520:ASP:CA	2.05	0.70
1:D:531:GLN:O	1:D:534:ARG:O	2.10	0.70
1:D:487:THR:O	1:D:488:ILE:HD13	1.92	0.70
1:D:257:LEU:HD22	1:D:262:GLY:CA	2.22	0.69
1:B:538:ASN:HD22	1:B:541:ILE:CD1	2.05	0.69
1:D:538:ASN:HD22	1:D:539:PRO:HD2	1.57	0.69
1:B:355:GLN:O	1:B:359:GLN:HG3	1.94	0.68
1:A:68:LEU:HD22	1:A:72:LYS:HD2	1.76	0.68
1:B:444:LEU:HD13	1:B:480:ARG:HG2	1.76	0.67
1:A:59:ASN:HD22	1:A:61:SER:H	1.42	0.67
1:A:544:ARG:HB3	1:A:544:ARG:HH11	1.59	0.67
1:B:538:ASN:HD22	1:B:541:ILE:HD12	1.58	0.67
1:C:9:ARG:HH11	1:C:9:ARG:CB	2.07	0.66
1:B:616:GLU:O	1:B:620:THR:HG23	1.95	0.66
1:C:278:LYS:HB2	1:C:281:GLU:HG3	1.77	0.66
1:A:544:ARG:NH1	1:A:544:ARG:CB	2.58	0.66
1:C:265:GLU:OE2	1:C:274:ARG:HD2	1.97	0.65
1:C:277:VAL:CG2	1:C:282:LEU:HD22	2.27	0.65
1:D:171:ARG:HD2	5:D:1071:HOH:O	1.97	0.65
1:C:284:ARG:NH2	1:C:608:ASP:OD1	2.30	0.64
1:C:456:VAL:HG22	1:C:473:MET:HG3	1.79	0.64
1:D:184:ALA:HB2	5:D:1071:HOH:O	1.96	0.64
1:D:381:LYS:O	1:D:385:GLU:HG3	1.97	0.64
1:B:63:LYS:HB3	1:B:64:LYS:C	2.18	0.64
1:C:601:MET:CE	1:C:627:VAL:HB	2.27	0.63
1:D:229:LYS:HG3	1:D:243:LEU:HD22	1.79	0.63
1:D:534:ARG:O	1:D:535:GLU:CB	2.45	0.63
1:A:185:SER:HB3	1:A:189:SER:OG	1.99	0.63
1:A:212:MET:HE3	1:A:213:GLY:N	2.14	0.63
1:B:514:ARG:C	1:B:526:LEU:HB3	2.18	0.62
1:A:284:ARG:NH2	1:A:608:ASP:OD1	2.32	0.62
1:B:64:LYS:O	1:B:65:ASN:HB2	1.99	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:TYR:O	1:A:125:ARG:HD3	2.00	0.61
1:B:486:LEU:O	1:B:593:ASN:HB2	2.00	0.61
1:D:601:MET:HE3	1:D:610:VAL:HG22	1.81	0.61
1:B:514:ARG:HG2	1:B:528:TYR:HB2	1.82	0.61
1:D:534:ARG:O	1:D:535:GLU:HB3	1.98	0.61
1:B:531:GLN:HE21	1:B:531:GLN:HA	1.65	0.61
1:C:63:LYS:HB2	1:C:66:GLU:CG	2.31	0.61
1:B:237:VAL:O	1:B:237:VAL:CG1	2.49	0.61
1:A:54:THR:HG22	1:A:118:TYR:HD2	1.66	0.60
1:D:476:THR:HB	1:D:480:ARG:HB3	1.83	0.60
1:C:453:ASP:O	1:C:454:ASN:HB2	2.01	0.60
1:D:542:LEU:HG	1:D:546:GLU:HB3	1.81	0.60
1:B:119:GLU:O	1:B:123:ARG:HG3	2.02	0.60
1:A:555:LEU:O	1:A:566:LYS:HE2	2.01	0.60
1:B:372:ASN:ND2	1:B:374:PHE:CZ	2.70	0.60
1:C:555:LEU:O	1:C:566:LYS:HE2	2.00	0.60
1:B:472:VAL:O	1:B:476:THR:HG23	2.02	0.59
1:D:192:HIS:CE1	5:D:1092:HOH:O	2.55	0.59
1:A:540:GLU:O	1:A:544:ARG:HG2	2.02	0.59
1:B:514:ARG:HD3	5:B:1056:HOH:O	2.02	0.59
1:A:544:ARG:HB2	1:A:544:ARG:HH11	1.62	0.59
1:C:408:ASN:HB3	1:C:575:ILE:HG23	1.84	0.59
1:A:538:ASN:HD22	1:A:540:GLU:H	1.50	0.59
1:D:18:ASN:HD22	1:D:526:LEU:HD22	1.68	0.58
1:B:207:ARG:O	1:B:208:ARG:HG2	2.03	0.58
1:A:320:ASN:ND2	3:A:1002:CDP:O3'	2.36	0.58
1:B:538:ASN:ND2	1:B:541:ILE:HD12	2.17	0.58
1:B:26:ARG:NH1	5:B:1136:HOH:O	2.33	0.58
1:B:274:ARG:HD2	5:B:1171:HOH:O	2.03	0.58
1:B:601:MET:HE3	1:B:610:VAL:HG22	1.82	0.58
1:C:32:LEU:N	1:C:32:LEU:HD12	2.07	0.58
1:A:257:LEU:HD22	1:A:262:GLY:HA3	1.86	0.58
1:D:320:ASN:HB2	1:D:321:PRO:CD	2.34	0.58
1:D:408:ASN:HB3	1:D:575:ILE:HG23	1.85	0.58
1:B:18:ASN:ND2	1:B:514:ARG:HH21	1.98	0.57
1:D:445:GLU:HA	1:D:450:ARG:HG3	1.86	0.57
1:D:616:GLU:OE1	1:D:619:ARG:NH1	2.37	0.57
1:B:54:THR:HG22	1:B:118:TYR:HD2	1.69	0.57
1:C:80:ARG:HH11	1:C:80:ARG:HG2	1.69	0.57
1:C:559:PRO:O	1:C:560:ASP:CB	2.52	0.57
1:B:198:ILE:HG12	1:B:211:LEU:HD21	1.87	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212:MET:HE1	1:D:244:SER:HB2	1.82	0.57
1:C:212:MET:HA	1:C:212:MET:HE3	1.85	0.57
1:A:425:LEU:HD12	1:A:472:VAL:HG21	1.87	0.57
1:A:356:GLU:OE1	5:A:1142:HOH:O	2.18	0.57
1:A:408:ASN:HB3	1:A:575:ILE:HG23	1.87	0.57
1:D:616:GLU:O	1:D:620:THR:HG23	2.05	0.57
1:B:1:MET:HG3	1:B:350:ASP:OD1	2.04	0.57
1:D:212:MET:HB2	1:D:321:PRO:HA	1.86	0.57
1:A:65:ASN:N	1:A:65:ASN:ND2	2.53	0.57
1:C:198:ILE:HG12	1:C:211:LEU:HD11	1.86	0.57
1:D:538:ASN:HD22	1:D:539:PRO:CD	2.18	0.56
1:D:212:MET:CE	1:D:244:SER:CB	2.71	0.56
1:B:257:LEU:HD22	1:B:262:GLY:HA3	1.87	0.56
1:B:474:LYS:HE2	5:B:1187:HOH:O	2.05	0.56
1:C:202:LYS:C	1:C:203:GLN:HE21	2.08	0.56
1:D:237:VAL:HG12	1:D:237:VAL:O	2.05	0.56
1:B:514:ARG:CD	5:B:1056:HOH:O	2.53	0.55
1:C:25:ASP:OD1	5:C:1151:HOH:O	2.18	0.55
1:B:311:TYR:CD1	1:B:312:PRO:HA	2.42	0.55
1:C:561:VAL:HB	1:C:566:LYS:HE3	1.88	0.55
1:D:32:LEU:H	1:D:32:LEU:HD22	1.72	0.55
1:B:3:LEU:O	1:B:7:ILE:HG13	2.06	0.55
1:A:601:MET:HE3	1:A:627:VAL:HB	1.88	0.55
1:D:32:LEU:O	1:D:33:ASP:HB2	2.06	0.55
1:C:603:GLN:OE1	1:C:631:GLY:HA3	2.06	0.55
1:C:277:VAL:HG21	1:C:282:LEU:CD2	2.37	0.54
1:D:50:ARG:O	1:D:54:THR:HG23	2.08	0.54
1:D:64:LYS:O	1:D:65:ASN:ND2	2.40	0.54
1:C:177:VAL:O	1:C:178:ALA:HB3	2.07	0.54
1:C:128:LEU:HD13	1:D:179:GLY:HA3	1.90	0.54
1:D:50:ARG:O	1:D:54:THR:CG2	2.56	0.54
1:D:170:LEU:HD12	1:D:187:PRO:HA	1.90	0.54
1:A:488:ILE:HG21	1:A:504:LEU:HG	1.88	0.54
1:D:321:PRO:HD2	3:D:1003:CDP:O2'	2.07	0.54
1:B:603:GLN:HG3	1:B:630:ASP:O	2.08	0.54
1:C:22:ILE:CD1	1:C:496:ASN:HB3	2.38	0.54
1:C:177:VAL:O	1:C:178:ALA:CB	2.56	0.54
1:D:330:TYR:O	1:D:379:ILE:HA	2.08	0.54
1:D:454:ASN:HD22	1:D:474:LYS:NZ	2.06	0.54
1:A:277:VAL:HG21	1:A:282:LEU:HD22	1.90	0.53
1:C:250:ASP:OD1	1:C:252:LYS:HG2	2.07	0.53

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:VAL:HG12	1:A:179:GLY:H	1.73	0.53
1:C:555:LEU:HA	1:C:558:ILE:HD12	1.89	0.53
1:A:59:ASN:ND2	1:A:61:SER:H	2.05	0.53
1:B:111:ASP:O	5:B:1073:HOH:O	2.19	0.53
1:B:50:ARG:O	1:B:54:THR:HG23	2.09	0.53
1:A:320:ASN:HB2	1:A:321:PRO:HD2	1.90	0.53
1:A:179:GLY:HA3	1:A:180:THR:HG22	1.90	0.52
1:C:22:ILE:HD12	1:C:496:ASN:HB3	1.91	0.52
1:B:408:ASN:HB3	1:B:575:ILE:HG23	1.90	0.52
1:B:592:ASP:O	1:B:623:ARG:NH2	2.42	0.52
1:C:17:LYS:O	1:C:21:ILE:HG13	2.09	0.52
1:D:429:ARG:O	1:D:433:GLU:HG2	2.09	0.52
1:D:64:LYS:C	1:D:66:GLU:H	2.13	0.52
1:B:108:LYS:HE2	1:B:117:ASP:OD2	2.09	0.52
1:D:237:VAL:CG1	1:D:237:VAL:O	2.57	0.52
1:D:187:PRO:O	1:D:191:MET:HG3	2.10	0.52
1:B:364:PHE:CD1	1:B:364:PHE:C	2.83	0.52
1:A:212:MET:HE3	1:A:213:GLY:H	1.74	0.52
1:B:551:GLU:HG3	1:B:552:LYS:H	1.75	0.52
1:D:272:THR:O	1:D:274:ARG:HG3	2.10	0.52
1:D:441:PHE:HB3	1:D:481:ARG:O	2.10	0.51
1:C:212:MET:HE3	1:C:242:ASN:O	2.11	0.51
1:D:417:ALA:HB1	1:D:462:MET:O	2.11	0.51
1:D:480:ARG:HD3	1:D:482:ASN:O	2.10	0.51
1:B:372:ASN:ND2	1:B:374:PHE:CE1	2.79	0.51
1:D:277:VAL:HG21	1:D:282:LEU:HD22	1.93	0.51
1:D:407:TYR:CZ	1:D:506:PRO:HD3	2.46	0.51
1:A:588:GLN:HE22	1:A:594:ASN:HA	1.76	0.51
1:C:50:ARG:O	1:C:54:THR:HG23	2.11	0.51
1:B:207:ARG:NH2	2:B:1009:CL:CL	2.80	0.50
1:B:237:VAL:HG12	1:B:237:VAL:O	2.10	0.50
1:A:623:ARG:HD2	5:A:1049:HOH:O	2.11	0.50
1:B:511:ALA:HA	1:B:528:TYR:O	2.10	0.50
1:C:20:GLN:NE2	5:C:1128:HOH:O	2.43	0.50
1:D:212:MET:HE2	1:D:214:ILE:CG1	2.41	0.50
1:C:212:MET:CE	1:C:242:ASN:O	2.59	0.50
1:D:18:ASN:ND2	1:D:526:LEU:HD22	2.26	0.50
1:C:32:LEU:H	1:C:32:LEU:CD1	1.95	0.50
1:B:15:PRO:O	1:B:20:GLN:NE2	2.45	0.49
1:C:134:CYS:HB3	1:C:320:ASN:HB3	1.94	0.49
1:B:18:ASN:ND2	5:B:1095:HOH:O	2.44	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:84:ALA:CB	1:C:86:LEU:HD22	2.43	0.49
1:D:62:TYR:CE1	1:D:70:ARG:HG3	2.48	0.49
1:B:454:ASN:HD22	1:B:474:LYS:NZ	2.11	0.48
1:A:277:VAL:CG2	1:A:282:LEU:HD22	2.43	0.48
1:A:452:GLU:HG3	5:A:1147:HOH:O	2.12	0.48
1:B:72:LYS:O	1:B:110:ILE:HD11	2.13	0.48
1:D:546:GLU:O	1:D:550:ILE:HD12	2.14	0.48
1:D:378:LYS:HG3	5:D:1105:HOH:O	2.13	0.48
1:B:601:MET:HE3	1:B:610:VAL:CG2	2.44	0.48
1:A:601:MET:CE	1:A:627:VAL:CB	2.89	0.48
1:A:512:TYR:HE1	1:A:514:ARG:HD3	1.79	0.48
1:C:122:TYR:O	1:C:125:ARG:HD3	2.14	0.48
1:C:559:PRO:O	1:C:560:ASP:HB2	2.14	0.48
1:B:548:GLU:O	1:B:552:LYS:HB3	2.14	0.48
1:C:11:ILE:HG13	1:C:83:LYS:HD3	1.96	0.47
1:B:54:THR:HG22	1:B:118:TYR:CD2	2.49	0.47
1:B:601:MET:CE	1:B:610:VAL:CG2	2.86	0.47
1:C:1:MET:HE2	1:C:9:ARG:HH21	1.79	0.47
1:B:68:LEU:HD22	1:B:72:LYS:HD2	1.96	0.47
1:B:207:ARG:CZ	2:B:1009:CL:CL	2.97	0.47
1:C:623:ARG:HD2	5:C:1069:HOH:O	2.15	0.47
1:C:42:GLU:HB3	1:C:83:LYS:HE3	1.97	0.47
1:C:460:MET:HG2	1:C:590:TYR:CE1	2.49	0.47
1:D:343:PHE:CE2	1:D:354:LEU:HA	2.49	0.47
1:B:151:LYS:O	1:B:154:ALA:HB3	2.15	0.47
1:D:474:LYS:HE2	1:D:474:LYS:HB2	1.73	0.47
1:A:271:SER:OG	1:A:273:ILE:HG13	2.15	0.47
1:A:470:ARG:HG2	5:A:1084:HOH:O	2.15	0.47
1:A:90:ASN:HB3	1:A:335:LEU:HB2	1.97	0.47
1:B:174:GLY:HA2	1:B:183:LYS:HB3	1.96	0.46
1:C:237:VAL:HG13	1:C:237:VAL:O	2.15	0.46
1:D:472:VAL:O	1:D:476:THR:HG23	2.14	0.46
1:D:220:PRO:HD3	1:D:267:SER:O	2.15	0.46
1:A:52:VAL:HG21	1:A:364:PHE:CZ	2.51	0.46
1:B:67:LYS:O	1:B:71:ILE:HG13	2.15	0.46
1:D:308:TYR:HD1	1:D:309:PRO:HD2	1.81	0.46
1:A:311:TYR:HA	1:A:314:ARG:O	2.15	0.46
1:D:268:HIS:CG	1:D:269:PRO:HD2	2.51	0.46
1:C:237:VAL:HG22	1:C:239:ASN:OD1	2.16	0.46
1:C:541:ILE:O	1:C:545:ILE:HG12	2.16	0.46
1:D:450:ARG:NH1	1:D:478:GLU:HA	2.31	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:559:PRO:O	1:C:560:ASP:CG	2.54	0.46
1:B:189:SER:O	1:B:192:HIS:HB2	2.16	0.46
1:A:273:ILE:HA	5:A:1040:HOH:O	2.16	0.46
1:B:389:LEU:HD12	1:B:485:LEU:HD23	1.98	0.46
1:B:406:PRO:HB3	1:B:567:LYS:O	2.16	0.46
1:B:217:ILE:HA	1:B:222:ILE:HG12	1.98	0.45
1:D:126:ASN:OD1	1:D:126:ASN:C	2.53	0.45
1:D:486:LEU:O	1:D:593:ASN:HB2	2.16	0.45
1:C:47:ARG:HD2	1:C:97:ALA:O	2.16	0.45
1:A:237:VAL:HA	1:A:239:ASN:N	2.31	0.45
1:B:441:PHE:HB3	1:B:481:ARG:O	2.16	0.45
1:D:476:THR:HA	1:D:479:PHE:O	2.17	0.45
1:B:110:ILE:HG22	5:B:1024:HOH:O	2.16	0.45
1:D:35:ASN:HB3	1:D:36:TYR:H	1.61	0.45
1:A:65:ASN:O	1:A:66:GLU:CB	2.64	0.45
1:D:11:ILE:O	1:D:83:LYS:NZ	2.47	0.45
1:A:512:TYR:CE1	1:A:514:ARG:HD3	2.52	0.45
1:A:561:VAL:HB	1:A:566:LYS:HE3	1.99	0.45
1:B:449:TYR:OH	1:B:457:PRO:HG3	2.17	0.44
1:D:166:ASN:HB2	1:D:317:ASN:O	2.17	0.44
1:C:218:ASN:HA	1:C:266:LEU:HD22	1.99	0.44
1:D:212:MET:HE1	1:D:244:SER:CB	2.45	0.44
1:D:327:LEU:HD22	1:D:331:GLU:HB3	1.99	0.44
1:C:56:GLU:HB2	1:C:71:ILE:HG12	1.99	0.44
1:B:229:LYS:CG	1:B:243:LEU:HD22	2.48	0.44
1:C:138:PRO:HD3	1:C:329:ASP:HB3	2.00	0.44
1:D:67:LYS:O	1:D:71:ILE:HG13	2.18	0.44
1:D:456:VAL:HG22	1:D:473:MET:HG3	2.00	0.44
1:A:177:VAL:O	1:A:179:GLY:N	2.51	0.43
1:B:564:LYS:HA	1:B:564:LYS:HD3	1.77	0.43
1:B:320:ASN:ND2	3:B:1001:CDP:O3'	2.51	0.43
1:D:64:LYS:O	1:D:66:GLU:N	2.52	0.43
1:C:311:TYR:CD1	1:C:312:PRO:HA	2.54	0.43
1:A:63:LYS:O	1:A:65:ASN:O	2.36	0.43
1:C:429:ARG:O	1:C:432:TYR:HB3	2.17	0.43
1:B:512:TYR:CD2	1:B:512:TYR:N	2.85	0.43
1:C:453:ASP:O	1:C:454:ASN:CB	2.67	0.43
1:C:592:ASP:O	1:C:623:ARG:NH2	2.52	0.43
1:D:358:VAL:O	1:D:362:VAL:HG23	2.19	0.43
1:A:182:GLY:O	1:A:183:LYS:HB2	2.18	0.43
1:A:518:LYS:C	1:A:518:LYS:HE3	2.39	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:ILE:O	1:A:83:LYS:HE2	2.18	0.43
1:B:90:ASN:HB3	1:B:335:LEU:HB2	2.01	0.43
1:C:84:ALA:HB3	1:C:86:LEU:HD22	2.01	0.43
1:C:588:GLN:CD	1:C:623:ARG:HD3	2.39	0.43
1:C:567:LYS:HD3	1:C:567:LYS:HA	1.73	0.43
1:C:164:GLY:HA2	1:C:212:MET:O	2.19	0.42
1:C:62:TYR:HB3	1:C:67:LYS:HG3	2.00	0.42
1:B:429:ARG:HG2	5:B:1199:HOH:O	2.19	0.42
1:C:80:ARG:NH1	1:C:80:ARG:HG2	2.33	0.42
1:B:585:ASP:O	1:B:589:ARG:HG3	2.18	0.42
1:B:416:ALA:HB1	1:B:587:PHE:CE2	2.55	0.42
1:C:399:LEU:HG	1:C:403:LEU:HD22	2.00	0.42
1:C:172:PRO:HD2	1:C:271:SER:HB2	2.01	0.42
1:A:562:PRO:O	1:A:565:ILE:O	2.38	0.42
1:A:527:LEU:CD1	1:A:550:ILE:HD11	2.50	0.42
1:A:129:HIS:ND1	1:A:371:VAL:O	2.52	0.42
1:D:32:LEU:CD2	1:D:32:LEU:H	2.32	0.42
1:B:215:LEU:HD13	1:B:219:HIS:HB3	2.02	0.42
1:B:611:LEU:O	1:B:614:TYR:HB2	2.19	0.42
1:A:374:PHE:HE1	5:A:1168:HOH:O	2.02	0.42
1:C:181:HIS:HA	1:C:182:GLY:HA2	1.75	0.42
1:A:519:GLU:N	1:A:520:ASP:HA	2.23	0.42
1:D:450:ARG:HH12	1:D:478:GLU:HA	1.85	0.42
1:D:328:SER:O	1:D:331:GLU:HB2	2.20	0.42
1:C:254:ILE:HD13	1:C:254:ILE:HA	1.93	0.42
1:A:59:ASN:HD22	1:A:59:ASN:C	2.24	0.41
1:A:65:ASN:O	1:A:66:GLU:HB3	2.20	0.41
1:A:538:ASN:C	1:A:538:ASN:HD22	2.23	0.41
1:D:432:TYR:HB2	1:D:476:THR:HG22	2.01	0.41
1:D:62:TYR:CD1	1:D:70:ARG:HG3	2.55	0.41
1:C:157:THR:HG22	1:C:201:VAL:CG1	2.50	0.41
1:A:558:ILE:HA	1:A:559:PRO:HD3	1.85	0.41
1:A:128:LEU:HD13	1:B:179:GLY:HA3	2.02	0.41
1:D:349:VAL:HG22	1:D:399:LEU:HD11	2.02	0.41
1:C:38:GLU:HG2	1:C:43:ASP:HB3	2.01	0.41
1:D:542:LEU:HG	1:D:546:GLU:CB	2.50	0.41
1:C:344:TYR:CD1	1:C:403:LEU:HD13	2.56	0.41
1:B:330:TYR:O	1:B:379:ILE:HA	2.20	0.41
1:C:615:LEU:HD23	1:C:615:LEU:HA	1.88	0.41
1:A:567:LYS:HD3	1:A:567:LYS:HA	1.55	0.41
1:D:303:GLU:CG	1:D:623:ARG:HG3	2.51	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212:MET:CE	1:D:214:ILE:HG12	2.50	0.41
1:A:546:GLU:O	1:A:550:ILE:HD12	2.21	0.41
1:B:241:PHE:HB3	1:B:243:LEU:HD13	2.02	0.41
1:C:542:LEU:O	1:C:546:GLU:HG3	2.21	0.41
1:D:460:MET:HA	1:D:590:TYR:CZ	2.56	0.41
1:D:401:TYR:CE1	1:D:569:PHE:HA	2.55	0.41
1:A:544:ARG:HG2	1:A:544:ARG:H	1.69	0.40
1:C:460:MET:HE1	1:C:470:ARG:HD3	2.03	0.40
1:A:32:LEU:HA	1:A:33:ASP:HA	1.80	0.40
1:D:254:ILE:HA	1:D:254:ILE:HD13	1.91	0.40
1:C:476:THR:HB	1:C:480:ARG:HB3	2.02	0.40
1:D:538:ASN:ND2	1:D:539:PRO:HD2	2.31	0.40
1:C:320:ASN:HB2	1:C:321:PRO:CD	2.51	0.40
1:A:1:MET:HE3	5:A:1138:HOH:O	2.21	0.40
1:D:339:ASP:OD2	1:D:342:LYS:NZ	2.37	0.40
1:C:486:LEU:O	1:C:593:ASN:HB2	2.22	0.40
1:A:160:GLY:HA2	1:A:203:GLN:OE1	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	606/644 (94%)	577 (95%)	21 (4%)	8 (1%)	15	10
1	B	600/644 (93%)	572 (95%)	22 (4%)	6 (1%)	19	16
1	C	607/644 (94%)	576 (95%)	25 (4%)	6 (1%)	19	16
1	D	597/644 (93%)	555 (93%)	37 (6%)	5 (1%)	24	21
All	All	2410/2576 (94%)	2280 (95%)	105 (4%)	25 (1%)	19	16

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	178	ALA
1	A	179	GLY
1	A	238	LEU
1	A	566	LYS
1	B	566	LYS
1	C	178	ALA
1	A	519	GLU
1	B	536	LYS
1	C	33	ASP
1	C	560	ASP
1	D	33	ASP
1	D	35	ASN
1	A	4	SER
1	A	66	GLU
1	C	528	TYR
1	B	63	LYS
1	B	65	ASN
1	B	208	ARG
1	D	527	LEU
1	D	620	THR
1	A	183	LYS
1	B	460	MET
1	D	539	PRO
1	C	538	ASN
1	C	179	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	544/566 (96%)	514 (94%)	30 (6%)	27	27
1	B	537/566 (95%)	504 (94%)	33 (6%)	23	23
1	C	541/566 (96%)	496 (92%)	45 (8%)	14	12
1	D	535/566 (94%)	493 (92%)	42 (8%)	15	13
All	All	2157/2264 (95%)	2007 (93%)	150 (7%)	19	17

All (150) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	25	ASP
1	A	29	MET
1	A	42	GLU
1	A	46	ARG
1	A	54	THR
1	A	59	ASN
1	A	65	ASN
1	A	66	GLU
1	A	68	LEU
1	A	90	ASN
1	A	180	THR
1	A	189	SER
1	A	253	GLU
1	A	257	LEU
1	A	285	LYS
1	A	289	ASN
1	A	384	LYS
1	A	391	LEU
1	A	433	GLU
1	A	436	LYS
1	A	450	ARG
1	A	470	ARG
1	A	504	LEU
1	A	514	ARG
1	A	518	LYS
1	A	538	ASN
1	A	544	ARG
1	A	551	GLU
1	A	560	ASP
1	B	26	ARG
1	B	54	THR
1	B	68	LEU
1	B	90	ASN
1	B	189	SER
1	B	196	SER
1	B	198	ILE
1	B	207	ARG
1	B	215	LEU
1	B	230	LYS
1	B	243	LEU
1	B	257	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	278	LYS
1	B	289	ASN
1	B	295	ASP
1	B	315	LYS
1	B	346	ASN
1	B	442	PRO
1	B	445	GLU
1	B	480	ARG
1	B	502	SER
1	B	504	LEU
1	B	512	TYR
1	B	531	GLN
1	B	534	ARG
1	B	538	ASN
1	B	541	ILE
1	B	550	ILE
1	B	565	ILE
1	B	596	SER
1	B	598	THR
1	B	623	ARG
1	B	627	VAL
1	C	8	SER
1	C	9	ARG
1	C	17	LYS
1	C	32	LEU
1	C	54	THR
1	C	57	LEU
1	C	63	LYS
1	C	65	ASN
1	C	68	LEU
1	C	86	LEU
1	C	90	ASN
1	C	104	ASP
1	C	111	ASP
1	C	123	ARG
1	C	181	HIS
1	C	189	SER
1	C	192	HIS
1	C	196	SER
1	C	198	ILE
1	C	212	MET
1	C	215	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	C	257	LEU
1	C	276	LYS
1	C	282	LEU
1	C	292	LYS
1	C	315	LYS
1	C	357	LEU
1	C	391	LEU
1	C	403	LEU
1	C	444	LEU
1	C	450	ARG
1	C	462	MET
1	C	464	ASN
1	C	480	ARG
1	C	486	LEU
1	C	504	LEU
1	C	514	ARG
1	C	526	LEU
1	C	527	LEU
1	C	534	ARG
1	C	535	GLU
1	C	543	LYS
1	C	551	GLU
1	C	573	LEU
1	C	627	VAL
1	D	14	GLU
1	D	24	ARG
1	D	31	ASP
1	D	32	LEU
1	D	33	ASP
1	D	54	THR
1	D	65	ASN
1	D	66	GLU
1	D	68	LEU
1	D	86	LEU
1	D	90	ASN
1	D	116	GLU
1	D	181	HIS
1	D	196	SER
1	D	199	SER
1	D	202	LYS
1	D	215	LEU
1	D	243	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	254	ILE
1	D	257	LEU
1	D	292	LYS
1	D	315	LYS
1	D	403	LEU
1	D	434	LEU
1	D	444	LEU
1	D	452	GLU
1	D	458	PHE
1	D	474	LYS
1	D	478	GLU
1	D	504	LEU
1	D	514	ARG
1	D	526	LEU
1	D	535	GLU
1	D	536	LYS
1	D	540	GLU
1	D	542	LEU
1	D	546	GLU
1	D	551	GLU
1	D	567	LYS
1	D	573	LEU
1	D	598	THR
1	D	627	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	59	ASN
1	A	65	ASN
1	A	320	ASN
1	A	345	ASN
1	A	496	ASN
1	A	531	GLN
1	A	538	ASN
1	A	588	GLN
1	A	603	GLN
1	B	18	ASN
1	B	35	ASN
1	B	112	GLN
1	B	454	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	496	ASN
1	B	531	GLN
1	B	538	ASN
1	B	603	GLN
1	C	20	GLN
1	C	203	GLN
1	C	418	ASN
1	C	464	ASN
1	C	496	ASN
1	C	531	GLN
1	D	18	ASN
1	D	65	ASN
1	D	112	GLN
1	D	181	HIS
1	D	313	HIS
1	D	345	ASN
1	D	346	ASN
1	D	454	ASN
1	D	464	ASN
1	D	496	ASN
1	D	538	ASN
1	D	600	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	CDP	A	1002	-	19,26,26	2.87	3 (15%)	27,40,40	1.97	6 (22%)
4	DTP	A	1005	-	24,32,32	1.12	1 (4%)	32,50,50	2.23	5 (15%)
3	CDP	B	1001	-	19,26,26	1.71	2 (10%)	27,40,40	1.74	5 (18%)
4	DTP	B	1006	-	24,32,32	1.28	3 (12%)	32,50,50	2.32	6 (18%)
3	CDP	C	1004	-	19,26,26	2.81	3 (15%)	27,40,40	2.45	6 (22%)
4	DTP	C	1007	-	24,32,32	1.19	2 (8%)	32,50,50	2.18	6 (18%)
4	DTP	C	1008	-	24,32,32	1.18	3 (12%)	32,50,50	2.26	2 (6%)
3	CDP	D	1003	-	19,26,26	2.56	4 (21%)	27,40,40	2.10	8 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CDP	A	1002	-	-	0/12/32/32	0/2/2/2
4	DTP	A	1005	-	-	0/18/34/34	0/3/3/3
3	CDP	B	1001	-	-	0/12/32/32	0/2/2/2
4	DTP	B	1006	-	-	0/18/34/34	0/3/3/3
3	CDP	C	1004	-	-	0/12/32/32	0/2/2/2
4	DTP	C	1007	-	-	0/18/34/34	0/3/3/3
4	DTP	C	1008	-	-	0/18/34/34	0/3/3/3
3	CDP	D	1003	-	-	0/12/32/32	0/2/2/2

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1004	CDP	C5'-C4'	-3.55	1.40	1.51
4	B	1006	DTP	C4-N3	-3.21	1.30	1.35
3	A	1002	CDP	PA-O2A	-2.20	1.45	1.54
4	C	1007	DTP	C4-N3	-2.09	1.32	1.35
4	C	1008	DTP	PB-O2B	-2.00	1.46	1.54
4	B	1006	DTP	PA-O5'	2.09	1.68	1.59
3	D	1003	CDP	C2'-C3'	2.17	1.59	1.53
4	B	1006	DTP	O3'-C3'	2.21	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1008	DTP	O3'-C3'	2.46	1.48	1.43
4	A	1005	DTP	PG-O3G	2.82	1.64	1.54
4	C	1008	DTP	PG-O3G	2.95	1.65	1.54
4	C	1007	DTP	PG-O3G	3.47	1.67	1.54
3	D	1003	CDP	PB-O3B	3.79	1.68	1.54
3	B	1001	CDP	C6-N1	4.36	1.41	1.35
3	B	1001	CDP	O4'-C1'	4.84	1.47	1.41
3	C	1004	CDP	C6-N1	4.92	1.42	1.35
3	A	1002	CDP	C6-N1	5.56	1.43	1.35
3	D	1003	CDP	C6-N1	6.63	1.45	1.35
3	D	1003	CDP	O4'-C1'	6.70	1.49	1.41
3	C	1004	CDP	O4'-C1'	10.08	1.53	1.41
3	A	1002	CDP	O4'-C1'	10.70	1.54	1.41

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1008	DTP	N3-C2-N1	-11.41	120.16	128.89
4	B	1006	DTP	N3-C2-N1	-10.90	120.55	128.89
4	A	1005	DTP	N3-C2-N1	-10.46	120.88	128.89
4	C	1007	DTP	N3-C2-N1	-9.84	121.36	128.89
3	C	1004	CDP	C4'-O4'-C1'	-9.69	99.07	109.72
3	A	1002	CDP	C4'-O4'-C1'	-6.06	103.06	109.72
3	D	1003	CDP	C5'-C4'-C3'	-4.61	96.92	115.21
3	B	1001	CDP	O4'-C4'-C5'	-4.57	92.96	109.32
4	B	1006	DTP	O3G-PG-O3B	-3.53	89.09	105.09
3	D	1003	CDP	C4'-O4'-C1'	-3.49	105.89	109.72
3	C	1004	CDP	O4'-C4'-C3'	-3.25	98.61	105.15
4	A	1005	DTP	PA-O3A-PB	-2.88	124.65	132.73
4	C	1007	DTP	PB-O3B-PG	-2.87	123.04	132.67
3	D	1003	CDP	O4'-C1'-N1	-2.84	102.09	108.08
4	B	1006	DTP	PA-O3A-PB	-2.83	124.78	132.73
4	C	1007	DTP	PA-O3A-PB	-2.81	124.84	132.73
4	C	1007	DTP	C4-C5-N7	-2.56	107.12	109.48
4	B	1006	DTP	PB-O3B-PG	-2.55	124.11	132.67
3	C	1004	CDP	C5'-C4'-C3'	-2.48	105.38	115.21
4	A	1005	DTP	C2'-C1'-N9	-2.38	108.38	114.16
3	A	1002	CDP	O4'-C4'-C3'	-2.36	100.40	105.15
4	B	1006	DTP	C4-C5-N7	-2.30	107.36	109.48
4	C	1007	DTP	C1'-N9-C4	-2.29	123.27	127.16
4	A	1005	DTP	C4-C5-N7	-2.14	107.51	109.48
3	D	1003	CDP	C6-N1-C2	-2.08	117.91	121.28

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1003	CDP	O3A-PA-O5'	-2.01	97.60	102.94
3	C	1004	CDP	O4'-C1'-N1	2.05	112.40	108.08
3	C	1004	CDP	O2B-PB-O1B	2.05	117.18	110.58
4	B	1006	DTP	O2G-PG-O1G	2.17	117.56	110.58
3	B	1001	CDP	N4-C4-N3	2.18	120.48	116.50
3	B	1001	CDP	C5'-C4'-C3'	2.27	124.22	115.21
3	B	1001	CDP	O2B-PB-O1B	2.27	117.89	110.58
4	A	1005	DTP	O2G-PG-O1G	2.28	117.91	110.58
3	A	1002	CDP	O2B-PB-O3B	2.34	116.28	107.38
4	C	1007	DTP	O2G-PG-O1G	2.64	119.09	110.58
3	A	1002	CDP	O2B-PB-O1B	2.81	119.63	110.58
3	D	1003	CDP	O4'-C4'-C5'	2.88	119.61	109.32
3	A	1002	CDP	O4'-C1'-N1	3.01	114.43	108.08
4	C	1008	DTP	O2G-PG-O1G	3.02	120.30	110.58
3	D	1003	CDP	O3'-C3'-C2'	3.13	122.01	111.83
3	B	1001	CDP	C2-N3-C4	4.05	121.33	115.61
3	A	1002	CDP	C2-N3-C4	4.21	121.56	115.61
3	C	1004	CDP	C2-N3-C4	4.54	122.02	115.61
3	D	1003	CDP	C2-N3-C4	5.26	123.04	115.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1002	CDP	1	0
3	B	1001	CDP	1	0
3	D	1003	CDP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	618/644 (95%)	-0.25	18 (2%) 55 60	13, 23, 49, 79	0
1	B	610/644 (94%)	-0.25	20 (3%) 50 55	12, 23, 54, 70	0
1	C	615/644 (95%)	-0.20	20 (3%) 50 55	16, 26, 52, 68	0
1	D	607/644 (94%)	-0.11	22 (3%) 46 50	19, 29, 56, 69	0
All	All	2450/2576 (95%)	-0.21	80 (3%) 50 55	12, 26, 53, 79	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	181	HIS	8.1
1	B	526	LEU	6.3
1	A	515	PHE	5.2
1	D	34	GLY	5.0
1	B	527	LEU	4.9
1	D	237	VAL	4.9
1	D	33	ASP	4.7
1	C	231	GLU	4.7
1	C	232	ASN	4.7
1	A	33	ASP	4.6
1	B	209	GLY	4.6
1	A	516	VAL	4.6
1	B	65	ASN	4.5
1	B	559	PRO	4.4
1	A	517	THR	4.4
1	A	182	GLY	4.3
1	A	34	GLY	4.3
1	B	560	ASP	4.2
1	A	519	GLU	4.2
1	A	525	PRO	4.1
1	C	32	LEU	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	518	LYS	3.9
1	C	524	GLU	3.9
1	C	34	GLY	3.8
1	A	237	VAL	3.7
1	A	209	GLY	3.7
1	C	180	THR	3.6
1	C	526	LEU	3.6
1	D	560	ASP	3.5
1	C	237	VAL	3.4
1	B	208	ARG	3.3
1	C	33	ASP	3.2
1	C	182	GLY	3.2
1	B	64	LYS	3.1
1	C	525	PRO	3.1
1	B	547	LYS	3.0
1	C	65	ASN	2.9
1	D	32	LEU	2.9
1	D	514	ARG	2.9
1	D	515	PHE	2.9
1	D	63	LYS	2.8
1	C	35	ASN	2.8
1	B	551	GLU	2.7
1	D	60	PRO	2.7
1	D	559	PRO	2.7
1	A	176	PHE	2.7
1	D	555	LEU	2.7
1	C	63	LYS	2.7
1	C	209	GLY	2.6
1	A	524	GLU	2.6
1	D	631	GLY	2.6
1	B	237	VAL	2.6
1	D	64	LYS	2.5
1	D	35	ASN	2.5
1	D	526	LEU	2.5
1	A	63	LYS	2.5
1	A	346	ASN	2.5
1	B	633	LEU	2.4
1	B	514	ARG	2.4
1	A	178	ALA	2.4
1	B	540	GLU	2.3
1	B	33	ASP	2.3
1	C	64	LYS	2.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	202	LYS	2.3
1	D	65	ASN	2.3
1	D	230	LYS	2.2
1	D	547	LYS	2.2
1	D	453	ASP	2.2
1	D	551	GLU	2.2
1	B	538	ASN	2.2
1	A	64	LYS	2.2
1	A	180	THR	2.2
1	B	453	ASP	2.2
1	B	346	ASN	2.2
1	C	559	PRO	2.1
1	B	528	TYR	2.1
1	C	24	ARG	2.1
1	D	13	VAL	2.1
1	C	478	GLU	2.1
1	B	207	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CDP	D	1003	25/25	0.94	0.19	3.50	26,43,58,59	0
3	CDP	C	1004	25/25	0.93	0.22	2.62	23,50,64,64	0
3	CDP	A	1002	25/25	0.94	0.21	1.52	22,52,66,67	0
3	CDP	B	1001	25/25	0.96	0.15	0.21	22,32,41,41	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	DTP	C	1007	30/30	0.93	0.11	-0.39	25,30,56,59	0
4	DTP	B	1006	30/30	0.96	0.10	-0.51	13,21,40,42	0
4	DTP	A	1005	30/30	0.95	0.11	-0.68	15,24,57,59	0
4	DTP	C	1008	30/30	0.96	0.09	-0.86	14,21,40,41	0
2	CL	B	1009	1/1	0.89	0.22	-	58,58,58,58	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.