



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:34 PM GMT

PDB ID : 1XSM
Title : PROTEIN R2 OF RIBONUCLEOTIDE REDUCTASE FROM MOUSE
Authors : Kauppi, B.; Nielsen, B.N.; Ramaswamy, S.; Kjoller-Larsen, I.; Thelander, M.;
Thelander, L.; Eklund, H.
Deposited on : 1996-07-03
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2467 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIBONUCLEOTIDE REDUCTASE R2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2376	1540	394	427	15			

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	90	Total	O	0	0
			90	90		

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	77.08 Å 108.93 Å 92.90 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.30 29.80 – 2.30	Depositor EDS
% Data completeness (in resolution range)	95.9 (25.00-2.30) 96.5 (29.80-2.30)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.79 (at 2.31 Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.191 , 0.250 0.186 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	34.6	Xtriage
Anisotropy	0.186	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 92.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 17082 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	2467	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.33	20/2438 (0.8%)	1.61	42/3293 (1.3%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	190	GLU	CD-OE1	8.13	1.34	1.25
1	A	287	GLU	CD-OE2	7.38	1.33	1.25
1	A	148	GLU	CD-OE2	7.08	1.33	1.25
1	A	303	GLU	CD-OE1	6.93	1.33	1.25
1	A	153	GLU	CD-OE2	6.71	1.33	1.25
1	A	345	GLU	CD-OE2	6.55	1.32	1.25
1	A	307	GLU	CD-OE2	6.51	1.32	1.25
1	A	224	GLU	CD-OE2	6.33	1.32	1.25
1	A	118	GLU	CD-OE2	6.24	1.32	1.25
1	A	69	GLU	CD-OE1	6.13	1.32	1.25
1	A	261	GLU	CD-OE1	6.05	1.32	1.25
1	A	267	GLU	CD-OE2	6.03	1.32	1.25
1	A	192	GLU	CD-OE2	5.92	1.32	1.25
1	A	343	ARG	NE-CZ	5.77	1.40	1.33
1	A	301	GLU	CD-OE2	5.70	1.31	1.25
1	A	124	GLU	CD-OE1	5.56	1.31	1.25
1	A	326	GLU	CD-OE2	5.44	1.31	1.25
1	A	87	GLU	CD-OE2	5.36	1.31	1.25
1	A	158	GLU	CD-OE2	5.34	1.31	1.25
1	A	121	LYS	C-N	-5.33	1.24	1.34

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	225	ARG	NE-CZ-NH2	-16.05	112.28	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	225	ARG	NE-CZ-NH1	15.90	128.25	120.30
1	A	343	ARG	NE-CZ-NH1	11.37	125.98	120.30
1	A	266	ASP	CB-CG-OD2	-8.47	110.67	118.30
1	A	182	ASP	CB-CG-OD2	-8.35	110.78	118.30
1	A	182	ASP	CB-CG-OD1	8.23	125.71	118.30
1	A	113	ASP	CB-CG-OD2	-7.89	111.19	118.30
1	A	324	TYR	CB-CG-CD1	-7.71	116.37	121.00
1	A	79	ARG	NE-CZ-NH2	7.62	124.11	120.30
1	A	330	ASP	CB-CG-OD1	7.59	125.13	118.30
1	A	187	ASP	C-N-CD	-7.51	104.08	120.60
1	A	139	ASP	CB-CG-OD2	-7.50	111.55	118.30
1	A	225	ARG	CD-NE-CZ	7.41	133.97	123.60
1	A	272	ASP	CB-CG-OD2	-7.33	111.70	118.30
1	A	80	ARG	NE-CZ-NH2	7.11	123.85	120.30
1	A	77	ASN	O-C-N	-7.06	107.69	121.10
1	A	81	PHE	O-C-N	7.05	133.98	122.70
1	A	330	ASP	CB-CG-OD2	-6.98	112.02	118.30
1	A	149	ARG	NE-CZ-NH2	6.91	123.76	120.30
1	A	272	ASP	CB-CG-OD1	6.91	124.52	118.30
1	A	75	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	A	266	ASP	CB-CG-OD1	6.74	124.37	118.30
1	A	191	ARG	NE-CZ-NH1	6.71	123.66	120.30
1	A	139	ASP	CB-CG-OD1	6.62	124.26	118.30
1	A	209	ASP	CB-CG-OD2	-6.33	112.60	118.30
1	A	123	ASP	CB-CG-OD2	-6.29	112.64	118.30
1	A	77	ASN	CA-C-N	6.00	133.91	117.10
1	A	201	MET	CG-SD-CE	5.93	109.69	100.20
1	A	213	ARG	NE-CZ-NH2	5.89	123.24	120.30
1	A	265	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	A	70	ASP	CB-CG-OD2	-5.67	113.20	118.30
1	A	70	ASP	CB-CG-OD1	5.60	123.34	118.30
1	A	90	ASP	CB-CG-OD1	5.48	123.23	118.30
1	A	90	ASP	CB-CG-OD2	-5.43	113.41	118.30
1	A	169	MET	CG-SD-CE	5.29	108.67	100.20
1	A	226	VAL	CG1-CB-CG2	-5.28	102.45	110.90
1	A	125	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	A	143	ASN	CB-CA-C	-5.20	100.00	110.40
1	A	177	TYR	CB-CG-CD1	-5.18	117.89	121.00
1	A	81	PHE	CA-C-N	-5.16	105.85	117.20
1	A	123	ASP	CB-CG-OD1	5.04	122.83	118.30
1	A	324	TYR	CB-CG-CD2	5.02	124.01	121.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2376	0	2324	117	1
2	A	1	0	0	0	0
3	A	90	0	0	5	1
All	All	2467	0	2324	117	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:TRP:HD1	1:A:314:ILE:HD12	1.27	0.97
1:A:197:ALA:HA	1:A:201:MET:HG3	1.53	0.90
1:A:246:TRP:CD1	1:A:314:ILE:HD12	2.05	0.90
1:A:120:LEU:HD23	1:A:125:ARG:HG2	1.56	0.88
1:A:201:MET:HB2	1:A:204:VAL:HG12	1.59	0.84
1:A:201:MET:HB2	1:A:204:VAL:CG1	2.08	0.84
1:A:219:GLU:HG2	1:A:219:GLU:O	1.75	0.83
1:A:79:ARG:HG2	1:A:79:ARG:O	1.77	0.83
1:A:222:TYR:O	1:A:226:VAL:HG23	1.81	0.80
1:A:239:GLY:HA3	1:A:305:LEU:HD11	1.63	0.80
1:A:219:GLU:O	1:A:219:GLU:CG	2.32	0.77
1:A:187:ASP:OD1	1:A:188:PRO:HD2	1.85	0.77
1:A:187:ASP:OD2	1:A:189:LYS:HB3	1.86	0.75
1:A:188:PRO:HA	1:A:191:ARG:HD2	1.68	0.75
1:A:144:GLU:O	1:A:148:GLU:HG2	1.87	0.74
1:A:78:PRO:HB2	1:A:80:ARG:HB2	1.71	0.72
1:A:176:MET:HA	1:A:176:MET:HE3	1.70	0.72
1:A:213:ARG:HD2	3:A:858:HOH:O	1.88	0.72
1:A:239:GLY:HA3	1:A:305:LEU:CD1	2.22	0.68
1:A:120:LEU:HD23	1:A:125:ARG:CG	2.23	0.68
1:A:197:ALA:CA	1:A:201:MET:HG3	2.22	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:TRP:CE2	1:A:125:ARG:HD3	2.31	0.65
1:A:80:ARG:O	1:A:81:PHE:CB	2.44	0.64
1:A:325:ILE:N	1:A:325:ILE:HD13	2.13	0.63
1:A:115:GLN:O	1:A:118:GLU:HB2	1.98	0.63
1:A:200:THR:O	1:A:202:PRO:HD3	1.99	0.63
1:A:187:ASP:HB3	1:A:190:GLU:OE1	1.97	0.63
1:A:197:ALA:HB1	1:A:204:VAL:HG11	1.80	0.62
1:A:116:HIS:O	1:A:117:TRP:C	2.31	0.62
1:A:205:LYS:HG2	1:A:209:ASP:OD2	1.99	0.62
1:A:77:ASN:O	1:A:78:PRO:C	2.35	0.62
1:A:78:PRO:HG3	1:A:155:GLN:O	2.00	0.61
1:A:120:LEU:HG	1:A:124:GLU:HB2	1.83	0.61
1:A:284:LYS:HB2	1:A:285:PRO:HD2	1.81	0.60
1:A:84:PHE:O	1:A:86:ILE:N	2.35	0.60
1:A:143:ASN:ND2	1:A:170:GLU:HB2	2.17	0.60
1:A:110:LEU:HD11	1:A:180:LEU:HD13	1.85	0.58
1:A:176:MET:HA	1:A:176:MET:CE	2.34	0.58
1:A:149:ARG:NH2	1:A:217:ASP:O	2.37	0.57
1:A:145:ASN:O	1:A:149:ARG:HB2	2.05	0.57
1:A:75:ARG:O	1:A:77:ASN:N	2.38	0.57
1:A:206:LYS:NZ	1:A:303:GLU:OE2	2.38	0.57
1:A:74:LEU:O	1:A:75:ARG:C	2.42	0.56
1:A:134:PHE:CE1	1:A:207:LYS:HD2	2.39	0.56
1:A:291:ARG:O	1:A:295:THR:HB	2.05	0.56
1:A:265:ARG:O	1:A:265:ARG:HG2	2.04	0.56
1:A:109:ASP:OD1	1:A:111:SER:HB2	2.06	0.56
1:A:83:VAL:HG13	1:A:83:VAL:O	2.05	0.55
1:A:78:PRO:HB2	1:A:80:ARG:CB	2.36	0.55
1:A:197:ALA:CB	1:A:201:MET:HG3	2.36	0.55
1:A:136:ALA:HB3	3:A:818:HOH:O	2.05	0.55
1:A:79:ARG:O	1:A:79:ARG:CG	2.51	0.55
1:A:188:PRO:HA	1:A:191:ARG:HB2	1.88	0.55
1:A:260:ASN:N	3:A:821:HOH:O	2.39	0.55
1:A:124:GLU:O	1:A:128:ILE:HG13	2.07	0.54
1:A:80:ARG:O	1:A:81:PHE:HB3	2.08	0.54
1:A:78:PRO:HD3	1:A:155:GLN:HB3	1.90	0.54
1:A:187:ASP:O	1:A:189:LYS:N	2.41	0.54
1:A:78:PRO:CB	1:A:80:ARG:HB2	2.37	0.54
1:A:86:ILE:HG22	1:A:86:ILE:O	2.07	0.54
1:A:196:ASN:HD22	1:A:200:THR:HG23	1.73	0.53
1:A:196:ASN:ND2	1:A:199:GLU:HB2	2.24	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:GLU:O	1:A:291:ARG:HG3	2.09	0.53
1:A:121:LYS:HB3	1:A:122:PRO:HD2	1.90	0.52
1:A:321:MET:CE	1:A:325:ILE:HD11	2.39	0.52
1:A:122:PRO:O	1:A:125:ARG:N	2.42	0.52
1:A:74:LEU:O	1:A:76:GLU:N	2.43	0.52
1:A:201:MET:CB	1:A:204:VAL:HG12	2.36	0.51
1:A:166:GLN:HB2	3:A:808:HOH:O	2.10	0.50
1:A:114:ILE:CG2	1:A:115:GLN:N	2.74	0.50
1:A:190:GLU:O	1:A:191:ARG:C	2.49	0.50
1:A:185:ILE:N	1:A:185:ILE:CD1	2.75	0.50
1:A:114:ILE:HG23	1:A:115:GLN:N	2.26	0.49
1:A:184:TYR:C	1:A:185:ILE:HD12	2.32	0.49
1:A:205:LYS:CG	1:A:209:ASP:OD2	2.60	0.49
1:A:86:ILE:HD11	1:A:92:TRP:CE2	2.47	0.49
1:A:310:PRO:O	1:A:313:LEU:HD12	2.13	0.49
1:A:110:LEU:HD11	1:A:180:LEU:CD1	2.43	0.48
1:A:239:GLY:HA2	1:A:321:MET:HE1	1.95	0.48
1:A:70:ASP:O	1:A:72:PRO:HD3	2.14	0.47
1:A:203:CYS:HB2	1:A:308:ALA:HB1	1.95	0.47
1:A:343:ARG:HG3	3:A:852:HOH:O	2.15	0.47
1:A:196:ASN:HD21	1:A:199:GLU:CB	2.28	0.47
1:A:349:ASP:OD1	1:A:349:ASP:N	2.47	0.47
1:A:190:GLU:O	1:A:193:TYR:N	2.47	0.47
1:A:132:LEU:HD23	1:A:132:LEU:HA	1.50	0.47
1:A:321:MET:HE1	1:A:325:ILE:HD11	1.96	0.46
1:A:134:PHE:CE1	1:A:207:LYS:CD	2.99	0.46
1:A:196:ASN:O	1:A:200:THR:HG23	2.16	0.45
1:A:200:THR:OG1	1:A:201:MET:N	2.49	0.45
1:A:96:LYS:HE2	1:A:99:GLU:OE1	2.16	0.45
1:A:146:LEU:HD23	1:A:146:LEU:HA	1.73	0.45
1:A:84:PHE:O	1:A:85:PRO:C	2.53	0.45
1:A:78:PRO:C	1:A:80:ARG:N	2.65	0.45
1:A:323:GLN:HG2	1:A:347:PRO:HG3	1.98	0.45
1:A:334:LEU:HD11	1:A:340:LYS:HE3	1.98	0.45
1:A:185:ILE:N	1:A:185:ILE:HD12	2.32	0.45
1:A:176:MET:CA	1:A:176:MET:CE	2.95	0.44
1:A:196:ASN:HD21	1:A:199:GLU:HB2	1.81	0.44
1:A:321:MET:CE	1:A:324:TYR:HD2	2.30	0.44
1:A:109:ASP:OD1	1:A:111:SER:CB	2.65	0.44
1:A:306:THR:HG21	1:A:322:LYS:HE3	1.99	0.44
1:A:321:MET:HE3	1:A:324:TYR:CD2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:305:LEU:HD23	1:A:305:LEU:HA	1.78	0.43
1:A:116:HIS:H	1:A:116:HIS:CD2	2.37	0.43
1:A:132:LEU:HD13	1:A:180:LEU:HB3	2.00	0.43
1:A:253:MET:HB3	1:A:253:MET:HE2	1.90	0.43
1:A:86:ILE:HD11	1:A:92:TRP:CD2	2.54	0.42
1:A:84:PHE:HD1	1:A:84:PHE:HA	1.46	0.42
1:A:190:GLU:O	1:A:193:TYR:HB3	2.19	0.42
1:A:180:LEU:HA	1:A:180:LEU:HD12	1.90	0.41
1:A:184:TYR:HB2	1:A:185:ILE:HD13	2.02	0.41
1:A:153:GLU:CD	1:A:225:ARG:HH22	2.24	0.41
1:A:78:PRO:CD	1:A:155:GLN:HB3	2.50	0.40
1:A:321:MET:HE2	1:A:325:ILE:CD1	2.52	0.40
1:A:311:VAL:HB	1:A:316:MET:HB2	2.04	0.40
1:A:300:ILE:HD13	1:A:300:ILE:HG21	1.77	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:850:HOH:O	3:A:850:HOH:O[3_756]	1.73	0.47
1:A:121:LYS:NZ	1:A:219:GLU:OE2[8_466]	1.98	0.22

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	286/390 (73%)	260 (91%)	18 (6%)	8 (3%)	6 4

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	76	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	81	PHE
1	A	113	ASP
1	A	66	PRO
1	A	77	ASN
1	A	119	ALA
1	A	188	PRO
1	A	187	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	254/345 (74%)	226 (89%)	28 (11%)	8 8

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	VAL
1	A	73	LEU
1	A	76	GLU
1	A	80	ARG
1	A	81	PHE
1	A	83	VAL
1	A	84	PHE
1	A	86	ILE
1	A	93	GLN
1	A	113	ASP
1	A	114	ILE
1	A	143	ASN
1	A	176	MET
1	A	179	LEU
1	A	180	LEU
1	A	198	ILE
1	A	201	MET
1	A	203	CYS
1	A	212	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	ARG
1	A	253	MET
1	A	281	LEU
1	A	295	THR
1	A	299	ARG
1	A	309	LEU
1	A	319	THR
1	A	331	ARG
1	A	349	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	ASN
1	A	116	HIS
1	A	126	HIS
1	A	143	ASN
1	A	196	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	288/390 (73%)	-0.31	11 (3%)	44 53	9, 30, 76, 99	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	79	ARG	4.9
1	A	65	ASN	4.7
1	A	77	ASN	4.7
1	A	81	PHE	4.5
1	A	66	PRO	3.8
1	A	76	GLU	3.2
1	A	78	PRO	2.6
1	A	84	PHE	2.4
1	A	199	GLU	2.3
1	A	188	PRO	2.0
1	A	112	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	FE	A	401	1/1	0.96	0.11	-0.51	42,42,42,42	1

6.5 Other polymers [i](#)

There are no such residues in this entry.