



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2016 – 04:21 PM EDT

PDB ID : 4Y4N
Title : Thiazole synthase Thi4 from Methanococcus igneus
Authors : Zhang, X.; Ealick, S.E.
Deposited on : 2015-02-10
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027257
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027257


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	<div><div></div><div>85%5%9%</div></div>
1	B	286	<div><div></div><div>86%5%9%</div></div>
1	C	286	<div><div></div><div>86%.9%</div></div>
1	D	286	<div><div></div><div>87%.9%</div></div>
1	E	286	<div><div></div><div>86%5%9%</div></div>
1	F	286	<div><div></div><div>86%5%9%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	286	 86%5%9%
1	H	286	 86%5%9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 16105 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative ribose 1,5-bisphosphate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	1	0
			1945	1243	330	363	9			
1	B	259	Total	C	N	O	S	0	1	0
			1945	1242	327	367	9			
1	C	259	Total	C	N	O	S	0	1	0
			1945	1242	327	367	9			
1	D	259	Total	C	N	O	S	0	1	0
			1945	1242	327	367	9			
1	E	259	Total	C	N	O	S	0	1	0
			1948	1244	330	365	9			
1	F	259	Total	C	N	O	S	0	1	0
			1945	1242	327	367	9			
1	G	259	Total	C	N	O	S	0	1	0
			1945	1242	327	367	9			
1	H	259	Total	C	N	O	S	0	1	0
			1945	1242	327	367	9			

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	initiating methionine	UNP F6BCS4
A	-21	GLY	-	expression tag	UNP F6BCS4
A	-20	SER	-	expression tag	UNP F6BCS4
A	-19	ASP	-	expression tag	UNP F6BCS4
A	-18	LYS	-	expression tag	UNP F6BCS4
A	-17	ILE	-	expression tag	UNP F6BCS4
A	-16	HIS	-	expression tag	UNP F6BCS4
A	-15	HIS	-	expression tag	UNP F6BCS4
A	-14	HIS	-	expression tag	UNP F6BCS4
A	-13	HIS	-	expression tag	UNP F6BCS4
A	-12	HIS	-	expression tag	UNP F6BCS4
A	-11	HIS	-	expression tag	UNP F6BCS4
A	-10	SER	-	expression tag	UNP F6BCS4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	SER	-	expression tag	UNP F6BCS4
A	-8	GLY	-	expression tag	UNP F6BCS4
A	-7	GLU	-	expression tag	UNP F6BCS4
A	-6	ASN	-	expression tag	UNP F6BCS4
A	-5	LEU	-	expression tag	UNP F6BCS4
A	-4	TYR	-	expression tag	UNP F6BCS4
A	-3	PHE	-	expression tag	UNP F6BCS4
A	-2	GLN	-	expression tag	UNP F6BCS4
A	-1	GLY	-	expression tag	UNP F6BCS4
A	0	HIS	-	expression tag	UNP F6BCS4
B	-22	MET	-	initiating methionine	UNP F6BCS4
B	-21	GLY	-	expression tag	UNP F6BCS4
B	-20	SER	-	expression tag	UNP F6BCS4
B	-19	ASP	-	expression tag	UNP F6BCS4
B	-18	LYS	-	expression tag	UNP F6BCS4
B	-17	ILE	-	expression tag	UNP F6BCS4
B	-16	HIS	-	expression tag	UNP F6BCS4
B	-15	HIS	-	expression tag	UNP F6BCS4
B	-14	HIS	-	expression tag	UNP F6BCS4
B	-13	HIS	-	expression tag	UNP F6BCS4
B	-12	HIS	-	expression tag	UNP F6BCS4
B	-11	HIS	-	expression tag	UNP F6BCS4
B	-10	SER	-	expression tag	UNP F6BCS4
B	-9	SER	-	expression tag	UNP F6BCS4
B	-8	GLY	-	expression tag	UNP F6BCS4
B	-7	GLU	-	expression tag	UNP F6BCS4
B	-6	ASN	-	expression tag	UNP F6BCS4
B	-5	LEU	-	expression tag	UNP F6BCS4
B	-4	TYR	-	expression tag	UNP F6BCS4
B	-3	PHE	-	expression tag	UNP F6BCS4
B	-2	GLN	-	expression tag	UNP F6BCS4
B	-1	GLY	-	expression tag	UNP F6BCS4
B	0	HIS	-	expression tag	UNP F6BCS4
C	-22	MET	-	initiating methionine	UNP F6BCS4
C	-21	GLY	-	expression tag	UNP F6BCS4
C	-20	SER	-	expression tag	UNP F6BCS4
C	-19	ASP	-	expression tag	UNP F6BCS4
C	-18	LYS	-	expression tag	UNP F6BCS4
C	-17	ILE	-	expression tag	UNP F6BCS4
C	-16	HIS	-	expression tag	UNP F6BCS4
C	-15	HIS	-	expression tag	UNP F6BCS4
C	-14	HIS	-	expression tag	UNP F6BCS4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP F6BCS4
C	-12	HIS	-	expression tag	UNP F6BCS4
C	-11	HIS	-	expression tag	UNP F6BCS4
C	-10	SER	-	expression tag	UNP F6BCS4
C	-9	SER	-	expression tag	UNP F6BCS4
C	-8	GLY	-	expression tag	UNP F6BCS4
C	-7	GLU	-	expression tag	UNP F6BCS4
C	-6	ASN	-	expression tag	UNP F6BCS4
C	-5	LEU	-	expression tag	UNP F6BCS4
C	-4	TYR	-	expression tag	UNP F6BCS4
C	-3	PHE	-	expression tag	UNP F6BCS4
C	-2	GLN	-	expression tag	UNP F6BCS4
C	-1	GLY	-	expression tag	UNP F6BCS4
C	0	HIS	-	expression tag	UNP F6BCS4
D	-22	MET	-	initiating methionine	UNP F6BCS4
D	-21	GLY	-	expression tag	UNP F6BCS4
D	-20	SER	-	expression tag	UNP F6BCS4
D	-19	ASP	-	expression tag	UNP F6BCS4
D	-18	LYS	-	expression tag	UNP F6BCS4
D	-17	ILE	-	expression tag	UNP F6BCS4
D	-16	HIS	-	expression tag	UNP F6BCS4
D	-15	HIS	-	expression tag	UNP F6BCS4
D	-14	HIS	-	expression tag	UNP F6BCS4
D	-13	HIS	-	expression tag	UNP F6BCS4
D	-12	HIS	-	expression tag	UNP F6BCS4
D	-11	HIS	-	expression tag	UNP F6BCS4
D	-10	SER	-	expression tag	UNP F6BCS4
D	-9	SER	-	expression tag	UNP F6BCS4
D	-8	GLY	-	expression tag	UNP F6BCS4
D	-7	GLU	-	expression tag	UNP F6BCS4
D	-6	ASN	-	expression tag	UNP F6BCS4
D	-5	LEU	-	expression tag	UNP F6BCS4
D	-4	TYR	-	expression tag	UNP F6BCS4
D	-3	PHE	-	expression tag	UNP F6BCS4
D	-2	GLN	-	expression tag	UNP F6BCS4
D	-1	GLY	-	expression tag	UNP F6BCS4
D	0	HIS	-	expression tag	UNP F6BCS4
E	-22	MET	-	initiating methionine	UNP F6BCS4
E	-21	GLY	-	expression tag	UNP F6BCS4
E	-20	SER	-	expression tag	UNP F6BCS4
E	-19	ASP	-	expression tag	UNP F6BCS4
E	-18	LYS	-	expression tag	UNP F6BCS4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	ILE	-	expression tag	UNP F6BCS4
E	-16	HIS	-	expression tag	UNP F6BCS4
E	-15	HIS	-	expression tag	UNP F6BCS4
E	-14	HIS	-	expression tag	UNP F6BCS4
E	-13	HIS	-	expression tag	UNP F6BCS4
E	-12	HIS	-	expression tag	UNP F6BCS4
E	-11	HIS	-	expression tag	UNP F6BCS4
E	-10	SER	-	expression tag	UNP F6BCS4
E	-9	SER	-	expression tag	UNP F6BCS4
E	-8	GLY	-	expression tag	UNP F6BCS4
E	-7	GLU	-	expression tag	UNP F6BCS4
E	-6	ASN	-	expression tag	UNP F6BCS4
E	-5	LEU	-	expression tag	UNP F6BCS4
E	-4	TYR	-	expression tag	UNP F6BCS4
E	-3	PHE	-	expression tag	UNP F6BCS4
E	-2	GLN	-	expression tag	UNP F6BCS4
E	-1	GLY	-	expression tag	UNP F6BCS4
E	0	HIS	-	expression tag	UNP F6BCS4
F	-22	MET	-	initiating methionine	UNP F6BCS4
F	-21	GLY	-	expression tag	UNP F6BCS4
F	-20	SER	-	expression tag	UNP F6BCS4
F	-19	ASP	-	expression tag	UNP F6BCS4
F	-18	LYS	-	expression tag	UNP F6BCS4
F	-17	ILE	-	expression tag	UNP F6BCS4
F	-16	HIS	-	expression tag	UNP F6BCS4
F	-15	HIS	-	expression tag	UNP F6BCS4
F	-14	HIS	-	expression tag	UNP F6BCS4
F	-13	HIS	-	expression tag	UNP F6BCS4
F	-12	HIS	-	expression tag	UNP F6BCS4
F	-11	HIS	-	expression tag	UNP F6BCS4
F	-10	SER	-	expression tag	UNP F6BCS4
F	-9	SER	-	expression tag	UNP F6BCS4
F	-8	GLY	-	expression tag	UNP F6BCS4
F	-7	GLU	-	expression tag	UNP F6BCS4
F	-6	ASN	-	expression tag	UNP F6BCS4
F	-5	LEU	-	expression tag	UNP F6BCS4
F	-4	TYR	-	expression tag	UNP F6BCS4
F	-3	PHE	-	expression tag	UNP F6BCS4
F	-2	GLN	-	expression tag	UNP F6BCS4
F	-1	GLY	-	expression tag	UNP F6BCS4
F	0	HIS	-	expression tag	UNP F6BCS4
G	-22	MET	-	initiating methionine	UNP F6BCS4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP F6BCS4
G	-20	SER	-	expression tag	UNP F6BCS4
G	-19	ASP	-	expression tag	UNP F6BCS4
G	-18	LYS	-	expression tag	UNP F6BCS4
G	-17	ILE	-	expression tag	UNP F6BCS4
G	-16	HIS	-	expression tag	UNP F6BCS4
G	-15	HIS	-	expression tag	UNP F6BCS4
G	-14	HIS	-	expression tag	UNP F6BCS4
G	-13	HIS	-	expression tag	UNP F6BCS4
G	-12	HIS	-	expression tag	UNP F6BCS4
G	-11	HIS	-	expression tag	UNP F6BCS4
G	-10	SER	-	expression tag	UNP F6BCS4
G	-9	SER	-	expression tag	UNP F6BCS4
G	-8	GLY	-	expression tag	UNP F6BCS4
G	-7	GLU	-	expression tag	UNP F6BCS4
G	-6	ASN	-	expression tag	UNP F6BCS4
G	-5	LEU	-	expression tag	UNP F6BCS4
G	-4	TYR	-	expression tag	UNP F6BCS4
G	-3	PHE	-	expression tag	UNP F6BCS4
G	-2	GLN	-	expression tag	UNP F6BCS4
G	-1	GLY	-	expression tag	UNP F6BCS4
G	0	HIS	-	expression tag	UNP F6BCS4
H	-22	MET	-	initiating methionine	UNP F6BCS4
H	-21	GLY	-	expression tag	UNP F6BCS4
H	-20	SER	-	expression tag	UNP F6BCS4
H	-19	ASP	-	expression tag	UNP F6BCS4
H	-18	LYS	-	expression tag	UNP F6BCS4
H	-17	ILE	-	expression tag	UNP F6BCS4
H	-16	HIS	-	expression tag	UNP F6BCS4
H	-15	HIS	-	expression tag	UNP F6BCS4
H	-14	HIS	-	expression tag	UNP F6BCS4
H	-13	HIS	-	expression tag	UNP F6BCS4
H	-12	HIS	-	expression tag	UNP F6BCS4
H	-11	HIS	-	expression tag	UNP F6BCS4
H	-10	SER	-	expression tag	UNP F6BCS4
H	-9	SER	-	expression tag	UNP F6BCS4
H	-8	GLY	-	expression tag	UNP F6BCS4
H	-7	GLU	-	expression tag	UNP F6BCS4
H	-6	ASN	-	expression tag	UNP F6BCS4
H	-5	LEU	-	expression tag	UNP F6BCS4
H	-4	TYR	-	expression tag	UNP F6BCS4
H	-3	PHE	-	expression tag	UNP F6BCS4

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	GLN	-	expression tag	UNP F6BCS4
H	-1	GLY	-	expression tag	UNP F6BCS4
H	0	HIS	-	expression tag	UNP F6BCS4

- Molecule 2 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total Fe 1 1	0	0
2	E	1	Total Fe 1 1	0	0
2	B	2	Total Fe 2 2	0	0
2	C	1	Total Fe 1 1	0	0
2	A	2	Total Fe 2 2	0	0
2	F	1	Total Fe 1 1	0	0

- Molecule 3 is 2-[(E)-[(4R)-5-[[[(2R,3S,4R,5R)-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-4-oxidanyl-3-oxidanylidene-pentan-2-ylidene]amino]ethanoic acid (three-letter code: 48H) (formula: C₁₇H₂₄N₆O₁₄P₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O P 39 17 6 14 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			39	17	6	14	2		
3	B	1	Total	C	N	O	P	0	0
			39	17	6	14	2		
3	B	1	Total	C	N	O	P	0	0
			39	17	6	14	2		
3	C	1	Total	C	N	O	P	0	0
			39	17	6	14	2		
3	D	1	Total	C	N	O	P	0	0
			39	17	6	14	2		
3	E	1	Total	C	N	O	P	0	0
			39	17	6	14	2		
3	F	1	Total	C	N	O	P	0	0
			39	17	6	14	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	32	Total	O	0	0
			32	32		
4	B	29	Total	O	0	0
			29	29		
4	C	30	Total	O	0	0
			30	30		
4	D	29	Total	O	0	0
			29	29		
4	E	23	Total	O	0	0
			23	23		
4	F	33	Total	O	0	0
			33	33		
4	G	26	Total	O	0	0
			26	26		
4	H	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative ribose 1,5-bisphosphate isomerase




- Molecule 1: Putative ribose 1,5-bisphosphate isomerase




- Molecule 1: Putative ribose 1,5-bisphosphate isomerase




- Molecule 1: Putative ribose 1,5-bisphosphate isomerase




- Molecule 1: Putative ribose 1,5-bisphosphate isomerase





- Molecule 1: Putative ribose 1,5-bisphosphate isomerase







● Molecule 1: Putative ribose 1,5-bisphosphate isomerase



● Molecule 1: Putative ribose 1,5-bisphosphate isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	101.30Å 101.30Å 204.31Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.10 45.38 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.5 (50.00-2.10) 98.5 (45.38-2.10)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.199 , 0.216 0.205 , 0.224	Depositor DCC
R_{free} test set	6775 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	43.9	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 24.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.018 for -h,-k,l 0.487 for h,-h-k,-l 0.019 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16105	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, 48H

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/1981	0.67	3/2682 (0.1%)
1	B	0.37	0/1981	0.68	3/2683 (0.1%)
1	C	0.37	0/1981	0.68	3/2683 (0.1%)
1	D	0.40	0/1981	0.68	3/2683 (0.1%)
1	E	0.37	0/1984	0.68	3/2686 (0.1%)
1	F	0.39	0/1981	0.67	2/2683 (0.1%)
1	G	0.39	0/1981	0.67	2/2683 (0.1%)
1	H	0.37	0/1981	0.67	2/2683 (0.1%)
All	All	0.38	0/15851	0.68	21/21466 (0.1%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	6	ARG	NE-CZ-NH1	-12.92	113.84	120.30
1	G	6	ARG	NE-CZ-NH1	-12.78	113.91	120.30
1	H	6	ARG	NE-CZ-NH1	-12.74	113.93	120.30
1	A	6	ARG	NE-CZ-NH1	-12.71	113.94	120.30
1	D	6	ARG	NE-CZ-NH1	-12.45	114.08	120.30
1	C	6	ARG	NE-CZ-NH1	-12.34	114.13	120.30
1	B	6	ARG	NE-CZ-NH1	-12.27	114.16	120.30
1	E	6	ARG	NE-CZ-NH1	-12.26	114.17	120.30
1	D	6	ARG	NE-CZ-NH2	12.09	126.34	120.30
1	B	6	ARG	NE-CZ-NH2	12.05	126.33	120.30
1	C	6	ARG	NE-CZ-NH2	11.94	126.27	120.30
1	E	6	ARG	NE-CZ-NH2	11.76	126.18	120.30
1	A	6	ARG	NE-CZ-NH2	11.46	126.03	120.30
1	G	6	ARG	NE-CZ-NH2	11.28	125.94	120.30
1	F	6	ARG	NE-CZ-NH2	11.24	125.92	120.30
1	H	6	ARG	NE-CZ-NH2	10.83	125.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	6	ARG	CD-NE-CZ	5.42	131.18	123.60
1	E	6	ARG	CD-NE-CZ	5.42	131.18	123.60
1	B	6	ARG	CD-NE-CZ	5.39	131.14	123.60
1	C	6	ARG	CD-NE-CZ	5.35	131.09	123.60
1	A	6	ARG	CD-NE-CZ	5.03	130.64	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1945	0	1977	16	0
1	B	1945	0	1970	15	0
1	C	1945	0	1970	14	0
1	D	1945	0	1970	14	0
1	E	1948	0	1979	14	0
1	F	1945	0	1970	16	0
1	G	1945	0	1970	15	0
1	H	1945	0	1970	14	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	78	0	0	2	0
3	B	78	0	0	2	0
3	C	39	0	0	1	0
3	D	39	0	0	1	0
3	E	39	0	0	1	0
3	F	39	0	0	1	0
4	A	32	0	0	1	0
4	B	29	0	0	1	0
4	C	30	0	0	0	0
4	D	29	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	23	0	0	0	0
4	F	33	0	0	3	0
4	G	26	0	0	1	0
4	H	20	0	0	0	0
All	All	16105	0	15776	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:142:ARG:NH2	4:G:425:HOH:O	1.97	0.96
1:A:142:ARG:NH2	4:A:428:HOH:O	1.98	0.95
1:D:141:ASN:OD1	4:D:401:HOH:O	1.93	0.87
1:F:141:ASN:OD1	4:F:401:HOH:O	1.92	0.87
1:B:142:ARG:NH2	4:B:422:HOH:O	2.17	0.78
1:G:21[B]:PHE:CD1	1:H:21[B]:PHE:CG	2.59	0.77
1:A:21[B]:PHE:CD1	1:E:21[B]:PHE:CG	2.60	0.76
1:B:21[B]:PHE:CG	1:F:21[B]:PHE:CD1	2.59	0.73
1:C:21[B]:PHE:CG	1:D:21[B]:PHE:CD1	2.59	0.73
1:B:21[B]:PHE:CD1	1:F:21[B]:PHE:CG	2.57	0.70
1:C:21[B]:PHE:CD1	1:D:21[B]:PHE:CG	2.57	0.70
1:G:21[B]:PHE:CG	1:H:21[B]:PHE:CD1	2.57	0.70
1:A:21[B]:PHE:CG	1:E:21[B]:PHE:CD1	2.58	0.69
1:F:159:HIS:HB3	4:F:433:HOH:O	1.98	0.63
1:F:142:ARG:NH2	4:F:430:HOH:O	2.34	0.61
1:G:21[B]:PHE:CE1	1:H:21[B]:PHE:CB	2.87	0.57
1:A:66:GLY:HA2	3:A:302:48H:O12	2.04	0.57
1:B:21[B]:PHE:CB	1:F:21[B]:PHE:CE1	2.86	0.57
1:C:21[B]:PHE:CB	1:D:21[B]:PHE:CE1	2.86	0.57
1:A:21[B]:PHE:CE1	1:E:21[B]:PHE:CB	2.87	0.57
3:B:304:48H:O12	1:G:66:GLY:HA2	2.08	0.54
1:C:21[B]:PHE:CB	1:D:21[B]:PHE:CD1	2.91	0.53
1:C:21[B]:PHE:HB2	1:D:21[B]:PHE:CD1	2.43	0.52
1:B:21[B]:PHE:CE1	1:F:21[B]:PHE:CB	2.92	0.52
1:C:21[B]:PHE:CE1	1:D:21[B]:PHE:CB	2.92	0.52
1:B:21[B]:PHE:CB	1:F:21[B]:PHE:CD1	2.92	0.52
1:B:21[B]:PHE:HB2	1:F:21[B]:PHE:CD1	2.44	0.52
1:G:21[B]:PHE:CD1	1:H:21[B]:PHE:CB	2.93	0.51
1:C:21[B]:PHE:CD1	1:D:21[B]:PHE:CB	2.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:21[B]:PHE:CD1	1:H:21[B]:PHE:HB2	2.45	0.51
1:B:21[B]:PHE:CD1	1:F:21[B]:PHE:CB	2.94	0.51
1:A:21[B]:PHE:CD1	1:E:21[B]:PHE:CB	2.94	0.51
1:G:21[B]:PHE:CB	1:H:21[B]:PHE:CD1	2.94	0.51
1:A:21[B]:PHE:CD1	1:E:21[B]:PHE:HB2	2.46	0.50
1:G:21[B]:PHE:CB	1:H:21[B]:PHE:CE1	2.92	0.50
1:A:21[B]:PHE:CB	1:E:21[B]:PHE:CE1	2.93	0.50
1:A:21[B]:PHE:CB	1:E:21[B]:PHE:CD1	2.95	0.50
1:C:82:GLU:HG2	1:C:103:GLY:HA3	1.96	0.48
1:C:21[B]:PHE:CD1	1:D:21[B]:PHE:HB2	2.49	0.48
1:B:82:GLU:HG2	1:B:103:GLY:HA3	1.96	0.48
1:G:21[B]:PHE:HB2	1:H:21[B]:PHE:CD1	2.50	0.47
1:B:21[B]:PHE:CD1	1:F:21[B]:PHE:HB2	2.49	0.47
1:A:21[B]:PHE:HB2	1:E:21[B]:PHE:CD1	2.50	0.47
1:C:82:GLU:HG2	1:C:103:GLY:CA	2.46	0.46
1:E:66:GLY:HA2	3:E:302:48H:O12	2.16	0.46
1:B:82:GLU:HG2	1:B:103:GLY:CA	2.47	0.45
1:D:82:GLU:HG2	1:D:103:GLY:HA3	1.98	0.45
1:F:82:GLU:HG2	1:F:103:GLY:HA3	1.99	0.45
1:F:112:VAL:HB	1:F:113:PRO:HD3	1.98	0.45
1:G:82:GLU:HG2	1:G:103:GLY:HA3	1.99	0.45
1:H:82:GLU:HG2	1:H:103:GLY:HA3	1.98	0.45
1:A:82:GLU:HG2	1:A:103:GLY:HA3	1.99	0.45
1:D:82:GLU:HG2	1:D:103:GLY:CA	2.47	0.45
1:C:112:VAL:HB	1:C:113:PRO:HD3	1.99	0.44
1:F:82:GLU:HG2	1:F:103:GLY:CA	2.48	0.44
1:A:82:GLU:HG2	1:A:103:GLY:CA	2.48	0.44
1:E:82:GLU:HG2	1:E:103:GLY:HA3	1.99	0.44
1:G:82:GLU:HG2	1:G:103:GLY:CA	2.48	0.44
1:G:112:VAL:HB	1:G:113:PRO:HD3	1.98	0.44
1:F:66:GLY:HA2	3:F:302:48H:O12	2.17	0.44
1:D:112:VAL:HB	1:D:113:PRO:HD3	1.99	0.44
1:B:112:VAL:HB	1:B:113:PRO:HD3	2.00	0.44
1:A:112:VAL:HB	1:A:113:PRO:HD3	1.99	0.43
1:H:112:VAL:HB	1:H:113:PRO:HD3	1.99	0.43
1:E:112:VAL:HB	1:E:113:PRO:HD3	1.99	0.43
1:H:82:GLU:HG2	1:H:103:GLY:CA	2.48	0.43
1:H:95:LEU:HD23	1:H:107:ALA:HB2	2.01	0.43
1:C:95:LEU:HD23	1:C:107:ALA:HB2	2.01	0.43
1:E:82:GLU:HG2	1:E:103:GLY:CA	2.49	0.43
1:E:95:LEU:HD23	1:E:107:ALA:HB2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:66:GLY:HA2	3:D:302:48H:O12	2.18	0.42
1:A:95:LEU:HD23	1:A:107:ALA:HB2	2.01	0.42
1:B:95:LEU:HD23	1:B:107:ALA:HB2	2.02	0.42
1:D:95:LEU:HD23	1:D:107:ALA:HB2	2.01	0.42
1:B:46:ARG:O	1:B:50:LYS:HB2	2.20	0.42
1:C:66:GLY:HA2	3:C:302:48H:O12	2.20	0.42
1:H:35:VAL:HG22	1:H:133:VAL:HG21	2.02	0.42
1:G:95:LEU:HD23	1:G:107:ALA:HB2	2.01	0.42
3:A:304:48H:O12	1:H:66:GLY:HA2	2.19	0.41
1:A:61:HIS:O	1:A:129:THR:HB	2.20	0.41
1:A:46:ARG:O	1:A:50:LYS:HB2	2.20	0.41
1:F:95:LEU:HD23	1:F:107:ALA:HB2	2.02	0.41
1:G:46:ARG:O	1:G:50:LYS:HB2	2.20	0.41
1:C:46:ARG:O	1:C:50:LYS:HB2	2.21	0.41
1:E:35:VAL:HG22	1:E:133:VAL:HG21	2.03	0.41
1:B:66:GLY:HA2	3:B:302:48H:O12	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/286 (90%)	252 (98%)	6 (2%)	0	100	100
1	B	258/286 (90%)	252 (98%)	6 (2%)	0	100	100
1	C	258/286 (90%)	253 (98%)	5 (2%)	0	100	100
1	D	258/286 (90%)	251 (97%)	7 (3%)	0	100	100
1	E	258/286 (90%)	252 (98%)	6 (2%)	0	100	100
1	F	258/286 (90%)	250 (97%)	8 (3%)	0	100	100
1	G	258/286 (90%)	252 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	258/286 (90%)	253 (98%)	5 (2%)	0	100	100
All	All	2064/2288 (90%)	2015 (98%)	49 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/222 (89%)	196 (100%)	1 (0%)	92	95
1	B	198/222 (89%)	197 (100%)	1 (0%)	92	95
1	C	198/222 (89%)	197 (100%)	1 (0%)	92	95
1	D	198/222 (89%)	197 (100%)	1 (0%)	92	95
1	E	198/222 (89%)	196 (99%)	2 (1%)	82	87
1	F	198/222 (89%)	197 (100%)	1 (0%)	92	95
1	G	198/222 (89%)	197 (100%)	1 (0%)	92	95
1	H	198/222 (89%)	197 (100%)	1 (0%)	92	95
All	All	1583/1776 (89%)	1574 (99%)	9 (1%)	90	94

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	217	VAL
1	B	217	VAL
1	C	217	VAL
1	D	217	VAL
1	E	4	ARG
1	E	217	VAL
1	F	217	VAL
1	G	217	VAL
1	H	217	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	48H	A	302	2	29,41,41	0.94	1 (3%)	27,61,61	2.00	4 (14%)
3	48H	A	304	2	29,41,41	0.92	1 (3%)	27,61,61	1.82	2 (7%)
3	48H	B	302	2	29,41,41	0.94	1 (3%)	27,61,61	1.78	3 (11%)
3	48H	B	304	2	29,41,41	0.84	1 (3%)	27,61,61	1.86	3 (11%)
3	48H	C	302	2	29,41,41	0.89	1 (3%)	27,61,61	1.71	2 (7%)
3	48H	D	302	2	29,41,41	0.95	2 (6%)	27,61,61	1.93	2 (7%)
3	48H	E	302	2	29,41,41	0.93	1 (3%)	27,61,61	1.80	2 (7%)
3	48H	F	302	2	29,41,41	0.94	1 (3%)	27,61,61	1.97	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	48H	A	302	2	-	1/28/51/51	0/3/3/3
3	48H	A	304	2	-	1/28/51/51	0/3/3/3
3	48H	B	302	2	-	1/28/51/51	0/3/3/3
3	48H	B	304	2	-	1/28/51/51	0/3/3/3
3	48H	C	302	2	-	1/28/51/51	0/3/3/3
3	48H	D	302	2	-	1/28/51/51	0/3/3/3
3	48H	E	302	2	-	1/28/51/51	0/3/3/3
3	48H	F	302	2	-	1/28/51/51	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	48H	C11-N1	-2.08	1.43	1.46
3	B	304	48H	C3-C2	2.36	1.45	1.40
3	C	302	48H	C3-C2	2.54	1.46	1.40
3	A	302	48H	C3-C2	2.61	1.46	1.40
3	F	302	48H	C3-C2	2.66	1.46	1.40
3	D	302	48H	C3-C2	2.67	1.46	1.40
3	B	302	48H	C3-C2	2.71	1.46	1.40
3	A	304	48H	C3-C2	2.92	1.47	1.40
3	E	302	48H	C3-C2	3.00	1.47	1.40

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	302	48H	N3-C1-N4	-8.25	122.39	128.87
3	D	302	48H	N3-C1-N4	-8.14	122.47	128.87
3	A	302	48H	N3-C1-N4	-8.12	122.50	128.87
3	E	302	48H	N3-C1-N4	-7.63	122.88	128.87
3	A	304	48H	N3-C1-N4	-7.52	122.96	128.87
3	B	304	48H	N3-C1-N4	-7.52	122.97	128.87
3	B	302	48H	N3-C1-N4	-7.29	123.15	128.87
3	C	302	48H	N3-C1-N4	-7.14	123.27	128.87
3	B	304	48H	C17-N2-C2	-4.09	122.24	126.81
3	A	302	48H	C17-N2-C2	-3.99	122.35	126.81
3	A	304	48H	C17-N2-C2	-3.58	122.81	126.81
3	F	302	48H	C17-N2-C2	-3.54	122.85	126.81
3	D	302	48H	C17-N2-C2	-3.29	123.14	126.81
3	B	302	48H	C17-N2-C2	-3.23	123.20	126.81
3	E	302	48H	C17-N2-C2	-2.86	123.61	126.81
3	C	302	48H	C17-N2-C2	-2.66	123.84	126.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	302	48H	O12-C15-C14	-2.10	104.73	111.01
3	B	304	48H	N5-C4-N4	2.01	121.88	118.52
3	B	302	48H	C1-N4-C4	2.10	122.51	118.77
3	A	302	48H	C1-N4-C4	2.20	122.69	118.77
3	A	302	48H	N5-C4-N4	2.54	122.78	118.52

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	302	48H	O8-C8-C9-N1
3	B	304	48H	O8-C8-C9-N1
3	C	302	48H	O8-C8-C9-N1
3	A	302	48H	O8-C8-C9-N1
3	A	304	48H	O8-C8-C9-N1
3	B	302	48H	O8-C8-C9-N1
3	E	302	48H	O8-C8-C9-N1
3	D	302	48H	O8-C8-C9-N1

There are no ring outliers.

8 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302	48H	1	0
3	A	304	48H	1	0
3	B	302	48H	1	0
3	B	304	48H	1	0
3	C	302	48H	1	0
3	D	302	48H	1	0
3	E	302	48H	1	0
3	F	302	48H	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/286 (90%)	-0.42	0 100 100	31, 43, 61, 85	0
1	B	259/286 (90%)	-0.38	0 100 100	33, 43, 64, 91	0
1	C	259/286 (90%)	-0.36	0 100 100	33, 44, 62, 90	0
1	D	259/286 (90%)	-0.43	1 (0%) 93 94	33, 43, 64, 83	0
1	E	259/286 (90%)	-0.39	1 (0%) 93 94	34, 45, 64, 90	0
1	F	259/286 (90%)	-0.38	1 (0%) 93 94	32, 42, 64, 82	0
1	G	259/286 (90%)	-0.41	0 100 100	32, 42, 63, 84	0
1	H	259/286 (90%)	-0.38	1 (0%) 93 94	34, 45, 64, 88	0
All	All	2072/2288 (90%)	-0.39	4 (0%) 95 96	31, 44, 64, 91	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	102	ASP	2.5
1	H	6	ARG	2.4
1	D	102	ASP	2.2
1	E	6	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	48H	B	302	39/39	0.98	0.10	0.40	29,36,43,46	0
3	48H	C	302	39/39	0.98	0.10	0.29	30,36,42,45	0
3	48H	D	302	39/39	0.98	0.09	0.22	30,36,40,42	0
3	48H	A	304	39/39	0.98	0.09	0.14	31,37,43,45	0
3	48H	B	304	39/39	0.98	0.09	0.08	29,34,40,44	0
3	48H	F	302	39/39	0.98	0.10	0.02	30,35,41,41	0
3	48H	E	302	39/39	0.98	0.09	-0.29	32,36,46,48	0
3	48H	A	302	39/39	0.99	0.08	-0.67	29,34,40,41	0
2	FE2	D	301	1/1	0.99	0.09	-	41,41,41,41	0
2	FE2	B	301	1/1	0.99	0.09	-	39,39,39,39	0
2	FE2	E	301	1/1	0.99	0.10	-	42,42,42,42	0
2	FE2	A	303	1/1	0.99	0.10	-	42,42,42,42	0
2	FE2	C	301	1/1	0.99	0.10	-	40,40,40,40	0
2	FE2	B	303	1/1	1.00	0.10	-	39,39,39,39	0
2	FE2	F	301	1/1	0.99	0.09	-	41,41,41,41	0
2	FE2	A	301	1/1	1.00	0.09	-	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.