



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:35 PM GMT

PDB ID : 4YCZ
Title : Y-COMPLEX HUB (NUP85-NUP120-NUP145C-SEC13 COMPLEX) FROM
M. THERMOPHILA (A.K.A. T. HETEROTHALLICA)
Authors : Kelley, K.; Knockenhauer, K.E.; Schwartz, T.U.
Deposited on : 2015-02-20
Resolution : 4.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1018 (4.60-3.60)
Clashscore	102246	1117 (4.60-3.60)
Ramachandran outliers	100387	1063 (4.60-3.60)
Sidechain outliers	100360	1049 (4.60-3.60)
RSRZ outliers	91569	1022 (4.60-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	876	 <p>11% 67% 14% 19%</p>
2	B	933	 <p>7% 53% 10% 37%</p>
3	C	313	 <p>7% 48% 14% 38%</p>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 10051 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion Protein of Sec13 and Nup145C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	713	Total	C	N	O	S	0	0	0
			4777	3049	843	874	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP G2QES5
A	2	PRO	-	expression tag	UNP G2QES5
A	3	GLY	-	expression tag	UNP G2QES5
A	4	SER	-	expression tag	UNP G2QES5

- Molecule 2 is a protein called Nup85.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	590	Total	C	N	O	S	Se	0	0	0
			3962	2596	644	705	5	12			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	249	GLY	-	expression tag	UNP G2Q7J4
B	250	PRO	-	expression tag	UNP G2Q7J4
B	251	GLY	-	expression tag	UNP G2Q7J4
B	252	SER	-	expression tag	UNP G2Q7J4
B	253	GLU	-	expression tag	UNP G2Q7J4
B	254	PHE	-	expression tag	UNP G2Q7J4
B	255	GLU	-	expression tag	UNP G2Q7J4
B	256	LEU	-	expression tag	UNP G2Q7J4

- Molecule 3 is a protein called Nup120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	195	Total	C	N	O	S	0	0	0
			1312	846	220	241	5			

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	943	GLY	-	expression tag	UNP G2Q2S2
C	944	PRO	-	expression tag	UNP G2Q2S2
C	945	GLY	-	expression tag	UNP G2Q2S2
C	946	SER	-	expression tag	UNP G2Q2S2
C	947	GLU	-	expression tag	UNP G2Q2S2
C	948	PHE	-	expression tag	UNP G2Q2S2
C	949	GLU	-	expression tag	UNP G2Q2S2
C	950	LEU	-	expression tag	UNP G2Q2S2
C	951	MET	-	expression tag	UNP G2Q2S2
C	1242	GLY	-	expression tag	UNP G2Q2S2
C	1243	GLY	-	expression tag	UNP G2Q2S2
C	1244	SER	-	expression tag	UNP G2Q2S2
C	1245	GLY	-	expression tag	UNP G2Q2S2
C	1246	HIS	-	expression tag	UNP G2Q2S2
C	1247	HIS	-	expression tag	UNP G2Q2S2
C	1248	HIS	-	expression tag	UNP G2Q2S2
C	1249	HIS	-	expression tag	UNP G2Q2S2
C	1250	HIS	-	expression tag	UNP G2Q2S2
C	1251	HIS	-	expression tag	UNP G2Q2S2
C	1252	HIS	-	expression tag	UNP G2Q2S2
C	1253	HIS	-	expression tag	UNP G2Q2S2
C	1254	HIS	-	expression tag	UNP G2Q2S2
C	1255	HIS	-	expression tag	UNP G2Q2S2

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Chain A: 11% 67% 14% 19%


The protein structure is shown with various residues highlighted in colored boxes, corresponding to the percentages in the legend. The residues are labeled with their three-letter codes and positions. The structure is composed of several alpha-helices and beta-sheets. The highlighted residues are color-coded: red for 11%, green for 67%, yellow for 14%, and grey for 19%.

Highlighted residues (from top to bottom):

 - Red (11%):** G83, Y84, D85, I90, W91, R92, E93, W98, F102, D103, F104, H107, V111, M112, W113, V114, E120, A121, G122, C123, L124, L125, A128, S129, S130, D131, T35, D39, R40, T41, T55, E56, G60, H61, D62, G63, H65, A151, H152, G153, L154, G155, V156, H157, S158, V159, W177, I78, L79, A80, S81, H82.
 - Green (67%):** S283, G284, L291, V303, L1272, W1273, G1274, P1275, W1276, G1277, L1278, W1280, T1281, P1287, S1288, L1289, A1292, L1298, E1301, S1305, L1309, E1323, G1324, P1325, L1342, F1343, L1344, L1348, D1351, W1352, G1353, Y1354, G1355, L1356, P1357, V1364, P1376, L1379, E1379, I1383, L1386, A1387, G1388, A1439, A1448, S1451, A1452, L1453, V1454, A1455, L1456, P1457, L1458, V1581, P1582, L1590, R1596, R1601, D1602, H1603, L1604, G1605, A1606, L1610, I1611, G1612, P1614, V1629, T1632, W1633, I1634, W1635, A1636, L1637, W1638, L1639, D1640, L1641, F1642, R1643, A1644, L1645, S1646, W1647, L1648, Q1649, F1652, L1655, W1656, W1657, S1662, A1663, R1671, P1674, I1677, I1678, A1679, D1681, A1689, Q1690, L1691, L1698, Q1700, L1710, A1715, G1719, Q1721, L1738, H1743, I1746, I1782, M1785, A1786, E1787, L1790.
 - Yellow (14%):** A282, G283, L291, V303, L1272, W1273, G1274, P1275, W1276, G1277, L1278, W1280, T1281, P1287, S1288, L1289, A1292, L1298, E1301, S1305, L1309, E1323, G1324, P1325, L1342, F1343, L1344, L1348, D1351, W1352, G1353, Y1354, G1355, L1356, P1357, V1364, P1376, L1379, E1379, I1383, L1386, A1387, G1388, A1439, A1448, S1451, A1452, L1453, V1454, A1455, L1456, P1457, L1458, V1581, P1582, L1590, R1596, R1601, D1602, H1603, L1604, G1605, A1606, L1610, I1611, G1612, P1614, V1629, T1632, W1633, I1634, W1635, A1636, L1637, W1638, L1639, D1640, L1641, F1642, R1643, A1644, L1645, S1646, W1647, L1648, Q1649, F1652, L1655, W1656, W1657, S1662, A1663, R1671, P1674, I1677, I1678, A1679, D1681, A1689, Q1690, L1691, L1698, Q1700, L1710, A1715, G1719, Q1721, L1738, H1743, I1746, I1782, M1785, A1786, E1787, L1790.
 - Grey (19%):** S283, G284, L291, V303, L1272, W1273, G1274, P1275, W1276, G1277, L1278, W1280, T1281, P1287, S1288, L1289, A1292, L1298, E1301, S1305, L1309, E1323, G1324, P1325, L1342, F1343, L1344, L1348, D1351, W1352, G1353, Y1354, G1355, L1356, P1357, V1364, P1376, L1379, E1379, I1383, L1386, A1387, G1388, A1439, A1448, S1451, A1452, L1453, V1454, A1455, L1456, P1457, L1458, V1581, P1582, L1590, R1596, R1601, D1602, H1603, L1604, G1605, A1606, L1610, I1611, G1612, P1614, V1629, T1632, W1633, I1634, W1635, A1636, L1637, W1638, L1639, D1640, L1641, F1642, R1643, A1644, L1645, S1646, W1647, L1648, Q1649, F1652, L1655, W1656, W1657, S1662, A1663, R1671, P1674, I1677, I1678, A1679, D1681, A1689, Q1690, L1691, L1698, Q1700, L1710, A1715, G1719, Q1721, L1738, H1743, I1746, I1782, M1785, A1786, E1787, L1790.

- Chain B: 





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	104.98Å 212.02Å 170.64Å 90.00° 107.21° 90.00°	Depositor
Resolution (Å)	163.00 – 4.10 163.00 – 4.10	Depositor EDS
% Data completeness (in resolution range)	97.4 (163.00-4.10) 97.5 (163.00-4.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.19	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 4.15Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1951)	Depositor
R, R_{free}	0.319 , 0.358 0.339 , 0.371	Depositor DCC
R_{free} test set	1975 reflections (7.82%)	DCC
Wilson B-factor (Å ²)	160.4	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 350.2	EDS
Estimated twinning fraction	0.079 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	0 of 27238 reflections	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	10051	wwPDB-VP
Average B, all atoms (Å ²)	158.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.20	0/4879	0.36	0/6697
2	B	0.20	0/4014	0.35	0/5488
3	C	0.23	0/1322	0.39	0/1805
All	All	0.20	0/10215	0.36	0/13990

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4777	0	4010	73	0
2	B	3962	0	3566	57	0
3	C	1312	0	1190	32	0
All	All	10051	0	8766	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:ASP:HB2	1:A:85:ASP:HB3	1.75	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1605:GLY:HA2	1:A:1637:ALA:HB1	1.76	0.68
2:B:722:LEU:HD13	2:B:724:ILE:HD12	1.76	0.67
2:B:1023:LEU:HG	2:B:1160:LEU:HD23	1.80	0.64
2:B:1161:ARG:NH1	3:C:1114:SER:OG	2.31	0.64
2:B:815:MSE:HB3	2:B:818:PRO:HG2	1.79	0.64
1:A:169:SER:HB2	1:A:1640:LEU:HD12	1.80	0.63
2:B:1023:LEU:HD13	2:B:1156:ILE:HG22	1.81	0.62
2:B:1172:TRP:HE1	3:C:1054:LEU:HD22	1.64	0.62
3:C:1050:TYR:HE2	3:C:1054:LEU:HD21	1.64	0.62
3:C:1050:TYR:CE2	3:C:1054:LEU:HD21	2.35	0.61
2:B:827:ASP:O	2:B:831:HIS:ND1	2.34	0.60
1:A:188:GLY:HA2	1:A:194:LEU:HD22	1.82	0.60
1:A:216:HIS:CE1	1:A:245:ARG:HG2	2.38	0.59
1:A:1769:LEU:HD13	1:A:1775:GLU:HG3	1.84	0.59
2:B:554:GLY:O	2:B:558:HIS:ND1	2.34	0.59
1:A:77:ASN:ND2	1:A:93:GLU:OE1	2.34	0.58
1:A:63:GLY:HA3	1:A:84:TYR:HB3	1.86	0.58
1:A:130:SER:HA	1:A:156:VAL:H	1.69	0.57
2:B:1056:ILE:HG22	2:B:1161:ARG:HH21	1.70	0.57
1:A:1305:SER:O	1:A:1309:LEU:N	2.36	0.57
1:A:134:VAL:HG22	1:A:151:ALA:HB2	1.85	0.57
1:A:40:ARG:NE	1:A:61:HIS:O	2.37	0.57
2:B:1168:LEU:HD13	3:C:1108:LEU:HD13	1.88	0.56
3:C:1010:CYS:SG	3:C:1014:GLN:NE2	2.79	0.56
3:C:1010:CYS:O	3:C:1014:GLN:NE2	2.31	0.56
1:A:1691:LEU:HD11	3:C:1155:ILE:HG23	1.87	0.55
2:B:326:TYR:HB3	2:B:716:LEU:HD23	1.87	0.55
2:B:1173:LEU:HD21	3:C:1055:TYR:HA	1.87	0.55
2:B:856:MSE:HB3	2:B:859:PHE:HD2	1.71	0.55
2:B:1023:LEU:HD11	2:B:1160:LEU:HB2	1.89	0.55
1:A:152:HIS:CD2	1:A:195:LYS:HE2	2.41	0.55
1:A:1689:ALA:HB1	1:A:1710:LEU:HB2	1.88	0.55
1:A:1719:GLY:O	1:A:1721:GLN:N	2.40	0.55
2:B:473:GLN:HA	2:B:476:PHE:HD2	1.71	0.54
1:A:1657:TRP:HB2	3:C:1158:LEU:HD13	1.89	0.54
1:A:121:ALA:HB1	1:A:183:ARG:HD3	1.89	0.54
1:A:120:GLU:OE2	1:A:1601:ARG:NH2	2.41	0.54
1:A:74:LYS:O	1:A:1643:ARG:NH1	2.41	0.53
1:A:1364:VAL:HG11	1:A:1388:GLY:HA2	1.90	0.53
2:B:1019:LEU:O	2:B:1023:LEU:HB2	2.10	0.52
2:B:410:ALA:HB3	2:B:722:LEU:HD12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:SER:OG	1:A:1275:PRO:O	2.25	0.52
2:B:1024:VAL:HG11	2:B:1116:VAL:HA	1.92	0.52
1:A:1752:ILE:HA	1:A:1755:MET:HG2	1.91	0.52
1:A:1643:ARG:HE	1:A:1652:PHE:HE1	1.56	0.52
2:B:836:LEU:HD11	2:B:844:VAL:HG22	1.92	0.51
2:B:407:PHE:HD1	2:B:722:LEU:HD11	1.74	0.51
1:A:250:ASP:O	1:A:252:ALA:N	2.40	0.51
3:C:982:PHE:HD2	3:C:985:ALA:H	1.57	0.51
1:A:1746:ILE:HG23	3:C:1119:GLN:HA	1.92	0.50
2:B:717:LEU:HA	2:B:720:TRP:HD1	1.76	0.50
2:B:1161:ARG:HH11	3:C:1111:ASN:HA	1.75	0.50
3:C:1123:ILE:HB	3:C:1205:LEU:HB2	1.93	0.50
1:A:1513:GLU:N	1:A:1514:PRO:HD3	2.28	0.49
2:B:1121:GLN:O	2:B:1125:SER:OG	2.29	0.49
3:C:1070:ILE:HG12	3:C:1123:ILE:HG23	1.93	0.49
2:B:861:GLU:HA	2:B:888:ALA:HB1	1.94	0.48
1:A:93:GLU:HA	1:A:98:TRP:HA	1.95	0.48
2:B:1045:THR:O	2:B:1047:ASP:N	2.44	0.48
2:B:956:SER:HB2	2:B:986:LEU:HD21	1.95	0.48
2:B:833:VAL:HA	2:B:836:LEU:HB2	1.95	0.48
2:B:921:TYR:O	2:B:925:LEU:N	2.47	0.48
1:A:68:VAL:HB	1:A:79:LEU:HD11	1.96	0.48
2:B:347:LEU:HD21	2:B:727:ALA:HA	1.96	0.48
1:A:26:LEU:HD13	1:A:33:LEU:HD23	1.95	0.48
1:A:1558:ASP:O	1:A:1560:ALA:N	2.42	0.48
1:A:158:SER:OG	1:A:223:VAL:N	2.42	0.48
1:A:271:VAL:HG22	1:A:282:ALA:HA	1.95	0.48
1:A:124:LEU:HD22	1:A:138:GLU:HG2	1.96	0.47
1:A:1602:ASP:OD2	1:A:1606:ARG:NH2	2.48	0.47
1:A:56:GLU:HG3	1:A:98:TRP:CD1	2.50	0.47
3:C:974:THR:O	3:C:977:THR:OG1	2.26	0.47
2:B:906:LEU:HD12	2:B:1014:PHE:HB2	1.96	0.47
2:B:926:LEU:HB3	2:B:932:THR:HG21	1.96	0.47
2:B:1016:LEU:HG	2:B:1059:LEU:HD21	1.97	0.47
1:A:125:LEU:HB3	1:A:137:LEU:HB2	1.97	0.46
3:C:982:PHE:HD2	3:C:984:GLU:H	1.63	0.46
2:B:785:LEU:HD23	2:B:808:SER:HB2	1.98	0.46
3:C:984:GLU:O	3:C:987:SER:OG	2.22	0.46
1:A:102:PHE:CE2	1:A:104:PHE:HB2	2.50	0.46
2:B:1173:LEU:HD22	3:C:1018:LEU:HD11	1.96	0.46
1:A:140:ARG:HB3	1:A:143:SER:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:LEU:HD21	1:A:220:VAL:HG11	1.96	0.46
1:A:215:GLY:O	1:A:245:ARG:NH1	2.49	0.46
1:A:28:TYR:OH	1:A:1602:ASP:OD1	2.25	0.46
1:A:1604:LEU:HD11	1:A:1629:VAL:HG11	1.97	0.46
1:A:129:SER:OG	1:A:131:ASP:OD1	2.33	0.46
2:B:836:LEU:O	2:B:838:VAL:N	2.49	0.45
2:B:376:LEU:HD11	2:B:418:LEU:HD12	1.98	0.45
1:A:1639:ALA:HB1	1:A:1655:LEU:HD23	1.98	0.45
3:C:1113:LEU:HD22	3:C:1210:LEU:HD11	1.98	0.45
1:A:1383:ILE:HD11	1:A:1439:PRO:HB3	1.98	0.45
3:C:1107:LEU:O	3:C:1110:ILE:HG12	2.17	0.45
2:B:832:LEU:HD12	2:B:847:LEU:HD22	1.99	0.45
2:B:825:VAL:HG11	2:B:856:MSE:SE	2.66	0.45
1:A:113:VAL:HG13	1:A:159:VAL:HG12	1.99	0.45
1:A:141:ASP:OD1	1:A:142:ASN:N	2.50	0.44
2:B:344:THR:HG21	2:B:807:LEU:HD13	1.98	0.44
2:B:348:LEU:HD21	2:B:810:SER:HB2	1.99	0.44
1:A:221:ARG:H	1:A:239:SER:HA	1.81	0.44
2:B:877:ARG:O	2:B:923:TYR:HB3	2.17	0.44
1:A:194:LEU:HD12	1:A:247:TRP:CZ3	2.52	0.44
1:A:128:ALA:HA	1:A:134:VAL:HG12	2.00	0.44
3:C:1057:TRP:CD1	3:C:1068:ALA:HB1	2.52	0.44
3:C:1070:ILE:HG12	3:C:1123:ILE:HG12	2.00	0.44
2:B:1049:ILE:HG23	2:B:1164:LEU:HD13	1.99	0.44
1:A:1662:SER:OG	1:A:1663:GLU:N	2.49	0.44
2:B:376:LEU:HD21	2:B:418:LEU:HD12	2.00	0.44
2:B:873:ARG:HB3	2:B:874:ASP:H	1.60	0.44
2:B:887:LEU:HD22	2:B:888:ALA:H	1.82	0.43
1:A:1581:VAL:HB	1:A:1582:PRO:HD3	2.01	0.43
3:C:1015:SER:O	3:C:1019:ILE:HG13	2.18	0.43
1:A:1756:ALA:O	1:A:1760:ILE:HG13	2.18	0.43
2:B:848:TRP:CD1	2:B:860:ALA:HB1	2.54	0.43
1:A:1344:LEU:HD12	1:A:1523:LEU:HD23	2.01	0.43
1:A:90:ILE:HD12	1:A:102:PHE:HD2	1.84	0.43
1:A:1590:LEU:HD12	1:A:1596:ARG:HA	2.00	0.43
2:B:844:VAL:HG21	2:B:867:TYR:CD1	2.54	0.42
3:C:1002:LEU:O	3:C:1005:LEU:HG	2.19	0.42
3:C:980:SER:O	3:C:982:PHE:HD1	2.02	0.42
2:B:559:LEU:HB2	2:B:611:PHE:CE2	2.55	0.42
1:A:1348:LEU:HD21	1:A:1524:LEU:HA	2.01	0.42
1:A:107:HIS:CG	1:A:129:SER:HG	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:1006:VAL:HG21	3:C:1030:VAL:HG23	2.01	0.42
1:A:158:SER:HB2	1:A:222:ASP:HA	2.01	0.42
2:B:476:PHE:HD1	2:B:613:ILE:HD12	1.85	0.42
2:B:1062:VAL:HG11	2:B:1066:VAL:HB	2.01	0.42
3:C:1050:TYR:CD2	3:C:1075:LEU:HD11	2.55	0.42
1:A:1520:LEU:HA	1:A:1523:LEU:HB2	2.02	0.42
1:A:154:LEU:HD12	1:A:191:ASP:HA	2.02	0.42
1:A:113:VAL:HG11	1:A:158:SER:HA	2.02	0.41
3:C:1058:ARG:O	3:C:1061:HIS:HB3	2.19	0.41
2:B:701:GLY:O	2:B:705:VAL:HG23	2.18	0.41
1:A:158:SER:HB3	1:A:188:GLY:HA3	2.02	0.41
3:C:987:SER:HA	3:C:990:LEU:HG	2.02	0.41
3:C:1066:GLY:O	3:C:1070:ILE:HG13	2.20	0.41
1:A:1399:LEU:HB2	1:A:1406:LEU:HD22	2.02	0.41
1:A:39:ASP:OD1	1:A:41:THR:OG1	2.34	0.41
1:A:1386:LEU:HD13	1:A:1409:LEU:HD11	2.02	0.41
2:B:1022:ALA:O	2:B:1026:VAL:HG23	2.20	0.41
2:B:974:THR:N	2:B:975:PRO:HD2	2.36	0.41
1:A:284:GLY:O	1:A:1273:TRP:NE1	2.52	0.41
1:A:123:CYS:HB3	1:A:139:PHE:HB3	2.01	0.41
2:B:1049:ILE:HG23	2:B:1164:LEU:HD22	2.02	0.41
1:A:1738:LEU:HD12	1:A:1752:ILE:HG21	2.03	0.41
1:A:151:ALA:HB1	1:A:156:VAL:HG21	2.03	0.41
2:B:812:LEU:HD21	2:B:825:VAL:HA	2.03	0.40
1:A:1652:PHE:O	1:A:1655:LEU:HG	2.21	0.40
1:A:1521:TRP:O	1:A:1525:LYS:HB2	2.22	0.40
2:B:375:GLN:O	2:B:379:LEU:HG	2.21	0.40
2:B:420:ILE:HD12	2:B:705:VAL:HG12	2.03	0.40
3:C:1038:CYS:SG	3:C:1053:ILE:HG12	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	679/876 (78%)	611 (90%)	61 (9%)	7 (1%)	19	65
2	B	548/933 (59%)	507 (92%)	36 (7%)	5 (1%)	21	67
3	C	181/313 (58%)	164 (91%)	14 (8%)	3 (2%)	11	56
All	All	1408/2122 (66%)	1282 (91%)	111 (8%)	15 (1%)	17	64

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	TRP
2	B	878	TYR
1	A	1514	PRO
2	B	837	HIS
2	B	875	SER
3	C	981	HIS
1	A	60	GLY
2	B	972	HIS
3	C	1051	HIS
1	A	1351	ASP
1	A	1743	HIS
2	B	451	TYR
1	A	1559	ALA
3	C	1022	PRO
1	A	1767	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	356/700 (51%)	354 (99%)	2 (1%)	90	95
2	B	320/725 (44%)	315 (98%)	5 (2%)	70	88
3	C	108/253 (43%)	107 (99%)	1 (1%)	84	92
All	All	784/1678 (47%)	776 (99%)	8 (1%)	82	91

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1399	LEU
1	A	1640	LEU
2	B	678	LEU
2	B	777	THR
2	B	873	ARG
2	B	874	ASP
2	B	974	THR
3	C	1050	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	1014	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	713/876 (81%)	0.69	93 (13%) 5 5	60, 142, 204, 287	0
2	B	578/933 (61%)	0.51	62 (10%) 8 7	82, 166, 228, 311	0
3	C	195/313 (62%)	0.38	21 (10%) 8 6	85, 178, 243, 270	0
All	All	1486/2122 (70%)	0.58	176 (11%) 6 6	60, 156, 226, 311	0

All (176) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	874	ASP	6.5
2	B	1120	LEU	6.1
2	B	721	SER	5.8
3	C	1050	TYR	5.8
1	A	1354	TYR	5.6
1	A	29	TYR	5.6
1	A	1281	THR	5.5
1	A	1279	LEU	5.5
2	B	875	SER	5.3
2	B	314	SER	5.3
2	B	315	GLU	5.0
3	C	1064	TYR	4.6
1	A	1278	LEU	4.6
3	C	1063	ASP	4.5
1	A	1298	ALA	4.4
1	A	83	GLY	4.4
1	A	157	ASN	4.4
1	A	238	ALA	4.4
2	B	720	TRP	4.3
1	A	1301	GLU	4.3
1	A	112	ASN	4.2
2	B	1024	VAL	4.0
1	A	1757	GLU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	881	ALA	4.0
1	A	66	TRP	3.9
2	B	955	ALA	3.9
1	A	82	ALA	3.9
1	A	1492	GLY	3.8
1	A	1657	TRP	3.8
1	A	114	VAL	3.8
1	A	152	HIS	3.8
2	B	896	GLU	3.8
3	C	1100	THR	3.7
2	B	788	TYR	3.7
2	B	448	HIS	3.7
3	C	1014	GLN	3.7
2	B	415	ASN	3.7
1	A	193	ALA	3.6
2	B	984	THR	3.6
1	A	1273	TRP	3.6
2	B	876	HIS	3.5
2	B	781	TYR	3.4
2	B	988	SER	3.4
2	B	784	ALA	3.4
3	C	1122	TYR	3.3
1	A	278	ASN	3.3
2	B	899	ASN	3.3
1	A	1355	GLY	3.3
2	B	722	LEU	3.3
1	A	1277	GLY	3.3
1	A	111	VAL	3.2
2	B	1172	TRP	3.2
1	A	195	LYS	3.2
1	A	189	GLY	3.1
1	A	1632	THR	3.1
2	B	719	GLY	3.1
1	A	192	ASN	3.1
1	A	266	ALA	3.1
1	A	1353	GLY	3.0
2	B	904	TYR	3.0
3	C	1021	LEU	3.0
1	A	73	PRO	3.0
2	B	919	ASP	3.0
1	A	1635	TRP	3.0
1	A	190	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	1057	TRP	3.0
1	A	1770	PHE	2.9
1	A	41	THR	2.9
1	A	1478	ASP	2.9
2	B	837	HIS	2.9
3	C	1061	HIS	2.9
1	A	191	ASP	2.9
1	A	1634	ILE	2.9
3	C	1042	ARG	2.9
1	A	1768	ARG	2.9
2	B	1082	PRO	2.8
1	A	21	ILE	2.8
1	A	92	ARG	2.8
1	A	1674	PRO	2.8
2	B	954	TYR	2.8
3	C	1065	ARG	2.8
1	A	1715	ALA	2.7
1	A	277	GLY	2.7
1	A	291	LEU	2.7
1	A	1773	LEU	2.7
2	B	318	TYR	2.7
3	C	1114	SER	2.7
2	B	708	ASP	2.6
2	B	1081	ALA	2.6
1	A	55	THR	2.6
1	A	113	VAL	2.6
3	C	1070	ILE	2.6
2	B	895	ARG	2.6
2	B	1114	SER	2.6
2	B	558	HIS	2.6
2	B	1112	GLY	2.6
1	A	1641	ASP	2.6
1	A	1719	GLY	2.5
3	C	1097	ALA	2.5
2	B	334	VAL	2.5
1	A	22	HIS	2.5
3	C	979	ILE	2.5
2	B	557	GLU	2.5
2	B	1117	ALA	2.4
1	A	1755	MET	2.4
1	A	1779	SER	2.4
1	A	270	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	789	GLU	2.4
3	C	1208	ALA	2.4
1	A	63	GLY	2.4
2	B	411	ASN	2.4
1	A	30	GLY	2.4
1	A	1633	TRP	2.4
2	B	900	LEU	2.4
1	A	56	GLU	2.4
2	B	884	TYR	2.3
1	A	217	THR	2.3
2	B	700	ILE	2.3
1	A	1357	PRO	2.3
1	A	1342	TRP	2.3
1	A	159	VAL	2.3
2	B	807	LEU	2.3
2	B	1171	LEU	2.3
1	A	1649	GLN	2.3
2	B	790	GLY	2.3
3	C	1204	LEU	2.3
1	A	153	GLY	2.3
1	A	237	SER	2.3
1	A	150	HIS	2.3
1	A	216	HIS	2.3
2	B	380	TRP	2.3
2	B	985	ALA	2.2
1	A	1765	GLY	2.2
1	A	1352	ASN	2.2
3	C	1115	CYS	2.2
1	A	133	ASN	2.2
1	A	151	ALA	2.2
2	B	1167	ASP	2.2
2	B	510	VAL	2.2
1	A	98	TRP	2.2
1	A	1776	ASP	2.2
1	A	220	VAL	2.2
3	C	1123	ILE	2.2
1	A	154	LEU	2.2
1	A	252	ALA	2.2
2	B	419	GLN	2.2
1	A	1276	ASN	2.2
2	B	1023	LEU	2.2
2	B	614	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1671	ARG	2.2
1	A	222	ASP	2.2
1	A	1784	ALA	2.2
1	A	214	THR	2.1
1	A	158	SER	2.1
1	A	24	ALA	2.1
2	B	416	LEU	2.1
1	A	78	ILE	2.1
1	A	194	LEU	2.1
1	A	1568	LEU	2.1
3	C	1055	TYR	2.1
1	A	35	THR	2.1
3	C	1051	HIS	2.1
2	B	317	ARG	2.1
1	A	155	GLY	2.1
2	B	409	LYS	2.1
2	B	1025	PHE	2.1
2	B	1029	PRO	2.1
1	A	1601	ARG	2.0
1	A	28	TYR	2.0
2	B	717	LEU	2.0
1	A	1637	ALA	2.0
2	B	867	TYR	2.0
2	B	682	PHE	2.0
2	B	331	THR	2.0
1	A	219	TRP	2.0
1	A	81	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.