



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 06:19 PM BST

PDB ID : 1YDU
Title : Solution NMR structure of At5g01610, an Arabidopsis thaliana protein containing DUF538 domain
Authors : Zhao, Q.; Cornilescu, C.C.; Lee, M.S.; Markley, J.L.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2004-12-26

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 82%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	170	

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 14 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:54-A:95, A:100-A:170 (113)	0.80	14

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 17, 18
2	1, 20
3	10, 16
Single-model clusters	19

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2703 atoms, of which 1368 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called At5g01610.

Mol	Chain	Residues	Atoms						Trace
1	A	170	Total	C	H	N	O	S	0
			2703	853	1368	221	257	4	

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	CLONING ARTIFACT	UNP Q9M015
A	159	GLY	GLU	ENGINEERED	UNP Q9M015

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: At5g01610




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: At5g01610




4.2.2 Score per residue for model 2

- Molecule 1: At5g01610




4.2.3 Score per residue for model 3

- Molecule 1: At5g01610




4.2.4 Score per residue for model 4


- Molecule 1: At5g01610



4.2.5 Score per residue for model 5


- Molecule 1: At5g01610






4.2.6 Score per residue for model 6

- Molecule 1: At5g01610




4.2.7 Score per residue for model 7

- Molecule 1: At5g01610




4.2.8 Score per residue for model 8

- Molecule 1: At5g01610




4.2.9 Score per residue for model 9

- Molecule 1: At5g01610




4.2.10 Score per residue for model 10

- Molecule 1: At5g01610



4.2.11 Score per residue for model 11


- Molecule 1: At5g01610



4.2.12 Score per residue for model 12


- Molecule 1: At5g01610






4.2.13 Score per residue for model 13

- Molecule 1: At5g01610




4.2.14 Score per residue for model 14 (medoid)

- Molecule 1: At5g01610




4.2.15 Score per residue for model 15

- Molecule 1: At5g01610




4.2.16 Score per residue for model 16

- Molecule 1: At5g01610




4.2.17 Score per residue for model 17

- Molecule 1: At5g01610




4.2.18 Score per residue for model 18


- Molecule 1: At5g01610



4.2.19 Score per residue for model 19


- Molecule 1: At5g01610





4.2.20 Score per residue for model 20

- Molecule 1: At5g01610



5 Refinement protocol and experimental data overview

The models were refined using the following method: *water refinement with XPLOR*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	1.0.5
X-PLOR	refinement	2.9.3

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6443
Number of chemical shift lists	1
Total number of shifts	1354
Number of shifts mapped to atoms	1354
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	82%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.99±0.05	0±0/902 (0.0±0.0%)	0.79±0.03	0±0/1215 (0.0±0.0%)
All	All	0.99	1/18040 (0.0%)	0.79	1/24300 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.1±0.2	0.2±0.4
All	All	1	4

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	120	VAL	N-CA	-5.39	1.35	1.46	5	1

All unique angle outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	77	PHE	N-CA-CB	5.93	121.27	110.60	19	1

All unique chiral outliers are listed below.

Mol	Chain	Res	Type	Atoms	Models (Total)
1	A	73	THR	CA	1

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	166	ARG	Sidechain	3
1	A	155	ARG	Sidechain	1

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	887	919	918	21±5
All	All	17740	18380	18360	421

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:116:LYS:HE2	1:A:116:LYS:N	0.64	2.07	9	1
1:A:79:GLU:O	1:A:82:LYS:HB2	0.64	1.91	5	1
1:A:78:ASP:OD1	1:A:81:THR:HB	0.64	1.92	10	1
1:A:95:GLY:HA2	1:A:100:SER:O	0.64	1.91	16	3
1:A:67:ILE:O	1:A:160:VAL:HB	0.63	1.91	7	8
1:A:74:ASN:O	1:A:86:VAL:HA	0.63	1.94	15	11
1:A:108:VAL:HG21	1:A:123:ILE:HG12	0.63	1.71	9	3
1:A:55:PRO:HA	1:A:58:LEU:CD1	0.63	2.24	4	4
1:A:110:GLY:HA2	1:A:119:ASP:O	0.62	1.95	7	4
1:A:94:VAL:O	1:A:101:VAL:HA	0.62	1.95	5	6
1:A:83:LYS:HG2	1:A:109:THR:HG22	0.61	1.71	14	5
1:A:65:ILE:O	1:A:159:GLY:HA3	0.61	1.95	20	11
1:A:65:ILE:HG12	1:A:67:ILE:H	0.60	1.55	11	7
1:A:115:GLY:O	1:A:138:THR:HB	0.60	1.97	10	5
1:A:57:LEU:O	1:A:60:GLU:HB3	0.60	1.97	4	2
1:A:72:ALA:O	1:A:73:THR:HB	0.59	1.97	2	9
1:A:83:LYS:HG2	1:A:109:THR:OG1	0.58	1.98	9	1
1:A:63:LEU:HB2	1:A:65:ILE:HD12	0.58	1.74	1	13
1:A:134:THR:O	1:A:146:THR:HB	0.58	1.98	4	1
1:A:155:ARG:O	1:A:155:ARG:HD3	0.58	1.99	6	2
1:A:92:CYS:SG	1:A:166:ARG:HG2	0.58	2.38	6	2
1:A:54:LEU:O	1:A:58:LEU:HG	0.58	1.99	6	6

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:74:ASN:HD22	1:A:74:ASN:N	0.57	1.96	6	6
1:A:143:VAL:HB	1:A:153:ARG:O	0.57	2.00	13	4
1:A:117:LEU:O	1:A:135:SER:HB2	0.57	2.00	5	4
1:A:76:GLU:O	1:A:85:THR:HG22	0.56	1.99	19	1
1:A:162:ARG:HA	1:A:162:ARG:NE	0.56	2.16	10	1
1:A:110:GLY:HA3	1:A:119:ASP:O	0.56	2.01	12	4
1:A:76:GLU:O	1:A:84:LEU:HG	0.56	2.01	1	1
1:A:67:ILE:O	1:A:160:VAL:HG12	0.56	1.99	11	1
1:A:78:ASP:HB2	1:A:81:THR:HB	0.55	1.78	12	14
1:A:67:ILE:HA	1:A:160:VAL:CG2	0.55	2.31	8	2
1:A:78:ASP:O	1:A:82:LYS:HA	0.55	2.01	5	2
1:A:76:GLU:OE1	1:A:87:LEU:HG	0.55	2.01	14	1
1:A:71:ASP:OD1	1:A:89:PRO:HG3	0.55	2.02	9	1
1:A:100:SER:HB3	1:A:126:LYS:O	0.54	2.02	8	1
1:A:64:PRO:HG3	1:A:141:SER:N	0.54	2.17	13	2
1:A:55:PRO:O	1:A:59:LYS:HG2	0.54	2.02	13	6
1:A:85:THR:HA	1:A:108:VAL:O	0.54	2.03	15	6
1:A:126:LYS:C	1:A:126:LYS:HD3	0.54	2.23	8	5
1:A:127:VAL:HG13	1:A:128:MET:SD	0.54	2.42	8	2
1:A:88:ILE:HG22	1:A:166:ARG:NH1	0.54	2.18	10	1
1:A:74:ASN:N	1:A:74:ASN:HD22	0.54	2.01	17	2
1:A:55:PRO:HA	1:A:58:LEU:HD11	0.54	1.80	17	1
1:A:82:LYS:HE2	1:A:82:LYS:HA	0.54	1.78	19	1
1:A:84:LEU:O	1:A:109:THR:HA	0.54	2.02	10	6
1:A:126:LYS:HD3	1:A:126:LYS:C	0.53	2.23	1	5
1:A:77:PHE:HB2	1:A:84:LEU:HA	0.53	1.79	19	1
1:A:65:ILE:HB	1:A:160:VAL:HG23	0.53	1.80	16	8
1:A:76:GLU:HB2	1:A:85:THR:O	0.53	2.03	12	2
1:A:83:LYS:HG3	1:A:109:THR:HG22	0.53	1.79	5	1
1:A:141:SER:O	1:A:155:ARG:HB3	0.53	2.04	14	1
1:A:89:PRO:O	1:A:166:ARG:HB2	0.52	2.04	7	3
1:A:59:LYS:O	1:A:62:ASP:HB3	0.52	2.05	13	2
1:A:84:LEU:HD23	1:A:112:LEU:HD13	0.52	1.81	19	1
1:A:87:LEU:HA	1:A:106:THR:O	0.52	2.05	6	5
1:A:102:LEU:HD22	1:A:125:THR:HG23	0.52	1.81	8	1
1:A:150:LYS:HG2	1:A:151:LYS:H	0.52	1.65	12	1
1:A:92:CYS:SG	1:A:104:PHE:HB2	0.52	2.44	3	4
1:A:92:CYS:SG	1:A:166:ARG:HA	0.52	2.44	6	1
1:A:54:LEU:N	1:A:55:PRO:HD3	0.52	2.20	4	1
1:A:115:GLY:O	1:A:138:THR:HG23	0.52	2.05	16	2
1:A:166:ARG:NE	1:A:166:ARG:H	0.51	2.03	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:58:LEU:HA	1:A:75:TYR:CD1	0.51	2.41	12	1
1:A:88:ILE:O	1:A:106:THR:HA	0.51	2.06	16	3
1:A:73:THR:HG22	1:A:73:THR:O	0.51	2.05	3	8
1:A:93:GLU:O	1:A:164:GLY:HA2	0.51	2.05	12	1
1:A:108:VAL:HG21	1:A:123:ILE:HG13	0.51	1.82	1	1
1:A:126:LYS:HD3	1:A:127:VAL:N	0.51	2.21	13	1
1:A:72:ALA:O	1:A:73:THR:HG22	0.51	2.06	19	2
1:A:90:SER:HB2	1:A:168:ASP:HB2	0.51	1.82	20	4
1:A:118:THR:HA	1:A:135:SER:OG	0.50	2.06	16	2
1:A:62:ASP:OD1	1:A:75:TYR:HB3	0.50	2.05	7	1
1:A:55:PRO:O	1:A:59:LYS:HE2	0.50	2.06	15	1
1:A:162:ARG:HD2	1:A:162:ARG:O	0.50	2.06	8	1
1:A:137:SER:O	1:A:144:TYR:HB2	0.50	2.06	11	2
1:A:125:THR:HB	1:A:134:THR:OG1	0.50	2.06	1	2
1:A:94:VAL:HG13	1:A:163:ASN:H	0.50	1.65	12	4
1:A:54:LEU:HB3	1:A:55:PRO:HD3	0.50	1.84	8	2
1:A:72:ALA:HA	1:A:87:LEU:O	0.50	2.07	19	1
1:A:86:VAL:O	1:A:107:THR:HA	0.50	2.07	12	1
1:A:67:ILE:O	1:A:160:VAL:HG22	0.50	2.06	17	2
1:A:165:LEU:O	1:A:165:LEU:HD12	0.49	2.07	12	1
1:A:102:LEU:HG	1:A:125:THR:OG1	0.49	2.07	18	1
1:A:82:LYS:CE	1:A:82:LYS:HA	0.49	2.36	19	1
1:A:135:SER:O	1:A:146:THR:HA	0.49	2.07	10	2
1:A:55:PRO:HA	1:A:58:LEU:HD12	0.49	1.85	4	1
1:A:83:LYS:CD	1:A:109:THR:HG22	0.49	2.38	11	1
1:A:102:LEU:CD2	1:A:125:THR:HG23	0.48	2.38	8	1
1:A:83:LYS:HG3	1:A:109:THR:CG2	0.48	2.37	5	1
1:A:76:GLU:O	1:A:84:LEU:HD12	0.48	2.09	20	1
1:A:83:LYS:HG2	1:A:109:THR:CG2	0.48	2.38	14	1
1:A:73:THR:O	1:A:73:THR:HG22	0.48	2.08	6	4
1:A:63:LEU:HD21	1:A:115:GLY:N	0.48	2.24	7	2
1:A:83:LYS:CG	1:A:109:THR:HG22	0.48	2.38	14	1
1:A:77:PHE:HB2	1:A:84:LEU:CA	0.48	2.39	19	1
1:A:54:LEU:HG	1:A:55:PRO:HD3	0.48	1.84	20	1
1:A:109:THR:OG1	1:A:121:GLU:HB3	0.48	2.09	1	1
1:A:67:ILE:O	1:A:68:PHE:HB2	0.47	2.09	4	7
1:A:75:TYR:HB2	1:A:84:LEU:HD11	0.47	1.84	19	2
1:A:58:LEU:HD22	1:A:74:ASN:ND2	0.47	2.24	5	1
1:A:62:ASP:OD2	1:A:73:THR:HG23	0.47	2.09	14	1
1:A:81:THR:HG22	1:A:83:LYS:HB3	0.47	1.86	12	3
1:A:74:ASN:O	1:A:86:VAL:HG22	0.47	2.10	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:105:THR:HG22	1:A:106:THR:H	0.47	1.70	8	1
1:A:141:SER:O	1:A:155:ARG:HD2	0.47	2.09	17	1
1:A:54:LEU:H	1:A:54:LEU:HD23	0.47	1.70	20	1
1:A:166:ARG:N	1:A:166:ARG:HD2	0.47	2.25	1	3
1:A:169:LYS:H	1:A:169:LYS:HD3	0.47	1.70	7	1
1:A:158:TYR:HB2	1:A:161:GLN:NE2	0.47	2.25	1	1
1:A:81:THR:C	1:A:83:LYS:H	0.47	2.13	5	1
1:A:151:LYS:HE2	1:A:151:LYS:HA	0.47	1.86	18	2
1:A:103:LYS:HB3	1:A:124:LYS:HB3	0.46	1.87	12	1
1:A:87:LEU:H	1:A:87:LEU:HD13	0.46	1.71	10	1
1:A:65:ILE:HG22	1:A:143:VAL:HG22	0.46	1.87	20	1
1:A:155:ARG:C	1:A:155:ARG:HD3	0.46	2.31	5	1
1:A:54:LEU:O	1:A:58:LEU:HD13	0.46	2.11	12	2
1:A:64:PRO:O	1:A:155:ARG:HD2	0.46	2.11	11	1
1:A:63:LEU:O	1:A:65:ILE:HD13	0.46	2.10	7	1
1:A:102:LEU:HG	1:A:125:THR:CG2	0.46	2.41	11	1
1:A:75:TYR:HB2	1:A:84:LEU:HD21	0.46	1.87	19	1
1:A:58:LEU:HA	1:A:61:TYR:CD2	0.46	2.46	6	1
1:A:68:PHE:HB3	1:A:69:PRO:HD3	0.46	1.87	15	2
1:A:63:LEU:HB3	1:A:138:THR:HG21	0.46	1.86	3	1
1:A:63:LEU:HD21	1:A:115:GLY:H	0.46	1.71	7	3
1:A:116:LYS:O	1:A:116:LYS:HD2	0.46	2.11	2	1
1:A:155:ARG:HB2	1:A:159:GLY:O	0.46	2.10	8	1
1:A:126:LYS:HG2	1:A:127:VAL:N	0.46	2.26	14	2
1:A:71:ASP:OD2	1:A:89:PRO:HG3	0.46	2.11	15	1
1:A:58:LEU:HG	1:A:75:TYR:CE1	0.45	2.46	19	1
1:A:162:ARG:HD2	1:A:162:ARG:C	0.45	2.32	7	2
1:A:54:LEU:O	1:A:57:LEU:HG	0.45	2.12	8	1
1:A:62:ASP:O	1:A:63:LEU:HD13	0.45	2.11	9	1
1:A:89:PRO:O	1:A:166:ARG:HB3	0.45	2.11	16	1
1:A:155:ARG:HA	1:A:159:GLY:HA2	0.45	1.87	4	1
1:A:90:SER:OG	1:A:167:VAL:HB	0.45	2.11	15	4
1:A:62:ASP:OD1	1:A:114:LYS:HA	0.45	2.12	8	1
1:A:54:LEU:CG	1:A:55:PRO:HD3	0.45	2.42	20	1
1:A:58:LEU:HB3	1:A:75:TYR:H	0.45	1.72	1	1
1:A:58:LEU:HA	1:A:75:TYR:CE1	0.45	2.46	12	1
1:A:166:ARG:HD2	1:A:166:ARG:H	0.44	1.71	1	1
1:A:68:PHE:HA	1:A:158:TYR:CD2	0.44	2.46	19	1
1:A:92:CYS:SG	1:A:164:GLY:HA3	0.44	2.53	4	1
1:A:138:THR:HB	1:A:142:LYS:O	0.44	2.13	5	1
1:A:55:PRO:HA	1:A:58:LEU:HG	0.44	1.89	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:78:ASP:HB2	1:A:81:THR:CB	0.44	2.41	12	3
1:A:151:LYS:HA	1:A:151:LYS:HE2	0.44	1.90	20	1
1:A:81:THR:CG2	1:A:83:LYS:HG2	0.44	2.43	18	1
1:A:64:PRO:HB2	1:A:155:ARG:NH1	0.43	2.28	9	1
1:A:129:ILE:CD1	1:A:130:TRP:H	0.43	2.26	2	1
1:A:150:LYS:HE2	1:A:150:LYS:HA	0.43	1.89	7	1
1:A:138:THR:HG23	1:A:142:LYS:O	0.43	2.13	8	1
1:A:138:THR:HG22	1:A:140:ALA:N	0.43	2.28	8	1
1:A:105:THR:H	1:A:123:ILE:HG22	0.43	1.74	8	1
1:A:69:PRO:HB3	1:A:166:ARG:HD3	0.43	1.89	20	1
1:A:74:ASN:N	1:A:74:ASN:ND2	0.43	2.66	6	1
1:A:155:ARG:HG2	1:A:159:GLY:HA2	0.43	1.91	12	1
1:A:125:THR:O	1:A:130:TRP:HA	0.43	2.14	5	1
1:A:165:LEU:HD22	1:A:165:LEU:O	0.43	2.14	19	2
1:A:88:ILE:HB	1:A:105:THR:O	0.42	2.14	16	1
1:A:82:LYS:O	1:A:111:HIS:HA	0.42	2.14	19	1
1:A:116:LYS:HD3	1:A:118:THR:HG23	0.42	1.91	5	2
1:A:127:VAL:HG23	1:A:128:MET:H	0.42	1.74	6	1
1:A:62:ASP:OD2	1:A:65:ILE:HD13	0.42	2.15	15	1
1:A:134:THR:HG22	1:A:148:GLY:HA3	0.42	1.90	16	1
1:A:143:VAL:HG11	1:A:159:GLY:O	0.42	2.15	19	1
1:A:143:VAL:HG21	1:A:159:GLY:O	0.42	2.15	20	1
1:A:63:LEU:CD1	1:A:115:GLY:H	0.42	2.27	16	1
1:A:60:GLU:C	1:A:62:ASP:H	0.42	2.17	12	1
1:A:127:VAL:CG2	1:A:150:LYS:HE2	0.42	2.44	8	1
1:A:165:LEU:HD23	1:A:165:LEU:H	0.42	1.75	6	1
1:A:71:ASP:O	1:A:74:ASN:ND2	0.42	2.53	8	1
1:A:83:LYS:HD3	1:A:109:THR:HB	0.42	1.91	12	1
1:A:75:TYR:CD2	1:A:84:LEU:HD11	0.42	2.50	4	1
1:A:104:PHE:HA	1:A:123:ILE:HD12	0.41	1.92	20	1
1:A:92:CYS:HB3	1:A:104:PHE:CE2	0.41	2.50	17	1
1:A:150:LYS:HA	1:A:150:LYS:HE2	0.41	1.91	4	1
1:A:157:ALA:HB3	1:A:161:GLN:NE2	0.41	2.29	19	1
1:A:117:LEU:O	1:A:135:SER:HB3	0.41	2.15	11	1
1:A:169:LYS:HG2	1:A:170:PHE:N	0.41	2.30	12	1
1:A:63:LEU:N	1:A:63:LEU:HD12	0.41	2.30	10	1
1:A:76:GLU:HB2	1:A:85:THR:HG23	0.41	1.91	15	1
1:A:77:PHE:HB2	1:A:84:LEU:N	0.41	2.30	19	1
1:A:74:ASN:O	1:A:86:VAL:HG13	0.41	2.16	10	1
1:A:84:LEU:HD22	1:A:112:LEU:HB2	0.41	1.93	20	1
1:A:132:LYS:HG3	1:A:133:VAL:N	0.41	2.30	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:113:GLU:HB2	1:A:116:LYS:O	0.41	2.14	10	1
1:A:162:ARG:NH1	1:A:164:GLY:HA3	0.41	2.30	9	1
1:A:83:LYS:CD	1:A:109:THR:HB	0.41	2.45	12	1
1:A:84:LEU:HD23	1:A:85:THR:N	0.41	2.31	4	1
1:A:108:VAL:HG11	1:A:123:ILE:HG13	0.41	1.93	13	2
1:A:162:ARG:HA	1:A:162:ARG:HE	0.41	1.73	10	1
1:A:118:THR:HA	1:A:135:SER:HB2	0.41	1.93	10	1
1:A:125:THR:HG21	1:A:146:THR:O	0.41	2.16	1	1
1:A:94:VAL:HG11	1:A:162:ARG:CG	0.41	2.46	2	1
1:A:148:GLY:O	1:A:150:LYS:HG2	0.41	2.16	19	1
1:A:116:LYS:HB2	1:A:137:SER:HA	0.41	1.92	11	1
1:A:54:LEU:N	1:A:55:PRO:CD	0.41	2.84	4	2
1:A:132:LYS:H	1:A:132:LYS:HD3	0.41	1.75	2	1
1:A:63:LEU:HD12	1:A:63:LEU:H	0.40	1.76	6	1
1:A:101:VAL:C	1:A:102:LEU:HD12	0.40	2.36	13	1
1:A:94:VAL:HG21	1:A:162:ARG:HA	0.40	1.91	11	1
1:A:71:ASP:HB3	1:A:89:PRO:HG3	0.40	1.93	2	1
1:A:67:ILE:HG13	1:A:73:THR:OG1	0.40	2.17	7	1
1:A:101:VAL:O	1:A:125:THR:HA	0.40	2.16	18	1
1:A:77:PHE:N	1:A:84:LEU:HD12	0.40	2.32	19	1
1:A:65:ILE:C	1:A:67:ILE:H	0.40	2.20	16	1
1:A:118:THR:HA	1:A:135:SER:HG	0.40	1.77	16	1
1:A:55:PRO:HA	1:A:58:LEU:CG	0.40	2.46	2	1
1:A:76:GLU:O	1:A:84:LEU:HD22	0.40	2.15	18	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	112/170 (66%)	87±3 (78±3%)	18±4 (16±4%)	7±2 (6±2%)	3	20
All	All	2240/3400 (66%)	1746 (78%)	353 (16%)	141 (6%)	3	20

All 31 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	68	PHE	20
1	A	141	SER	18
1	A	158	TYR	10
1	A	119	ASP	9
1	A	89	PRO	8
1	A	67	ILE	7
1	A	73	THR	6
1	A	134	THR	6
1	A	148	GLY	5
1	A	127	VAL	5
1	A	149	MET	5
1	A	167	VAL	4
1	A	69	PRO	4
1	A	63	LEU	4
1	A	163	ASN	3
1	A	146	THR	3
1	A	100	SER	3
1	A	133	VAL	3
1	A	168	ASP	3
1	A	71	ASP	2
1	A	72	ALA	2
1	A	147	ALA	2
1	A	84	LEU	1
1	A	128	MET	1
1	A	82	LYS	1
1	A	74	ASN	1
1	A	62	ASP	1
1	A	169	LYS	1
1	A	66	GLY	1
1	A	140	ALA	1
1	A	129	ILE	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	100/150 (67%)	93±2 (93±2%)	7±2 (7±2%)	23 68
All	All	2000/3000 (67%)	1856 (93%)	144 (7%)	23 68

All 38 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	65	ILE	20
1	A	116	LYS	17
1	A	126	LYS	11
1	A	155	ARG	8
1	A	74	ASN	8
1	A	128	MET	6
1	A	162	ARG	6
1	A	87	LEU	5
1	A	59	LYS	5
1	A	80	GLU	5
1	A	91	ILE	5
1	A	63	LEU	5
1	A	132	LYS	4
1	A	166	ARG	4
1	A	117	LEU	3
1	A	150	LYS	3
1	A	165	LEU	2
1	A	103	LYS	2
1	A	55	PRO	2
1	A	161	GLN	2
1	A	102	LEU	2
1	A	129	ILE	2
1	A	153	ARG	2
1	A	151	LYS	1
1	A	76	GLU	1
1	A	124	LYS	1
1	A	142	LYS	1
1	A	114	LYS	1
1	A	89	PRO	1
1	A	120	VAL	1
1	A	127	VAL	1
1	A	64	PRO	1
1	A	109	THR	1
1	A	112	LEU	1
1	A	149	MET	1
1	A	169	LYS	1
1	A	54	LEU	1
1	A	113	GLU	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 82% for the well-defined parts and 57% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 6443

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1354
Number of shifts mapped to atoms	1354
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	6

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	118	-0.70 ± 0.24	Should be applied
$^{13}\text{C}_\beta$	109	-0.36 ± 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}'$	104	0.30 ± 0.20	None needed (< 0.5 ppm)
^{15}N	113	0.26 ± 0.32	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 82%, i.e. 1141 atoms were assigned a chemical shift out of a possible 1387. 15 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	544/557 (98%)	222/222 (100%)	213/226 (94%)	109/109 (100%)
Sidechain	597/733 (81%)	374/426 (88%)	221/279 (79%)	2/28 (7%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	0/97 (0%)	0/51 (0%)	0/43 (0%)	0/3 (0%)
Overall	1141/1387 (82%)	596/699 (85%)	434/548 (79%)	111/140 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 57%, i.e. 1187 atoms were assigned a chemical shift out of a possible 2087. 15 out of 28 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	566/840 (67%)	231/335 (69%)	222/340 (65%)	113/165 (68%)
Sidechain	621/1092 (57%)	390/638 (61%)	229/408 (56%)	2/46 (4%)
Aromatic	0/155 (0%)	0/81 (0%)	0/69 (0%)	0/5 (0%)
Overall	1187/2087 (57%)	621/1054 (59%)	451/817 (55%)	115/216 (53%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	153	ARG	NE	122.20	92.63 – 76.73	23.6
1	A	116	LYS	CE	35.60	46.00 – 37.80	-7.7
1	A	126	LYS	HB3	-0.22	3.10 – 0.40	-7.3
1	A	114	LYS	CE	36.80	46.00 – 37.80	-6.2
1	A	126	LYS	HG3	-0.25	2.76 – -0.04	-5.8
1	A	105	THR	HB	2.47	5.82 – 2.52	-5.2

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

