



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:52 PM GMT

PDB ID : 1YOX
Title : Structure of the conserved Protein of Unknown Function PA3696 from *Pseudomonas aeruginosa*
Authors : Walker, J.R.; Xu, X.; Gu, J.; Joachimiak, A.; Edwards, A.; Savchenko, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2005-01-28
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div> <div>15%</div> <div> <div>50%</div> <div>22%</div> <div>•</div> <div>24%</div> </div> </div>
1	B	250	<div> <div>5%</div> <div> <div>64%</div> <div>11%</div> <div>•</div> <div>22%</div> </div> </div>
1	C	250	<div> <div>4%</div> <div> <div>54%</div> <div>20%</div> <div>• •</div> <div>22%</div> </div> </div>
1	D	250	<div> <div>3%</div> <div> <div>62%</div> <div>18%</div> <div>•</div> <div>16%</div> </div> </div>
1	E	250	<div> <div>•</div> <div> <div>62%</div> <div>16%</div> <div>•</div> <div>19%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	250	<div><div></div><div>11%</div><div>47%</div><div>24%</div><div>•</div><div>26%</div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9193 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hypothetical protein PA3696.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	190	Total	C	N	O	S	Se	0	0	0
			1454	918	251	278	3	4			
1	B	195	Total	C	N	O	S	Se	0	0	0
			1474	933	253	281	3	4			
1	C	196	Total	C	N	O	S	Se	0	0	0
			1484	944	252	281	3	4			
1	D	209	Total	C	N	O	S	Se	0	0	0
			1576	1002	268	298	3	5			
1	E	203	Total	C	N	O	S	Se	0	0	0
			1541	980	261	292	3	5			
1	F	186	Total	C	N	O	S	Se	0	0	0
			1429	904	246	272	3	4			

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	CLONING ARTIFACT	UNP Q9HXU4
A	0	SER	-	CLONING ARTIFACT	UNP Q9HXU4
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
A	15	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
A	35	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
A	38	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
A	48	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
A	75	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
A	200	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
B	-1	GLY	-	CLONING ARTIFACT	UNP Q9HXU4
B	0	SER	-	CLONING ARTIFACT	UNP Q9HXU4
B	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
B	15	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
B	35	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
B	38	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
B	48	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
B	75	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	200	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	-1	GLY	-	CLONING ARTIFACT	UNP Q9HXU4
C	0	SER	-	CLONING ARTIFACT	UNP Q9HXU4
C	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	15	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	35	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	38	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	48	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	75	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
C	200	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	-1	GLY	-	CLONING ARTIFACT	UNP Q9HXU4
D	0	SER	-	CLONING ARTIFACT	UNP Q9HXU4
D	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	15	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	35	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	38	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	48	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	75	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
D	200	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	-1	GLY	-	CLONING ARTIFACT	UNP Q9HXU4
E	0	SER	-	CLONING ARTIFACT	UNP Q9HXU4
E	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	15	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	35	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	38	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	48	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	75	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
E	200	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	-1	GLY	-	CLONING ARTIFACT	UNP Q9HXU4
F	0	SER	-	CLONING ARTIFACT	UNP Q9HXU4
F	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	15	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	35	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	38	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	48	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	75	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4
F	200	MSE	MET	MODIFIED RESIDUE	UNP Q9HXU4

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	15	Total O 15 15	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	43	Total 43	O 43	0	0
2	C	35	Total 35	O 35	0	0
2	D	64	Total 64	O 64	0	0
2	E	52	Total 52	O 52	0	0
2	F	26	Total 26	O 26	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: hypothetical protein PA3696




• Molecule 1: hypothetical protein PA3696




• Molecule 1: hypothetical protein PA3696







• Molecule 1: hypothetical protein PA3696



• Molecule 1: hypothetical protein PA3696



• Molecule 1: hypothetical protein PA3696



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	124.91Å 124.91Å 164.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 29.80 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (30.00-2.30) 99.7 (29.80-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.225 , 0.279 0.224 , 0.277	Depositor DCC
R_{free} test set	2947 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 58292 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9193	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.59	0/1472	0.68	0/1981
1	B	0.70	0/1494	0.79	1/2010 (0.0%)
1	C	0.69	1/1506 (0.1%)	0.77	0/2027
1	D	0.80	0/1600	0.86	0/2151
1	E	0.78	1/1563 (0.1%)	0.83	0/2100
1	F	0.63	0/1448	0.69	0/1950
All	All	0.71	2/9083 (0.0%)	0.77	1/12219 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	112	CYS	CB-SG	-7.27	1.69	1.82
1	C	112	CYS	CB-SG	-5.64	1.72	1.81

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	88	VAL	CB-CA-C	-5.05	101.81	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	215	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1454	0	1431	49	0
1	B	1474	0	1448	24	0
1	C	1484	0	1458	54	0
1	D	1576	0	1549	51	0
1	E	1541	0	1508	37	0
1	F	1429	0	1404	44	0
2	A	15	0	0	1	0
2	B	43	0	0	0	0
2	C	35	0	0	5	0
2	D	64	0	0	2	0
2	E	52	0	0	6	0
2	F	26	0	0	4	0
All	All	9193	0	8798	237	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:MSE:HE3	1:A:95:PRO:HB3	1.32	1.08
1:A:101:VAL:HG23	1:A:155:VAL:HG12	1.46	0.96
1:C:131:THR:HG22	1:C:145:ILE:HG12	1.46	0.94
1:A:43:ARG:HH11	1:A:43:ARG:HG2	1.29	0.94
1:E:150:GLU:HG2	2:E:293:HOH:O	1.66	0.94
1:F:15:MSE:HE3	1:F:95:PRO:HB3	1.50	0.93
1:D:4:HIS:HD2	1:D:27:THR:H	1.10	0.93
1:E:160:GLY:H	1:E:221:GLN:HE21	1.19	0.88
1:E:166:ARG:HG2	1:E:166:ARG:HH11	1.36	0.88
1:A:168:LEU:O	1:A:215:SER:HA	1.76	0.85
1:A:85:LYS:H	1:A:85:LYS:HD3	1.41	0.84
1:F:94:TYR:HD1	2:F:266:HOH:O	1.61	0.84
1:A:148:LYS:HB3	2:A:258:HOH:O	1.78	0.83
1:D:15:MSE:HE3	1:D:95:PRO:HB3	1.60	0.82
1:A:43:ARG:HH11	1:A:43:ARG:CG	1.92	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:133:ARG:O	1:C:134:LEU:HB2	1.80	0.80
1:E:219:TRP:CD1	1:E:219:TRP:N	2.52	0.78
1:A:15:MSE:HE3	1:A:95:PRO:CB	2.14	0.78
1:A:160:GLY:H	1:A:221:GLN:HE21	1.30	0.78
1:B:219:TRP:N	1:B:219:TRP:CD1	2.53	0.76
1:C:160:GLY:H	1:C:221:GLN:HE21	1.33	0.76
1:C:231:ARG:HD2	2:C:275:HOH:O	1.84	0.76
1:D:182:ALA:O	1:D:219:TRP:HD1	1.70	0.75
1:A:101:VAL:HG23	1:A:155:VAL:CG1	2.17	0.74
1:C:32:ALA:HB2	1:C:76:THR:HG21	1.71	0.73
1:D:4:HIS:CD2	1:D:27:THR:H	2.02	0.73
1:C:35:MSE:HG3	2:C:254:HOH:O	1.89	0.72
1:D:133:ARG:HH21	1:D:142:GLU:HA	1.55	0.71
1:F:171:GLU:HA	2:F:264:HOH:O	1.91	0.71
1:C:168:LEU:HD12	1:C:187:ILE:HD12	1.73	0.70
1:C:43:ARG:CG	1:C:81:GLU:HG3	2.21	0.70
1:F:15:MSE:CE	1:F:95:PRO:HB3	2.21	0.70
1:E:166:ARG:HH11	1:E:166:ARG:CG	2.05	0.70
1:E:160:GLY:H	1:E:221:GLN:NE2	1.88	0.69
1:D:38:MSE:HE1	1:D:44:PHE:HE2	1.56	0.69
1:C:215:SER:OG	1:C:216:GLY:N	2.22	0.69
1:A:43:ARG:NH1	1:A:43:ARG:HG2	1.98	0.68
1:E:182:ALA:O	1:E:219:TRP:HD1	1.77	0.68
1:C:228:LEU:HD22	1:C:232:ILE:HD12	1.75	0.67
1:A:160:GLY:H	1:A:221:GLN:NE2	1.92	0.67
1:B:165:ARG:NH2	1:B:219:TRP:HZ3	1.92	0.66
1:D:236:THR:O	1:D:237:PHE:CD1	2.49	0.66
1:C:134:LEU:HD21	1:C:191:VAL:HG11	1.77	0.66
1:E:38:MSE:HB3	1:E:88:VAL:HG13	1.79	0.65
1:E:219:TRP:HZ3	2:E:278:HOH:O	1.80	0.65
1:C:80:ASN:ND2	1:C:82:GLY:H	1.95	0.64
1:B:165:ARG:NH2	1:B:219:TRP:CZ3	2.66	0.64
1:A:38:MSE:CE	1:A:42:ILE:HG22	2.28	0.64
1:A:12:GLY:HA2	1:C:162:THR:HG21	1.80	0.64
1:F:15:MSE:HE3	1:F:95:PRO:CB	2.24	0.64
1:A:149:LEU:HD13	1:A:155:VAL:HG21	1.79	0.64
1:E:231:ARG:HG3	1:F:93:PRO:HB3	1.78	0.64
1:D:160:GLY:H	1:D:221:GLN:HE21	1.44	0.63
1:E:209:LEU:HD21	1:F:35:MSE:HE1	1.80	0.63
1:D:149:LEU:HD23	1:D:155:VAL:HG11	1.80	0.63
1:A:38:MSE:HE2	1:A:42:ILE:HG22	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:21:GLU:OE1	1:E:87:HIS:CE1	2.51	0.63
1:B:80:ASN:ND2	1:B:82:GLY:H	1.97	0.62
1:A:12:GLY:CA	1:C:162:THR:HG21	2.29	0.62
1:E:218:VAL:HG12	1:E:220:LEU:HD13	1.82	0.61
1:E:174:ARG:HG3	1:E:174:ARG:HH11	1.66	0.61
1:F:125:ARG:HB2	1:F:150:GLU:HB2	1.81	0.61
1:D:15:MSE:HE2	1:F:161:GLY:HA2	1.83	0.61
1:B:111:PHE:HE2	1:B:148:LYS:HE2	1.66	0.61
1:D:160:GLY:H	1:D:221:GLN:NE2	1.98	0.60
1:D:21:GLU:OE1	1:D:87:HIS:HE1	1.84	0.60
1:A:233:TYR:O	1:A:240:ARG:NH1	2.34	0.60
1:B:182:ALA:O	1:B:219:TRP:HD1	1.85	0.60
1:D:38:MSE:HE1	1:D:44:PHE:CE2	2.36	0.60
1:A:15:MSE:CE	1:A:95:PRO:HB3	2.21	0.60
1:B:80:ASN:C	1:B:80:ASN:HD22	2.03	0.60
1:A:160:GLY:N	1:A:221:GLN:HE21	2.00	0.59
1:D:15:MSE:HE3	1:D:95:PRO:CB	2.32	0.59
1:A:232:ILE:O	1:A:236:THR:HG23	2.03	0.59
1:F:231:ARG:HG2	2:F:256:HOH:O	2.03	0.59
1:A:101:VAL:CG2	1:A:155:VAL:CG1	2.80	0.58
1:A:22:LEU:HD11	1:A:28:VAL:HG12	1.84	0.58
1:D:205:GLU:OE1	1:F:238:ARG:NH2	2.36	0.58
1:B:111:PHE:CE2	1:B:148:LYS:HE2	2.38	0.57
1:B:38:MSE:HE1	1:B:44:PHE:HE2	1.69	0.57
1:C:130:PHE:HB3	1:C:146:LEU:HB2	1.85	0.57
1:D:4:HIS:HD2	1:D:27:THR:N	1.92	0.57
1:C:219:TRP:CD1	1:C:219:TRP:N	2.72	0.57
1:D:219:TRP:CD1	1:D:219:TRP:N	2.74	0.56
1:F:177:THR:HG21	1:F:191:VAL:HG13	1.88	0.56
1:E:231:ARG:HG3	1:F:93:PRO:CB	2.35	0.56
1:A:238:ARG:HH22	1:B:133:ARG:HB3	1.69	0.56
1:A:38:MSE:HG2	1:A:88:VAL:HG13	1.88	0.56
1:E:160:GLY:N	1:E:221:GLN:HE21	1.96	0.55
1:C:80:ASN:HD22	1:C:82:GLY:H	1.53	0.55
1:D:160:GLY:N	1:D:221:GLN:HE21	2.04	0.55
1:A:212:LEU:HD13	1:A:218:VAL:HG11	1.89	0.55
1:F:23:ASP:O	1:F:26:GLU:HG3	2.07	0.55
1:B:165:ARG:HH21	1:B:219:TRP:HZ3	1.53	0.54
1:A:42:ILE:O	1:C:174:ARG:NH2	2.34	0.54
1:F:43:ARG:HD3	1:F:81:GLU:HG3	1.88	0.54
1:F:113:GLN:HE21	1:F:144:PHE:HD1	1.55	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:175:VAL:HG12	1:D:176:ASP:O	2.08	0.54
1:F:104:ASP:C	1:F:106:VAL:H	2.10	0.54
1:E:166:ARG:CG	1:E:166:ARG:NH1	2.69	0.54
1:F:148:LYS:HB2	1:F:148:LYS:HZ2	1.73	0.54
1:C:165:ARG:HH11	1:C:167:GLN:HE22	1.54	0.54
1:B:29:ILE:HG23	1:B:75:MSE:SE	2.58	0.53
1:D:27:THR:HB	1:D:79:THR:HG22	1.91	0.53
1:C:43:ARG:HG3	1:C:81:GLU:HG3	1.90	0.53
1:A:236:THR:OG1	1:A:240:ARG:NH1	2.42	0.53
1:C:80:ASN:C	1:C:80:ASN:HD22	2.12	0.53
1:A:102:ASP:HA	1:A:154:LEU:HD13	1.90	0.52
1:D:137:GLY:HA3	1:D:139:PHE:CE1	2.44	0.52
1:F:38:MSE:HG2	1:F:88:VAL:HG13	1.91	0.52
1:C:133:ARG:O	1:C:134:LEU:CB	2.55	0.52
1:D:80:ASN:ND2	1:D:82:GLY:H	2.07	0.52
1:C:160:GLY:H	1:C:221:GLN:NE2	2.04	0.52
1:C:165:ARG:HD3	1:C:167:GLN:HE22	1.75	0.52
1:F:168:LEU:O	1:F:215:SER:HA	2.10	0.52
1:D:129:ALA:HB2	1:D:148:LYS:HB2	1.92	0.52
1:A:228:LEU:O	1:A:232:ILE:HG12	2.11	0.51
1:C:38:MSE:HE1	1:C:44:PHE:CE2	2.46	0.51
1:C:133:ARG:O	1:C:139:PHE:O	2.28	0.51
1:A:235:ALA:HB2	1:B:225:PHE:HE2	1.74	0.51
1:E:18:VAL:HG12	1:E:118:LEU:HD13	1.93	0.51
1:A:85:LYS:N	1:A:85:LYS:HD3	2.17	0.51
1:A:169:ASN:H	1:A:171:GLU:CG	2.24	0.51
1:D:130:PHE:HB3	1:D:146:LEU:HB2	1.91	0.51
1:A:38:MSE:HE3	1:A:78:PHE:HD2	1.76	0.51
1:D:21:GLU:OE1	1:D:87:HIS:CE1	2.64	0.51
1:B:80:ASN:HD22	1:B:82:GLY:H	1.58	0.50
1:D:80:ASN:HD22	1:D:82:GLY:H	1.59	0.50
1:B:47:ARG:HE	1:B:75:MSE:HB3	1.76	0.50
1:A:9:ARG:NH2	1:F:8:TYR:O	2.44	0.50
1:F:113:GLN:NE2	1:F:144:PHE:HD1	2.10	0.49
1:F:236:THR:OG1	1:F:240:ARG:NH1	2.45	0.49
1:A:228:LEU:CD1	1:C:232:ILE:HD11	2.42	0.49
1:C:38:MSE:HB3	1:C:88:VAL:HG13	1.95	0.49
1:C:165:ARG:HD3	1:C:167:GLN:NE2	2.27	0.49
1:F:103:LEU:O	1:F:108:GLY:N	2.43	0.49
1:D:94:TYR:HB2	1:D:95:PRO:HD2	1.95	0.49
1:D:149:LEU:CD2	1:D:155:VAL:HG11	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:106:VAL:HG12	1:F:106:VAL:O	2.13	0.49
1:F:80:ASN:ND2	1:F:82:GLY:H	2.10	0.49
1:A:93:PRO:HB2	1:C:231:ARG:HG3	1.95	0.48
1:E:222:SER:CB	1:F:17:THR:OG1	2.61	0.48
1:B:165:ARG:CZ	1:B:219:TRP:CZ3	2.97	0.48
1:D:47:ARG:HE	1:D:77:HIS:CE1	2.31	0.48
1:C:175:VAL:HG12	1:C:176:ASP:O	2.13	0.48
1:A:80:ASN:C	1:A:80:ASN:HD22	2.17	0.48
1:C:43:ARG:HG2	1:C:81:GLU:HG3	1.95	0.48
1:A:193:LEU:HD12	1:A:194:ALA:H	1.78	0.48
1:C:22:LEU:HB3	1:C:80:ASN:HB2	1.95	0.48
1:F:44:PHE:HA	1:F:77:HIS:O	2.14	0.48
1:E:168:LEU:HD12	1:E:187:ILE:HD12	1.97	0.47
1:F:15:MSE:HA	1:F:96:GLY:O	2.13	0.47
1:C:20:ILE:HG22	1:C:22:LEU:HD13	1.96	0.47
1:E:109:ARG:HB2	2:E:293:HOH:O	2.15	0.47
1:F:162:THR:O	1:F:221:GLN:HA	2.15	0.47
1:D:32:ALA:HA	1:D:76:THR:CG2	2.44	0.46
1:D:35:MSE:HG3	2:F:249:HOH:O	2.15	0.46
1:F:9:ARG:HD3	1:F:11:LEU:HD21	1.98	0.46
1:E:221:GLN:NE2	2:E:259:HOH:O	2.39	0.46
1:B:80:ASN:C	1:B:80:ASN:ND2	2.68	0.46
1:E:222:SER:HB2	1:F:17:THR:OG1	2.16	0.46
1:A:101:VAL:HG21	1:A:110:LEU:HD22	1.98	0.46
1:F:188:ASP:HB2	1:F:213:LYS:HD3	1.97	0.46
1:D:182:ALA:C	1:D:219:TRP:HD1	2.17	0.46
1:A:7:ASP:HB2	1:A:21:GLU:HB3	1.98	0.45
1:D:40:GLY:O	1:F:174:ARG:NH2	2.49	0.45
1:D:35:MSE:HE2	1:D:35:MSE:HB2	1.61	0.45
1:C:109:ARG:HD3	1:C:150:GLU:OE1	2.16	0.45
1:C:188:ASP:HB2	2:C:283:HOH:O	2.16	0.45
1:A:93:PRO:CB	1:C:231:ARG:HG3	2.46	0.45
1:F:174:ARG:HG2	1:F:211:THR:OG1	2.16	0.45
1:C:108:GLY:HA2	2:C:253:HOH:O	2.16	0.45
1:D:20:ILE:O	1:D:87:HIS:HA	2.17	0.45
1:C:42:ILE:CD1	1:C:86:GLN:HB3	2.47	0.45
1:C:130:PHE:HZ	1:C:132:LYS:HD2	1.82	0.44
1:C:188:ASP:HB3	1:C:213:LYS:HG2	1.98	0.44
1:C:75:MSE:HE2	1:C:75:MSE:HA	1.99	0.44
1:C:44:PHE:HA	1:C:77:HIS:O	2.17	0.44
1:E:44:PHE:HA	1:E:77:HIS:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:164:ILE:HB	1:F:220:LEU:HB2	2.00	0.44
1:C:42:ILE:HD11	1:C:86:GLN:HB3	1.99	0.44
1:D:175:VAL:HG22	1:E:37:TYR:HB3	1.99	0.44
1:A:188:ASP:HB2	1:A:213:LYS:HG2	1.99	0.44
1:E:219:TRP:HD1	1:E:219:TRP:H	1.64	0.44
1:B:47:ARG:NH2	1:B:77:HIS:HE1	2.16	0.44
1:D:46:ALA:C	1:D:47:ARG:HG3	2.38	0.44
1:D:148:LYS:HB3	1:D:148:LYS:NZ	2.32	0.44
1:F:40:GLY:HA3	1:F:86:GLN:NE2	2.33	0.44
1:B:219:TRP:HD1	1:B:219:TRP:H	1.64	0.43
1:C:130:PHE:CZ	1:C:132:LYS:HD2	2.53	0.43
1:C:188:ASP:O	1:C:212:LEU:HA	2.17	0.43
1:A:238:ARG:NH2	1:B:133:ARG:HB3	2.34	0.43
1:D:163:LEU:HD22	1:D:164:ILE:N	2.33	0.43
1:D:227:ARG:HD2	2:D:297:HOH:O	2.19	0.43
1:A:104:ASP:C	1:A:104:ASP:OD1	2.57	0.43
1:D:27:THR:HB	1:D:79:THR:CG2	2.49	0.43
1:E:111:PHE:HA	1:E:147:GLN:O	2.19	0.43
1:E:189:TYR:HB3	1:E:212:LEU:HD23	2.01	0.43
1:F:191:VAL:O	1:F:192:GLN:HG2	2.19	0.43
1:D:142:GLU:HB2	1:D:145:ILE:HD11	2.01	0.43
1:F:240:ARG:C	1:F:242:GLU:H	2.22	0.43
1:D:15:MSE:CE	1:F:161:GLY:HA2	2.49	0.42
1:C:95:PRO:HA	2:C:262:HOH:O	2.19	0.42
1:B:38:MSE:HB3	1:B:88:VAL:HG13	2.01	0.42
1:E:174:ARG:NH1	1:E:174:ARG:HG3	2.33	0.42
1:D:174:ARG:NH2	1:E:39:THR:O	2.49	0.42
1:C:35:MSE:HB2	1:C:35:MSE:HE2	1.64	0.42
1:C:236:THR:O	1:C:237:PHE:HD1	2.02	0.42
1:E:95:PRO:HA	2:E:273:HOH:O	2.20	0.42
1:C:42:ILE:HG12	1:C:88:VAL:HG22	2.02	0.42
1:E:109:ARG:CB	2:E:293:HOH:O	2.67	0.41
1:D:189:TYR:HA	1:D:211:THR:O	2.20	0.41
1:E:218:VAL:CG1	1:E:220:LEU:HD13	2.49	0.41
1:C:42:ILE:HD13	1:C:87:HIS:O	2.21	0.41
1:F:8:TYR:C	1:F:8:TYR:CD1	2.94	0.41
1:E:132:LYS:HA	1:E:132:LYS:HD3	1.63	0.41
1:F:103:LEU:HB3	1:F:108:GLY:HA2	2.03	0.41
1:D:227:ARG:NH1	2:D:297:HOH:O	2.41	0.41
1:A:182:ALA:O	1:A:219:TRP:HD1	2.04	0.41
1:D:80:ASN:C	1:D:80:ASN:HD22	2.23	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:148:LYS:HB2	1:F:148:LYS:NZ	2.35	0.41
1:D:35:MSE:HE1	1:D:37:TYR:C	2.41	0.41
1:B:189:TYR:HB3	1:B:212:LEU:HD23	2.02	0.41
1:B:130:PHE:HB3	1:B:146:LEU:HB2	2.02	0.41
1:A:126:VAL:HG23	1:A:127:GLY:H	1.85	0.41
1:B:16:GLN:OE1	1:B:97:SER:HB2	2.20	0.41
1:E:96:GLY:HA3	1:E:159:ALA:O	2.20	0.41
1:C:181:VAL:CG2	1:C:221:GLN:HB3	2.51	0.40
1:D:196:GLY:O	1:E:44:PHE:HE1	2.04	0.40
1:D:16:GLN:OE1	1:D:97:SER:HB2	2.21	0.40
1:D:46:ALA:O	1:D:47:ARG:HG3	2.21	0.40
1:F:167:GLN:HA	1:F:216:GLY:O	2.21	0.40
1:C:35:MSE:O	1:C:35:MSE:HG3	2.20	0.40
1:C:168:LEU:HD23	1:C:168:LEU:HA	1.92	0.40
1:A:16:GLN:OE1	1:A:97:SER:HB2	2.21	0.40
1:E:103:LEU:HA	1:E:106:VAL:HG22	2.03	0.40
1:A:109:ARG:HD2	1:A:185:ASP:OD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	182/250 (73%)	167 (92%)	11 (6%)	4 (2%)	8	6
1	B	187/250 (75%)	179 (96%)	7 (4%)	1 (0%)	34	41
1	C	190/250 (76%)	174 (92%)	13 (7%)	3 (2%)	12	11
1	D	205/250 (82%)	197 (96%)	7 (3%)	1 (0%)	34	41
1	E	197/250 (79%)	186 (94%)	10 (5%)	1 (0%)	34	41
1	F	178/250 (71%)	165 (93%)	11 (6%)	2 (1%)	17	18
All	All	1139/1500 (76%)	1068 (94%)	59 (5%)	12 (1%)	17	18

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	194	ALA
1	F	105	ASP
1	A	40	GLY
1	A	126	VAL
1	C	133	ARG
1	E	83	GLN
1	A	242	GLU
1	C	134	LEU
1	F	46	ALA
1	A	194	ALA
1	B	205	GLU
1	D	32	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/183 (82%)	128 (85%)	22 (15%)	4	3
1	B	151/183 (82%)	134 (89%)	17 (11%)	7	8
1	C	151/183 (82%)	134 (89%)	17 (11%)	7	8
1	D	160/183 (87%)	146 (91%)	14 (9%)	12	14
1	E	158/183 (86%)	140 (89%)	18 (11%)	7	7
1	F	148/183 (81%)	128 (86%)	20 (14%)	5	4
All	All	918/1098 (84%)	810 (88%)	108 (12%)	6	7

All (108) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ASP
1	A	43	ARG
1	A	45	THR
1	A	47	ARG
1	A	77	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	80	ASN
1	A	81	GLU
1	A	83	GLN
1	A	85	LYS
1	A	88	VAL
1	A	103	LEU
1	A	104	ASP
1	A	112	CYS
1	A	118	LEU
1	A	128	ILE
1	A	142	GLU
1	A	154	LEU
1	A	165	ARG
1	A	168	LEU
1	A	213	LYS
1	A	228	LEU
1	A	241	GLU
1	B	29	ILE
1	B	35	MSE
1	B	76	THR
1	B	77	HIS
1	B	80	ASN
1	B	88	VAL
1	B	103	LEU
1	B	118	LEU
1	B	149	LEU
1	B	162	THR
1	B	163	LEU
1	B	205	GLU
1	B	207	LEU
1	B	209	LEU
1	B	219	TRP
1	B	228	LEU
1	B	231	ARG
1	C	14	SER
1	C	22	LEU
1	C	35	MSE
1	C	47	ARG
1	C	80	ASN
1	C	99	VAL
1	C	103	LEU
1	C	131	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	133	ARG
1	C	134	LEU
1	C	162	THR
1	C	164	ILE
1	C	165	ARG
1	C	172	THR
1	C	193	LEU
1	C	219	TRP
1	C	228	LEU
1	D	27	THR
1	D	35	MSE
1	D	76	THR
1	D	79	THR
1	D	80	ASN
1	D	88	VAL
1	D	103	LEU
1	D	118	LEU
1	D	148	LYS
1	D	149	LEU
1	D	163	LEU
1	D	168	LEU
1	D	172	THR
1	D	219	TRP
1	E	11	LEU
1	E	14	SER
1	E	80	ASN
1	E	88	VAL
1	E	99	VAL
1	E	103	LEU
1	E	118	LEU
1	E	125	ARG
1	E	132	LYS
1	E	155	VAL
1	E	162	THR
1	E	163	LEU
1	E	166	ARG
1	E	169	ASN
1	E	219	TRP
1	E	220	LEU
1	E	223	LEU
1	E	227	ARG
1	F	16	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	29	ILE
1	F	80	ASN
1	F	99	VAL
1	F	103	LEU
1	F	118	LEU
1	F	148	LYS
1	F	163	LEU
1	F	167	GLN
1	F	169	ASN
1	F	171	GLU
1	F	172	THR
1	F	177	THR
1	F	180	LEU
1	F	185	ASP
1	F	190	ASP
1	F	213	LYS
1	F	226	SER
1	F	228	LEU
1	F	241	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	80	ASN
1	A	86	GLN
1	A	167	GLN
1	A	221	GLN
1	B	77	HIS
1	B	80	ASN
1	B	83	GLN
1	B	113	GLN
1	B	167	GLN
1	C	80	ASN
1	C	83	GLN
1	C	87	HIS
1	C	167	GLN
1	C	221	GLN
1	D	4	HIS
1	D	77	HIS
1	D	80	ASN
1	D	87	HIS
1	D	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	221	GLN
1	E	80	ASN
1	E	83	GLN
1	E	87	HIS
1	E	169	ASN
1	E	221	GLN
1	F	80	ASN
1	F	86	GLN
1	F	87	HIS
1	F	113	GLN
1	F	167	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	186/250 (74%)	1.21	37 (19%) 1 2	33, 61, 82, 90	0
1	B	191/250 (76%)	0.32	13 (6%) 20 28	28, 38, 54, 69	0
1	C	192/250 (76%)	0.49	9 (4%) 35 44	30, 45, 63, 69	0
1	D	204/250 (81%)	0.24	7 (3%) 49 58	25, 35, 51, 70	0
1	E	198/250 (79%)	0.33	3 (1%) 76 81	23, 37, 52, 65	0
1	F	182/250 (72%)	0.89	28 (15%) 3 4	31, 58, 76, 83	0
All	All	1153/1500 (76%)	0.57	97 (8%) 14 19	23, 43, 71, 90	0

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	142	GLU	8.7
1	A	194	ALA	8.3
1	D	47	ARG	7.9
1	B	204	GLY	7.4
1	E	237	PHE	6.5
1	B	47	ARG	6.5
1	A	83	GLN	6.1
1	A	193	LEU	5.8
1	A	243	VAL	5.6
1	F	193	LEU	5.6
1	A	143	GLY	5.6
1	A	244	ARG	5.4
1	C	133	ARG	5.2
1	D	237	PHE	4.9
1	A	239	ALA	4.7
1	C	47	ARG	4.6
1	F	207	LEU	4.5
1	A	241	GLU	4.4
1	B	46	ALA	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	205	GLU	4.4
1	D	2	ALA	4.3
1	F	83	GLN	4.3
1	C	169	ASN	4.2
1	C	237	PHE	4.0
1	F	45	THR	3.9
1	A	242	GLU	3.9
1	A	122	TYR	3.9
1	A	237	PHE	3.9
1	A	106	VAL	3.8
1	A	109	ARG	3.8
1	A	108	GLY	3.7
1	F	47	ARG	3.7
1	A	125	ARG	3.7
1	F	213	LYS	3.7
1	A	195	GLY	3.6
1	B	237	PHE	3.6
1	A	152	ASP	3.4
1	F	144	PHE	3.4
1	F	122	TYR	3.4
1	A	238	ARG	3.4
1	B	206	GLY	3.3
1	F	4	HIS	3.3
1	A	213	LYS	3.3
1	F	192	GLN	3.2
1	A	168	LEU	3.2
1	D	46	ALA	3.2
1	F	109	ARG	3.0
1	A	192	GLN	2.9
1	A	123	GLY	2.9
1	F	41	ASP	2.8
1	F	152	ASP	2.8
1	F	189	TYR	2.8
1	F	194	ALA	2.8
1	B	195	GLY	2.8
1	F	123	GLY	2.8
1	A	209	LEU	2.7
1	C	142	GLU	2.7
1	A	144	PHE	2.7
1	F	237	PHE	2.7
1	F	43	ARG	2.7
1	F	208	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	2.6
1	B	3	SER	2.6
1	A	111	PHE	2.5
1	C	130	PHE	2.5
1	F	128	ILE	2.5
1	E	169	ASN	2.5
1	B	194	ALA	2.5
1	A	212	LEU	2.5
1	A	29	ILE	2.4
1	B	32	ALA	2.4
1	F	241	GLU	2.4
1	F	145	ILE	2.4
1	F	183	PHE	2.4
1	F	216	GLY	2.4
1	D	219	TRP	2.4
1	A	27	THR	2.3
1	A	41	ASP	2.3
1	F	104	ASP	2.3
1	D	204	GLY	2.3
1	A	14	SER	2.3
1	A	218	VAL	2.3
1	A	153	GLY	2.3
1	A	42	ILE	2.3
1	E	83	GLN	2.2
1	A	128	ILE	2.2
1	D	203	GLY	2.2
1	C	219	TRP	2.1
1	C	44	PHE	2.1
1	A	104	ASP	2.1
1	F	168	LEU	2.1
1	C	179	CYS	2.1
1	B	196	GLY	2.1
1	F	239	ALA	2.1
1	A	76	THR	2.1
1	B	203	GLY	2.0
1	F	191	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.