



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:52 PM GMT

PDB ID : 1YQZ
Title : Structure of Coenzyme A-Disulfide Reductase from Staphylococcus aureus re-
fined at 1.54 Angstrom resolution
Authors : Mallett, T.C.; Wallen, J.R.; Sakai, H.; Luba, J.; Parsonage, D.; Karplus, P.A.;
Tsukihara, T.; Claiborne, A.
Deposited on : 2005-02-02
Resolution : 1.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1555 (1.56-1.52)
Clashscore	102246	1627 (1.56-1.52)
Ramachandran outliers	100387	1594 (1.56-1.52)
Sidechain outliers	100360	1592 (1.56-1.52)
RSRZ outliers	91569	1555 (1.56-1.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	<div> <div>2%</div> <div>88%</div> <div>11%</div> </div>
1	B	438	<div> <div>2%</div> <div>87%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	A	3001	-	-	-	X
4	COA	A	441	-	-	-	X
4	COA	B	442[A]	-	-	-	X
4	COA	B	442[B]	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called coenzyme A disulfide reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	437	Total	C	N	O	S	0	8	0
			3497	2220	591	674	12			
1	B	437	Total	C	N	O	S	0	9	0
			3504	2226	593	673	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	168	TYR	ASN	SEE REMARK 999	UNP O52582
B	168	TYR	ASN	SEE REMARK 999	UNP O52582

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mg	0	0
			2	2		
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Cl	0	0
			2	2		
3	A	4	Total	Cl	0	0
			4	4		

- Molecule 4 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	B	1	Total	C	N	O	P	S	0	1
			79	31	12	29	6	1		

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	732	Total	O	0	0
			732	732		
6	B	631	Total	O	0	0
			631	631		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: coenzyme A disulfide reductase



- Molecule 1: coenzyme A disulfide reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.06 Å 65.20 Å 94.49 Å 90.00° 104.80° 90.00°	Depositor
Resolution (Å)	10.00 – 1.54 10.00 – 1.54	Depositor EDS
% Data completeness (in resolution range)	99.0 (10.00-1.54) 99.5 (10.00-1.54)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.12 (at 1.54 Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.177 , 0.206 0.173 , 0.201	Depositor DCC
R_{free} test set	6410 reflections (4.89%)	DCC
Wilson B-factor (Å ²)	15.6	Xtriage
Anisotropy	0.508	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.52 , 78.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	1 of 257430 reflections (0.000%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8606	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, MG, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/3599	0.73	0/4873
1	B	0.47	0/3610	0.73	1/4888 (0.0%)
All	All	0.48	0/7209	0.73	1/9761 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	347	ASP	N-CA-C	-5.26	96.80	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3497	0	3450	46	0
1	B	3504	0	3462	56	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
3	A	4	0	0	0	0
3	B	2	0	0	0	0
4	A	48	0	31	0	0
4	B	79	0	26	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	53	0	31	1	0
5	B	53	0	31	1	0
6	A	732	0	0	15	0
6	B	631	0	0	14	0
All	All	8606	0	7031	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:LYS:HG3	6:B:3278:HOH:O	1.79	0.82
1:B:356:GLY:O	1:B:425[B]:HIS:HE1	1.70	0.73
1:B:30[A]:ILE:HD11	1:B:104:GLU:HG2	1.71	0.72
1:A:129:THR:HG22	1:A:235[A]:GLU:HG3	1.73	0.71
1:B:147:GLN:HG3	6:B:3630:HOH:O	1.94	0.68
1:A:2:PRO:N	1:A:27:SER:HG	1.91	0.68
1:B:30[A]:ILE:CD1	1:B:104:GLU:HG2	2.23	0.68
1:B:123:GLU:O	1:B:123:GLU:HG3	1.92	0.68
1:B:42:ASN:H	1:B:42:ASN:ND2	1.96	0.63
1:B:65[A]:GLU:HG3	6:B:3046:HOH:O	1.98	0.62
1:B:5:VAL:HG22	1:B:30[A]:ILE:HD11	1.83	0.60
1:B:355:GLN:HG3	6:B:3260:HOH:O	1.99	0.60
1:B:2:PRO:N	1:B:27:SER:HG	2.00	0.60
1:A:355:GLN:NE2	1:A:425[B]:HIS:ND1	2.50	0.59
1:A:179:ARG:NH1	6:A:3639:HOH:O	2.34	0.59
1:B:356:GLY:HA3	1:B:365:ASN:HD21	1.67	0.59
1:A:118:ASN:OD1	1:A:240:HIS:HD2	1.85	0.59
1:A:141:GLN:NE2	6:A:3365:HOH:O	2.37	0.58
1:B:42:ASN:H	1:B:42:ASN:HD22	1.51	0.58
1:A:353[A]:VAL:HG11	6:A:3737:HOH:O	2.03	0.58
1:A:255:ARG:HH12	1:A:256:LYS:HE3	1.69	0.57
1:A:185:LYS:HG2	6:A:3233:HOH:O	2.05	0.57
1:B:437:ALA:O	1:B:438:LYS:O	2.22	0.57
1:B:355:GLN:OE1	1:B:425[A]:HIS:ND1	2.35	0.56
1:A:252:LYS:HD3	1:A:252:LYS:C	2.26	0.56
1:B:159:VAL:HG22	6:B:3066:HOH:O	2.04	0.56
1:A:252:LYS:NZ	6:A:3539:HOH:O	2.23	0.56
1:A:240:HIS:HE1	6:A:3266:HOH:O	1.88	0.56
1:A:339:LYS:NZ	6:A:3654:HOH:O	2.38	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:429:LEU:HA	6:A:3737:HOH:O	2.05	0.55
1:A:244:LYS:HG2	6:A:3612:HOH:O	2.07	0.55
1:B:159:VAL:HG23	1:B:160:SER:N	2.22	0.55
1:A:341:ASN:ND2	6:A:3621:HOH:O	2.40	0.55
1:B:185:LYS:HG2	6:B:3180:HOH:O	2.06	0.55
1:B:312:ASN:C	1:B:312:ASN:HD22	2.10	0.53
1:A:355:GLN:HG3	6:A:3139:HOH:O	2.08	0.53
1:B:353[A]:VAL:CG1	1:B:436:LYS:HD3	2.39	0.53
1:A:438:LYS:HE2	6:A:3503:HOH:O	2.09	0.52
1:A:424:SER:O	1:A:425[B]:HIS:HD2	1.92	0.52
1:B:341:ASN:ND2	1:B:342:GLU:HG3	2.25	0.52
1:A:44:ALA:HB2	1:B:361:TYR:CZ	2.45	0.51
1:B:312:ASN:ND2	1:B:314:THR:H	2.09	0.51
1:B:353[A]:VAL:HG12	1:B:436:LYS:HD3	1.93	0.51
1:A:4[A]:ILE:HD13	1:A:20:ILE:HD13	1.92	0.51
1:B:164:LEU:C	1:B:164:LEU:HD23	2.31	0.51
1:A:178:HIS:HE1	6:A:3210:HOH:O	1.94	0.51
1:A:255:ARG:NH1	1:A:256:LYS:HE3	2.25	0.50
1:B:438:LYS:HB2	6:B:3618:HOH:O	2.10	0.50
1:B:356:GLY:O	1:B:425[B]:HIS:CE1	2.59	0.50
1:A:312:ASN:C	1:A:312:ASN:HD22	2.16	0.49
1:A:43:CYS:SG	5:A:439:FAD:C4X	3.00	0.49
1:A:244:LYS:NZ	6:A:3677:HOH:O	2.45	0.49
1:B:127:THR:HG21	1:B:235:GLU:OE1	2.13	0.49
1:B:159:VAL:HG23	1:B:160:SER:H	1.78	0.48
1:A:252:LYS:HZ1	1:A:254:ASP:HA	1.79	0.48
1:A:244:LYS:HD2	1:A:247:GLU:OE2	2.13	0.48
1:A:355:GLN:HE21	1:A:425[B]:HIS:CE1	2.32	0.47
1:B:147:GLN:NE2	6:B:3344:HOH:O	2.47	0.47
1:A:255:ARG:HH12	1:A:256:LYS:CE	2.28	0.47
1:A:52:VAL:HG13	1:B:363:PRO:HG2	1.96	0.47
1:B:246:ILE:HD13	1:B:259:ILE:HD11	1.96	0.47
1:A:3:LYS:HD3	1:A:105:SER:O	2.15	0.46
1:A:252:LYS:NZ	1:A:254:ASP:HA	2.31	0.46
1:B:167:LEU:HD11	1:B:234[A]:ILE:HD12	1.98	0.46
1:A:4[B]:ILE:HD13	1:A:108:LYS:HB2	1.98	0.46
1:B:66:LYS:NZ	6:B:3369:HOH:O	2.47	0.45
1:A:183:ILE:O	1:A:184:ASN:C	2.54	0.45
1:A:341:ASN:ND2	6:A:3089:HOH:O	2.43	0.45
1:B:341:ASN:HD22	1:B:341:ASN:N	2.15	0.45
1:A:55:ASP:O	1:A:58:TYR:HB2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:ARG:HG2	1:B:70:ARG:HH11	1.83	0.44
1:B:424:SER:O	1:B:425[A]:HIS:HD2	2.01	0.44
1:A:78:TYR:CD1	1:A:97:LYS:HE3	2.52	0.44
1:B:5:VAL:HG22	1:B:30[A]:ILE:CD1	2.45	0.44
1:B:169:GLU:HB3	6:B:3536:HOH:O	2.17	0.44
1:B:438:LYS:N	6:B:3618:HOH:O	2.50	0.43
1:B:226:LYS:HE2	1:B:228:GLU:CG	2.47	0.43
1:B:253:LEU:HD23	1:B:259:ILE:HG12	1.99	0.43
1:B:5:VAL:HG22	1:B:30[B]:ILE:CG2	2.48	0.43
1:B:406:GLN:NE2	6:B:3512:HOH:O	2.52	0.43
1:B:407:LEU:HG	1:B:411:GLU:HB2	2.01	0.43
1:B:151:VAL:O	1:B:174:PRO:HA	2.19	0.42
1:A:63:THR:HG23	1:A:66:LYS:HE2	2.02	0.42
1:A:164:LEU:HD23	1:A:164:LEU:C	2.40	0.42
1:B:318:LYS:HE3	6:B:3632:HOH:O	2.20	0.42
1:B:359:ALA:HB3	1:B:362:TYR:HB2	2.01	0.42
1:B:43:CYS:SG	5:B:440:FAD:C4X	3.08	0.42
1:B:30[A]:ILE:HD12	1:B:32:PHE:CZ	2.55	0.41
1:B:406:GLN:NE2	6:B:3637:HOH:O	2.53	0.41
1:A:176:LEU:O	1:A:206:TYR:HA	2.19	0.41
1:A:361:TYR:CZ	1:B:44:ALA:HB2	2.55	0.41
1:A:129:THR:CG2	1:A:235[A]:GLU:HG3	2.47	0.41
1:B:312:ASN:HD22	1:B:314:THR:H	1.69	0.41
1:A:140:ASP:OD1	1:A:144:LYS:NZ	2.54	0.41
1:A:150:LYS:HB3	1:A:150:LYS:HE2	1.89	0.40
1:B:5:VAL:HG22	1:B:30[A]:ILE:CG1	2.50	0.40
1:B:339:LYS:HB2	1:B:341:ASN:ND2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/438 (101%)	430 (97%)	12 (3%)	1 (0%)	52	25
1	B	444/438 (101%)	432 (97%)	9 (2%)	3 (1%)	26	5
All	All	887/876 (101%)	862 (97%)	21 (2%)	4 (0%)	34	9

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	437	ALA
1	A	10	VAL
1	B	10	VAL
1	B	363	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/377 (102%)	379 (99%)	5 (1%)	76	48
1	B	385/377 (102%)	378 (98%)	7 (2%)	66	34
All	All	769/754 (102%)	757 (98%)	12 (2%)	70	39

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	58	TYR
1	A	181	ASP
1	A	312	ASN
1	A	341	ASN
1	B	42	ASN
1	B	88	ARG
1	B	99	ASN
1	B	216	ASN
1	B	312	ASN
1	B	341	ASN
1	B	438	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	178	HIS
1	A	240	HIS
1	A	312	ASN
1	A	341	ASN
1	A	355	GLN
1	B	42	ASN
1	B	89	GLN
1	B	99	ASN
1	B	209	ASN
1	B	216	ASN
1	B	242	ASN
1	B	312	ASN
1	B	341	ASN
1	B	406	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 14 ligands modelled in this entry, 9 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	FAD	A	439	-	48,58,58	1.18	4 (8%)	54,89,89	2.46	8 (14%)
4	COA	A	441	1	40,50,50	2.19	14 (35%)	50,75,75	2.11	13 (26%)
5	FAD	B	440	-	48,58,58	1.41	7 (14%)	54,89,89	2.54	10 (18%)
4	COA	B	442[A]	-	40,50,50	2.32	15 (37%)	50,75,75	2.16	14 (28%)
4	COA	B	442[B]	-	40,50,50	2.31	15 (37%)	50,75,75	2.11	13 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	FAD	A	439	-	-	0/30/50/50	0/6/6/6
4	COA	A	441	1	-	0/44/64/64	0/3/3/3
5	FAD	B	440	-	-	0/30/50/50	0/6/6/6
4	COA	B	442[A]	-	-	0/44/64/64	0/3/3/3
4	COA	B	442[B]	-	-	0/44/64/64	0/3/3/3

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	441	COA	C2B-C3B	-2.51	1.47	1.53
5	A	439	FAD	P-O2P	-2.03	1.46	1.54
4	B	442[B]	COA	C4A-N3A	2.02	1.38	1.35
5	B	440	FAD	C4X-N5	2.03	1.36	1.33
4	B	442[A]	COA	P3B-O3B	2.07	1.66	1.60
4	B	442[A]	COA	C4A-N3A	2.08	1.38	1.35
5	B	440	FAD	C7M-C7	2.08	1.55	1.51
4	A	441	COA	P3B-O7A	2.16	1.58	1.51
4	A	441	COA	CDP-CBP	2.18	1.58	1.53
4	B	442[A]	COA	OAP-CAP	2.20	1.46	1.42
4	B	442[B]	COA	OAP-CAP	2.20	1.46	1.42
4	A	441	COA	O5P-C5P	2.23	1.27	1.23
4	B	442[B]	COA	P3B-O3B	2.30	1.67	1.60
4	B	442[A]	COA	P3B-O7A	2.31	1.58	1.51
4	B	442[B]	COA	P3B-O7A	2.33	1.58	1.51
5	A	439	FAD	C5X-N5	2.33	1.39	1.35
5	A	439	FAD	C9A-N10	2.34	1.42	1.38
5	B	440	FAD	C5X-N5	2.44	1.39	1.35
4	A	441	COA	OAP-CAP	2.51	1.47	1.42
4	A	441	COA	C5A-C4A	2.55	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	440	FAD	C10-N10	2.57	1.42	1.39
4	B	442[A]	COA	O5P-C5P	2.59	1.28	1.23
4	B	442[B]	COA	O5P-C5P	2.59	1.28	1.23
4	B	442[A]	COA	CDP-CBP	2.68	1.59	1.53
4	B	442[B]	COA	CDP-CBP	2.68	1.59	1.53
4	A	441	COA	O4B-C1B	2.95	1.44	1.41
4	B	442[A]	COA	C5A-C4A	3.07	1.47	1.40
4	B	442[A]	COA	C3P-N4P	3.11	1.53	1.46
4	B	442[B]	COA	C3P-N4P	3.11	1.53	1.46
4	B	442[A]	COA	O4B-C1B	3.14	1.45	1.41
4	B	442[B]	COA	O4B-C1B	3.16	1.45	1.41
4	B	442[B]	COA	C5A-C4A	3.19	1.47	1.40
5	A	439	FAD	C4-N3	3.24	1.39	1.33
4	B	442[A]	COA	C3B-C4B	3.28	1.62	1.52
5	B	440	FAD	C4-N3	3.37	1.39	1.33
4	B	442[B]	COA	C3B-C4B	3.41	1.62	1.52
5	B	440	FAD	C2A-N3A	3.42	1.38	1.32
4	A	441	COA	C3P-N4P	3.58	1.54	1.46
4	A	441	COA	O4B-C4B	3.60	1.53	1.45
4	A	441	COA	O3B-C3B	3.69	1.55	1.44
4	A	441	COA	C3B-C4B	3.71	1.63	1.52
4	B	442[B]	COA	O4B-C4B	3.82	1.53	1.45
4	A	441	COA	C2A-N3A	3.91	1.39	1.32
4	B	442[A]	COA	O3B-C3B	4.04	1.56	1.44
5	B	440	FAD	C9A-N10	4.05	1.44	1.38
4	B	442[B]	COA	O3B-C3B	4.11	1.56	1.44
4	B	442[A]	COA	O4B-C4B	4.25	1.54	1.45
4	B	442[A]	COA	O9P-C9P	4.79	1.32	1.23
4	B	442[B]	COA	O9P-C9P	4.79	1.32	1.23
4	A	441	COA	C2A-N1A	4.80	1.43	1.33
4	B	442[B]	COA	C2A-N3A	5.03	1.41	1.32
4	B	442[A]	COA	C2A-N3A	5.13	1.41	1.32
4	A	441	COA	O9P-C9P	5.23	1.33	1.23
4	B	442[B]	COA	C2A-N1A	5.25	1.43	1.33
4	B	442[A]	COA	C2A-N1A	5.27	1.43	1.33

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	440	FAD	N3A-C2A-N1A	-13.21	118.78	128.89
5	A	439	FAD	N3A-C2A-N1A	-12.63	119.22	128.89
4	B	442[B]	COA	N3A-C2A-N1A	-7.15	123.42	128.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	442[A]	COA	N3A-C2A-N1A	-7.03	123.51	128.89
4	A	441	COA	C1B-N9A-C4A	-6.38	117.32	126.94
4	B	442[A]	COA	C1B-N9A-C4A	-6.28	117.47	126.94
4	A	441	COA	N3A-C2A-N1A	-6.13	124.20	128.89
4	B	442[B]	COA	C1B-N9A-C4A	-5.70	118.35	126.94
4	A	441	COA	C2B-C1B-N9A	-5.23	106.30	114.29
4	B	442[B]	COA	O4B-C1B-N9A	-4.43	98.83	108.10
4	A	441	COA	O4B-C1B-N9A	-4.42	98.85	108.10
4	B	442[A]	COA	O4B-C1B-N9A	-4.11	99.50	108.10
4	B	442[A]	COA	C2B-C1B-N9A	-4.07	108.07	114.29
4	B	442[B]	COA	C2B-C1B-N9A	-3.83	108.44	114.29
4	A	441	COA	C2P-C3P-N4P	-3.47	105.51	112.37
5	B	440	FAD	C4-C4X-C10	-3.39	117.77	119.94
5	A	439	FAD	C4X-C4-N3	-3.38	118.97	123.59
5	B	440	FAD	C4X-C4-N3	-3.31	119.06	123.59
4	B	442[A]	COA	C2P-C3P-N4P	-3.09	106.27	112.37
4	B	442[B]	COA	C2P-C3P-N4P	-3.09	106.27	112.37
5	A	439	FAD	C4-C4X-C10	-3.07	117.98	119.94
5	B	440	FAD	C1B-N9A-C4A	-2.65	122.94	126.94
4	A	441	COA	O5B-C5B-C4B	-2.65	99.35	109.12
4	A	441	COA	P3B-O3B-C3B	-2.49	115.59	121.56
4	B	442[A]	COA	P3B-O3B-C3B	-2.49	115.59	121.56
4	B	442[B]	COA	O5B-C5B-C4B	-2.48	99.98	109.12
4	A	441	COA	O4B-C4B-C3B	-2.42	99.29	104.86
4	B	442[B]	COA	P3B-O3B-C3B	-2.30	116.04	121.56
4	B	442[A]	COA	O5B-C5B-C4B	-2.24	100.84	109.12
5	B	440	FAD	C4X-C10-N10	-2.15	119.25	120.52
4	B	442[A]	COA	C4B-O4B-C1B	-2.13	107.37	109.72
4	A	441	COA	C4B-O4B-C1B	-2.01	107.51	109.72
4	A	441	COA	O2A-P1A-O3A	2.01	114.22	105.09
5	B	440	FAD	C4-C4X-N5	2.17	121.35	118.72
4	B	442[B]	COA	O2A-P1A-O3A	2.22	115.18	105.09
4	B	442[B]	COA	C3B-C2B-C1B	2.23	105.33	99.98
4	B	442[B]	COA	P2A-O3A-P1A	2.32	139.25	132.73
4	B	442[A]	COA	O2A-P1A-O3A	2.40	115.98	105.09
4	A	441	COA	P2A-O3A-P1A	2.54	139.87	132.73
4	B	442[A]	COA	O6A-CCP-CBP	2.63	114.78	110.55
5	A	439	FAD	C5X-C9A-N10	2.74	119.70	117.62
5	A	439	FAD	C4-C4X-N5	2.77	122.08	118.72
4	B	442[A]	COA	P2A-O3A-P1A	2.80	140.58	132.73
4	B	442[A]	COA	O3B-C3B-C2B	2.82	122.50	111.51
5	B	440	FAD	C5X-C9A-N10	2.97	119.87	117.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	441	COA	C4A-C5A-N7A	3.02	112.26	109.48
4	B	442[B]	COA	O3B-C3B-C2B	3.21	124.00	111.51
4	B	442[A]	COA	C4A-C5A-N7A	3.46	112.66	109.48
4	B	442[B]	COA	C4A-C5A-N7A	3.52	112.71	109.48
4	A	441	COA	O4B-C4B-C5B	3.71	122.59	109.32
4	B	442[B]	COA	O4B-C4B-C5B	3.81	122.94	109.32
4	B	442[A]	COA	O4B-C4B-C5B	4.22	124.43	109.32
5	A	439	FAD	C4X-N5-C5X	4.24	121.64	116.76
5	B	440	FAD	C4X-N5-C5X	4.25	121.65	116.76
5	A	439	FAD	C1'-N10-C9A	4.77	124.22	118.86
5	B	440	FAD	C1'-N10-C9A	5.19	124.69	118.86
5	B	440	FAD	C4-N3-C2	6.41	120.79	115.25
5	A	439	FAD	C4-N3-C2	6.79	121.12	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	439	FAD	1	0
5	B	440	FAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/438 (99%)	-0.21	7 (1%) 74 77	10, 15, 30, 58	0
1	B	437/438 (99%)	-0.16	9 (2%) 67 69	10, 16, 30, 55	0
All	All	874/876 (99%)	-0.19	16 (1%) 71 74	10, 16, 30, 58	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	58	TYR	5.0
1	B	438	LYS	5.0
1	A	57	ARG	5.0
1	B	123	GLU	4.8
1	B	363	PRO	4.0
1	B	360	ASN	3.4
1	A	55	ASP	3.2
1	A	123	GLU	3.2
1	B	364	GLY	2.8
1	A	54	GLU	2.7
1	B	216	ASN	2.5
1	B	437	ALA	2.4
1	A	255	ARG	2.3
1	B	70	ARG	2.3
1	B	406	GLN	2.3
1	A	68	TYR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CL	A	3001	1/1	0.99	0.10	2.57	21,21,21,21	0
4	COA	B	442[A]	48/48	0.90	0.20	2.24	14,35,68,73	31
4	COA	B	442[B]	48/48	0.90	0.20	2.04	14,36,65,71	31
4	COA	A	441	48/48	0.94	0.10	2.03	13,18,38,52	0
5	FAD	B	440	53/53	0.97	0.06	-0.37	8,11,14,16	0
5	FAD	A	439	53/53	0.98	0.06	-0.69	8,10,12,14	0
3	CL	A	3002	1/1	0.99	0.05	-0.73	23,23,23,23	0
3	CL	B	3004	1/1	0.98	0.07	-1.61	24,24,24,24	0
3	CL	B	3006	1/1	0.96	0.07	-	24,24,24,24	0
3	CL	A	3005	1/1	0.98	0.04	-	19,19,19,19	0
2	MG	A	2002	1/1	0.96	0.13	-	27,27,27,27	0
2	MG	B	2003	1/1	0.93	0.14	-	26,26,26,26	0
2	MG	B	2001	1/1	0.99	0.05	-	17,17,17,17	0
3	CL	A	3003	1/1	0.80	0.10	-	73,73,73,73	0

6.5 Other polymers ⓘ

There are no such residues in this entry.