



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 06:48 PM BST

PDB ID : 1YT6  
Title : NMR structure of peptide SD  
Authors : Murata, T.; Hemmi, H.; Nakamura, S.; Shimizu, K.; Suzuki, Y.; Yamaguchi, I.  
Deposited on : 2005-02-10

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 50%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	10	<div> <div>50%</div> <div>50%</div> </div>

## 2 Ensemble composition and analysis ⓘ

This entry contains 50 models.

Cyrange was unable to find well-defined residues.

Error message: The number of core atoms ( 5) was below the domain threshold value ( 8).

The models can be grouped into 6 clusters and 3 single-model clusters were found.

Cluster number	Models
1	7, 8, 9, 14, 17, 25, 28, 30, 31, 37, 38, 39, 44, 48, 49, 50
2	1, 6, 11, 12, 13, 18, 21, 22, 26, 29, 33, 40, 41, 43, 47
3	2, 4, 10, 35, 36, 42
4	5, 15, 20, 23
5	24, 27, 32, 45
6	34, 46
Single-model clusters	3; 16; 19

### 3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 134 atoms, of which 62 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called peptide SD.

Mol	Chain	Residues	Atoms						Trace
1	A	10	Total	C	H	N	O	S	0
			134	45	62	11	14	2	

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: peptide SD



### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1

- Molecule 1: peptide SD



#### 4.2.2 Score per residue for model 2

- Molecule 1: peptide SD



### 4.2.3 Score per residue for model 3

- Molecule 1: peptide SD




### 4.2.4 Score per residue for model 4

- Molecule 1: peptide SD




### 4.2.5 Score per residue for model 5

- Molecule 1: peptide SD



### 4.2.6 Score per residue for model 6

- Molecule 1: peptide SD



### 4.2.7 Score per residue for model 7

- Molecule 1: peptide SD



#### 4.2.8 Score per residue for model 8

- Molecule 1: peptide SD



#### 4.2.9 Score per residue for model 9

- Molecule 1: peptide SD



#### 4.2.10 Score per residue for model 10

- Molecule 1: peptide SD



#### 4.2.11 Score per residue for model 11

- Molecule 1: peptide SD



#### 4.2.12 Score per residue for model 12

- Molecule 1: peptide SD



#### 4.2.13 Score per residue for model 13

- Molecule 1: peptide SD




#### 4.2.14 Score per residue for model 14

- Molecule 1: peptide SD



#### 4.2.15 Score per residue for model 15

- Molecule 1: peptide SD



#### 4.2.16 Score per residue for model 16

- Molecule 1: peptide SD



#### 4.2.17 Score per residue for model 17

- Molecule 1: peptide SD




#### 4.2.18 Score per residue for model 18

- Molecule 1: peptide SD



#### 4.2.19 Score per residue for model 19

- Molecule 1: peptide SD



#### 4.2.20 Score per residue for model 20

- Molecule 1: peptide SD



#### 4.2.21 Score per residue for model 21

- Molecule 1: peptide SD



#### 4.2.22 Score per residue for model 22

- Molecule 1: peptide SD



#### 4.2.23 Score per residue for model 23

- Molecule 1: peptide SD



#### 4.2.24 Score per residue for model 24

- Molecule 1: peptide SD




#### 4.2.25 Score per residue for model 25

- Molecule 1: peptide SD



#### 4.2.26 Score per residue for model 26

- Molecule 1: peptide SD




#### 4.2.27 Score per residue for model 27

- Molecule 1: peptide SD



#### 4.2.28 Score per residue for model 28

- Molecule 1: peptide SD



#### 4.2.29 Score per residue for model 29

- Molecule 1: peptide SD



#### 4.2.30 Score per residue for model 30

- Molecule 1: peptide SD



#### 4.2.31 Score per residue for model 31

- Molecule 1: peptide SD



#### 4.2.32 Score per residue for model 32

- Molecule 1: peptide SD




#### 4.2.33 Score per residue for model 33

- Molecule 1: peptide SD



#### 4.2.34 Score per residue for model 34

- Molecule 1: peptide SD



#### 4.2.35 Score per residue for model 35

- Molecule 1: peptide SD



#### 4.2.36 Score per residue for model 36

- Molecule 1: peptide SD



#### 4.2.37 Score per residue for model 37

- Molecule 1: peptide SD



#### 4.2.38 Score per residue for model 38

- Molecule 1: peptide SD



#### 4.2.39 Score per residue for model 39

- Molecule 1: peptide SD




#### 4.2.40 Score per residue for model 40

- Molecule 1: peptide SD




#### 4.2.41 Score per residue for model 41

- Molecule 1: peptide SD



#### 4.2.42 Score per residue for model 42

- Molecule 1: peptide SD




#### 4.2.43 Score per residue for model 43

- Molecule 1: peptide SD




#### 4.2.44 Score per residue for model 44

- Molecule 1: peptide SD



#### 4.2.45 Score per residue for model 45

- Molecule 1: peptide SD



#### 4.2.46 Score per residue for model 46

- Molecule 1: peptide SD



#### 4.2.47 Score per residue for model 47

- Molecule 1: peptide SD



#### 4.2.48 Score per residue for model 48

- Molecule 1: peptide SD




#### 4.2.49 Score per residue for model 49

- Molecule 1: peptide SD



#### 4.2.50 Score per residue for model 50

- Molecule 1: peptide SD



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing, torsion angle dynamics*.

Of the 50 calculated structures, 50 were deposited, based on the following criterion: *all calculated structures submitted*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	1.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6511
Number of chemical shift lists	1
Total number of shifts	58
Number of shifts mapped to atoms	58
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	50%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality ⓘ

### 6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	72	62	62	2±2
All	All	3600	3100	3100	90

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:3:LEU:HD12	1:A:5:TRP:CZ3	0.84	2.07	10	2
1:A:3:LEU:HD12	1:A:6:SER:CB	0.79	2.08	45	2
1:A:3:LEU:HD12	1:A:6:SER:HB2	0.79	1.54	45	4
1:A:2:CYS:O	1:A:3:LEU:HD23	0.78	1.79	30	4
1:A:1:ALA:HB3	1:A:7:ASP:HA	0.68	1.65	14	2
1:A:3:LEU:HD13	1:A:5:TRP:CZ3	0.68	2.23	6	5
1:A:3:LEU:HD23	1:A:4:PRO:HD2	0.67	1.65	23	3
1:A:2:CYS:C	1:A:3:LEU:HD23	0.65	2.12	24	5
1:A:3:LEU:HD12	1:A:5:TRP:CH2	0.63	2.29	42	2
1:A:3:LEU:N	1:A:3:LEU:HD23	0.63	2.08	16	2
1:A:3:LEU:HD12	1:A:6:SER:HB3	0.63	1.70	19	3
1:A:3:LEU:HD22	1:A:6:SER:CB	0.62	2.24	50	2
1:A:2:CYS:C	1:A:3:LEU:HD12	0.62	2.14	43	1
1:A:3:LEU:HB2	1:A:7:ASP:CB	0.60	2.25	45	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:3:LEU:HD23	1:A:7:ASP:O	0.58	1.98	31	3
1:A:3:LEU:N	1:A:3:LEU:HD12	0.56	2.16	21	2
1:A:3:LEU:HD13	1:A:7:ASP:O	0.56	2.01	35	2
1:A:3:LEU:HD22	1:A:5:TRP:CZ3	0.55	2.36	48	1
1:A:3:LEU:HD12	1:A:6:SER:O	0.55	2.01	47	1
1:A:3:LEU:HD22	1:A:6:SER:HB2	0.55	1.78	50	1
1:A:6:SER:O	1:A:8:GLY:N	0.55	2.40	27	4
1:A:3:LEU:HD11	1:A:9:PRO:O	0.53	2.03	3	1
1:A:3:LEU:HD21	1:A:9:PRO:CG	0.51	2.35	30	1
1:A:3:LEU:HD13	1:A:5:TRP:HZ3	0.51	1.65	18	2
1:A:6:SER:O	1:A:7:ASP:C	0.50	2.50	43	5
1:A:3:LEU:HD11	1:A:9:PRO:HG3	0.50	1.84	30	1
1:A:1:ALA:HB1	1:A:6:SER:HA	0.50	1.82	30	1
1:A:2:CYS:N	1:A:7:ASP:O	0.49	2.46	30	2
1:A:3:LEU:HD22	1:A:7:ASP:CB	0.49	2.38	3	1
1:A:3:LEU:HD13	1:A:5:TRP:CH2	0.48	2.43	6	1
1:A:7:ASP:C	1:A:9:PRO:HD3	0.46	2.30	30	1
1:A:1:ALA:HB1	1:A:7:ASP:CB	0.46	2.40	33	1
1:A:3:LEU:N	1:A:3:LEU:CD2	0.46	2.79	16	2
1:A:3:LEU:HD13	1:A:6:SER:HB2	0.46	1.86	23	1
1:A:3:LEU:HD12	1:A:6:SER:OG	0.46	2.11	34	1
1:A:3:LEU:CD1	1:A:5:TRP:CZ3	0.45	3.00	34	1
1:A:3:LEU:HD22	1:A:6:SER:HB3	0.45	1.89	50	1
1:A:3:LEU:CD2	1:A:5:TRP:CZ3	0.45	3.00	50	1
1:A:3:LEU:HD13	1:A:4:PRO:CD	0.45	2.41	31	1
1:A:3:LEU:HD23	1:A:4:PRO:CD	0.45	2.41	41	1
1:A:3:LEU:HD23	1:A:6:SER:HB2	0.44	1.89	39	1
1:A:2:CYS:HB3	1:A:3:LEU:HD12	0.44	1.89	43	1
1:A:3:LEU:HB2	1:A:6:SER:O	0.44	2.12	43	1
1:A:6:SER:O	1:A:7:ASP:O	0.44	2.36	6	1
1:A:3:LEU:HG	1:A:7:ASP:HB2	0.43	1.90	16	1
1:A:3:LEU:HD12	1:A:7:ASP:C	0.43	2.34	8	1
1:A:3:LEU:HD12	1:A:8:GLY:HA3	0.43	1.89	37	1
1:A:3:LEU:N	1:A:3:LEU:CD1	0.42	2.82	27	1
1:A:1:ALA:HB1	1:A:6:SER:CA	0.42	2.45	31	1
1:A:3:LEU:CD1	1:A:3:LEU:N	0.41	2.83	28	1
1:A:3:LEU:HB2	1:A:7:ASP:C	0.41	2.36	34	1
1:A:3:LEU:CD1	1:A:7:ASP:O	0.40	2.69	2	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	8/10 (80%)	4±1 (50±13%)	3±1 (34±13%)	1±1 (15±12%)	1	4
All	All	400/500 (80%)	202 (50%)	137 (34%)	61 (15%)	1	4

All 5 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	7	ASP	19
1	A	6	SER	18
1	A	2	CYS	12
1	A	8	GLY	10
1	A	9	PRO	2

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	8/8 (100%)	5±1 (60±11%)	3±1 (40±11%)	0	5
All	All	400/400 (100%)	238 (60%)	162 (40%)	0	5

All 6 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	2	CYS	49
1	A	5	TRP	45
1	A	7	ASP	27
1	A	3	LEU	20
1	A	10	CYS	14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	6	SER	7

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 50% for the well-defined parts and 50% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 6511

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	58
Number of shifts mapped to atoms	58
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

No chemical shift referencing corrections were calculated (not enough data).

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 50%, i.e. 51 atoms were assigned a chemical shift out of a possible 103. 0 out of 1 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	17/46 (37%)	17/18 (94%)	0/20 (0%)	0/8 (0%)
Sidechain	28/45 (62%)	28/28 (100%)	0/17 (0%)	0/0 (—%)
Aromatic	6/12 (50%)	6/6 (100%)	0/5 (0%)	0/1 (0%)
Overall	51/103 (50%)	51/52 (98%)	0/42 (0%)	0/9 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 50%, i.e. 51 atoms were assigned a chemical shift out of a possible 103. 0 out of 1 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	17/46 (37%)	17/18 (94%)	0/20 (0%)	0/8 (0%)
Sidechain	28/45 (62%)	28/28 (100%)	0/17 (0%)	0/0 (—%)
Aromatic	6/12 (50%)	6/6 (100%)	0/5 (0%)	0/1 (0%)
Overall	51/103 (50%)	51/52 (98%)	0/42 (0%)	0/9 (0%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

