



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:00 AM GMT

PDB ID : 2Z4S  
Title : Crystal structure of domain III from the *Thermotoga maritima* replication initiation protein DnaA  
Authors : Fujikawa, N.; Ozaki, S.; Kagawa, W.; Park, S.-Y.; Katayama, T.; Kurumizaka, H.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2007-06-25  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 1967 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chromosomal replication initiator protein dnaA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	0	0
			1939	1243	328	363	5			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		



- Molecule 1: Chromosomal replication initiator protein dnaA



## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	221.82Å 221.82Å 55.60Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.12 – 3.00 48.12 – 2.95	Depositor EDS
% Data completeness (in resolution range)	97.6 (48.12-3.00) 96.3 (48.12-2.95)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.55 (at 2.96Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.233 , 0.291 0.228 , 0.281	Depositor DCC
$R_{free}$ test set	1057 reflections (10.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	73.9	Xtriage
Anisotropy	0.274	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 58.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 10640 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	1967	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.44	0/1976	0.65	1/2665 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	198	LEU	CA-CB-CG	5.23	127.33	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1939	0	1961	184	0
2	A	1	0	0	0	0
3	A	27	0	12	5	0
All	All	1967	0	1973	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 47.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:LYS:HA	1:A:183:LYS:HZ3	1.16	1.10
1:A:204:GLN:HG2	1:A:235:ASP:OD1	1.69	0.92
1:A:183:LYS:HE3	1:A:185:ASN:HB2	1.51	0.91
1:A:301:ARG:NH2	1:A:335:PRO:HG3	1.87	0.89
1:A:239:GLN:HE21	1:A:253:GLN:NE2	1.72	0.87
1:A:313:LYS:HG3	1:A:320:VAL:HG23	1.55	0.86
1:A:168:SER:HB3	1:A:206:LEU:HD13	1.58	0.85
1:A:275:MET:HE1	1:A:302:LEU:HD13	1.60	0.83
1:A:202:ASP:HA	1:A:204:GLN:HE22	1.45	0.81
1:A:183:LYS:HA	1:A:183:LYS:NZ	1.96	0.79
1:A:147:LEU:HD11	1:A:199:LEU:HB3	1.63	0.78
1:A:275:MET:CE	1:A:302:LEU:HD13	2.16	0.75
1:A:251:ARG:HE	1:A:254:MET:HE1	1.51	0.74
1:A:239:GLN:HE21	1:A:253:GLN:HE22	1.33	0.74
1:A:140:GLY:O	1:A:141:LEU:HD23	1.88	0.74
1:A:202:ASP:HA	1:A:204:GLN:NE2	2.03	0.73
1:A:132:PRO:HB3	1:A:230:ILE:HB	1.70	0.73
1:A:168:SER:HB3	1:A:206:LEU:CD1	2.18	0.73
1:A:183:LYS:CD	1:A:186:GLU:H	2.04	0.70
1:A:306:ILE:O	1:A:310:LEU:HG	1.92	0.70
1:A:167:THR:HG22	1:A:169:GLU:H	1.57	0.69
1:A:202:ASP:CA	1:A:204:GLN:HE22	2.05	0.69
1:A:183:LYS:HG3	1:A:186:GLU:HG3	1.74	0.69
1:A:268:ARG:NH1	1:A:296:ASP:HB3	2.08	0.69
1:A:298:ASN:ND2	1:A:300:ARG:HB3	2.08	0.67
1:A:301:ARG:HH22	1:A:332:PHE:HA	1.59	0.66
1:A:140:GLY:HA3	1:A:298:ASN:HB2	1.76	0.66
1:A:274:LYS:O	1:A:278:ILE:HG12	1.96	0.65
1:A:157:ASN:HD22	1:A:157:ASN:N	1.94	0.65
1:A:175:LEU:O	1:A:178:SER:HB3	1.97	0.65
1:A:131:ASN:HD21	1:A:229:GLN:HA	1.60	0.65
1:A:167:THR:HG22	1:A:169:GLU:N	2.11	0.64
1:A:183:LYS:HD3	1:A:186:GLU:H	1.61	0.64
1:A:131:ASN:ND2	1:A:229:GLN:HA	2.13	0.64
1:A:284:PRO:C	1:A:286:GLU:H	2.01	0.64
1:A:196:ASP:HA	1:A:228:LYS:HD2	1.79	0.63
1:A:269:LYS:HG2	1:A:292:ALA:CB	2.28	0.63
1:A:220:PHE:CD2	1:A:251:ARG:HD3	2.34	0.63
1:A:331:ASP:O	1:A:335:PRO:HB3	2.00	0.61
1:A:140:GLY:HA2	3:A:501:ADP:O3A	2.01	0.61
1:A:284:PRO:O	1:A:286:GLU:N	2.32	0.61
1:A:162:ARG:HG3	1:A:196:ASP:OD2	2.01	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:ILE:HG23	1:A:167:THR:N	2.15	0.60
1:A:279:GLU:OE2	1:A:307:ILE:HD11	2.01	0.60
1:A:251:ARG:HA	1:A:254:MET:CE	2.31	0.60
1:A:113:ASN:C	1:A:113:ASN:HD22	2.05	0.60
1:A:315:THR:O	1:A:317:GLY:N	2.34	0.60
1:A:301:ARG:NH2	1:A:332:PHE:HA	2.16	0.60
1:A:214:THR:O	1:A:217:PHE:HB3	2.03	0.59
1:A:169:GLU:HG3	1:A:205:PHE:CE2	2.37	0.59
1:A:156:GLN:C	1:A:157:ASN:HD22	2.06	0.59
1:A:301:ARG:HH21	1:A:335:PRO:HG3	1.65	0.59
1:A:295:VAL:HG11	1:A:302:LEU:HA	1.85	0.58
1:A:316:THR:HG22	1:A:318:LYS:HG2	1.84	0.58
1:A:139:VAL:HG12	1:A:300:ARG:NH2	2.18	0.58
1:A:169:GLU:HG3	1:A:205:PHE:CZ	2.39	0.57
1:A:169:GLU:O	1:A:172:LEU:HB3	2.05	0.57
1:A:282:GLU:HG2	1:A:283:LEU:N	2.19	0.56
1:A:275:MET:CE	1:A:303:ARG:HA	2.35	0.56
1:A:308:LYS:NZ	1:A:328:LEU:O	2.38	0.56
1:A:121:LEU:HD11	1:A:125:LYS:HE3	1.87	0.56
1:A:313:LYS:HG3	1:A:320:VAL:CG2	2.33	0.56
1:A:247:ARG:O	1:A:251:ARG:HG2	2.06	0.56
1:A:169:GLU:HA	1:A:205:PHE:CD2	2.41	0.55
1:A:313:LYS:HD2	1:A:319:GLU:OE2	2.06	0.55
1:A:140:GLY:N	3:A:501:ADP:O2B	2.40	0.55
1:A:183:LYS:HD2	1:A:186:GLU:H	1.72	0.54
1:A:239:GLN:HE21	1:A:253:GLN:CD	2.10	0.54
1:A:275:MET:HE3	1:A:303:ARG:HA	1.88	0.54
1:A:251:ARG:HA	1:A:254:MET:HE3	1.90	0.54
1:A:157:ASN:N	1:A:157:ASN:ND2	2.56	0.54
1:A:106:ASN:HA	1:A:274:LYS:HE2	1.88	0.54
1:A:300:ARG:HG3	1:A:300:ARG:HH11	1.73	0.53
1:A:145:HIS:ND1	3:A:501:ADP:H2'	2.24	0.53
1:A:230:ILE:HG22	1:A:232:ILE:HD11	1.91	0.53
1:A:147:LEU:CD1	1:A:199:LEU:HB3	2.38	0.53
1:A:265:GLU:OE1	1:A:293:GLU:HG2	2.08	0.53
1:A:269:LYS:HG2	1:A:292:ALA:HB1	1.90	0.52
1:A:298:ASN:HD22	1:A:300:ARG:H	1.58	0.52
1:A:230:ILE:HG22	1:A:232:ILE:CD1	2.40	0.52
1:A:138:GLY:O	1:A:143:LYS:NZ	2.43	0.52
1:A:172:LEU:HD22	1:A:212:VAL:HG21	1.91	0.52
1:A:207:ILE:HG23	1:A:242:SER:O	2.10	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:311:VAL:O	1:A:314:GLU:HB3	2.09	0.52
1:A:202:ASP:CA	1:A:204:GLN:NE2	2.67	0.51
1:A:298:ASN:HD21	1:A:300:ARG:HB3	1.75	0.51
1:A:279:GLU:HA	1:A:279:GLU:OE1	2.11	0.51
1:A:113:ASN:C	1:A:113:ASN:ND2	2.64	0.51
1:A:192:ARG:HD3	1:A:222:GLU:OE1	2.10	0.51
1:A:110:GLY:H	1:A:113:ASN:HD21	1.59	0.51
1:A:302:LEU:O	1:A:306:ILE:HG12	2.11	0.51
1:A:312:TYR:C	1:A:314:GLU:N	2.64	0.50
1:A:109:VAL:HG12	1:A:110:GLY:N	2.26	0.50
1:A:122:GLU:OE1	1:A:122:GLU:HA	2.11	0.50
1:A:189:GLU:O	1:A:194:LYS:HG3	2.11	0.50
1:A:309:LEU:O	1:A:312:TYR:N	2.44	0.50
1:A:204:GLN:NE2	1:A:204:GLN:H	2.09	0.50
1:A:131:ASN:ND2	1:A:228:LYS:O	2.42	0.50
1:A:178:SER:OG	1:A:184:LEU:HD22	2.11	0.50
1:A:316:THR:CG2	1:A:318:LYS:HG2	2.41	0.50
1:A:168:SER:OG	1:A:203:VAL:HA	2.11	0.50
1:A:251:ARG:HA	1:A:254:MET:HE2	1.93	0.50
1:A:162:ARG:N	1:A:196:ASP:OD2	2.35	0.49
1:A:312:TYR:C	1:A:314:GLU:H	2.14	0.49
1:A:220:PHE:CE2	1:A:251:ARG:HD3	2.48	0.49
1:A:230:ILE:CG2	1:A:232:ILE:HD11	2.43	0.49
1:A:192:ARG:O	1:A:193:LYS:C	2.52	0.48
1:A:259:LYS:HE2	1:A:261:GLU:HG2	1.95	0.48
1:A:297:ASP:OD2	1:A:301:ARG:NH1	2.47	0.48
1:A:132:PRO:CB	1:A:230:ILE:HB	2.42	0.48
1:A:301:ARG:NH2	1:A:335:PRO:CG	2.69	0.48
1:A:183:LYS:HE3	1:A:185:ASN:HD22	1.78	0.47
1:A:110:GLY:N	1:A:113:ASN:HD21	2.12	0.47
1:A:163:VAL:HG13	1:A:197:ILE:HG23	1.95	0.47
1:A:183:LYS:HZ2	1:A:185:ASN:H	1.63	0.47
1:A:129:ARG:HG2	1:A:130:TYR:CZ	2.48	0.47
1:A:172:LEU:CD2	1:A:212:VAL:HG21	2.45	0.47
1:A:285:GLU:CD	1:A:285:GLU:H	2.18	0.47
1:A:315:THR:HG22	1:A:316:THR:N	2.29	0.47
1:A:298:ASN:HD22	1:A:300:ARG:CB	2.26	0.47
1:A:298:ASN:ND2	1:A:300:ARG:CB	2.75	0.47
1:A:217:PHE:HE1	1:A:251:ARG:HH11	1.63	0.47
1:A:131:ASN:HD21	1:A:228:LYS:C	2.17	0.47
1:A:321:ASP:OD2	1:A:324:GLU:HG3	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:GLU:HG2	1:A:269:LYS:HE3	1.97	0.46
1:A:312:TYR:CD2	1:A:312:TYR:C	2.89	0.46
1:A:251:ARG:HE	1:A:254:MET:CE	2.24	0.46
1:A:248:LEU:O	1:A:251:ARG:N	2.49	0.46
1:A:288:LEU:HD23	1:A:288:LEU:C	2.36	0.46
1:A:284:PRO:C	1:A:286:GLU:N	2.68	0.46
1:A:110:GLY:H	1:A:113:ASN:ND2	2.13	0.46
1:A:121:LEU:HD11	1:A:125:LYS:CE	2.46	0.45
1:A:265:GLU:CD	1:A:293:GLU:HG2	2.36	0.45
1:A:169:GLU:HA	1:A:205:PHE:CE2	2.50	0.45
1:A:180:LYS:C	1:A:182:GLY:H	2.20	0.45
1:A:195:VAL:O	1:A:228:LYS:HD2	2.17	0.45
1:A:291:VAL:HG11	1:A:306:ILE:CD1	2.47	0.44
1:A:203:VAL:HG12	1:A:234:SER:HB2	2.00	0.44
1:A:291:VAL:HG11	1:A:306:ILE:HD11	1.99	0.44
1:A:136:TYR:HA	1:A:234:SER:O	2.17	0.44
1:A:183:LYS:CE	1:A:185:ASN:HB2	2.35	0.44
1:A:131:ASN:HA	1:A:132:PRO:HA	1.72	0.44
1:A:223:LEU:HB2	1:A:230:ILE:HD11	1.99	0.44
1:A:276:LEU:O	1:A:277:GLU:C	2.56	0.44
1:A:223:LEU:HB3	1:A:228:LYS:HB2	2.00	0.44
1:A:272:ALA:HB3	1:A:288:LEU:HD21	1.99	0.44
1:A:301:ARG:HH11	1:A:301:ARG:CB	2.31	0.43
1:A:288:LEU:O	1:A:288:LEU:HD23	2.18	0.43
1:A:269:LYS:O	1:A:273:ARG:HG3	2.18	0.43
1:A:183:LYS:HZ2	1:A:184:LEU:N	2.17	0.43
1:A:189:GLU:O	1:A:193:LYS:HB3	2.19	0.43
1:A:269:LYS:HE2	1:A:293:GLU:HG3	2.00	0.43
1:A:113:ASN:HD22	1:A:114:SER:N	2.17	0.43
1:A:180:LYS:C	1:A:182:GLY:N	2.72	0.43
1:A:251:ARG:NE	1:A:254:MET:HE1	2.26	0.42
1:A:268:ARG:HD2	1:A:292:ALA:O	2.19	0.42
1:A:269:LYS:HG2	1:A:292:ALA:HB3	2.00	0.42
1:A:327:LEU:HA	1:A:330:LYS:HE3	2.01	0.42
1:A:318:LYS:HG3	1:A:319:GLU:O	2.18	0.42
1:A:106:ASN:HA	1:A:274:LYS:CE	2.49	0.42
1:A:142:GLY:O	1:A:146:LEU:HB2	2.19	0.42
1:A:175:LEU:O	1:A:176:VAL:C	2.58	0.42
1:A:192:ARG:O	1:A:195:VAL:HG22	2.19	0.41
1:A:160:ASP:O	1:A:161:LEU:HD23	2.19	0.41
1:A:295:VAL:CG1	1:A:302:LEU:HA	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:LYS:C	1:A:183:LYS:HD3	2.41	0.41
1:A:301:ARG:HH21	1:A:335:PRO:CG	2.33	0.41
1:A:145:HIS:O	1:A:145:HIS:HD2	2.02	0.41
1:A:251:ARG:O	1:A:254:MET:HG2	2.19	0.41
1:A:273:ARG:O	1:A:276:LEU:HB2	2.20	0.41
1:A:183:LYS:CG	1:A:186:GLU:HG3	2.46	0.41
1:A:180:LYS:O	1:A:182:GLY:N	2.53	0.41
1:A:170:LYS:O	1:A:174:ASP:HB2	2.21	0.41
1:A:175:LEU:O	1:A:178:SER:N	2.54	0.41
1:A:172:LEU:HD22	1:A:212:VAL:CG2	2.51	0.41
1:A:102:TYR:CE2	3:A:501:ADP:H3'	2.56	0.41
1:A:102:TYR:HE2	3:A:501:ADP:H3'	1.85	0.41
1:A:183:LYS:HD2	1:A:186:GLU:HG3	2.03	0.41
1:A:309:LEU:HD13	1:A:329:LEU:HD21	2.03	0.41
1:A:185:ASN:O	1:A:186:GLU:C	2.59	0.40
1:A:239:GLN:NE2	1:A:253:GLN:HE22	2.08	0.40
1:A:251:ARG:NE	1:A:254:MET:CE	2.83	0.40
1:A:131:ASN:HD21	1:A:229:GLN:CA	2.32	0.40
1:A:108:VAL:HB	1:A:271:ILE:HG12	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	238/440 (54%)	201 (84%)	28 (12%)	9 (4%)	<b>4</b> <b>22</b>

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	285	GLU
1	A	297	ASP

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	316	THR
1	A	202	ASP
1	A	315	THR
1	A	193	LYS
1	A	254	MET
1	A	209	LYS
1	A	97	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/395 (54%)	191 (89%)	24 (11%)	7	29

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	ASN
1	A	132	PRO
1	A	139	VAL
1	A	146	LEU
1	A	166	ILE
1	A	174	ASP
1	A	175	LEU
1	A	177	ASP
1	A	183	LYS
1	A	184	LEU
1	A	198	LEU
1	A	203	VAL
1	A	204	GLN
1	A	216	LEU
1	A	226	SER
1	A	235	ASP
1	A	236	ARG
1	A	244	PHE
1	A	248	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	275	MET
1	A	286	GLU
1	A	289	ASN
1	A	302	LEU
1	A	321	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	ASN
1	A	157	ASN
1	A	185	ASN
1	A	204	GLN
1	A	239	GLN
1	A	253	GLN
1	A	289	ASN
1	A	298	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	ADP	A	501	2	22,29,29	1.16	2 (9%)	27,45,45	2.51	5 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	501	2	-	0/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	ADP	C8-N7	-2.19	1.30	1.34
3	A	501	ADP	O4'-C1'	2.92	1.44	1.41

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	ADP	N3-C2-N1	-9.83	121.36	128.89
3	A	501	ADP	PA-O3A-PB	-6.21	111.83	132.67
3	A	501	ADP	C5'-C4'-C3'	-2.40	105.69	115.21
3	A	501	ADP	C4-C5-N7	-2.20	107.45	109.48
3	A	501	ADP	O4'-C4'-C3'	2.97	111.13	105.15

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	ADP	5	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	240/440 (54%)	-0.21	1 (0%) 93 80	34, 63, 94, 135	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	329	LEU	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	ADP	A	501	27/27	0.93	0.28	1.39	54,71,75,80	0
2	MG	A	500	1/1	0.87	0.39	-	56,56,56,56	0



## 6.5 Other polymers [i](#)

There are no such residues in this entry.