



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:04 AM GMT

PDB ID : 1ZL5
Title : Crystal structure of Glu335Gln mutant of Clostridium botulinum neurotoxin
E catalytic domain
Authors : Agarwal, R.; Binz, T.; Swaminathan, S.
Deposited on : 2005-05-05
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	
1	B	420	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	A	602	-	-	X	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called botulinum neurotoxin type E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	400	Total	C	N	O	S	0	0	0
			3207	2052	534	613	8			
1	B	387	Total	C	N	O	S	0	0	0
			3110	1992	517	594	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	335	GLN	GLU	ENGINEERED	UNP Q00496
B	335	GLN	GLU	ENGINEERED	UNP Q00496

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Cl	0	0
			2	2		
2	A	6	Total	Cl	0	0
			6	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	136	Total	O	0	0
			136	136		
3	B	114	Total	O	0	0
			114	114		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: botulinum neurotoxin type E



• Molecule 1: botulinum neurotoxin type E



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	88.95Å 144.57Å 83.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.55 – 2.60 46.55 – 2.58	Depositor EDS
% Data completeness (in resolution range)	84.3 (46.55-2.60) 82.6 (46.55-2.58)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 2.58Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.209 , 0.271 0.214 , 0.274	Depositor DCC
R_{free} test set	422 reflections (1.48%)	DCC
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.769	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 30937 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6575	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/3279	0.64	0/4440
1	B	0.40	0/3177	0.63	0/4299
All	All	0.40	0/6456	0.64	0/8739

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3207	0	3160	94	0
1	B	3110	0	3070	104	0
2	A	6	0	0	4	0
2	B	2	0	0	0	0
3	A	136	0	0	13	0
3	B	114	0	0	9	0
All	All	6575	0	6230	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:ARG:HB2	1:B:167:ARG:HH11	1.37	0.87
1:B:75:SER:HB3	1:B:78:GLU:HG3	1.58	0.83
1:B:233:THR:HA	1:B:245:GLY:HA2	1.60	0.81
1:A:284:LYS:HB2	3:A:744:HOH:O	1.83	0.78
1:B:196:ASN:HA	3:B:715:HOH:O	1.84	0.77
1:A:275:LEU:O	1:A:279:LYS:HG2	1.84	0.77
1:B:409:ARG:HH11	1:B:409:ARG:HA	1.54	0.72
1:B:375:ASN:HB3	1:B:380:LYS:HA	1.71	0.71
1:A:292:ASN:O	1:A:295:LEU:HD22	1.91	0.71
1:B:75:SER:HB3	1:B:78:GLU:CG	2.22	0.70
1:B:46:VAL:HG22	3:B:659:HOH:O	1.91	0.70
1:B:385:GLY:HA2	1:B:391:ASN:HD22	1.58	0.69
1:B:21:LYS:HD3	1:B:25:CYS:O	1.93	0.69
1:B:409:ARG:HH11	1:B:409:ARG:CA	2.06	0.68
1:A:153:GLU:HG2	2:A:602:CL:CL	2.31	0.68
1:A:153:GLU:HB2	1:A:154:PRO:CD	2.25	0.67
1:A:289:GLN:HG3	1:A:291:SER:H	1.58	0.67
1:B:21:LYS:HG2	1:B:27:GLU:O	1.94	0.66
1:B:227:THR:HG22	1:B:270:ILE:HD12	1.78	0.66
1:A:194:ASN:ND2	1:A:200:GLU:HG2	2.11	0.65
1:B:400:GLY:O	1:B:404:VAL:HG23	1.97	0.65
1:B:153:GLU:HB2	1:B:154:PRO:CD	2.28	0.64
1:B:54:PHE:O	1:B:70:PRO:HG3	1.97	0.63
1:A:194:ASN:HD21	1:A:200:GLU:HG2	1.64	0.62
1:A:280:LYS:HD3	3:A:744:HOH:O	1.99	0.61
1:A:153:GLU:HB2	1:A:154:PRO:HD2	1.80	0.61
1:B:381:VAL:O	1:B:384:ARG:HG3	1.99	0.61
1:B:409:ARG:HD2	1:B:409:ARG:N	2.15	0.61
1:A:261:ILE:HD12	1:A:261:ILE:N	2.15	0.60
1:B:167:ARG:CB	1:B:167:ARG:HH11	2.13	0.60
1:A:105:GLU:CD	1:A:329:LYS:HD2	2.23	0.59
1:B:2:LYS:HB3	3:B:713:HOH:O	2.03	0.59
1:B:2:LYS:H	1:B:2:LYS:HD3	1.68	0.59
1:B:395:ILE:HD12	1:B:395:ILE:N	2.18	0.59
1:B:381:VAL:HG23	3:B:652:HOH:O	2.03	0.58
1:A:75:SER:OG	1:A:78:GLU:HG3	2.03	0.58
1:B:251:PHE:HD2	1:B:258:ASP:HB3	1.67	0.58
1:A:210:MET:O	1:A:214:ILE:HG13	2.04	0.58
1:B:289:GLN:HB2	3:B:677:HOH:O	2.02	0.58
1:B:377:ASN:O	1:B:380:LYS:HG2	2.04	0.57
1:B:233:THR:HA	1:B:245:GLY:CA	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:MET:CE	3:A:689:HOH:O	2.52	0.56
1:B:396:THR:HG21	3:B:710:HOH:O	2.03	0.56
1:B:387:ASN:HB3	1:B:390:LEU:HB3	1.87	0.56
1:B:266:GLN:O	1:B:270:ILE:HG12	2.05	0.56
1:A:33:ASN:HB2	1:A:39:TRP:CZ2	2.40	0.55
1:A:266:GLN:O	1:A:270:ILE:HG12	2.06	0.55
1:A:311:ASP:OD2	1:A:315:ILE:HB	2.05	0.55
1:A:19:TYR:HB3	1:A:28:PHE:HB3	1.89	0.55
1:A:155:ASP:O	2:A:602:CL:CL	2.62	0.55
1:A:195:ASP:OD2	1:A:199:ASN:HB2	2.06	0.55
1:A:97:LEU:O	1:A:101:ILE:HG12	2.07	0.55
1:A:261:ILE:HD12	1:A:261:ILE:H	1.72	0.54
1:B:379:LEU:HD13	1:B:391:ASN:ND2	2.22	0.54
1:A:130:ALA:HB2	1:A:144:LEU:CD2	2.37	0.54
1:B:44:ARG:HD3	1:B:73:LEU:HB2	1.89	0.54
1:B:148:ILE:HB	1:B:182:ILE:HD13	1.90	0.54
1:B:29:TYR:CD1	1:B:43:GLU:HG3	2.43	0.53
1:B:168:ASN:N	1:B:168:ASN:HD22	2.07	0.53
1:A:262:ILE:H	1:A:262:ILE:HD12	1.74	0.53
1:B:92:ARG:HA	1:B:370:ILE:HG23	1.90	0.52
1:A:403:LEU:HD22	1:A:407:ILE:HD11	1.92	0.51
1:A:182:ILE:N	1:A:182:ILE:HD12	2.25	0.51
1:B:385:GLY:HA2	1:B:391:ASN:ND2	2.25	0.51
1:A:158:GLU:O	2:A:602:CL:CL	2.66	0.51
1:A:33:ASN:HB2	1:A:39:TRP:CH2	2.46	0.51
1:A:119:PRO:HG2	1:A:122:GLN:HG2	1.93	0.51
1:A:375:ASN:HB3	1:A:380:LYS:HA	1.93	0.51
1:A:400:GLY:HA2	1:A:403:LEU:HD12	1.93	0.50
1:A:378:ASN:ND2	1:A:384:ARG:HH12	2.09	0.50
1:A:50:THR:HG22	1:A:51:PRO:HD2	1.93	0.50
1:B:394:ILE:HG13	1:B:395:ILE:CD1	2.42	0.50
1:B:118:THR:HG21	1:B:124:HIS:CD2	2.47	0.50
1:B:409:ARG:HH11	1:B:409:ARG:N	2.10	0.49
1:B:66:SER:HG	1:B:68:TYR:HE2	1.61	0.49
1:A:182:ILE:HG23	3:A:693:HOH:O	2.12	0.49
1:B:14:ASP:OD1	1:B:135:PHE:HB3	2.12	0.49
1:A:377:ASN:O	1:A:380:LYS:HG2	2.12	0.49
1:B:9:ASN:HD22	1:B:10:ASP:N	2.11	0.49
1:A:6:PHE:CD2	1:A:32:PHE:HB3	2.48	0.49
1:B:395:ILE:HD12	1:B:395:ILE:H	1.78	0.49
1:B:73:LEU:HD21	1:B:82:PHE:HB2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:ASN:HD22	1:B:224:LYS:NZ	2.11	0.49
1:A:7:ASN:HB2	1:A:10:ASP:OD1	2.13	0.49
1:A:251:PHE:HB2	1:A:262:ILE:HD11	1.95	0.48
1:B:251:PHE:HB3	1:B:258:ASP:O	2.13	0.48
1:A:171:MET:HE2	3:A:689:HOH:O	2.13	0.48
1:B:129:SER:O	1:B:144:LEU:HD13	2.13	0.48
1:B:322:LYS:O	1:B:326:ILE:HG13	2.12	0.48
1:A:284:LYS:HD2	3:A:744:HOH:O	2.14	0.48
1:B:190:SER:HB3	1:B:359:LEU:HD21	1.96	0.48
1:B:232:ILE:O	1:B:233:THR:O	2.32	0.48
1:B:226:ILE:CG2	1:B:270:ILE:HD13	2.44	0.48
1:A:409:ARG:HD3	1:A:409:ARG:HA	1.71	0.47
1:B:309:ASP:O	1:B:316:TYR:HA	2.14	0.47
1:B:163:ASN:ND2	1:B:219:GLY:HA3	2.29	0.47
1:B:7:ASN:HB2	1:B:10:ASP:OD1	2.15	0.47
1:B:2:LYS:N	1:B:2:LYS:HD3	2.27	0.47
1:B:9:ASN:C	1:B:9:ASN:HD22	2.17	0.47
1:B:20:ILE:HG12	1:B:133:ILE:HG22	1.96	0.47
1:A:171:MET:HE1	3:A:689:HOH:O	2.12	0.47
1:B:163:ASN:ND2	1:B:224:LYS:NZ	2.63	0.47
1:A:262:ILE:N	1:A:262:ILE:HD12	2.29	0.47
1:A:180:ILE:HG22	1:A:182:ILE:HD12	1.97	0.46
1:A:43:GLU:OE2	1:A:79:LYS:NZ	2.47	0.46
1:B:381:VAL:HG11	1:B:384:ARG:HH21	1.79	0.46
1:A:307:GLY:HA2	3:A:687:HOH:O	2.16	0.46
1:A:370:ILE:HG12	3:A:673:HOH:O	2.14	0.46
1:B:42:PRO:O	1:B:79:LYS:HG2	2.15	0.46
1:B:98:SER:OG	1:B:341:LYS:HD3	2.16	0.46
1:B:231:THR:HG22	1:B:247:ASN:HA	1.96	0.46
1:A:255:GLY:O	1:A:258:ASP:HB2	2.16	0.46
1:B:391:ASN:N	1:B:392:PRO:HD3	2.30	0.46
1:A:251:PHE:CZ	1:A:351:ILE:HD11	2.51	0.46
1:A:261:ILE:CD1	1:A:261:ILE:H	2.28	0.46
1:B:29:TYR:CG	1:B:43:GLU:HG3	2.51	0.45
1:A:163:ASN:OD1	1:A:219:GLY:HA3	2.15	0.45
1:A:105:GLU:OE1	1:A:329:LYS:HD2	2.15	0.45
1:B:26:GLN:HG2	3:B:718:HOH:O	2.15	0.45
1:B:403:LEU:O	1:B:407:ILE:HG13	2.17	0.45
1:B:153:GLU:HB2	1:B:154:PRO:HD2	1.99	0.45
1:B:403:LEU:O	1:B:406:LYS:HB2	2.16	0.45
1:B:194:ASN:HA	1:B:199:ASN:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:LYS:NZ	1:B:328:LYS:HB3	2.32	0.44
1:A:71:ASN:O	1:A:74:GLN:HG2	2.16	0.44
1:A:153:GLU:CB	1:A:154:PRO:CD	2.95	0.44
1:A:194:ASN:HA	1:A:199:ASN:O	2.17	0.44
1:B:178:GLY:HA3	1:B:220:LEU:O	2.16	0.44
1:B:159:THR:HA	1:B:184:THR:O	2.17	0.44
1:B:21:LYS:HB2	1:B:28:PHE:CE1	2.52	0.44
1:B:21:LYS:HB2	1:B:28:PHE:CD1	2.52	0.44
1:A:130:ALA:HB2	1:A:144:LEU:HD23	1.99	0.44
1:A:167:ARG:HG3	1:A:167:ARG:H	1.61	0.44
1:B:232:ILE:HD11	1:B:251:PHE:CE1	2.53	0.44
1:A:61:LYS:HG2	1:A:61:LYS:O	2.18	0.44
1:A:261:ILE:N	1:A:261:ILE:CD1	2.81	0.44
1:A:88:LYS:HG3	1:A:370:ILE:CD1	2.48	0.44
1:B:127:ASP:O	1:B:164:ILE:HG21	2.17	0.44
1:A:164:ILE:HD11	1:A:182:ILE:HD11	2.00	0.44
1:B:195:ASP:OD1	1:B:199:ASN:HB2	2.18	0.44
1:A:364:ASN:OD1	1:A:366:SER:HB2	2.18	0.44
1:B:345:LYS:HB2	1:B:383:PHE:CD2	2.53	0.43
1:B:168:ASN:N	1:B:168:ASN:ND2	2.66	0.43
1:A:297:PRO:HB2	1:B:297:PRO:HB2	2.01	0.43
1:B:232:ILE:HD13	1:B:232:ILE:N	2.34	0.43
1:A:226:ILE:CG2	1:A:270:ILE:HD13	2.49	0.43
1:B:246:THR:OG1	1:B:351:ILE:HD11	2.19	0.43
1:B:295:LEU:O	1:B:298:TYR:HB2	2.19	0.43
1:B:174:ASN:HB3	1:B:225:GLY:HA2	2.01	0.42
1:B:381:VAL:HG11	1:B:384:ARG:NH2	2.34	0.42
1:A:105:GLU:OE2	1:A:329:LYS:HD2	2.18	0.42
1:B:280:LYS:HD3	1:B:280:LYS:O	2.19	0.42
1:A:19:TYR:O	1:A:133:ILE:HA	2.20	0.42
1:B:110:ASN:HA	1:B:111:PRO:HD3	1.93	0.42
1:B:364:ASN:HB3	1:B:367:ILE:HD12	2.00	0.42
1:B:277:ASP:O	1:B:281:ILE:HG13	2.18	0.42
1:A:396:THR:HG22	3:A:663:HOH:O	2.18	0.42
1:A:379:LEU:HB3	1:A:385:GLY:CA	2.48	0.42
1:B:163:ASN:HB3	1:B:179:SER:OG	2.20	0.42
1:A:405:LYS:HE2	1:A:405:LYS:HB3	1.70	0.42
1:B:163:ASN:ND2	1:B:224:LYS:HZ1	2.18	0.42
1:B:403:LEU:O	1:B:403:LEU:HD22	2.18	0.42
1:B:120:ASP:OD1	1:B:284:LYS:HG2	2.20	0.42
1:A:180:ILE:HG22	1:A:182:ILE:CD1	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:369:ASN:O	1:B:373:GLY:HA2	2.20	0.42
1:A:88:LYS:HG3	1:A:370:ILE:HD11	2.01	0.42
1:A:402:GLY:O	1:A:406:LYS:HD3	2.20	0.42
1:A:174:ASN:ND2	1:A:224:LYS:C	2.74	0.42
1:A:410:PHE:N	3:A:697:HOH:O	2.52	0.42
1:A:55:HIS:HA	1:A:56:PRO:HD3	1.90	0.42
1:A:92:ARG:HH11	1:A:92:ARG:HG3	1.85	0.41
1:A:82:PHE:O	1:A:86:VAL:HG23	2.21	0.41
1:A:95:ASN:HA	3:A:659:HOH:O	2.18	0.41
1:B:188:GLU:HB2	3:B:626:HOH:O	2.20	0.41
1:A:280:LYS:HA	1:A:280:LYS:HE2	2.02	0.41
1:B:213:LEU:HA	1:B:213:LEU:HD23	1.94	0.41
1:A:158:GLU:HB2	2:A:602:CL:CL	2.58	0.41
1:A:50:THR:CG2	1:A:51:PRO:HD2	2.51	0.41
1:A:9:ASN:O	1:A:10:ASP:C	2.58	0.41
1:A:60:LEU:HD12	1:A:60:LEU:N	2.36	0.41
1:A:8:TYR:HB2	1:A:80:ASP:HA	2.03	0.41
1:B:409:ARG:HH11	1:B:409:ARG:H	1.69	0.41
1:A:195:ASP:CG	1:A:199:ASN:HB2	2.41	0.41
1:B:381:VAL:HB	1:B:384:ARG:CZ	2.51	0.41
1:A:294:LEU:HD13	1:B:295:LEU:HD11	2.03	0.41
1:B:201:PHE:HA	1:B:386:GLN:O	2.21	0.41
1:B:66:SER:HB2	1:B:155:ASP:CG	2.41	0.40
1:A:32:PHE:N	1:A:32:PHE:CD2	2.89	0.40
1:B:121:ASN:HB3	3:B:664:HOH:O	2.20	0.40
1:A:96:ASN:HB3	1:A:342:PHE:CZ	2.56	0.40
1:A:203:GLN:HE22	1:A:335:GLN:NE2	2.19	0.40
1:A:326:ILE:HA	1:A:329:LYS:HE3	2.03	0.40
1:A:167:ARG:HD2	3:A:710:HOH:O	2.21	0.40
1:B:105:GLU:CD	1:B:329:LYS:HD2	2.41	0.40
1:A:296:ASN:N	1:A:297:PRO:CD	2.85	0.40
1:A:375:ASN:HD22	1:A:385:GLY:HA3	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	396/420 (94%)	373 (94%)	19 (5%)	4 (1%)	19	39
1	B	381/420 (91%)	351 (92%)	28 (7%)	2 (0%)	34	60
All	All	777/840 (92%)	724 (93%)	47 (6%)	6 (1%)	24	46

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	167	ARG
1	A	361	ASN
1	A	379	LEU
1	B	361	ASN
1	A	51	PRO
1	B	153	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	361/380 (95%)	349 (97%)	12 (3%)	45	73
1	B	349/380 (92%)	332 (95%)	17 (5%)	31	57
All	All	710/760 (93%)	681 (96%)	29 (4%)	37	66

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	ASP
1	A	121	ASN
1	A	123	PHE
1	A	167	ARG
1	A	268	ASN
1	A	279	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	280	LYS
1	A	295	LEU
1	A	298	TYR
1	A	353	GLN
1	A	403	LEU
1	A	404	VAL
1	B	2	LYS
1	B	9	ASN
1	B	21	LYS
1	B	76	ASP
1	B	122	GLN
1	B	167	ARG
1	B	196	ASN
1	B	232	ILE
1	B	233	THR
1	B	298	TYR
1	B	358	LYS
1	B	389	ASN
1	B	390	LEU
1	B	395	ILE
1	B	401	ARG
1	B	405	LYS
1	B	409	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	117	ASN
1	A	121	ASN
1	A	174	ASN
1	A	175	HIS
1	A	194	ASN
1	A	289	GLN
1	A	296	ASN
1	A	321	ASN
1	A	335	GLN
1	A	375	ASN
1	A	378	ASN
1	B	9	ASN
1	B	71	ASN
1	B	95	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	122	GLN
1	B	124	HIS
1	B	163	ASN
1	B	168	ASN
1	B	174	ASN
1	B	260	ASN
1	B	296	ASN
1	B	335	GLN
1	B	377	ASN
1	B	378	ASN
1	B	382	ASN
1	B	391	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	400/420 (95%)	-0.43	1 (0%) 94 93	13, 29, 50, 72	0
1	B	387/420 (92%)	-0.17	9 (2%) 64 57	17, 38, 64, 90	0
All	All	787/840 (93%)	-0.30	10 (1%) 79 75	13, 33, 60, 90	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	233	THR	3.3
1	B	230	TYR	2.9
1	B	52	GLN	2.7
1	B	248	ILE	2.3
1	B	71	ASN	2.1
1	B	232	ILE	2.1
1	A	169	ASN	2.1
1	B	229	LYS	2.0
1	B	261	ILE	2.0
1	B	246	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CL	A	602	1/1	0.92	0.37	16.35	63,63,63,63	0
2	CL	A	604	1/1	0.99	0.08	-3.19	31,31,31,31	0
2	CL	B	608	1/1	0.97	0.07	-	35,35,35,35	0
2	CL	A	609	1/1	0.97	0.09	-	38,38,38,38	0
2	CL	A	607	1/1	0.98	0.11	-	34,34,34,34	0
2	CL	A	605	1/1	0.99	0.20	-	19,19,19,19	0
2	CL	A	601	1/1	0.98	0.16	-	35,35,35,35	0
2	CL	B	606	1/1	0.98	0.16	-	28,28,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.